


treatment by Bayelsa State ek Ekiti State ri Rivers State fc Federal Capital Territory ed Edo State ak Akwa-Ibom State 0.4 -0.2 -0.0 eb Ebonyi State yo Yobe State go Gombe State on Ondo State kw Kwara State ke Kebbi State 0.4 -0.2 -0.0 jg Jigawa State za Zamfara State an Anambra State ab Abia State so Sokoto State cr Cross River State 0.4 -0.2 -§ 0.0 ba Bauchi State os Osun State en Enugu State ad Adamawa State pl Plateau State na Nasarawa State 0.4 -0.2 -0.0 de Delta State ko Kogi State oy Oyo State ta Taraba State kn Kano State ni Niger State 0.4 -0.2 -0.0 im Imo State be Benue State og Ogun State kt Katsina State kd Kaduna State la Lagos State 0.4 -0.2 -0.0 -11 12 13 12 13 11 12 13 14 12 13 12 11 14 11 11 period



1000

1500

2000



pregnancy by Bayelsa State ek Ekiti State ri Rivers State fc Federal Capital Territor ed Edo State ak Akwa-Ibom State eb Ebonyi State 0.4 -0.2 -0.0 yo Yobe State go Gombe State on Ondo State bo Borno State kw Kwara State ke Kebbi State jg Jigawa State 0.4 -0.2 data\_element Malaria confirmed pregnant women 0.0 za Zamfara State an Anambra State ab Abia State so Sokoto State cr Cross River State en Enugu State ad Adamawa State Malaria(Pregnant women) Death Malaria(Pregnant women)(IDSR) 0.4 -Pregnant women who received malaria IPT1 0.2 -80.0 800 Pregnant women who received malaria IPT2 Pregnant women with clinical malaria pl Plateau State ba Bauchi State os Osun State na Nasarawa State de Delta State ko Kogi State oy Oyo State 0.4 -Number of facilities in State 0.2 -500 0.0 -1000 ta Taraba State ni Niger State im Imo State og Ogun State kt Katsina State kn Kano State be Benue State 1500 0.4 -2000 0.2 -0.0 kd Kaduna State la Lagos State 0.4 -0.2 -

09 10 11 12 13 14 09 10 11 12 13 14

