

# A Community Ecology Approach for Identifying Competitive and Mutualistic Relationships Between Online Communities

NATE TEBLUNTHUIS, University of Washington

BENJAMIN MAKO HILL, University of Washington

A growing body of research in social computing has shown how online groups affect each other's group sizes as people, content, and ideas flow between groups. How can researchers and designers understand the relationship between these inter-group interactions and group sizes over time? Inspired by population ecology theory and methods, prior HCI research correlated group size with overlapping content and membership with all other groups. The results yield a puzzling body of evidence suggesting that overlap will sometimes help and sometimes hurt. We suggest that these confusing results are caused by aggregating inter-group relationships into an overall effect of an environment that ignores the rich network of varying relationships between specific online groups. To capture these dynamics, we propose a theoretical framework based on community ecology and propose a method for inferring competitive and mutualistic relationships from time-series participation data. We demonstrate our approach and its benefits for social computing research through analyses of simulated data and of three real networks of groups hosted by Reddit.

## ACM Reference Format:

Nate TeBlunthuis and Benjamin Mako Hill. 2018. A Community Ecology Approach for Identifying Competitive and Mutualistic Relationships Between Online Communities. In *Woodstock '18: ACM Symposium on Neural Gaze Detection, June 03–05, 2018, Woodstock, NY*. ACM, New York, NY, USA, 29 pages. <https://doi.org/10.1145/1122445.1122456>

## 1 INTRODUCTION

~~Online groups are important places where people collaborate to produce information sources, engage in discussions and participate in culture.~~<sup>1</sup> Although the fact is frequently ignored in social media scholarship, online groups do not exist in isolation. Indeed, a growing body of HCI scholars have shown how online groups spawn new groups, wage conflicts against each other, compete with each other, and help each other in a range of ways. When people move between groups they transport experience, knowledge, and culture [19, 57, 68]. This emerging body of work has demonstrated that a full understanding of online groups involves understanding how they relate to one another.

<sup>1</sup>We use the term "online group" ~~as interchangeable with~~ <sup>instead of</sup> "online community" to help avoid confusion with our analytical term "community ecology."

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

© 2018 Association for Computing Machinery.

Manuscript submitted to ACM

Prior investigations of interdependence between online groups in HCI and social computing draw from ecology [64, 67, 68]. Ecology has been fruitfully applied to human organizations ranging from commercial industries to social movements for over 40 years [5, 30], and is thus a natural approach for understanding interdependence between online groups. However, there remain very few explicitly ecological studies of online groups and those that exist yield a puzzling body of results. This research has shown that groups whose members overlaps with other groups are associated with increased survival in wikis [67], but with increased failure in Usenet groups [64]. In some settings, the relationship between topical overlaps and performance follows theoretical predictions that moderate overlap should lead to the best outcomes [67], while studies in other settings find weak or theoretically inconsistent relationships [57, 60].

We argue that a path to increased clarity involves first recognizing that there are two distinct strands of ecological theory that may be applicable to social computing but that these strands—called *community ecology* and *population ecology*—have different levels of analysis and make different theoretical predictions [2]. Population ecology considers the dynamics *within a population* such as a biological species or relatively homogenous organizational form like a newspaper. The earliest and most influential works of ecology as applied to human organizations have used the population ecology approach to answer questions such as those about how organizational forms become established or decline [1]. This approach requires treating a population as consisting of entities with similar resource needs while ignoring the distinct roles that individual groups play. Population ecology has framed every ecological analysis of online groups published in social computing venues that we are aware of.

*Community ecology* is a distinct approach that adopts a higher level of analysis to consider dynamics within an *ecological community* comprised of heterogeneous and interdependent populations [2]. In biology, this might be those organisms inhabiting a lake or valley. In organization science, this might be the network of technology developers, manufacturers, and suppliers in the semiconductor industry [52, 62]. Community ecology is also of considerable influence in organization science [e.g. 2, 4, 46, 48, 52, 54]. To our knowledge, community ecology theories have never been applied in HCI or social computing research.

However, while ecological studies of online groups like those by Wang et al. [64], Zhu et al. [68], and Zhu et al. [67] are consistently framed in terms *population ecology* theory, their empirical analyses ~~incorporate elements of~~ *deviate from population ecological analysis in important ways.* *community ecology*. Although ecological studies in social computing have focused on overlapping resources like topics and participants, theories of *population ecology* focus on homogenous populations and are thus simply not designed to explain these phenomena. The ultimate result, we believe, is the confusion that ecological studies in social computing are mired in today. It's just that the literature ← for both terms

Population ecology studies of resource overlaps in HCI measure the degree to which a group's participants or topics overlap with every other group is correlated growth or survival. Thus they treat competition and mutualism as environmental forces. While these forces may emerge from relationships between groups, the relationships themselves are obscured through aggregation ~~into overlaps~~ *with*. In this paper, we describe and demonstrate a novel community ecology approach to studying online groups that emphasizes how different online groups have heterogeneous roles and corresponding resources which give rise to competitive or mutualistic relationships between groups. In doing so, we make distinct theoretical and methodological contributions to HCI and social computing scholarship.

First, we contribute to theory by providing a framework that supports a conceptual shift from treating individual online groups as indistinct parts of an ecological environment to treating them as belonging to a ecological community of related entities. Where prior approaches aggregate individual relationships between groups, our approach makes it possible to answer critical questions like “Which are a given online groups strongest mutualists or competitors?” In the process, our theoretical work brings clarity to a confusing set of empirical results in prior research. Our second contribution is to introduce a statistical method for inferring networks of competitive and mutualistic relationships from ~~time-series~~ *online group* of participation activity using vector autoregression (VAR) models [13, 38, 55]. We validate our method using simulated data to show that it can identify a full range of ecological relationships and ~~we~~ *data* conduct a series of three case studies of groups hosted on the platform Reddit. Although limited, these analyses make a third contribution *case studies*

in the form of empirical findings that suggest that specific patterns of relationships vary substantially across networks of groups and <sup>that</sup> mutualism appears to be much more common than competition.

## 2 BACKGROUND

Our contributions build on a body of existing theoretical work ~~from social computing~~ that theorizes online groups as depending on several distinct types of resources as well as a <sup>smaller</sup> body of ecological research in social computing conducted over the last decade. We briefly summarize both before introducing our conceptual approach.

### 2.1 Online groups depend on resources

Online groups are important social structures built to serve a wide range of goals [8, 21, 44]. While many online groups are formed, only an extreme minority ~~grow or~~ develop a sizable ~~and sustained~~ group of participants [39, 43].

Understanding why some groups take off while others do not ~~or fall into decline~~ is important because ~~whether an~~ online group <sup>stability to their</sup> can achieve its goals depends on attracting and retaining ~~and pool of~~ contributors [44].

Ecological approaches to explaining the growth of online groups build on a theoretical approach that treats resources contributed by participants such as content, information, attention, or social interactions as playing a role in motivating participation by subsequent participants [10, 64, 66]. Although this dynamic implies a ~~positive~~ feedback loop, groups clearly do not grow forever and increasing costs of participation will eventually limit further growth [10]. While factors such as leadership, organizational practices, network structure, and design decisions can lower costs and benefits of participation ~~in a group~~ [10, 43, 61], institutions intended to improve quality ~~in large groups~~ appear to limit growth. For example, the end of English Wikipedia's growth in early 2007 can be explained by barriers to newcomer participation erected during its growth phase [29] in a pattern observed in other collaborative knowledge production projects [59].

Of course, the nature of ~~particular~~ resources is clearly important to resource-based theories ~~and~~ online group research has been particularly concerned with *rival* resources that becomes unavailable for use by others when used by any

one group [8, 45, 51, 53]. Interdependence between online groups can be important to explaining ~~their~~ <sup>groups</sup> growth, decline and survival because important rival resources like the time, attention, and efforts of participants are subject to competition ~~between groups~~. Although opportunity costs of participation mean that people will not participate in a group if they prefer alternatives like sleep, ~~enjoyment of~~ entertainment, or work [7, 11], participation in a related online group providing the same benefits ~~at lesser costs~~ might be a compelling alternative. In this way, declines in online participation can sometimes be explained in terms of competition over rival resources [64]. <sup>like participative</sup>

On the other hand, not all resources important to online groups will be subject to competition. Some groups produce connective and communal public goods ~~in the form of~~ <sup>like</sup> opportunities to communicate and ~~beneficial~~ information [27] which can be non-rival or even “anti-rival” when their usefulness increases as a result of others using them [45, 65]. For example, the usefulness of a communication network increases as more people join it [27, 41]. Similarly, the usefulness of an information good can increase as more people come to know and depend upon it [45, 65]. For example, awareness of an audience can motivate participation in online groups [66]. If multiple online groups help build the same connective or communal public goods, they may form *mutualistic* relationships with one another such that contributions to one group may “spill over” and motivate participation in related groups [68].

Even though online groups ~~are likely to share or compete over resources~~ <sup>can</sup> <sup>and</sup>, studying interdependence between online groups adds enormous complexity to research projects [36]. Despite the challenges, a growing body of empirical research in social computing has sought to quantify how online groups ~~can~~ share users or topics [19, 20, 34, 58] and how interactions between groups relate to outcomes like the emergence of new groups [57], contributions to peer produced knowledge [63], and the spread of hate speech [17]. ~~In these ways, existing research establishes that online groups interact in important ways.~~ However, few general theories or theoretical frameworks exist with which to understand how forms of interdependence between online groups shape their growth or survival.

## 2.2 Ecological research in social computing

*OW*  
~~We follow theoretical approaches to the study of interdependence between online drawing~~ *draws*  
 from ecology. While our work focuses on the ecological study of online groups, other social computing scholars like Nardi and O'Day [49] have used the term “ecology” and related concepts like “ecosystem” and “environment” as metaphors denoting assemblages of sites, technologies, or platforms. We use the term in a more narrow sense to refer to the conceptual and mathematical models of ecological dynamics ~~as in biological, social, and communication systems~~. In particular, our work builds on a tradition rooted in *organizational ecology*. First developed in the late 1970s by sociologists studying interrelatedness between firms, organizational ecology was inspired by and has drawn closely from ecological studies in biology [30].

Because online groups bear many similarities to traditional organizations, organizational ecology provides a theoretical framework for understanding interdependence between online groups and has been adopted by at least three empirical studies of how the resources shared between online groups shape the growth, decline, or survival of online groups [64, 67, 68]. All three take up propositions of density dependence theory which sees competitive or mutualistic forces in a population of groups as a function of *density*. In the earliest and most influential strands of organizational ecology, density is simply the number of members in a *population* [1].

*no need for it*  
 Density dependence theory proposes a trade-off between positive and negative consequences of density such that low levels of density are associated with resource-scarce environments unable to support a large population *while* but high levels of density lead to competition. Low levels of density reflect limited opportunities for mutualistic relationships that contribute to shared non-rival resources like legitimacy, connectivity, or knowledge, *but* when density is high it becomes difficult to avoid competitive relationships. ~~Thus density aggregates individual relationships.~~

Models of density dependence theory in population ecology have a similar form to the models of resource dependence described in §2.1. Just as online group growth is thought to be driven by the attraction of new members to the contributions of prior participants, so growth in an organizational population is driven by positive feedback as successful organizations legitimate a business model *and attract* new organizations to enter the market. In an analogous

way, a population of online groups may grow as their platform gains in popularity, as existing groups spin off new ones, and as useful knowledge develops that can be shared between groups [57, 68]. An individual online group's growth may be limited by the ability of their social structures to scale to include more members [10] or due to competition with other groups over members ~~just as firms compete over employees, customers, or financial resources [31]. Similarly,~~

<sup>A</sup> population of online groups may decline if they compete with one another over participants.

<sup>^</sup> While the foundational studies of density dependence in organizational research study density and growth at the population level, ecological studies of online groups model a different notion of density dependence based on the concept of *overlap density*.<sup>2</sup> Rather than the number of groups that exist in a population, overlap density measures the extent to which an individual group's members or topics overlap with all other groups. ~~Thus~~ <sup>?</sup> overlap density is not a property of a population of groups, but a property of the resource environment an individual group faces.

In contrast to biological species, this approach does not assume a population is homogeneous, ~~but comprised of~~ <sup>Instead</sup> diverse individuals ~~having~~ <sup>have</sup> different *niches* corresponding to their resource needs [1]. This is plausible in the case of online groups sharing a platform with diverse topics [40], norms [18, 24], and user bases [58]. Yet results from studies of overlap density in populations of online groups are inconsistent both with each other and with theoretical predictions ~~of density dependence theory~~ <sup>from</sup>. For example, Wang et al. [64] study user overlaps in Usenet newsgroups and find these ~~are associated with decreasing numbers of participants~~ <sup>key</sup>. Similarly, TeBlunthuis et al. [60] find that topical overlaps between online petitions are negatively associated with participation. By contrast Zhu et al. [68] find that membership overlap is positively associated with increasing survival of new Wikia wikis. Only Zhu et al. [67] find support for the curvilinear relationship predicted by density dependence theory ~~as topical overlaps are associated with increasing activity at low levels of overlap and with decreasing activity at high levels of overlap.~~

<sup>2</sup>Although it is less common in organizational research, overlap density has also been used by some organizational ecologists [e.g. 22].

### 3 A COMMUNITY ECOLOGY APPROACH FOR SOCIAL COMPUTING

~~Now~~ we propose a community ecology approach to the study of online groups defined by the ~~recognition of relationships~~ between online groups and the networks ~~formed of these relationships~~ as a focal object of study. Our focus is on ~~relationships that affect membership sizes of groups and on networks of relationships that make visible the distinctive~~ roles that particular groups play in ~~the the~~ broader ecological community.

Overlap density has been useful for advancing ecological theory and empirical analysis of online groups. It provides a way to characterize the environment that an online group faces ~~in terms of the resources it may share with other~~ groups. As noted ~~above~~ in §2.1, empirical studies ~~of some studies of~~ online groups find that higher levels of of overlap density are associated with decreasing group sizes in some contexts but increasing growth or survival in other ~~contexts~~. We propose that these puzzling results are due to how overlap density aggregates a group's many relationships into a property of the group's environment.

~~Consider the example of how Zhu et al. [68] find membership overlap is associated with increasing survival of new Wikia wikis, but in Wang et al.'s [64] study of Usenet groups user overlaps are associated with decreasing group sizes. One possible reasons for these inconsistent findings is that factors other than topic or user overlaps can lead to competitive and mutualistic forces on the growth and survival of online groups. During Zhu et al.'s [68] study period, Wikia was a growing platform and they found a stronger relationship when overlapping members were from more established groups. Perhaps the growth Wikia wikis was limited by knowledge of how to build a Wiki which was provided by more experienced users and user overlaps were correlated with access to such knowledge. While Usenet was a mature platform (in fact it was in decline) during Wang et al.' [64] study period and thus not limited by such resources.~~

In general, competition over overlapping resources ~~may~~ have no affect on group growth if growth is limited by something other than the resource subject to competition. Ecologists of biological organisms understand that different populations might consume the same resource (e.g. eating the same food, sharing the same habitat), but if the resource



is ~~so abundant that neither population's growth is limited by the resource (instead something else, like a predator or a different resource limits population growth)~~. ~~different populations may not compete over it [62]. Further, those resources that do limit growth may be unobserved.~~ Thus our community ecology approach begins by relaxing the assumption that competition and mutualism are driven by observable resource overlaps.

A second ~~possible~~ reason for prior inconsistent findings is that user and topic overlaps ~~may indicate groups are related to one another, but that the overall amount that a particular groups overlaps with others is a poor proxy for the degree to which its size is limited by a competitive or mutualistic environment. It may simply be that user overlaps indicate that two groups are related and that in Zhu et al.'s [68] context most relationships were mutualistic but in Wang et al.' [64] most were competitive.~~ Also, differences in communication modalities between discussion groups and Wikis are associated with different resource needs and thus different relationships between user overlaps and competitive or mutualistic ties.

~~The logic of density dependence is that at high levels of resource overlap competitive mechanisms will be more powerful than mutualistic ones. But this argument depends on assumptions of a relatively homogeneous population where all individuals have similar needs for rival resources. However, the inconsistent findings of population ecology analyses in social computing suggest that online groups likely do not have homogenous resource needs. Overlap density takes an indirect approach to understanding competition or mutualism between online groups based on correlating the extent a focal group's users or content overlaps with all other groups with that group's subsequent growth. Importantly, it does not infer whether or not two groups are competitors or mutualists. The community ecology approach we propose opens such relationships up to investigation. While varying conceptions of community ecology are found in the literature on organizational ecology [25], our approach follows Aldrich and Ruef [1] and Hawley [32]. While population ecology analyzes populations, community ecology aims to understand how different groups shape each other's growth, survival, and evolution [1, 2]. In organizational science, this can mean studying relationships between different organizational populations [e.g. 47, 56], or networks relationships between organizations [e.g 46, 52].~~

Table 1. The five possible commensal relationships between two online groups. Values in the column “ $A \rightarrow B$ ” represent the sign of hypothetical group A’s effect on group B. Based on table 11.1 from Aldrich and Ruef [1].

$A \rightarrow B$	$B \rightarrow A$	Relationship type
+	+	Full mutualism
+	·	Partial mutualism
+	–	Predation
–	·	Partial competition
–	–	Full competition

We propose a community ecology approach for social computing that, in an analogous way, seeks to theorize the relationships between different online groups. Our approach follows community ecology in biology and organization science by seeking to understand commensal relationships between groups [1]. A commensal relationship is a way groups affect one another ~~through changes in population~~. A group may have a commensal influence another group in three ways. Mutualism is when one group has a positive influence on the second such that growth (decline) in the first group leads to growth (decline) in the second. Competition is where one group has a negative effect on the second such that growth (decline) in the first group leads to decline (growth) in the second. It is of course possible that growth or decline in the first group has no effect on the second group, a situation termed neutrality.

There are five possible commensal relationships as described in Table 1. Note that commensal relationships can be reciprocal (as in full mutualism and competition) or not (as in partial mutualism and competition. In our framework “predation” (also called parasitism) refers to cases where a relationship is positive in one direction but negative in the other. With commensalism ~~in view~~ we can seek to explain puzzling results of resource overlap studies by asking questions like “What kinds of resource overlaps between two groups are associated with mutualism or competition?” or “Do groups that overlap more with more other groups have more (or stronger) mutualistic or competitive relationships?”

Ecological dynamics play out through the network of such relationships over time as represented by the community matrix. Analysis of the community matrix can reveal indirect relationships between groups and properties of an ecological community like stability [38]. Seeing interdependence between online groups through a community ecology-based network of dynamical relationships can make visible special roles that particular groups play in a community ecology through their many mutualistic or competitive relationships.

feels vague @ this point...  
cat?

Community ecology can provide a bridge between quantitative studies of participation in online groups and broader theories of interconnected information ecologies [49]. While we focus on relationships between groups sharing a platform, one can apply our concepts and methods to understand how interdependent systems of technologies and users give rise to the development of higher levels of social organization such as ~~entire~~ social media platforms [1, 2].

## 4 METHODS

### 4.1 Vector Autoregression Models

~~Here we review the prior work on which we build our methodological approach to inferring competitive and mutualistic relationships between online groups. §4.3 describes our own methodological contributions.~~


The goal of our methodology is to infer the community matrix of commensal relationships between groups which is a central analytical object in community ecology both in biological and organizational ecology [1, 50, 62]. Yet limitations of available data and statistical challenges mean that organizational scientists rarely attempt to estimate the full community matrix [e.g. 54, 56].

We take advantage of advances in tools for statistical inference and of granular behavioral trace data from online groups to use vector autoregression (VAR) models, an established approach in biological ecology, to infer ecological networks of commensal relationships. VAR models are a workhorse in biological ecology because VAR(1) models (i.e., VAR models with a single autoregressive term) have a close relationship to Gompertz models of population growth, which are themselves similar to the Lotka-Volterra self-limiting growth models used in Butler's [10] resource dependence framework from social computing [38]. Certain et al. [16] demonstrate using a simulation that even in the presence of unmodeled nonlinearities, VAR(1) models can reliably identify competition or mutualism between species in empirically realistic scenarios.

VAR models have also been widely adopted in the social sciences, particularly in political science and in macroeconomics Box-Steffensmeier [9]. They are flexible enough to model a wide range of systems so long as sufficiently long

time-series data are available ~~Sims~~ [55]. They can be intuitively understood as a generalization of a one-dimensional auto-regressive AR models in time series analysis. But while AR models ~~predict~~ <sup>the</sup> state of a single time-series variable as a function of its previous values, VAR models simultaneously predict multiple time series variables as a function of the values of every other variable in the system [13]. A VAR(1) model has the form:

$$Y_t = B_0 + \mathbf{B}X_t + \Phi Y_{t-1} + \epsilon_t \quad (1)$$

*Indendent*  Where  $Y_t$  is a vector of length  $m$ . The parameter  $B_0$  is a vector of intercept terms.  $\Phi$  is a matrix where the diagonal elements are intrinsic growth rates for each element of  $Y$  and the off-diagonal elements are the influence between different variables. Additional predictors can be included in  $X_t$ , and  $\epsilon_t$  is the error term.

#### 4.2 Impulse responses

The parameter  $\Phi$  in a VAR(1) model encodes the “community matrix” in community ecology as direct associations between growth in one group and subsequent growth in another [50]. But VAR models also capture “net effects,” which include indirect relationships between groups accounting for responses of all groups to one another. Consider relationships between three groups (A, B, C) such that A partially competes with B and B partially competes with C but A and C have no direct relationship. A VAR(1) model inferring these relationships will have negative coefficients  $\phi_{A,B}$  and  $\phi_{B,C}$  and  $\phi_{A,C}$  will be nearly zero.

This does not mean that groups A and C are independent. Rather an exogenous increase in A will cause a decrease in B and thereby an eventual increase in C. Indirect relationships like these can be inferred by using impulse response functions (IRFs) to interpret a VAR model [9]. Often in large VAR models the great number of parameters mean that few specific elements of  $\Phi$  will be statistically significant, but the cumulation of many weak relationships can yield a statistically significant impulse response function [13].

### 4.3 Inferring the community matrix for social computing systems

Traditionally VAR models in both macroeconomics and biological ecology are fit using ordinary least squares, an approach which relies on assumptions that will be difficult to sustain the online group settings of our interest. The number of parameters in the model increases quadratically with the number of variables in the system which can lead to over-fitting and estimation difficulties. For models fit using OLS, non-normal errors can lead to bias. A Bayesian vector autoregression approach can overcome such limitations [3, 12]. This allows the use of hierarchical priors which pull estimates towards 0 and thereby help correct for multiple hypothesis tests [28].

We extend equation 1 to include a Poisson link function and a hierarchical Bayesian prior structure. We use a Poisson link function in order to model count data for groups with smaller numbers of participants. In our model  $Y_t$  distributed count of participants distributed according to a parameter  $\lambda_t$  which has a multivariate normal distribution evolving over time according to a VAR process. The parameter  $\Phi$  corresponds to the community matrix with off-diagonal entries representing competition or mutualism coefficients for commensal relationships between groups and diagonal entries representing intrinsic growth rates. We use  $X_t$  to account for seasonality in one of our case studies.

We use impulse response functions to quantify how much a group's size will change in response to an impulse sudden increase in the size of another group represented by  $\Theta_0$ , which is an identity matrix so our impulses represent a log-unit increase of 1. Our models have a latent VAR process and then transform it into a count variable through a Poisson link. As shown in Equation 2, to interpret IRFs in terms of the number of members of a group, we transform them using a baseline of the median number of participants in a group over the study period,  $(\tilde{Y}_i)$  and exponentiating to obtain  $\Theta_i^*$ .

$$\Theta_i = \Theta_{i-1}\Phi, i = 1, 2, \dots \quad (2)$$

$$\Theta_i^* = e^{\Theta_i + \log(\tilde{Y}_i)}$$




Fig. 1. Results of our simulation study demonstrating that our model can recover true values of  $\Phi$  with estimated medians and 95% credible intervals (CI). True simulated values are shown as open circles and the median and 95% credible intervals (CI) from our fitted model are solid.

Stationarity is a common assumption in time series analysis [9]. For a VAR(1) model, stationarity means assuming that the eigenvalues of  $\Phi$  are all less than 1. Practically speaking, this assumes that the system of online groups converges, or in other words, that groups will not grow infinitely nor that the probabilities of activity in them will go to zero. In developing our model we found that enforcing stationarity through the Heaps prior improved forecast accuracy and helped us fit larger VAR models including more online groups [33]. More information on our models, including our prior specifications is available in Appendix A.

We developed our model using the Stan probabilistic programming language building off of code published by Heaps [33] to add support for intercept terms, account for seasonality, and count data [14]. In our simulation and in all our empirical case studies we report results from Stan models fit using 4 chains that pass Stan’s diagnostic checks.

## 5 SIMULATING AN ECOLOGICAL COMMUNITY

Before turning to our empirical analysis, we first present a brief simulation study to demonstrate that our model can correctly infer all 6 possible commensal relationships included in Table 1 so long as they are sufficiently strong. We

Table 2. Summary of data collected for case studies.

Case study	# Groups	Date Range	Time span
Seattle-area	16	2011-06-06–2015-11-30	235 weeks
Wallpaper	15	2014-11-03–2019-10-28	261 weeks
Design humor	10	2014-09-15–2018-04-02	186 weeks

simulated an ecological community consisting 6 hypothetical groups with every possible commensal relationship over 320 weeks, a length of time similar to that available in our empirical data.

Results from the simulation are shown in Figure 1. For each element of  $\Phi$  we show the true simulated value along with the median and 95% credible intervals (CI) from our fitted model. In all but 1 case the true parameter value is within the 95% CI and even in this case the correct sign is inferred. We conclude from our simulation that our model can be fit and infer correct commensal relationships from data on online groups.

## 6 EMPIRICAL CASE STUDIES: RELATED SUBREDDITS

Confident that our approach can be used to infer the ecological relationships between groups, we turn to the analysis of three sets of related groups on Reddit that we present as case studies. Our case studies serve to demonstrate how our method can be applied to infer commensal relationships between online groups, to explore the variety of community ecologies that exist in online platforms, and to surface empirical findings that motivate future directions for research.

In each case study we analyze time series data from a set of related online groups: subreddits related to the Seattle area, subreddits for sharing wallpaper (i.e., desktop or mobile phone backgrounds), and design and craft humor subreddits. All three studies draw data from the Pushshift archive of Reddit submissions [6]. Table 2 shows the number of groups and time ranges for each study.

In all three case studies our analytic variable is the **number of unique posters** or accounts making submissions to a given subreddit each week. Compared to alternatives like the number of commenting accounts or the amount of activity in a subreddit, submitting content is a relatively costly form of participation and indicates a relatively high




Fig. 2. Results of VAR(1) model for Seattle-area subreddits. Plot (a) shows model coefficients, (b) shows impulse response functions, and (c) shows the network of commensal relationships derived from impulse responses. The community ecology of wallpaper subreddits is relatively dense with several mutualistic relationships.

degree of involvement in the groups we study. The number of unique posters provides a focused assessment of the size of the pool of substantively engaged contributors to a group.

In each case study we report all off-diagonal elements of  $\Phi$  where the 80% CI does not contain 0, impulse response functions where the 95% CI does not include the baseline, and a network of commensal relationships where edges represent impulse response functions where the 90% CI does not include the baseline. Because we are interested in relationships between groups we do not show off-diagonal elements of  $\Phi$ , IRFs where a group responds to its own impulse, and self-loops the network. Plots showing our estimates for all our coefficients and all impulse response functions are available in the online supplement.

## 6.1 Seattle-area subreddits

Our first case study looks at subreddits related to Seattle area. We collected a pool of 144 candidate subreddits to include in our analysis consisting of all subreddits found in the sidebars and Wikis of the /r/seattle subreddit as of July 20th 2020. In 2016 conflict in /r/seattle lead much of the group to migrate to /r/seattlewa. Because this event constitutes



a discontinuous shock that will violate assumptions of our model, we restrict our analysis to the period prior to the schism: from June 6th 2011 to November 30th 2015. We narrowed our analysis to sufficiently active communities. For each subreddit found, we examined plots of the time series of the number of unique posters and excluded subreddits that were not active during the range of our study period. We included subreddits with posts in at least 30% of weeks in each year of the study.

We account for seasonality in */r/seahawks*, */r/soundersfc*, */r/mariners*, */r/udub* and */r/wsu* using a categorical variable with 5 levels: (1) if a week is during a sports teams' regular season, (2) post-season, (3) if the team has a pre-season game, (4) if they have an off-season friendly or it is the post season and they have been eliminated from contention, and (5) if their sport is out of season. For the university groups we only account for NCAA American football, the only sport which appears to drive significant activity. We obtained NFL data from the nflgame-redux python package,<sup>3</sup> MLB data from retrosheets.org, MLS data from the engsoccerdata in R<sup>4</sup> and from Wikipedia articles on SoundersFC seasons, and NCAA football from college football reference.<sup>5</sup> The subreddits */r/udub*, */r/wwu* and */r/wsu* also exhibit seasonality with the academic calendar so we include an additional variable indicating if the university is in session according to historical course calendars and registrar websites.

While the resource dependence framework is oriented to the scarcity of participant's time and effort and suggests that such groups may be competitors, our VAR analysis of Seattle-area subreddits reveals a large number of mutualistic relationships. Figure 2a shows median values and credible intervals for elements the inferred community matrix where the 80% CI does not contain 0. While a handful of coefficients are negative at this credibility level, the vast majority are positive. Therefore we find that mutualistic relationships are more common than competitive relationships in this ecological community. Figure 2b shows several impulse response functions where the 95% CI is greater than the baseline indicating evidence of mutualism. For example, the top-left subplot shows that the commensalism from */r/Mariners* to */r/sealist* is strong enough that, for the median week, a large exogenous increase in the number of unique posters by

<sup>3</sup><https://pypi.org/project/nflgame-redux/>

<sup>4</sup><https://cran.r-project.org/web/packages/engsoccerdata/index.html>

<sup>5</sup>obtained from <https://gamethread.redditchfb.com/gamedb.php>




Fig. 3. Results of VAR(1) model for wallpaper subreddits. Plot (a) shows model coefficients, and (b) shows the network of commensal relationships derived from impulse responses. We do not show impulse response functions because in no case does the 95% CI exclude the baseline. The ecological community of wallpaper subreddits is sparse with few commensal relationships between different groups.

about 8.6 in */r/Mariners* will drive a subsequent modest increase in group size in */r/sealist* of almost 1 unique poster per week on average.

Although the mutualistic relationships associated with sports fan groups are those most confidently inferred by our model, a great number of mutualistic relationships are detectable from impulse response functions at a lower level of credibility. We can interpret these relationships as a network of mutualistic and competitive ties between groups. As shown in Figure 2c the commensal network of Seattle-area subreddits is dense with mutualistic relationships revealing a tightly connected ecological community characterized by positive spill-overs of activity between groups.

From the network we can see how certain groups can play outsized roles in an ecological community. The growth of */r/Seahawks* in particular is strongly associated with growth of a number of other subreddits, especially smaller regional subreddits like */r/Bellingham*, */r/Olympia* and */r/Spokane*. Though we do not measure the trajectories of individual accounts, the network suggests people may often be drawn to the ecological community of Seattle-area subreddits by way of */r/Seahawks* and then come to participate in other local communities. For example, it may be relatively common for Seahawks fans from Bellingham to come to Reddit to discuss the Seahawks but then find that the Bellingham subreddit is relevant to their other interests. Influxes of sports fans from communities like */r/Seahawks* appear to

promote the growth of a wider array of regional subreddits like */r/Bellingham* and */r/Olympia* as well as sports subreddits like */r/SoundersFC*.

## 6.2 Wallpaper sharing subreddits

Our second case study looks at a set of subreddits for sharing wallpaper. The wallpaper sharing are interesting because on the surface many seem very similar. For example */r/wallpaper* and */r/wallpapers* are both general purpose desktop wallpaper subreddits and similarly */r/mobilewallpaper* and */r/phoneallpapers* both have wallpapers for mobile devices. The high degree of similarity between the content shared in these groups suggests that they may be competitors.

We selected wallpaper subreddits beginning with all 898 subreddits including “wallpaper” in the title in the Pushshift submissions data. As with Seattle area subreddits above we excluded groups with lower levels of activity requiring posts in at least 40% of weeks in each year of our analysis. We chose a lower level of activity as our threshold in our study of Seattle because we were interested in the role of some smaller subreddits like */r/seajobs* in the community ecology of Seattle area subreddits. We chose the time period from June 6th 2011 to November 30th 2015 because all the wallpaper communities in our analysis were active.

While in the case of Seattle-area subreddits we found many mutualistic relationships, our analysis of wallpaper-sharing subreddits reveals very few commensal relationships at all. Only three out of the 210 non-diagonal elements of  $\Phi$  shown in Figure 3a have 80% CI that do not contain 0. In only one case does the 90% CI of the raw impulse response functions not contain 0 and in this case the 95% CI does. Even though the content shared in these groups is similar, they have little influence on each other’s membership size over time.

This shows that even among groups with apparently similar content, commensal relationships need not be strong or even exist. Even though this case study covered the longest time period and had fewer groups than our study of Seattle-area subreddits, and thus should have more statistical power, we found only weak evidence of three commensal relationships.




Fig. 4. Results of VAR(1) model for design and craft humor subreddits. Plot (a) shows model coefficients, (b) shows impulse response functions, and (c) shows the network of commensal relationships derived from impulse responses. This ecological community is characterized by a mixture of mutualistic and competitive relationships.

### 6.3 Design and craft humor subreddits

The final case study is a set of subreddits for humorous sharing of design and crafts. Subreddits typically place boundaries around the kind of content that is appropriate for their groups in rules posted in their sidebars or Wikis [18, 24]. Often these rules suggest alternative subreddits for submitting content that is not a good fit for a particular subreddit. We are interested in how such boundaries may lead to commensal relationships between groups so we collected design and craft humor subreddits from thread in */r/assholeddesign* discussing a flowchart for deciding where to post content.<sup>6</sup> We extended our search for related subreddits by reading the Wikis and sidebars of */r/assholeddesign* and */r/crappydesign*. This search yielded 13 subreddits. We excluded 3 subreddits that were created much later than the rest and analyze the period from September 15th 2014 to April 2th 2018 during which all the remaining subreddits had submissions, but the excluded subreddits did not.

Similar to our analysis of Seattle-area subreddits, our analysis of design and craft humor subreddits reveals a number of commensal ties. Yet the portrait of the ecological community that emerges is quite different from the previous cases.

<sup>6</sup>[https://www.reddit.com/r/assholeddesign/comments/a02ezp/meta\\_is\\_it\\_asshole\\_design\\_a\\_handy\\_flowchart/](https://www.reddit.com/r/assholeddesign/comments/a02ezp/meta_is_it_asshole_design_a_handy_flowchart/)

As shown in Figure 4a, in addition to positive coefficients, we also estimate a number of negative coefficients indicating the existence of competitive relationships. Figure 4b shows transformed impulse response functions for relationships inferred by our model where the 95% CI does not include the baseline. The bottom-right plot in Figure 4b shows how, according to our model, in a median week, a sudden large increase of about 98 unique accounts making submissions in the size of */r/onejob* can be expected drive a decrease of about 5 unique accounts making submissions in the size of */r/assholeddesign*.

Figure 4c shows the network of commensal relationships between the 10 design and craft humor subreddits. As with the Seattle-area subreddits, we find relatively few reciprocal fully competitive or fully mutualistic relationships where one group benefits from growth in another and the second also benefits from the first. Interestingly, while the network contains more mutualistic ties than commensal ones, it contains a three of predatory relationships where one group benefits from an increase in the size of the other, but the other group is hurt by an increase in the first. The subreddit */r/onejob* is a predator of */r/assholeddesign* as increases in the size of */r/onejob* predict subsequent decreases in the size of */r/assholeddesign* even as increases in the size of */r/assholeddesign* predict increases in the size of */r/onejob*. Similarly, */r/onejob* is predator of */r/notmyjob* and also of */r/assholeddesign*.

It is interesting that we do not find commensal relationships between three groups that were most visibly differentiated in posted guidelines about what kind of content belongs in each group (*/r/assholeddesign*, */r/mildlyinfuriating*, and */r/crappydesign*). That we do not find competition between these communities is consistent with the prediction of ecological theory that partitioning of resources (here topics or styles of content) between groups may reduce competition [1, 15].

## 7 THREATS TO VALIDITY

Our work is subject to several important threats to validity that are worth foregrounding. The method we propose for identifying commensal relationships between online groups has limitations common to all time-series analysis of

observational data. While our community ecology approach assumes that commensal relationships drive dynamics in the size of groups over time thereby causing groups to grow or decline, making causal inferences using our method would depend on untestable and unlikely assumptions. For example, additional groups—including groups on other platforms—that we did not include in our analysis may play a role in an ecological community. Therefore we refrain from claiming that we have demonstrated causal relationships. Potential omitted variables may include additional time lags of group sizes. We chose to use only VAR(1) models with only 1 time lag for simplicity but future work can improve upon our approach and model more complex dynamics using models with additional lags. Our results are offered as limited temporal associations consistent with inferred commensal relationships in the ecological communities we have measured.

Like most other time series analysis, our analysis assumes stationarity. Doing so implies that dynamics in the community ecologies of online groups that we study have a single equilibrium. This is difficult to evaluate empirically and may not be realistic in many settings [13]. We selected case studies and restricted our analysis to time spans in ways that sought to avoid obvious violations of these assumptions that research has shown are common in populations of online groups—like the creation of new groups and coordinated migrations [23]. Future work might relax these assumptions using more complex models with time-varying VAR parameters or state space models [9]. These types of approaches may also be useful to investigating how commensal relationships change over time and we hope to explore these techniques in future work.

Finally, our three cases studies are limited in that they can offer only a proof-of-concept analysis and an enticing hint at a more comprehensive future analyses with more rigorously defined populations of groups. Although we found varying results in the three ecological communities we selected, these case studies can provide little explanation for when one should expect to find different forms of commensalism in communities of online groups. Our hope is that these initial results can point in new directions for research into interdependence in online groups and provide a method

to do so. As is true in all case study research, there is little reason to expect findings from any one of our case studies to generalize to any specific set of other contexts.

## 8 DISCUSSION

Prior ecological studies of online groups use overlap in participants or topics to characterize the resource environment faced by particular groups [64, 67, 68]. However, they yield a puzzling set of empirical results about the relationship between resource overlaps and growth, decline and survival of groups. Observing that the use of overlap density in these studies potentially aggregates many varying kinds of relationships, we propose a community ecology approach as a first step toward resolving the puzzle in terms of commensal relationships that mediate competitive and mutualistic forces.

We set out to infer networks of commensal relationships between groups directly from time series of membership sizes. Applying our method to three case studies reveals three qualitatively different ecological communities. In an ecological community related by geography we find a great number of mutualistic relationships yet among groups for sharing wallpaper images we found almost no commensal relationships. In design and craft humor subreddits we find many mutualistic ties, but also predation, and we find no commensal ties between groups where posted norms clarified the distinctive content appropriate for sharing in each group.

While our case studies reveal variation in networks of commensal relationships between related groups, of course, case studies alone cannot resolve the puzzle of why resource overlaps appear related to competition in some circumstances [e.g 60, 64] but in others appear related to mutualism [67, 68]. We propose a search for conditions leading to the emergence of different forms of commensalism such as resource overlaps as a next step toward resolving the puzzle.

Within a large platform like Reddit there are a great number of sets of related groups that can be studied, making it possible to eventually construct and test generalizable theories about when and how different types of ecological communities are constructed. But interest groups often use platforms with distinctive affordances for different purposes

[42]. Since our method relies on time series data alone, it can plausibly be applied to study ecological communities spanning different social media platforms.

Competitive relationships are defined by how they decrease the size of groups subject to them, but they can also be important to the functioning of the broader ecological community. Exit to an alternative group can be an avenue for political change in response to grievances and poor governance [26, 37]. For example, in our case study of Seattle-area subreddits our model assumptions were violated by the 2016 migration of many */r/Seattle* participants to */r/SeattleWA* in response to grievances against an */r/Seattle* moderator. The existence of a sufficient diversity of alternative institutions is likely to lead to competition, but might also make the expression of voice more compelling to moderators [37]. Future studies should investigate such aspects of the dynamics between governance and commensalism.

Finally, we propose future work investigate higher-level properties of ecological communities. The motivation for community ecology is not only to better describe relationships between online groups, but also to better understand how groups shape one another and ultimately higher order social structures like social media platforms and technological cultures. One direction toward such ends is to analyze stability dynamics of VAR models to investigate conditions giving rise to relatively stable or unstable ecological communities in social computing systems [38].

## 8.1 Implications for Design

In their final chapter of their book on *Building Successful Online Communities*, Kraut et al. [44] advise managers of online groups to select an effective niche and beware of competition. But these recommendations are based on little direct evidence from studies of online groups and offer almost no concrete advice on what a designer or group should do differently based on either piece of advice. We provide a framework for online group managers to think about ecological constraints on group size in terms of dyadic relationships. Intuition suggests that online community managers might seek out mutualistic relationships and avoid competitive ones, but it is not obvious just from resource overlaps whether



a related community is a competitor or mutualist. Our method provides a tool for group managers to solve this problem by inferring competitive and mutualistic relationships.

Competitors have a negative impact on growth, but ecological theory suggests that specialization is an adaptive strategy in response to competition [1, 15, 44, 52]. For example the growth of Wikipedia caused other online encyclopedia projects to shift their focus [35]. Our method provides a tool by which group managers might identify competitors limiting the growth of their groups. With knowledge from this analysis in hand, they might be able to escape a competitive dynamic, perhaps by differentiation through unique design, policies, or governance practices.

Mutualism has a positive impact on growth and groups looking to increase activity should desire to seek out these relationships. We suggest that designers of online platforms can seek to support mutualistic relationships between groups through design. Features such as meta-reddits, group search and recommendation engines and practices like linking related subreddits in wikis and sidebars may help lower boundaries between subreddits and thereby support commensal relationships. However, it is not obvious to what extent this supports competition, mutualism, or both. Using tools like our method, community managers may be able to better understand how such design features give rise to mutualism or competition.

## 9 CONCLUSION

Explanations for the rise or decline of important online communities often look to

internal mechanisms of newcomer rejection proposed to drive Wikipedia's decline appear to generalize to other knowledge peer production projects [59], it is difficult to rule out the possibility that growth in Wikipedia's contributor base has been limited by competition with other platforms.

For example, new forms of online participation like Facebook proliferated during Wikipedia's long period of decline.

Online groups are interdependent and influence growth and decline in each other's membership sizes. Ecology has been a useful framework for understanding interdependence between online groups, but prior empirical studies

following a population ecology approach based on resource overlaps yield inconsistent findings. We introduce a Community Ecology framework and method for understanding interdependence between online groups. Using Bayesian Poisson Vector Autoregression models, we infer networks of commensal relationships between online groups directly from time-series data. Our three case studies yield qualitatively different ecological communities that suggest promising directions for future work investigating when and how commensal relationships form.

### Understanding the growth

## REFERENCES

- [1] H.E. Aldrich and M. Ruef. 2006. *Organizations Evolving* (second ed.). SAGE Publications, Thousand Oaks, CA.
- [2] W. Graham Astley. 1985. The Two Ecologies: Population and Community Perspectives on Organizational Evolution. *Administrative Science Quarterly* 30, 2 (1985), 224–241.
- [3] Marta Bañbura, Domenico Giannone, and Lucrezia Reichlin. 2010. Large Bayesian Vector Auto Regressions. *Journal of Applied Econometrics* 25, 1 (2010), 71–92.
- [4] William P. Barnett and Glenn R. Carroll. 1987. Competition and Mutualism among Early Telephone Companies. *Administrative Science Quarterly* 32, 3 (1987), 400–421.
- [5] Joel A. C. Baum and Andrew V. Shipilov. 2006. Ecological Approaches to Organizations. In *Sage Handbook for Organization Studies*. Sage, Rochester, NY, 55–110.
- [6] Jason Baumgartner, Savvas Zannettou, Brian Keegan, Megan Squire, and Jeremy Blackburn. 2020. The Pushshift Reddit Dataset. *arXiv:2001.08435 [cs]* (Jan. 2020). [arXiv:2001.08435 \[cs\]](https://arxiv.org/abs/2001.08435)
- [7] Gary S. Becker. 1965. A Theory of the Allocation of Time. *The Economic Journal* 75, 299 (Sept. 1965), 493.
- [8] Yochai Benkler. 2006. *The Wealth of Networks: How Social Production Transforms Markets and Freedom*. Yale University Press, New Haven, CT.
- [9] Janet M Box-Steffensmeier. 2014. *Time Series Analysis for the Social Sciences*.
- [10] Brian S. Butler. 2001. Membership Size, Communication Activity, and Sustainability: A Resource-Based Model of Online Social Structures. *Information Systems Research* 12, 4 (2001), 346–362.
- [11] Brian S. Butler, Patrick J. Bateman, Peter H. Gray, and E. Ilana Diamant. 2014. An Attraction-Selection-Attrition Theory of Online Community Size and Resilience. *MIS Q.* 38, 3 (Sept. 2014), 699–728.
- [12] Fabio Canova. 2007. Bayesian VARs. In *Methods for Applied Macroeconomic Research*. Princeton University Press, 373–417.
- [13] Fabio Canova. 2007. VAR Models. In *Methods for Applied Macroeconomic Research*. Princeton University Press, 111–164.
- [14] Bob Carpenter, Andrew Gelman, Matt Hoffman, Daniel Lee, Ben Goodrich, Michael Betancourt, Michael A. Brubaker, Jiqiang Guo, Peter Li, and Allen Riddell. 2016. Stan: A Probabilistic Programming Language. *Journal of Statistical Software* 20, 2 (2016), 1–37.
- [15] Glenn R. Carroll. 1985. Concentration and Specialization: Dynamics of Niche Width in Populations of Organizations. *Amer. J. Sociology* 90, 6 (May 1985), 1262–1283.
- [16] Grégoire Certain, Frédéric Barraquand, and Anna Gårdmark. 2018. How Do MAR(1) Models Cope with Hidden Nonlinearities in Ecological Dynamics? *Methods in Ecology and Evolution* 9, 9 (Sept. 2018), 1975–1995.
- [17] Eshwar Chandrasekharan, Umashanthi Pavalanathan, Anirudh Srinivasan, Adam Glynn, Jacob Eisenstein, and Eric Gilbert. 2017. You Can't Stay Here: The Efficacy of Reddit's 2015 Ban Examined through Hate Speech. *Proc. ACM Hum.-Comput. Interact.* 1, CSCW (Dec. 2017), 31:1–31:22.
- [18] Eshwar Chandrasekharan, Mattia Samory, Shagun Jhaver, Hunter Charvat, Amy Bruckman, Cliff Lampe, Jacob Eisenstein, and Eric Gilbert. 2018. The Internet's Hidden Rules: An Empirical Study of Reddit Norm Violations at Micro, Meso, and Macro Scales. *Proc. ACM Hum.-Comput. Interact.* 2, CSCW (Nov. 2018), 32:1–32:25.
- [19] Srayan Datta, Chanda Phelan, and Eytan Adar. 2017. Identifying Misaligned Inter-Group Links and Communities. *Proceedings of the ACM on Human-Computer Interaction* 1, CSCW (Dec. 2017), 37:1–37:23.
- [20] Marco Del Tredici and Raquel Fernández. 2018. Semantic Variation in Online Communities of Practice. *arXiv:1806.05847 [cs]* (June 2018). [arXiv:1806.05847 \[cs\]](https://arxiv.org/abs/1806.05847)
- [21] Paul DiMaggio, Eszter Hargittai, W. Russell Neuman, and John P. Robinson. 2001. Social Implications of the Internet. *Annual Review of Sociology* 27, 1 (2001), 307–336.

- [22] Stanislav D. Dobrev, Tai-Young Kim, and Michael T. Hannan. 2001. Dynamics of Niche Width and Resource Partitioning. *Amer. J. Sociology* 106, 5 (2001), 1299–1337.
- [23] Casey Fiesler and Brianna Dym. 2020. Moving Across Lands: Online Platform Migration in Fandom Communities. *Proceedings of the ACM on Human-Computer Interaction* 4, CSCW1 (May 2020), 042:1–042:25.
- [24] Casey Fiesler, Jialun "Aaron" Jiang, Joshua McCann, Kyle Frye, and Jed R. Brubaker. 2018. Reddit Rules! Characterizing an Ecosystem of Governance. In *Proceedings of the AAAI International Conference on Web and Social Media*. AAAI, 72–81.
- [25] John H. Freeman and Pino G. Audia. 2006. Community Ecology and the Sociology of Organizations. *Annual Review of Sociology* 32 (2006), 145–169.
- [26] Seth Frey and Robert W. Sumner. 2019. Emergence of Integrated Institutions in a Large Population of Self-Governing Communities. *PLOS ONE* 14, 7 (July 2019), e0216335.
- [27] Janet Fulk, Andrew J. Flanagan, Michael E. Kalman, Peter R. Monge, and Timothy Ryan. 1996. Connective and Communal Public Goods in Interactive Communication Systems. *Communication Theory* 6, 1 (1996), 60–87.
- [28] Andrew Gelman, Jennifer Hill, and Masanao Yajima. 2012. Why We (Usually) Don't Have to Worry About Multiple Comparisons. *Journal of Research on Educational Effectiveness* 5, 2 (April 2012), 189–211.
- [29] Aaron Halfaker, R. Stuart Geiger, Jonathan T. Morgan, and John Riedl. 2013. The Rise and Decline of an Open Collaboration System: How Wikipedia's Reaction to Popularity Is Causing Its Decline. *American Behavioral Scientist* 57, 5 (May 2013), 664–688.
- [30] Michael T. Hannan and John Freeman. 1977. The Population Ecology of Organizations. *Amer. J. Sociology* 82, 5 (1977), 929–964.
- [31] Michael T. Hannan and John Freeman. 1989. *Organizational Ecology* (first ed.). Harvard University Press, Cambridge, MA.
- [32] Amos Henry Hawley. 1986. *Human Ecology: A Theoretical Essay*. University of Chicago Press, Chicago; London.
- [33] Sarah E. Heaps. 2020. Enforcing Stationarity through the Prior in Vector Autoregressions. *arXiv:2004.09455 [stat]* (April 2020). arXiv:2004.09455 [stat]
- [34] Jack Hessel, Chenhao Tan, and Lillian Lee. 2016. Science, AskScience, and BadScience: On the Coexistence of Highly Related Communities. In *Tenth International AAAI Conference on Web and Social Media*. 11. arXiv:1612.07487
- [35] Benjamin Mako Hill. 2013. Almost Wikipedia: What Eight Early Online Collaborative Encyclopedia Projects Reveal about the Mechanisms of Collective Action. In *Essays on Volunteer Mobilization in Peer Production*. Massachusetts Institute of Technology, Cambridge, Massachusetts.
- [36] Benjamin Mako Hill and Aaron Shaw. 2019. Studying Populations of Online Communities. In *The Oxford Handbook of Networked Communication*, Brooke Foucault Welles and Sandra González-Bailón (Eds.). Oxford University Press, Oxford, UK, 173–193.
- [37] Albert O. Hirschman. 1970. *Exit, Voice, and Loyalty: Responses to Decline in Firms, Organizations, and States*. Harvard University Press.
- [38] A. R. Ives, B. Dennis, K. L. Cottingham, and S. R. Carpenter. 2003. Estimating Community Stability and Ecological Interactions from Time-Series Data. *Ecological Monographs* 73, 2 (May 2003), 301–330.
- [39] Steven L. Johnson, Samer Faraj, and Srinivas Kudaravalli. 2014. Emergence of Power Laws in Online Communities: The Role of Social Mechanisms and Preferential Attachment. *Management Information Systems Quarterly* 38, 3 (2014), 795–808.
- [40] Sanjay Ram Kairam, Dan J. Wang, and Jure Leskovec. 2012. The Life and Death of Online Groups: Predicting Group Growth and Longevity. In *Proceedings of the Fifth ACM International Conference on Web Search and Data Mining (WSDM '12)*. ACM, New York, NY, USA, 673–682.
- [41] Michael L. Katz and Carl Shapiro. 1985. Network Externalities, Competition, and Compatibility. *The American Economic Review* 75, 3 (1985), 424–440.
- [42] Charles Kiene, Jialun "Aaron" Jiang, and Benjamin Mako Hill. 2019. Technological Frames and User Innovation: Exploring Technological Change in Community Moderation Teams. *Proceedings of the ACM on Human-Computer Interaction* 3, CSCW (Nov. 2019), 44:1–44:23.
- [43] Robert E. Kraut and Andrew T. Fiore. 2014. The Role of Founders in Building Online Groups. In *Proceedings of the 17th ACM Conference on Computer Supported Cooperative Work & Social Computing (CSCW '14)*. ACM, Baltimore, Maryland, USA, 722–732.
- [44] Robert E. Kraut, Paul Resnick, and Sara Kiesler. 2012. *Building Successful Online Communities: Evidence-Based Social Design*. MIT Press, Cambridge, MA.
- [45] Ida Kubiszewski, Joshua Farley, and Robert Costanza. 2010. The Production and Allocation of Information as a Good That Is Enhanced with Increased Use. *Ecological Economics* 69, 6 (April 2010), 1344–1354.
- [46] Drew B. Margolin, Cuihua Shen, Seungyoon Lee, Matthew S. Weber, Janet Fulk, and Peter Monge. 2012. Normative Influences on Network Structure in the Evolution of the Children's Rights NGO Network, 1977–2004. *Communication Research* (Oct. 2012).
- [47] J. Miller McPherson. 1983. An Ecology of Affiliation. *American Sociological Review* 48, 4 (1983), 519–532.
- [48] Peter Monge and Marshall Scott Poole. 2008. The Evolution of Organizational Communication. *Journal of Communication* 58, 4 (Dec. 2008), 679–692.
- [49] Bonnie A. Nardi and Vicki L. O'Day. 1999. *Information Ecologies : Using Technology with Heart*. The MIT Press, Cambridge, Massachusetts.
- [50] Mark Novak, Justin D. Yeakel, Andrew E. Noble, Daniel F. Doak, Mark Emmerson, James A. Estes, Ute Jacob, M. Timothy Tinker, and J. Timothy Wootton. 2016. Characterizing Species Interactions to Understand Press Perturbations: What Is the Community Matrix? *Annual Review of Ecology, Evolution, and Systematics* 47, 1 (2016), 409–432.
- [51] Vincent Ostrom and Elinor Ostrom. 1977. Public Goods and Public Choices. In *Alternatives For Delivering Public Services: Toward Improved Performance*, Emanuel S. Savas (Ed.). Westview Press, Boulder, CO, 7–49.
- [52] Walter W. Powell, Douglas R. White, Kenneth W. Koput, and Jason Owen-Smith. 2005. Network Dynamics and Field Evolution: The Growth of Interorganizational Collaboration in the Life Sciences. *Amer. J. Sociology* 110, 4 (Jan. 2005), 1132–1205.
- [53] Paul M. Romer. 1990. Endogenous Technological Change. *Journal of Political Economy* 98, 5, Part 2 (Oct. 1990), S71–S102.
- [54] Martin Ruef. 2000. The Emergence of Organizational Forms: A Community Ecology Approach. *Amer. J. Sociology* 106, 3 (Nov. 2000), 658–714.
- [55] Christopher A. Sims. 1980. Macroeconomics and Reality. *Econometrica* 48, 1 (1980), 1–48.

- [56] Jesper B. Sørensen. 2004. Recruitment-Based Competition between Industries: A Community Ecology. *Industrial and Corporate Change* 13, 1 (Feb. 2004), 149–170.
- [57] Chenhao Tan. 2018. Tracing Community Genealogy: How New Communities Emerge from the Old. In *Proceedings of the Twelfth International Conference on Web and Social Media (ICWSM '18)*. AAAI, Palo Alto, California, 395–404.
- [58] Chenhao Tan and Lillian Lee. 2015. All Who Wander: On the Prevalence and Characteristics of Multi-Community Engagement. In *Proceedings of the 24th International Conference on World Wide Web (WWW '15)*. International World Wide Web Conferences Steering Committee, Republic and Canton of Geneva, Switzerland, 1056–1066.
- [59] Nathan TeBlunthuis, Aaron Shaw, and Benjamin Mako Hill. 2018. Revisiting "The Rise and Decline" in a Population of Peer Production Projects. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, 355:1–355:7.
- [60] Nathan TeBlunthuis, Aaron Shaw, and Benjamin Mako Hill. 2020. The Population Ecology of Online Collective Action.
- [61] Sho Tsugawa and Sumaru Niida. 2019. The Impact of Social Network Structure on the Growth and Survival of Online Communities. In *Proceedings of the 2019 IEEE/ACM International Conference on Advances in Social Networks Analysis and Mining (ASONAM '19)*. Association for Computing Machinery, Vancouver, British Columbia, Canada, 1112–1119.
- [62] Herman A Verhoef and Peter J Morin. 2010. *Community Ecology: Processes, Models, and Applications*. Oxford University Press, Oxford.
- [63] Nicholas Vincent, Isaac Johnson, and Brent Hecht. 2018. Examining Wikipedia with a Broader Lens: Quantifying the Value of Wikipedia's Relationships with Other Large-Scale Online Communities. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, 566:1–566:13.
- [64] Xiaoqing Wang, Brian S. Butler, and Yuqing Ren. 2012. The Impact of Membership Overlap on Growth: An Ecological Competition View of Online Groups. *Organization Science* 24, 2 (June 2012), 414–431.
- [65] Steven Weber. 2000. The Political Economy of Open Source Software. (June 2000).
- [66] Xiaoquan (Michael) Zhang and Feng Zhu. 2011. Group Size and Incentives to Contribute: A Natural Experiment at Chinese Wikipedia. *American Economic Review* 101, 4 (June 2011), 1601–1615.
- [67] Haiyi Zhu, Jilin Chen, Tara Matthews, Aditya Pal, Hernan Badenes, and Robert E. Kraut. 2014. Selecting an Effective Niche: An Ecological View of the Success of Online Communities. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, USA, 301–310.
- [68] Haiyi Zhu, Robert E. Kraut, and Aniket Kittur. 2014. The Impact of Membership Overlap on the Survival of Online Communities. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, 281–290.

## A BAYESIAN POISSON VECTOR AUTOREGRESSION MODEL SPECIFICATION

Below is the full prior specification of our model.  $Y_t$  is Poisson distributed with parameter  $\lambda_t$  having a multivariate normal distribution which evolves over time according to a VAR process. More information on our models, including our prior specifications is available in the online supplement. We use a weakly informative hierarchical prior for the elements of  $B_0$ .

In developing our model we found that enforcing stationarity through the Heaps prior improved forecast accuracy and helped us fit larger VAR models including more online groups [33] We use the Heaps exchangeable prior over stationary values of  $\Phi$ , which places separate hierarchical normal priors on the diagonal and off-diagonal elements of an unconstrained matrix that is homeomorphic to  $\Phi$ . Our choice of hyperparameters follows the recommendations of [33], but we chose a modestly more diffuse hyperprior for the means to increase the sensitivity of our model.

$$Y_t \sim \text{Poisson}(e^{\lambda_t}) \qquad \lambda_t \sim \text{MVN}(\mu_t, \Sigma) \qquad (3)$$

$$\mu_t = B_0 + \Phi \mu_{t-1} \qquad \Phi \sim \text{Heaps}(1, \sqrt{3}, 0, \sqrt{3}, 2.1, \frac{1}{3})$$

$$\Sigma \sim IW(m + 3, I(m)) \qquad B_0 \sim \text{N}(\mu_{B_0}, \sigma_{B_0})$$

$$\mu_{B_0} \sim \text{N}(0, 7) \qquad \sigma_{B_0} \sim \Gamma(4, 3)$$