
DIN Rail Standard Height Module Boxes

Features

- Snap fit kit for easy assembly
- Boxes fit 35mm DIN rail or direct surface mount*
- Self customised perforated terminal covers as standard
- Snap fit terminal covers for IP20 finger protection
- Can carry up to 3 PCB's horizontally and 2/4 vertically
- Grey, transparent red or clear snap-in covers
- Front panel ideal for screen printing logo's etc
- Moulded in grey UL94-V0 flame retardant PC
- Enclosed base eliminates any need for additional insulation
- Optional adaptor for G rail mounting
- Patent pending




N.B. CNMB/-/2 = terminal access + covers on both sides of box CNMB/-/1 = terminal access + covers on one side only other side closed


Optional Special Features

- Customised terminal guards
- Alternative black higher rated RTI material
- Other colours including Black, Green and Blue
- EMC shielded metallic coated boxes


Box options



/ST – is a recessed solid top box, usually used for a membrane keypads or with a clear lid to enclose a label





/V – has cooling vents both sides




/W – has extended walls which meet the lower pcb behind the usual positions for the pcb terminals
















DIN Rail Standard Height Module Boxes



PCB dimensions


Part No	Box size	Box length	A horizontal	B horizontal	C horizontal	E vertical	F vertical
CNMB/1-	1	17.5mm	86.5x14	57x14	41.8x14	34x59.6	40x14.8
CNMB/2-	2	36mm	86.5x33	57x32	42x32	34x59.7	40x33
CNMB/3-	3	53mm	86.5x50	57x49	42x49	34x59.8	40x50
CNMB/4-	4	71mm	86.5x68	57x67	42x67	34x59.9	40x68
CNMB/5-	5	88mm	86.5x84	57x83	42x83	34x59.10	40x84
CNMB/6-	6	106mm	86.5x103	57x102	42x102	34x59.11	40x103
CNMB/9-	9	160mm	86.5x155	57x155.4	42x154	34x59.12	40x155

Fixing boss dimensions

Box size	Х	у
1	6.2	18.3
2	6.2	18.3
3	8.8	18.3
4	8.8	18.3
5	8.8	18.3
6	8.9	18.3
9	8.9	18.3
	1 2 3 4 5 6	1 6.2 2 6.2 3 8.8 4 8.8 5 8.8 6 8.9

Boss Internal dia = 3mm Boss External dia = 5mm

There are two mounting bosses on the base of the boxes to allow fixing of the lower pcb if required. This may be useful if the pcb is carrying heavy components e.g. tranformers. The bosses are designed to accept 'plastite' type screws.






Tel: +44 (0)1727 864437 Fax: +44 (0)1727 855400 E-mail: info@camdenelec.com Website: www.camdenelec.com



Terminal Guards



Type No.	
CNMB/1/TGS	Solid
CNMB/2/TGS	Solid
CNMB/3/TGS	Solid
CNMB/4/TGS	Solid
CNMB/5/TGS	Solid
For 6 & 9 size r CNMB/3TGS	module use

CNMB/ /TGS series		_	SS	SS	SS	SS	SS
A — — — — — — — — — — — — — — — — — — —			CNMB/1/TGS	CNMB/2/TGS	CNMB/3/TGS	CNMB/4/TGS	CNMB/5/TGS
		Α	17.5	35.5	52.8	70.6	87.6
	7	D	15.0	29.9	45.5	59.9	79.5
		E	14.3	13.8	13.8	13.8	13.8
	1.5						



Type No.	Pole	es
CNMB/1/TG508P	Perforated	3
CNMB/2/TG508P	Perforated	6
CNMB/3/TG508P	Perforated	9
CNMB/4/TG508P I	Perforated 1	12
CNMB/5/TG508P I	Perforated 1	15
For 6 & 9 size mod CNMB/3/TG508P	ule use	

CNMB/ /TG508P series	5.08 2.54	미		- A80	- A80	- A80	98P
^ _ ^	00000000000	_	CNMB/1/TG508P	CNMB/2/TG508P	CNMB/3/TG508P	CNMB/4/TG508P	CNMB/5/TG508P
∞ r D → T F E	000000000	Α	17.5	35.5	52.8	70.6	87.6
 	000000	D	15.0	29.9	45.5	59.9	79.5
	11.15	E	14.3	13.8	13.8	13.8	13.8
							· ·




Type No.		Poles
CNMB/1/TG508	Pre-drilled	3
CNMB/2/TG508	Pre-drilled	6
CNMB/3/TG508	Pre-drilled	9
CNMB/4/TG508	Pre-drilled	12
CNMB/5/TG508	Pre-drilled	15
For 6 & 9 size mo CNMB/3/TG508	odule use	

CNMB/ /TG508 series	5.08 00000000000000000000000000000000000	<u></u>	86	86	80	80	8
	00000000000		CNMB/1/TG508	CNMB/2/TG508	CNMB/3/TG508	CNMB/4/TG508	CNMB/5/TG508
∞ p D → p E	000000000	Α	17.5	35.5	52.8	70.6	87.6
 	000000	В	2.3	0.9	2.3	2.7	2.7
	[1.5	С	2.3	2.7	2.3	5.8	5.8
-	·	D	15.0	29.9	45.5	59.9	79.5
	:	E	14.3	13.8	13.8	13.8	13.8




Type No.		Poles
CNMB/1/TG750	Pre-drilled	2
CNMB/2/TG750	Pre-drilled	4
CNMB/3/TG750	Pre-drilled	6
CNMB/4/TG750	Pre-drilled	8
CNMB/5/TG750	Pre-drilled	10
For 6 & 9 size mo CNMB/3/TG750	odule use	

CNMB/ /TG750 series		7.5 3.75						
A		00000000		CNMB/1/TG750	CNMB/2/TG750	CNMB/3/TG750	CNMB/4/TG750	CNMB/5/TG750
∞ı + D → E	_	000000	Α	17.5	35.5	52.8	70.6	87.6
	-	7.5 3.75	В	2.3	0.9	2.3	2.7	2.7
	1	0 0 0	С	2.3	2.7	2.3	5.8	5.8
	1.5		D	15.0	29.9	45.5	59.9	79.5
		00	E	14.3	13.8	13.8	13.8	13.8
			_					



Type No.		Poles
CNMB/1/TG100	Pre-drilled	2
CNMB/2/TG100	Pre-drilled	3
CNMB/3/TG100	Pre-drilled	5
CNMB/4/TG100	Pre-drilled	6
CNMB/5/TG100	Pre-drilled	7
For 6 & 9 size mo	odule use	










NEW PRODUCTS 2005


CNMB/ /E series


Extended Height module

Features

- 16mm high
- Accepts hinged, curved lid
- Can house an additional horizontal pcb








Type No.	Clip on covers			
CNMB/1/PR	Red transparent			
CNMB/2/PR	Red transparent			
CNMB/3/PR	Red transparent			
CNMB/4/PR	Red transparent			
CNMB/5/PR	Red transparent			
CNMB/6/PR	Red transparent			
CNMB/9/PR	Red transparent			
CNMB/1/PRC	Red transparent curved			
CNMB/2/PRC	Red transparent curved			
CNMB/3/PRC	Red transparent curved			
CNMB/4/PRC	Red transparent curved			
CNMB/5/PRC	Red transparent curved			
CNMB/6/PRC	Red transparent curved			
CNMB/9/PRC	Red transparent curved			
CNMB/1/PC	Clear transparent			
CNMB/2/PC	Clear transparent			
CNMB/3/PC	Clear transparent			
CNMB/4/PC	Clear transparent			
CNMB/5/PC	Clear transparent			
CNMB/6/PC	Clear transparent			
CNMB/9/PC	Clear transparent			
CNMB/1/PCC	Clear transparent curved			
CNMB/2/PCC	Clear transparent curved			
CNMB/3/PCC	Clear transparent curved			
CNMB/4/PCC	Clear transparent curved			
CNMB/5/PCC	Clear transparent curved			
CNMB/6/PCC	Clear transparent curved			
CNMB/9/PCC	Clear transparent curved			
The above fit the standard height boxes				

Type No.	Clip on covers
CNMB/1/PS	Smoked transparent
CNMB/2/PS	Smoked transparent
CNMB/3/PS	Smoked transparent
CNMB/4/PS	Smoked transparent
CNMB/5/PS	Smoked transparent
CNMB/6/PS	Smoked transparent
CNMB/9/PS	Smoked transparent
CNMB/1/PSC	Smoked transparent curved
CNMB/2/PSC	Smoked transparent curved
CNMB/3/PSC	Smoked transparentcurved
CNMB/4/PSC	Smoked transparentcurved
CNMB/5/PSC	Smoked transparent curved
CNMB/6/PSC	Smoked transparentcurved
CNMB/9/PSC	Smoked transparent curved
CNMB/1/PG	Grey
CNMB/2/PG	Grey
CNMB/3/PG	Grey
CNMB/4/PG	Grey
CNMB/5/PG	Grey
CNMB/6/PG	Grey
CNMB/9/PG	Grey
CNMB/1/PGC	Grey curved
CNMB/2/PGC	Grey curved
CNMB/3/PGC	Grey curved
CNMB/4/PGC	Grey curved
CNMB/5/PGC	Grey curved
CNMB/6/PGC	Grey curved
CNMB/9/PGC	Grey curved
The above fit the standard height boxes	



Kits available from our distributors Kits consist of base, top panel, terminal, and clips for rail or wall mounting. Each kit includes 2 perforated terminal covers enabling customisation as required. CNMB/6/kit & CNMB/9/kit are supplied with additional blank terminal guards.



Tel: +44 (0)1727 864437 Fax: +44 (0)1727 855400 E-mail: info@camdenelec.com Website: www.camdenelec.com

マス