1. Register a new user

       Actor: Web user

       Pre-condition: Must be on Hoop Finer website

       Post-condition: User is inserted into user_info table with respective information

       Queries: INSERT INTO user_info (username, password, email, skilllevel)

             VALUES ('joeschmoe', '(their encoded password)', 'joe@example.com',

                    'Beginner');

| Username:	_____
Password:	_____
Skill Level:	(Selection Menu)
Email:	_____
	Submit

2. Insert a new court

       Actor: Administrator

       Pre-condition: Admin must be logged in

       Post-condition: New court will be added to courts table with respective location info

       Queries: INSERT INTO courts (courtname, courtloc, courtlat, courtlong)

                VALUES ('Conte Forum', '140 Commonwealth Avenue, Chestnut Hill,

                    MA 02467', 42.33514, -71.16792);

Court name:	_____
Court address:	_____
Court Latitude:	_____
Court Longitude:	_____
	Submit

3. Create a new game

        Actor: Web user

        Pre-condition: Must be logged in to Hoop Finder

        Post-condition: New game is inserted into games table with respective information

        Queries: INSERT INTO games (gamename, gameloc, creator, datescheduled, players, skilllevel) VALUES ('pickupgame1', 'Conte Forum', 'joeschmoe', 21-04-2016, 1, 'Beginner');

Name of game:	
Game location:	(Drop-down menu showing court locations)
Game Date:	YYYY-MM-DD
Max Number of Players:	(4 players min, 10 max)
Skill Level:	(Selection Menu)
	Submit

4. Join an already-created game

        Actor: Web user

        Pre-condition: Must be logged in to Hoop Finder

        Post-condition: A new player will be added to a created game in the games table

        Queries: UPDATE games SET players='(current value) + 1' WHERE gamename='pickupgame1';

Games in your Area Div:

|		
	(Game Name)	
Created By:	(username of creator)	
Location:	(address of game)	
Players:	(# of players signed up)	Join

5. Validate an already-existant user

       Actor: Web user

       Pre-condition: User must attempt to log in to Hoop Finder

       Post-condition: User will continue to main page of website if properly validated

       Queries: SELECT * from user_info WHERE username='joeschmoe' and
                password='(encoded password here)';

Username: _____

Password: _____

Log In