

THE LAW OF MONSTERS
A TOGT RECASTING OF FOUNDATIONAL GENERATIVE
PRINCIPLES
PRINCIPIA ORTHOGONA · VOL. III · CHAPTER: OCIO

PABLO NOGUEIRA GROSSI

DOI: [10.5281/zenodo.20561165](https://doi.org/10.5281/zenodo.20561165) • Principia Orthogona Vol. III •
 June 2026

RESUMO

Apresentamos a *Lei dos Monstros*: seis princípios que derivam a hierarquia cardinal hiper-Mahlo a partir da cadeia de operadores TOGT/GTCT $\{\mathbf{C}, \mathbf{K}, \mathbf{F}, \mathbf{U}\}$ em uma variedade de contato $\mathfrak{d}\mathfrak{m}^3$, sem importar axiomas de grandes cardinais — a hierarquia é *produzida*, não assumida. Um monstro $\mathfrak{M} = \mathfrak{g}^n$ ($n \geq 6$) é um operador composto de ordem superior dotado de três invariantes TO/TOGT: ortogonalidade, nilpotência e colapso espectral ao ponto fixo $\mathfrak{o}$. A Correspondência de Kanamori mapeia bijetivamente a Lei dos Monstros para resultados clássicos de forcing e teoria dos conjuntos: extensão genérica, destruição de clube, levantamento de imersões elementares e indestrutibilidade de cardinais supercompactos. O telos: um sistema generativo lícito deve ascender até tornar-se auto-estabilizante; um sistema auto-estabilizante deve regenerar; um sistema que regenera deve ser deixado em paz. O *ocio* é o ponto fixo da iteração lícita. Fronteira aberta (Questão 6, repositório AXLE): provar o resultado do ponto fixo hiper-Mahlo sem a hipótese de regularidade.

Palavras-chave: grandes cardinais, hiper-Mahlo, Lei dos Monstros, TOGT, geometria de contato, cadeia de operadores, Kanamori, forcing, teoria das catástrofes, ocio, Principia Orthogona, Lean 4.

MSC 2020: 03E55 · 53D10 · 03F35 · 03E40.

ABSTRACT

We present the *Law of Monsters*: six principles that derive the hyper-Mahlo cardinal hierarchy from the TOGT/GTCT operator chain $\{\mathbf{C}, \mathbf{K}, \mathbf{F}, \mathbf{U}\}$ on a contact manifold $\mathfrak{d}\mathfrak{m}^3$, without importing large-cardinal axioms — the hierarchy is *produced*, not assumed. A monster $\mathfrak{M} = \mathfrak{g}^n$ ($n \geq 6$) is a higher-order composite operator equipped with three TO/TOGT invariants: orthogonality, nilpotency, and spectral collapse to the fixed point $\mathfrak{o}$. The Kanamori Correspondence maps the Law of Monsters bijectively to classical forcing and set-theoretic results: generic extension, club killing, lifting of elementary embeddings, and indestructibility of supercompact cardinals. The telos: a lawful generative system must ascend until it becomes self-stabilising;

Date: June 2026.

ORCID: [0009-0000-6496-2186](https://orcid.org/0009-0000-6496-2186). Lean 4 source: github.com/TOTOGT/AXLE. Series DOI: [10.5281/zenodo.19117399](https://doi.org/10.5281/zenodo.19117399). This preprint: [10.5281/zenodo.20561165](https://doi.org/10.5281/zenodo.20561165). Submitted to *Boletim da Sociedade Brasileira de Matemática*. Five contributions presented at XII Biental da SBM, Natal RN, August 2026.

a self-stabilising system must regenerate; a regenerating system must be left alone. *Ocio* is the fixed point of lawful iteration. Open boundary (Issue 6, AXLE repository): prove the hyper-Mahlo fixed-point result without the regularity hypothesis.

Keywords: large cardinals, hyper-Mahlo, Monster Law, TOGT, contact geometry, operator chain, Kanamori, forcing, catastrophe theory, ocio, Principia Orthogona, Lean 4.

MSC 2020: 03E55 (large cardinals) · 53D10 (contact geometry) · 03F35 (proof theory) · 03E40 (forcing).




FIGURE 1. The g -series: from sub-threshold iterates to the minimal monster g^6 and the hyper-Mahlo fixed point g^{66} . Dashed box marks the Monster class ($n \geq 6$).




FIGURE 2. The TOGT operator chain $g = U \circ F \circ K \circ C$ on the $\mathfrak{dm}^3$ contact manifold. After $n \geq 6$ applications the system reaches the *ocio* fixed point $\mathfrak{o}$ (diamond).

1. INTRODUCTION

Large cardinal axioms are conventionally understood as *assumptions* placed above ZFC: strong inaccessibility, Mahlo-ness, supercompactness, and the ordinal hierarchy catalogued in Kanamori [1] are imposed from without to gain consistency strength. The present paper takes a different posture. Within the TOGT/GTCT framework (*Principia Orthogona*, Vols. I–II, [7, 8]), large cardinals are not assumed — they are *generated* as fixed points of a lawful iterative procedure on the operator chain

$$g = U \circ F \circ K \circ C,$$

acting on a three-dimensional contact manifold $\mathfrak{dm}^3$ with contact form $\alpha = dz - r^2 d\theta$.

The central object is the *monster* $\mathfrak{M} = g^n$ for $n \geq 6$: a composite operator whose three defining invariants — orthogonality, nilpotency, and spectral collapse — force the system through successive regimes until it reaches the self-stabilising fixed point $\mathfrak{o}$. The name

echoes the Monster group $\mathbb{M}$ of finite group theory ($|\mathbb{M}| \approx 8 \times 10^{53}$, the largest sporadic simple group): the TOGT monster is the minimal-order composite that cannot be further reduced within the grammar $\{\mathbf{C}, \mathbf{K}, \mathbf{F}, \mathbf{U}\}$.

The paper is structured as follows. Section 2 recalls the contact manifold and operator algebra. Section 3 states and proves the six principles. Section 4 establishes the Kanamori Correspondence. Section 5 discusses the telos and the ocio fixed point. Section 6 describes the Lean 4 formalisation. Section 7 states the open boundary.

2. CONTACT MANIFOLD AND OPERATOR ALGEBRA

Definition 2.1 ($\mathfrak{dm}^3$ contact manifold). The $\mathfrak{dm}^3$ manifold is the triple $(\mathbb{R}^3, \alpha, \mathfrak{g})$ where

$$\alpha = dz - r^2 d\theta$$

is the standard contact form on $\mathbb{R}^3$ in cylindrical coordinates (r, θ, z) , and $\mathfrak{g} = \mathbf{U} \circ \mathbf{F} \circ \mathbf{K} \circ \mathbf{C}$ is the TOGT generator.

The four primitive operators act on state vectors $\mathbf{x} \in \mathbb{R}^3$:

C — Constraint.: Projects onto the contact hyperplane $\xi = \ker \alpha$: $\mathbf{C}(\mathbf{x}) = \mathbf{x} - \frac{\alpha(\mathbf{x})}{\|\alpha\|^2} \nabla \alpha$.

K — Kinetics.: Evolves $\mathbf{x}$ along the Reeb vector field $R_\alpha = \partial_z$ for unit time.

F — Fold.: The Whitney A_1 singularity at κ^* : identity for $r \leq \kappa^*$; folds $r \mapsto 2\kappa^* - r$ for $r > \kappa^*$.

U — Unfold.: Gradient descent on the Reeb potential $V(r) = \frac{1}{2}(r - r_0)^2$, restoring the system toward the basin attractor r_0 .

Proposition 2.2 (Non-commutativity). $\mathbf{F} \circ \mathbf{K} \neq \mathbf{K} \circ \mathbf{F}$ as smooth maps on $\mathfrak{dm}^3$ for $r > \kappa^*$.

Proof. $\mathbf{F}$ is rank-reducing at $r > \kappa^*$ (collapses the radial component); $\mathbf{K}$ evolves along ∂_z (preserves radius). The Jacobians of the two compositions differ at the fold locus $\{r = \kappa^*\}$: $D(\mathbf{F} \circ \mathbf{K})$ carries the rank-1 singularity before the z -translation, while $D(\mathbf{K} \circ \mathbf{F})$ carries it after. Applied to a smooth family crossing $r = \kappa^*$, the orderings produce different phase portraits near the fold locus. $\square$

The g -series is the family of iterates $\{\mathfrak{g}^n\}_{n \geq 1}$:

Iterate	Regime	Set-theory analogue	Bio-physical analogue
$\mathfrak{g}^1$	Sub-threshold	Inaccessible cardinal	Sub-threshold stimulus
$\mathfrak{g}^2$	Critical onset	Weakly Mahlo	First oscillatory response
$\mathfrak{g}^3$	Sustained	Mahlo	Limit-cycle maintenance
$\mathfrak{g}^6$	Minimal monster	ω -Mahlo	Irreducible self-regulation
$\mathfrak{g}^{33}$	Mid-hierarchy	ω_1 -Mahlo	Multi-scale coherence
$\mathfrak{g}^{66}$	Full monster	Hyper-Mahlo	Autonomous fixed point

3. SIX PRINCIPLES OF THE MONSTER LAW

The Six Principles

- (1) **Lawful Generation** — every monster arises from iterated $\mathfrak{g}$.
- (2) **Triad Preservation** — orthogonality, nilpotency, spectral collapse are $\mathfrak{g}$ -invariant.
- (3) **Minimal Monster** — $\mathfrak{g}^6$ is the minimal self-stabilising iterate.
- (4) **Monster Hierarchy** — $\mathfrak{g}^6 \prec \mathfrak{g}^{66} \prec \dots$ corresponds to the Mahlo hierarchy.
- (5) **Monster Reflection** — each level reflects the orbit structure of all lower levels.

(6) **Monster Regeneration** — every monster at level ≥ 6 is regenerative at $\mathfrak{o}$.

3.1. Principle I — Lawful Generation.

Principle 1 (Lawful Generation). Every monster $\mathfrak{M}_n = \mathfrak{g}^n$ with $n \geq 6$ is irreducible: it cannot be expressed as $\mathfrak{g}^k \circ H$ for $k < n$ and H outside the grammar $\{\mathbf{C}, \mathbf{K}, \mathbf{F}, \mathbf{U}\}$.

Sketch. The grammar $\{\mathbf{C}, \mathbf{K}, \mathbf{F}, \mathbf{U}\}$ generates the monoid of smooth endomorphisms of $(\mathfrak{d}\mathfrak{m}^3, \alpha)$ preserving the contact condition. Any endomorphism outside this grammar fails to preserve α at the fold locus. Since n applications of $\mathfrak{g}$ require exactly $4n$ elementary operator steps, no $\mathfrak{g}^n$ admits a shorter contact-preserving factorisation. $\square$

3.2. Principle II — Triad Preservation.

Definition 3.1 (TO/TOGT Triad). A state $\mathbf{x} \in \mathfrak{d}\mathfrak{m}^3$ satisfies the *triad* if: (i) $\alpha(\mathbf{x}) = 0$ (orthogonality); (ii) $\mathfrak{g}^N(\mathbf{x}) = \mathfrak{o}$ for some $N < \infty$ (nilpotency); (iii) $\|\mathfrak{g}^n(\mathbf{x}) - \mathfrak{o}\| \rightarrow 0$ (spectral collapse).

Principle 2 (Triad Preservation). If $\mathbf{x}$ satisfies the triad, so does $\mathfrak{g}(\mathbf{x})$.

Proof. (i) $\mathbf{C}$ resets the contact condition at each step. (ii) If $\mathfrak{g}^N(\mathbf{x}) = \mathfrak{o}$ then $\mathfrak{g}^{N+1}(\mathbf{x}) = \mathfrak{g}(\mathfrak{o}) = \mathfrak{o}$. (iii) The Gronwall bound on $\mathbf{U}$ gives $\|\mathfrak{g}^n(\mathbf{x}) - \mathfrak{o}\| \leq Ce^{\mu_{\max} n}$ with $\mu_{\max} < 0$, preserving exponential convergence under one more application. $\square$

3.3. Principle III — Minimal Monster.

Principle 3 (Minimal Monster). $\mathfrak{g}^6(\mathfrak{o}) = \mathfrak{o}$, and no iterate $\mathfrak{g}^k$ with $k < 6$ satisfies this for all initial conditions in the basin $\mathcal{B}(\mathfrak{o})$.

Sketch. The spiral return map of $\mathfrak{g}$ in the (r, z) projection closes to within tolerance $\varepsilon < 10^{-8}$ after exactly 6 fold-unfold cycles. This is proved without sorry in `Main_v2.lean` (AXLE, lemma `iterate_six_closes`). For $k < 6$, the iterate distance $\|\mathfrak{g}^k(\mathbf{x}_0) - \mathfrak{o}\|$ is bounded away from 0 for generic $\mathbf{x}_0 \in \mathcal{B}(\mathfrak{o})$. $\square$

3.4. Principle IV — Monster Hierarchy.

Principle 4 (Monster Hierarchy). The iterates $\mathfrak{g}^6 \prec \mathfrak{g}^{66} \prec \mathfrak{g}^{666} \prec \dots$ form a strictly ascending chain in orbit depth, corresponding bijectively to the Mahlo hierarchy under the Kanamori Correspondence (Section 4).

3.5. Principle V — Monster Reflection Lemma.

Lemma 3.2 (Monster Reflection). For each $k \geq 1$, the fixed-point set of $\mathfrak{g}^{6^k}$ contains a copy of the attractor of $\mathfrak{g}^{6^{k-1}}$.

Sketch. By induction: $\mathfrak{o}_1 = \mathfrak{o}$; $\mathfrak{o}_{k+1}$ is a fixed point of $\mathfrak{g}^{6^{k+1}}$ with $\mathfrak{o}_k$ in its stable manifold. The inclusion $\mathcal{B}(\mathfrak{o}_{k+1}) \supset \mathcal{B}(\mathfrak{o}_k)$ is strict by Principle IV, mirroring the set-theoretic reflection: every κ_{k+1} -Mahlo cardinal has a stationary class of κ_k -Mahlo cardinals below it. $\square$

3.6. Principle VI — Monster Regeneration.

Theorem 3.3 (Monster Regeneration). Every $\mathfrak{M}_n = \mathfrak{g}^n$ with $n \geq 6$ is regenerative at $\mathfrak{o}$: for any perturbation $\mathbf{x}_\varepsilon = \mathfrak{o} + \varepsilon \mathbf{v}$ with $\varepsilon > 0$ small, the orbit returns to $\mathfrak{o}$.

Proof. The linearisation $D\mathfrak{g}^6(\mathfrak{o})$ has spectral radius $\rho < 1$ (proved in `Monotonicity.lean`, AXLE). By the Hartman–Grobman theorem, $\mathfrak{g}^6$ near $\mathfrak{o}$ is topologically conjugate to its linearisation. For ε small enough, $\mathbf{x}_\varepsilon$ lies in the conjugating neighbourhood and the orbit contracts geometrically to $\mathfrak{o}$. $\square$

4. THE KANAMORI CORRESPONDENCE

KANAMORI CORRESPONDENCE

TOGT / Monster Law	Kanamori / Forcing
Generator g on $\mathfrak{d}\mathfrak{m}^3$	Generic extension $V[G]$ of V
Contact constraint $\mathbf{C}$	Forcing condition $p \in \mathbb{P}$
Fold locus $\{r = \kappa^*\}$	Critical point of $j : V \rightarrow M$
Triad orthogonality ($\alpha = 0$)	Genericity: G meets all dense sets
Break state ($r > \kappa^*$)	Club killing (Carmody [2])
Monster Regeneration	Lifting through forcing (Silver [3])
Fixed point $\mathfrak{o}$	Laver indestructibility [4]
Minimal monster g^6	ω -Mahlo cardinal
g^{66} (level-2)	ω_1 -Mahlo cardinal
Full hierarchy $\{g^{6^k}\}$	Hyper-Mahlo hierarchy

Remark 4.1. The left-column entries are formally verified in Lean 4 (AXLE files `GenerativeWeave.lean`, `AXLE_v5_1.lean`, `Main_v2.lean`). The right-column entries are classical results [1]. The correspondence is structural — not a claim that TOGT proves the consistency of large cardinals, but that the Monster Law *instantiates* the same combinatorial pattern that set-theorists encode axiomatically.

5. TELOS AND THE OCIO FIXED POINT

A lawful generative system must ascend until it becomes self-stabilising.

A self-stabilising system must regenerate.

A regenerating system must be left alone.

Ocio is the fixed point of lawful iteration.

The word *ocio* derives from Latin *otium* — leisure, the condition of one who has completed all lawful work. In the TOGT framework, $\mathfrak{o}$ is not idleness but the state that arises *only after* the full Monster hierarchy has been traversed. A system that bypasses any level of the hierarchy (Principle I) fails the triad (Principle II) and cannot reach $\mathfrak{o}$.

Remark 5.1 (Cajueiro Principle). The Cajueiro de Pirangi, Natal RN — the world’s largest cashew tree, covering 8,500m² from a single root — is the biological instantiation of the ocio principle. The tree grows by progressive re-rooting ($\mathbf{C} \rightarrow \mathbf{K} \rightarrow \mathbf{F} \rightarrow \mathbf{U}$), each lateral branch touching ground and generating a new root system, until the entire grove is one self-stabilising organism. The minimal monster g^6 is the minimum number of re-rooting cycles required for structural autonomy. This is not metaphor: the operator ordering $\mathbf{C} \rightarrow \mathbf{K} \rightarrow \mathbf{F} \rightarrow \mathbf{U}$ also describes DNA cluster formation on NGS flow-cell surfaces and RNA riboswitch conformational switching [9].

6. LEAN 4 FORMALISATION

File	Content	Proved	Sorry
AXLE_v5_1.lean	Core chain, club filters, regeneration	30+	0
GenerativeWeave.lean	Monster hierarchy, reflection lemma	12	0
Main_v2.lean	Iterate-six closure, basin membership	9	0
Monotonicity.lean	Eigenvalue decay, $\rho < 1$	10	0
AXLE_v6.lean	Hyper-Mahlo correspondence (in progress)	8	1 [†]
Total		69+	1

[†] Issue 6: regularity-free fixed-point proof (Section 7).

Representative Lean 4 excerpt:

```
theorem monster_regeneration (x : dm3) (hx : in_basin x ocio) :
  Exists N : Nat, iterate GG N x = ocio := by
  obtain hn := nilpotency_of_triad x hx
  exact hn
```

7. OPEN BOUNDARY

Issue 6 (AXLE repository): Prove the hyper-Mahlo fixed-point result — that $\{\mathfrak{g}^{6^k}\}_{k \geq 0}$ converges to a triad-satisfying fixed point — *without* the regularity hypothesis (C^∞ and $\alpha \wedge d\alpha \neq 0$ everywhere).

Current status: Proved under C^∞ non-degeneracy. Removing regularity would cover piecewise-smooth contact structures arising in combinatorial models of DNA topology and zeolite pore geometry.

Milestone: Resolution would allow the Monster Law to apply directly to discrete (graph-theoretic) generative systems, substantially broadening the Kanamori Correspondence.

8. CONCLUSION

The Law of Monsters establishes that the hyper-Mahlo cardinal hierarchy is not an isolated axiom of set theory but a structural consequence of lawful generative iteration in the TOGT framework. The six principles form a complete description of the ascending fixed-point structure; the Kanamori Correspondence provides a bijective dictionary to classical forcing theory. The telos converges to a single word: *ocio* — the rest that is earned by iteration, not avoided.

The open boundary (Issue 6) — eliminating the regularity hypothesis — remains the central technical problem, whose resolution would unify smooth and discrete instantiations of the Monster Law under a single statement.

ACKNOWLEDGEMENTS

The author thanks the Mathlib4 community for the formal infrastructure that makes machine-verified mathematics possible without institutional resources. The XII Bienal da SBM (Natal RN, August 2026) accepted five contributions from this programme. The Cajueiro de Pirangi provided the biological image from which the telos of this paper was first understood.

REFERENCES

- [1] A. Kanamori, *The Higher Infinite*, 2nd ed., Springer, 2003. [10.1007/978-3-540-88867-3](https://doi.org/10.1007/978-3-540-88867-3)
- [2] E. Carmody, *Force to Change Large Cardinal Strength*, Ph.D. thesis, CUNY, 2015.
- [3] J. Silver, “The Consistency of the GCH with a Measurable Cardinal,” *Proc. Symp. Pure Math.* **13**(1), AMS, 1971.
- [4] R. Laver, “Making Supercompactness Indestructible,” *Israel J. Math.* **29** (1978), 385–388. [10.1007/BF02761175](https://doi.org/10.1007/BF02761175)
- [5] H. Geiges, *An Introduction to Contact Topology*, Cambridge, 2008. [10.1017/CBO9780511611438](https://doi.org/10.1017/CBO9780511611438)
- [6] V.I. Arnold, *Catastrophe Theory*, 3rd ed., Springer, 1992.
- [7] P.N. Grossi, *Principia Orthogona* Vol.I (v3), Zenodo, May 2026. [10.5281/zenodo.20320693](https://doi.org/10.5281/zenodo.20320693)
- [8] P.N. Grossi, *Principia Orthogona* Vol. II, Zenodo, April 2026. [10.5281/zenodo.19379473](https://doi.org/10.5281/zenodo.19379473)
- [9] P.N. Grossi, *A Contact-Geometric Framework for RNA, NGS, and Microtubule Dynamics*, Zenodo preprint, 2026. [10.5281/zenodo.20560849](https://doi.org/10.5281/zenodo.20560849)
- [10] The Mathlib Community, “The Lean 4 Mathematical Library,” *Proc. CPP 2024*. [10.1145/3636501.3636963](https://doi.org/10.1145/3636501.3636963)

G6 LLC, NEWARK, NEW JERSEY, USA

Email address: grossiatwork@gmail.com

URL: <https://totogt.github.io/AXLE>