Brand Identity Guidelines

Logo Specification Document

Version 1.0 | March 2026

GROUND Inc.

Confidential

1. Brand Philosophy

GROUND Inc.

GROUND Inc. is built on the belief that logistics infrastructure is the foundation upon which modern commerce stands. The name represents the bedrock, the essential platform that everything else is built upon.

The G Mark embodies this philosophy through its architectural geometry. Derived from a bold, structural letterform, it evokes the form of a warehouse entrance or loading dock. The open aperture represents the flow of goods; the solid perimeter speaks to stability and structural integrity. The titanium gradient on light backgrounds suggests industrial precision, while pure white on dark backgrounds conveys technological sophistication.

GWES

GWES (GROUND Warehouse Execution System) is the intelligent operating system for autonomous warehouse operations. Its visual identity communicates distributed intelligence, networked awareness, and emergent coordination.

The Particle Grid mark captures this essence: a diamond-shaped matrix of luminous dots radiating from a central node, each representing an autonomous agent in the warehouse ecosystem. The brightness gradient from edge to center tells the story of data flowing inward from distributed sensors, converging where real-time decisions are made. The cyan palette communicates precision, technological capability, and active monitoring.

2. GROUND Corporate Logo

2.1 G Mark

The G Mark is the primary symbol of GROUND Inc. It is a geometric abstraction of the letter G, designed to evoke architectural forms associated with logistics infrastructure.

Construction

The mark is constructed from a single continuous SVG path forming an open rectangular shape. The original viewBox is 3877 × 1938 units (approximately 2:1 ratio).

SVG Path	M0 0 H3877 V244 H244 V1694 H3632 V966 H3877 V1938 H0 Z
Top Bar Height	244 units (12.6% of total height)
Left Bar Width	244 units (6.3% of total width)
Right Notch	Opening between y=244 and y=966 (37.2% height)
Aperture Position	Right side, x=3632 to x=3877

2.2 Wordmark

The GROUND wordmark is set in Archivo Bold 700 with letter-spacing 0.03em.

Font Family	Archivo (Google Fonts)
Font Weight	700 (Bold)
Font Size (header)	22px
Letter Spacing	0.03em
Color (dark bg)	#FFFFFF (white)
Color (light bg)	Inherits from G Mark gradient

2.3 Full Lockup

The full GROUND lockup combines the G Mark with the wordmark horizontally. On dark backgrounds (#0A0C14), both elements render in pure white. On light backgrounds, the G Mark uses the titanium gradient.

2.4 Technical Specifications

Symbol	G Mark (geometric SVG path)
ViewBox	0 0 3877 1938
Aspect Ratio	2:1 (width:height)
Wordmark Font	Archivo Bold 700
Wordmark Letter Spacing	0.03em
Color — Dark Background	#FFFFFF (white)
Color — Light Background	linearGradient: #3F4250 → #636A78 (titanium)
Gradient Stops	0%–60% #3F4250, 75% #474C5A, 85% #515866, 92% #5B6270, 100% #636A78
Header Mark Size	height: 26px, width: auto (maintains ratio)
Mark-to-Text Alignment	Vertical center, inline horizontal layout
Google Fonts Load	Archivo:wght@400;700
SVG File	ground-logo-dark.svg

3. GWES Product Logo

3.1 Particle Grid Mark

The Particle Grid is the visual centerpiece of the GWES identity. It consists of a diamond-shaped array of circular dots arranged in a 7-row grid, with brightness and radius increasing from edges to center.



SVG Structure

The grid is defined in a 200 × 200 viewBox. Each dot is a <circle> element with radius varying from 3.9 (outermost) to 6.8 (center). Dots use rgba fills where opacity ranges from 0.28 to 1.0. A subtle radial gradient glow circle sits behind the dots at 12% opacity.

Dot Brightness Gradient

Zone	Fill	Opacity	Radius	Count	Position
Edge Cyan	#80D0F0	0.28	3.9	8	Outermost corners
Near Cyan	#8AD4F1	0.36	4.1	4	Near-edge
Trans Cyan	#8ED6F2	0.44	4.2	4	Row 2/6 edges
Mid Cyan	#A8DDF4	0.66	4.8	8	Mid-zone
Bright Cyan	#B4E2F5	0.74	5.0	4	Inner-mid
Soft White	#CEEAF8	0.86	5.5	4	Near-center

Glow White	#DFF0FB	0.92	5.9	6	Inner ring
Core White	#FFFFFF	1.0	6.8	1	Center dot

3.2 Logotype

The GWES logotype is arranged vertically below the Particle Grid mark. A thin cyan divider line separates the mark from the text elements.

Primary Text

Text	GWES
Font	Archivo 400 (Regular)
Size (desktop / mobile)	1.5rem / 1.2rem
Letter Spacing	0.28em
Symmetry Compensation	padding-right: 0.28em
Color	#FFFFFF

Divider Line

Width (desktop / mobile)	40px / 32px
Height	1px
Color	rgba(106, 198, 236, 0.45) — #6AC6EC at 45%
Implementation	::before pseudo-element on .gw-logo__text

Tagline

Text	The OS for Autonomous Warehouse
Font	Inter 400 (Regular)
Size (desktop / mobile)	0.6rem / 0.5rem
Letter Spacing	0.12em
Symmetry Compensation	padding-right: 0.12em
Color	rgba(255, 255, 255, 0.7)

3.3 Full Vertical Lockup

The GWES full lockup arranges all elements vertically: Particle Grid mark → divider line → GWES text → tagline. Primary usage for hero sections and standalone presentations.

3.4 Technical Specifications

Container Layout	display: flex; flex-direction: column; align-items: center
Mark Size (desktop / mobile)	140×140 px / 100×100 px
Mark-to-Divider Gap	padding-top: 10px + gap: 6px
Divider	56px × 1px in SVG (40px in CSS), rgba(106,198,236,0.4)
Divider-to-Text Gap	margin-bottom: 2px + gap: 6px
GWES Text	Archivo 400, 1.5rem, ls: 0.28em, padding-right: 0.28em
Tagline	Inter 400, 0.6rem, ls: 0.12em, padding-right: 0.12em
Background	#0A0C14 (CSS var: --gw-bg)
SVG Source (mark)	gwes-particle-grid.svg (200×200 viewBox)
SVG Source (lockup)	gwes-lockup-vertical.svg (600×400 viewBox)

4. Combined Lockup

The combined lockup places the GROUND corporate logo and the GWES product logo side by side, separated by a vertical divider. Used in footers and co-branded materials.

SVG ViewBox	420 × 44
Layout	Horizontal: GROUND (left) | divider | GWES (right)
Vertical Divider	0.5px, rgba(200, 205, 216, 0.2) (#C8CDD8 at 20%)
GROUND G Mark	36 × 24 px, white gradient fill
GROUND Text	Liberation Sans Bold 700, 20px, ls: -0.3
GWES Grid	28 × 28 px (scale(0.233) from 120×120 source)
GWES Text	Helvetica Neue Light 300, 19px, ls: 2.28px, fill: #C8CDD8
GWES Tagline	Inter 400, 6.5px, ls: 0.2px, opacity: 0.6
SVG Source	combined-lockup-dark.svg

5. Color Palette

5.1 Primary Brand Colors

	Deep Space	#0A0C14	Primary dark background (--gw-bg)
	White	#FFFFFF	Text on dark bg, GROUND mark
	GWES Cyan	#5BC0EB	Accent color (--gw-accent)
	Divider Cyan	#6AC6EC	GWES divider line, hover states
	Titanium Dark	#3F4250	G Mark gradient start (--gw-border)
	Titanium Mid	#636A78	G Mark gradient end
	Surface Dark	#161822	Card background (--gw-surface)
	Mist	#C8CDD8	Subtle dividers, GWES lockup text

5.2 GWES Particle Grid Colors

	Edge Cyan	#80D0F0	Outermost dots (opacity 0.28, r=3.9)
	Near Cyan	#8AD4F1	Near-edge dots (opacity 0.36, r=4.1)
	Trans Cyan	#8ED6F2	Transition dots (opacity 0.44, r=4.2)
	Mid Cyan	#A8DDF4	Mid-zone dots (opacity 0.66, r=4.8)
	Bright Cyan	#B4E2F5	Inner-mid dots (opacity 0.74, r=5.0)
	Soft White	#CEEAF8	Near-center dots (opacity 0.86, r=5.5)
	Glow White	#DFF0FB	Inner ring dots (opacity 0.92, r=5.9)
	Core White	#FFFFFF	Center dot (opacity 1.0, r=6.8)

5.3 Text Colors

Primary Text (--gw-text-1)	#FFFFFF
Secondary Text (--gw-text-2)	rgba(255, 255, 255, 0.92)
Tertiary Text (--gw-text-3)	rgba(255, 255, 255, 0.55)
Tagline	rgba(255, 255, 255, 0.7)
Infrastructure Label	#8A8C9A (--gw-infra)

6. Typography

6.1 Archivo

Archivo is the primary brand typeface. A grotesque sans-serif family designed for high-performance digital environments with geometric clarity and industrial character.

Source	Google Fonts (fonts.google.com/specimen/Archivo)
Loaded Weights	400 (Regular), 700 (Bold)
GROUND Wordmark	Bold 700, letter-spacing: 0.03em
GWES Logotype	Regular 400, letter-spacing: 0.28em
Fallback Stack	'Archivo', sans-serif
Google Fonts URL	Archivo:wght@400;700

6.2 Inter

Inter is used for the GWES tagline, body text, and UI elements. Exceptional legibility at small sizes.

Source	Google Fonts (fonts.google.com/specimen/Inter)
Loaded Weights	300, 400, 500, 600, 700
GWES Tagline	Regular 400, letter-spacing: 0.12em
Hero Title	Semi-Bold 600, letter-spacing: -0.02em
Fallback Stack	'Inter', sans-serif

6.3 Noto Sans JP

Noto Sans JP is used for all Japanese text content on the website.

Source	Google Fonts
Loaded Weights	300, 400, 500, 600, 700
Usage	All Japanese body text and headings

6.4 Symmetry Rule

When using letter-spacing on centered text, apply padding-right equal to the letter-spacing value to compensate for trailing space and ensure true optical centering:

GWES Text	letter-spacing: 0.28em → padding-right: 0.28em
Tagline	letter-spacing: 0.12em → padding-right: 0.12em
GROUND Wordmark	letter-spacing: 0.03em → padding-right: 0.03em

7. Clear Space & Minimum Size

7.1 GROUND Logo

Clear space is defined as the G Mark top bar height (≈ 12.6% of total mark height), called 'x'. Maintain at least 1x on all sides.

Clear Space Unit (x)	G Mark top bar height (244/1938 = 12.6%)
Minimum Clear Space	1x on all four sides
Min Mark Height (digital)	24px
Min Mark Height (print)	10mm
Min Lockup Width (digital)	120px
Min Lockup Width (print)	40mm

7.2 GWES Logo

Clear space is the center dot diameter (6.8 SVG units), called 'y'. For the vertical lockup, measure from outermost elements.

Clear Space Unit (y)	Center dot diameter (6.8 SVG units)
Minimum Clear Space	1.5y on all four sides

Min Grid Size (digital)	28px
Min Grid Size (print)	10mm
Min Lockup Height (digital)	160px
Min Lockup Height (print)	50mm

8. Usage Guidelines

8.1 Correct Usage

Always use the logo files provided in this specification. The GWES logo must appear on dark backgrounds (#0A0C14 or equivalent). The GROUND logo may appear on dark (white) or light (titanium gradient) backgrounds. On photographic backgrounds, ensure sufficient contrast with a dark overlay or container.

8.2 Prohibited Usage

The following modifications are strictly prohibited:

- Alter the colors of any logo element
- Rotate, skew, or distort the logos
- Add drop shadows, outlines, bevels, or other effects
- Change the typeface of any logotype
- Rearrange the elements of any lockup
- Place the GWES logo on light backgrounds without a dark container
- Use the Particle Grid mark as a repeating pattern
- Modify the brightness gradient of the Particle Grid dots
- Separate the divider line from the GWES text elements

8.3 Source Files

gwes-particle-grid.svg	Particle Grid mark only (200×200 viewBox)
gwes-lockup-vertical.svg	GWES full vertical lockup (600×400)
ground-logo-dark.svg	G Mark with titanium gradient (3877×1938)
combined-lockup-dark.svg	GROUND + GWES horizontal lockup (420×44)

© 2026 GROUND Inc. All Rights Reserved.