

GROUNDS. PH

Discover the finest cafes across the archipelago



VERSION

2026.17.0

LAST UPDATED

2026-10-08

Contents

0. How to use this document

1. Brand at a glance

2. Logo system

3. Colour palette

4. Typography

5. Iconography

6. UI components & patterns

7. Imagery

8. Voice & tone

9. Channels

10. Accessibility

11. Cheat sheet

12. Known gaps → decisions needed

13. Regenerating assets

Version: 2026.17.0 · **Last updated:** 2026-10-08 · **Owner:** GroundsPH **Source of truth:** `app/globals.css`, `app/layout.tsx`, `public/`, `assets/`

Every value in this document is taken from the shipped codebase. Where the code and the intended brand disagree, it is flagged in §12 Known gaps rather than silently documented as "the rule".

0. How to use this document

- 1. Tokens, not guesses.** Use the Tailwind token (`bg-primary` , `text-text`) — never a raw hex in a component. Raw hexes are how the palette drifts.
- 2. Two faces, one voice.** The palette and the tagline are fixed. Layout, imagery and copy structure are encouraged to evolve.
- 3. When in doubt, ask** before introducing a new colour, a new font, or a new logo lockup.

Quick links: [Brand](#) · [Logo](#) · [Colour](#) · [Type](#) · [Icons](#) · [UI](#) · [Imagery](#) · [Voice](#) · [a11y](#) · [Cheat sheet](#)

1. Brand at a glance

Name (written)	GroundsPH — one word, capital G, capital PH
Domain	<code>grounds.ph</code>
Primary tagline	<i>Discover the finest cafes across the archipelago</i>
SEO title	<i>GroundsPH — Discover the Best Cafes in the Philippines</i>
Boilerplate	GroundsPH is a community-driven guide to the best cafes across the Philippines — daily highlights, honest reviews, and hidden gems waiting to be found.
What we are	A map-first, community-built cafe directory and coffee passport for the Philippines
Not what we are	Not a review-bombing app, not a paid listing directory, not a reservation platform

1.1 Naming rules

✔ USE	✗ AVOID
GroundsPH	Grounds PH, GroundsPh, groundsph, Grounds PH., GroundsPH™
grounds.ph (domain only)	"Grounds.ph" used as the brand name in copy
"cafes"	"cafés" (we are accent-free in product copy)
"the Philippines", "the archipelago"	"PH" as a standalone noun in body copy

1.2 Brand personality

Five traits, in priority order. If two conflict, the higher one wins.

- 1. **Warm** — a friend recommending a place, not a platform ranking one.
- 2. **Community-first** — the community contributes; we curate the edges.
- 3. **Honest** — "N/A (0 Reviews)" is shown, not hidden. Real stars, real counts.
- 4. **Local / on-the-ground** — provinces and regions are first-class, not an afterthought.
- 5. **Playful, but precise** — the winking mug is charming; the data underneath is exact.

2. Logo system

2.1 Primary mark — the Winking Mug

The mascot mark: a hand-drawn coffee mug, tilted a few degrees clockwise, with a **winking eye**, a small smile, coffee splashing out of the rim, and a chunky handle. Cream body, dark espresso outline, mocha coffee interior. It is deliberately *illustrated*, not geometric — that is the brand's warmth in one asset.

PROPERTY	VALUE
Source file	public/icon.png — 2048×2048, RGBA
Rendered sizes	public/apple-icon-*.png , public/android-icon-*.png , public/favicon-{16,32,96}.png , public/ms-icon-*.png
Regeneration	./scripts/generate-icons.sh public/icon.png
Palette	Espresso outline #543310  cream body #F8F4E1  / #F1DEC9  , mocha interior #AF8F6F 

Minimum sizes

CONTEXT	MINIMUM
Favicon / app icon	16 px (tested down to <code>favicon-16x16.png</code>)
Standalone mark in UI	24 px
Anywhere with a wordmark	32 px

Clear space: leave at least the height of the mug's *handle* (≈ 15% of the mark's width) free on all four sides. Nothing crosses that boundary — no text, no borders, no photos.

2.2 Wordmark

Two lockups are in use. Both are two-tone: the "PH" is **always** `secondary` (mocha).

Interface lockup — used in the navbar and footer (`components/layout/Navbar.tsx` , `components/layout/Footer.tsx`):

Grounds PH ← "Grounds" in text (espresso) · "PH" in secondary (mocha)

Hero lockup — used once per view, on the landing hero (`components/landing/LandingHero.tsx`):

GROUND'S. ← uppercase, bold, espresso; the full stop is text/60
PH ← next line, medium weight, text/60

✅ DO	❌ DON'T
Keep "Grounds" and "PH" on one line in UI lockups	Split the UI lockup across lines
Keep the period in the hero lockup, muted	Make the period a brand colour or a graphic element
Set it in DM Sans (see §4)	Set the wordmark in the serif fallback
Leave the two-tone relationship intact	Recolour "PH" to <code>primary</code> or a status colour

2.3 Collectible stamps (Coffee Passport)

Three decorative stamp illustrations, used to mark visited cafes in the profile passport.

Files	assets/stamps/1.svg , 2.svg , 3.svg
Viewbox	0 0 346 270.11
Colours	Locked to the brand browns only — #AF8F6F  , #74512D  , #543310 
Consumption	components/profile/Passport.tsx — deterministic pick by hashing the cafe name, so a cafe always gets the same stamp
Usage	Slightly rotated, pressed-on, overlapping the passport page. Never straighten them into a grid

Owner-uploaded badge stamps (`utils/validation/badge-stamp.ts`): **PNG only, ≤ 500 KB**. Owners design their own cafe stamp, so keep them inside the brand palette — a neon stamp on a cream passport breaks the collection.

2.4 Lockups and don'ts

✗ NEVER
Recolour the mug, or apply gradients, drop shadows, bevels or outlines
Stretch, squash, rotate beyond the natural tilt, or squash to fit a square
Add effects, glows, or a hard stroke of a non-brand colour
Place the mark on a busy photo without a cream or espresso scrim behind it
Rebuild the mug in CSS, an emoji, or a different coffee icon
Use ☕ or any emoji as a stand-in for the mark

2.5 Asset inventory


ASSET	PATH	DIMENSIONS	USE
Primary mark	public/icon.png	2048×2048	Source for all icons
Favicons	public/favicon-{16,32,96}x*.png	16 / 32 / 96	Browser tabs
Apple touch icons	public/apple-icon-*.png	57–180	iOS home screen
Android icons	public/android-icon-*.png	36–192	Android, PWA install
PWA / Windows tiles	public/ms-icon-*.png	70–310	Windows tiles
Social card	public/og-image.jpg	1200×630	Open Graph / Twitter
Passport stamps	assets/stamps/{1,2,3}.svg	346×270.11	Profile passport
Map pins	public/marker-icon*.png , marker-shadow.png	—	Leaflet map markers
Brand logos (partner)	assets/logos/devgo-logo.png	—	Supporter / partner sections only — never as our mark

3. Colour palette

The palette is a **single-origin coffee ramp**: espresso → mocha → latte → foam, with one caramel accent. Six tokens. Nothing else is a brand colour.

3.1 Core tokens

Defined once in `app/globals.css` under `@theme`.



TOKEN	HEX	NAME	ROLE	LIVE USAGE
text	#543310 	Espresso	Body text, dark bands, footer surface	2496 text-text , 869 bg-text
background	#F8F4E1 	Foam	Page surface — the default canvas	472 bg-background
primary	#74512D 	Roast	Primary buttons, headings, active states	555 bg-primary , 544 text-primary
secondary	#AF8F6F 	Mocha	The "PH", accents, the CTA band, highlights	124 bg-secondary
tertiary	#F1DEC9 	Latte	Card and panel fills, quiet surfaces	193 bg-tertiary
accent	#BC6C25 	Caramel	Sparingly — emphasis inside cream panels	26 bg-accent

Derived automatically:

```
--color-border: color-mix(in srgb, var(--color-text) 10%, transparent);  
/* on the default background this resolves to ≈ #E8E1CC */
```

3.2 The opacity ladder

Tinting is done with opacity on `text` , not with new hexes. The convention in the codebase:

STEP	VALUE	RENDERS AS	USE FOR
Full	<code>text-text</code>	<code>#543310</code> 	Headings, primary body
Muted	<code>text-text/80</code>	$\approx$ <code>#6B4C2E</code> 	Secondary body
Quiet	<code>text-text/60</code>	$\approx$ <code>#968064</code> 	Captions, inactive nav, "PH" in hero
Disabled	<code>text-text/50</code>	$\approx$ <code>#A79478</code> 	Footer links, disabled controls
Wash	<code>bg-text/5</code> , <code>bg-text/10</code>	—	Segmented-control tracks, dividers

3.3 Status and functional colour

Functional colour is allowed **only** for status, never for decoration or emphasis.

COLOUR	HEX	USE
Red	<code>#ef4444</code>  / <code>red-500</code>	Destructive actions, wishlist heart, errors
Green	<code>#22c55e</code> 	Success, open/verified states
Amber	<code>#f59e0b</code> 	Warnings
Provider blues	<code>#4285F4</code>  , <code>#EA4335</code>  , <code>#FBBC05</code>  <code>#34A853</code> 	Google sign-in button only
Discord / brand blues	<code>#5865F2</code>  , <code>#007DFE</code> 	Third-party sign-in only

3.4 Legacy colours — do not use

HEX	WHERE IT LIVES	STATUS
#D4AF37  (gold)	components/temp/cafeDetails-new.tsx (23 occurrences)	Legacy prototype. Not a brand colour. Do not copy from this file
#8B4513  (saddle brown)	app/manifest.ts theme_color , badge default icon_color	Brand-adjacent, but not a token. See §12
#D2691E  , #F4A460  , #FFD700 	components/ui/MilestoneCelebration.tsx confetti	Celebration confetti only
#1A1A1A  , #FF5E5B 	Assorted one-offs	Not brand — remove on touch

3.5 Colour rules

- ✓ Always use the token class (bg-primary), never the hex.
- ✓ Cards sit on background and are filled with tertiary ; do not stack tertiary on tertiary .
- ✓ Dark bands use bg-text with text-background and text-background/70 for muted copy (footer, CTA).
- ✓ Icons inherit currentColor . Never hard-code an icon colour.
- ✗ Never introduce a new brown, tan or cream. Six tokens is the whole palette.
- ✗ Never use secondary for body text under 24 px — it fails contrast (see §10).
- ✗ Never use colour alone to convey state; pair it with an icon or label.

4. Typography

4.1 The typeface

DM Sans — geometric, warm, low-contrast. It is the only confirmed brand typeface.

```
// app/layout.tsx
const dmSans = DM_Sans({
  variable: "--font-dm-sans",
  display: "swap",
  adjustFontFallback: true,
})
```

Token	<code>--font-sans</code> → <code>--font-dm-sans</code>
Loading	<code>next/font/google</code> (self-hosted at build, no external request)
Weights in use	400 regular · 500 medium · 600 semibold · 700 bold
Fallback	Next.js <code>adjustFontFallback</code> — metric-matched, no layout shift

4.2 Type scale

Observed in the shipped UI. Match the nearest row rather than inventing a size.

ROLE	CLASSES	≈ PX	WEIGHT
Hero lockup	<code>text-5xl md:text-6xl lg:text-7xl font-bold</code>	48 → 72	700
Hero "PH"	<code>text-4xl md:text-5xl lg:text-6xl font-medium</code>	36 → 60	500
Section heading	<code>text-2xl md:text-5xl lg:text-6xl font-bold</code>	24 → 60	700
Page / card heading	<code>text-lg sm:text-xl font-semibold</code>	18 → 20	600
Body	<code>text-base</code>	16	400
Body (compact)	<code>text-sm leading-relaxed</code>	14	400
Caption / meta	<code>text-xs</code>	12	400
Eyebrow / micro-label	<code>text-[10px] font-bold uppercase tracking-widest</code>	10	700

Case & tracking

- Eyebrows, chips and micro-labels: **UPPERCASE**, `tracking-widest`, 10–12 px, muted.
- Everything else: sentence case. We do not shout headings.
- Never letter-space lowercase body copy.

4.3 Type specimen

Complete character set — DM Sans

UPPERCASE	ABCDEFGHIJKLMNOPQRSTUVWXYZ
lowercase	abcdefghijklmnopqrstuvwxyz
NUMERALS	0123456789
Punctuation	! " # \$ % & ' () * + , - . / : ; < = > ? @
Brackets	[\] ^ _ ` { } ~
Currency	₱ \$ € £ ¥
Accents	á à â ã ä å ç é è ê ë í î ï ñ ó ò ô õ ö ú û ü ý ÿ
Symbols	© ® ° ± × ÷ − − ... • · → ← ↑ ↓ ★ ☆ ♥ ✓

DM Sans is **Latin-only**. For non-Latin script (e.g. Filipino regional text, CJK, Arabic), specify an explicit fallback rather than relying on the metric-matched `adjustFontFallback`.

Weight specimen — each weight carries the same job everywhere in the product.

Regular 400 — ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
0123456789 ! ? & @ ₱ · — “quotes”

Medium 500 — ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
0123456789 ! ? & @ ₱ · — “quotes”

Semibold 600 — ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
0123456789 ! ? & @ ₱ · — “quotes”

Bold 700 — ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
0123456789 ! ? & @ ₱ · — “quotes”

WEIGHT	ASSIGNMENT	WHERE IT APPEARS
400 Regular	Reading text	Body copy, descriptions, footer links
500 Medium	Interface text	Buttons, tabs, nav items, hero "PH"
600 Semibold	Emphasis	Card titles, section labels, wordmark
700 Bold	Structure & shout	Hero lockup, section headings, eyebrow labels

Numerals

Proportional 0123456789
Tabular 0123456789 → use tabular-nums for aligned counts
Key figures 7 pts · 114 cafes · 4.8 ★ · 0 Reviews · PP · 5 km · 2026.17.0

Counts, points and ratings are set in whatever weight the surrounding label uses, but they never drop below 12 px and never use `secondary` colour in a small size (see §10).

Micro-label specimen — `text-[10px] font-bold uppercase tracking-widest`

EXPLORE · COMMUNITY · LEGAL · TOP CAFE OF THE MONTH · CAR — CORDILLERA ADMINISTRATIVE REGION

Full scale specimen — the same words at every step of the ramp in §4.2.

Discover the finest cafes

Today's Featured

Community Favorites

A community-driven guide featuring daily highlights, honest reviews, and hidden gems waiting to be found across the archipelago.

Visited by 1 friend · Mar 22 · Cebu City

4.4 ⚠ The heading face is unresolved

The design clearly wants a **serif display face** for section headings — "Today's Featured", "Latest Stories", "Community Favorites", "Found a spot we missed?", "Recently Added Cafes" — and the code asks for it with `font-serif` in `Navbar.tsx`, `Footer.tsx`, `LandingHero.tsx` and `Passport.tsx`.

But `--font-serif` is commented out in `app/globals.css`:

```
/* --font-serif: var(--font-playfair-display); */
```

So every `font-serif` heading currently falls back to Tailwind's platform stack (`ui-serif, Georgia, ...`) — **New York on macOS, Georgia elsewhere**. The brand's headline face is therefore different on every device.

This is the single biggest typographic risk in the brand: the specimens above will render differently on every device the moment `font-serif` is applied to them.

Until this is resolved:

- Do **not** add new `font-serif` usages.
- Do **not** set the wordmark in `font-serif` (the navbar and footer currently do).
- Pick from §12: ship a real serif, or go sans-only.

5. Iconography

5.1 The icon set

Lucide (`lucide-react` ^0.556.0) is the only icon library. No mixing, no bespoke icon fonts, no emoji as icons.

Stroke style	Outline, rounded caps/joins, <code>stroke-width: 2</code> (the Lucide default; <code>3</code> for tiny/emphasis, <code>2.5</code> sparingly)
Colour	Always <code>currentColor</code> — never a hard-coded hex
Alignment	Optically centred with adjacent text; <code>shrink-0</code> in flex rows

5.2 Sizes

SIZE	CLASSES	USE
14 px	<code>w-3.5 h-3.5</code>	Inline meta (RSS, region labels)
12 px	<code>w-3 h-3</code>	Micro chips
16 px	<code>w-4 h-4</code>	Default. Inline with body text, buttons
20 px	<code>w-5 h-5</code>	Navbar, standalone actions
24 px	<code>w-6 h-6</code>	Section headers, feature icons
32–48 px	<code>w-8</code> → <code>w-12</code>	Empty states, hero moments

Never size an icon by a percentage or `em` — always a fixed Tailwind size step.

5.3 Core icon vocabulary

Keep action → icon mapping consistent across the product.

MEANING	ICON	MEANING	ICON
Cafe / coffee	Coffee , Cup	Visited / passport	Stamp
Location	MapPin , MapPinIcon	Favourite	Heart
Rating	Star	Wishlist	Bookmark
Search	Search	Notifications	Bell
Discover randomly	Dice / custom RandomCafeButton	Contact	Mail
Social	Facebook , Rss (TikTok uses a text label)	Awards	Award , Trophy , Medal

5.4 Badge icon set

Owner-awardable badges draw from a **curated, grouped subset of Lucide** — `components/badges/iconUtils.ts` (~110 icons in 6 categories):

GROUP	EXAMPLES
Achievement & awards	Award , Medal , Trophy , Crown , Gem , Star , Sparkles
Coffee & food	Coffee , Cup , Milk , Cookie , Cake , Croissant , IceCream , Bean , Leaf
Social & community	Heart , HeartHandshake , ...
...4 further groups	Browse <code>BADGE_ICONS</code> in the file

Add to this list rather than reaching for an arbitrary Lucide import — badge icons appear next to each other in grids and must share visual weight.

6. UI components & patterns

6.1 Foundations

Styling	Tailwind CSS v4, PostCSS plugin only — no <code>tailwind.config.js</code> . Tokens live in <code>@theme</code> in <code>app/globals.css</code>
Class helper	<code>cn()</code> from <code>@/utils/cn</code> for conditional classes
Motion	<code>motion/react</code> (never <code>framer-motion</code>)
Default transition	<code>300ms</code> (set once as <code>--default-transition-duration</code>)
Haptics	<code>useHaptics()</code> on mobile for taps, selections, milestones

6.2 Corner radius

RADIUS	CLASSES	USE
Default	<code>rounded-lg</code>	Buttons, inputs, small panels
Cards	<code>rounded-xl</code> (sometimes <code>rounded-2xl</code>)	Cafe cards, media containers
Pills	<code>rounded-full</code>	Chips, avatars, icon buttons, badges
Square	<code>rounded</code>	Rare — toolbars, dense controls

Do not use `rounded-sm` / `rounded-md` for new surfaces; they read as unintended.

6.3 Buttons

There is **no shared `Button` component** yet — variants are repeated inline. Use these exact patterns so the repetition stays consistent:

VARIANT	PATTERN
Primary	<code>bg-primary text-white rounded-lg font-medium hover:bg-primary/90</code>
Secondary / ghost	<code>border border-primary/20 text-primary hover:bg-primary/5</code>
Tinted (quiet)	<code>bg-primary/10 text-primary</code>
Chip	<code>bg-primary/15 text-primary text-sm font-bold px-2.5 py-1 rounded-full</code>
On dark bands	<code>bg-background text-text</code>
Destructive	<code>text-red-500 / bg-red-500 text-white</code>

Every interactive element gets `[_button]:cursor-pointer` from the root layout — do not add `cursor-pointer` per button.

6.4 Surfaces

SURFACE	TREATMENT	WHERE
Page	<code>bg-background text-text</code>	Everywhere
Card / panel	<code>bg-tertiary + border-border , rounded-xl</code>	Cafe cards, list rows
Dark band	<code>bg-text text-background</code>	Footer, milestone moments
Accent band	<code>bg-secondary</code> with cream text	"Found a spot we missed?" CTA
Segmented control	<code>bg-text/5</code> track, <code>bg-background</code> active thumb	Passport tabs

6.5 Motion

DURATION	USE
<code>200ms</code>	Micro — hover, colour, icon swaps
<code>300ms</code>	Default — everything without a reason to differ
<code>500–800ms</code>	Entrances, hero reveal (<code>opacity 0 → 1</code> , <code>y: 10 → 0</code> , <code>easeOut</code>)
Special	<code>@keyframes shimmer</code> (1.5 s) for loading skeletons; confetti for milestones

Entrances stagger by ~0.1 s. Never animate colour-and-motion at the same time on the same element; never block interaction on an animation.

6.6 Scrollbars

`.custom-scrollbar` — 6 px, transparent track, thumb at `text/15` → `text/25` on hover. Use it on every internally-scrolling panel.

7. Imagery

7.1 Photography

- **Real cafes, real light.** Interiors, latte art, signage, storefronts — shot as found.
- Prefer **warm, low-saturation** images that sit beside the cream palette. Reject heavy blue/teal grading.
- Human presence is welcome (a barista's hands, a seated guest) but faces are not the subject.
- Card crops are landscape; the hero media is a wide banner. Keep the subject centred — crops happen at multiple breakpoints.
- No stock "business handshake", no generic coffee-bean macro as a hero, no AI-generated cafe interiors.

7.2 Technical

CDN	<code>cdn.grounds.ph</code> (Cloudflare R2, presigned uploads)
Allowed remote hosts	<code>images.unsplash.com</code> , <code>cdn.grounds.ph</code> (<code>next.config.ts</code>)
Optimisation	<code>images.unoptimized: true</code> — images are pre-sized at upload
Placeholder	<code>CAFE_PLACEHOLDER_URL</code> in <code>utils/extras.ts</code>
Owner stamp uploads	PNG only, ≤ 500 KB

7.3 Social card (`og-image.jpg`)

The 1200×630 Open Graph card is a **template**, not a one-off. Keep its composition:

- Cream (`background`) canvas.
- Eyebrow line in espresso: *"Discover the finest cafes across the archipelago"*.
- `GROUNDS.` large and bold, `PH` beneath it in mocha.
- The winking mug **bleeding off the right edge**, cropped — it is a corner mark, not a logo stamp.

8. Voice & tone

8.1 Principles

WE ARE	WE ARE NOT
A well-travelled friend	An algorithm
Specific ("88th Avenue, Cebu City")	Vague ("a great spot")
Honest about gaps ("N/A (0 Reviews)")	Inflating ("1000+ rave reviews!")
Inviting ("Found a spot we missed?")	Demanding ("Submit now")
Filipino-rooted, plainspoken English	Corporate brand-speak

8.2 Mechanics

- Sentence case for headings and buttons. **UPPERCASE only** for eyebrows, chips and micro-labels.
- Second person for the reader ("your passport", "your favourites"), first person plural for us ("we currently have 114 cafes").
- Numerals for counts and distances; no spelled-out numbers in UI.
- Philippine English spelling: *favourite*, *colour*, *organise*. "Cafe" without the accent.
- No exclamation stacks. One "!" is already loud.

8.3 Microcopy patterns

SITUATION	WRITE THIS
Empty state	Plain statement + next step — <i>"No stamps yet. Start visiting cafes to fill your passport!"</i>
CTA band	Question + reassurance — <i>"Found a spot we missed? Help the community grow by sharing your favourite spots."</i>
Unknown data	<i>"N/A (0 Reviews)"</i> — never hide the field
Milestone	Celebrate the person, not the metric — <i>"You've visited 5 cafes"</i>
Error	What happened + what to do. No blame, no codes alone.

8.4 Boilerplate copy (copy-paste ready)

- **One line:** GroundsPH is a community-driven guide to the best cafes in the Philippines.

- **Short:** GroundsPH helps you discover and explore the best cafes across the Philippines — daily highlights, honest reviews, and hidden gems waiting to be found.
- **Long:** GroundsPH is a community-driven platform for discovering, reviewing, and supporting cafes across the Philippines. Explore by map, collect stamps in your coffee passport, follow the community's favourites, and share the spots we've missed. Built and maintained in Cebu.

9. Channels

CHANNEL	HANDLE / URL
Website	<code>https://grounds.ph</code>
Facebook	<code>facebook.com/grounds.philippines</code>
TikTok	<code>@grounds.ph</code>
Blog feed	<code>https://grounds.ph/feed.xml</code>
Email	<code>noreply@grounds.ph</code> (transactional), <code>/contact</code> (human)
Instagram	<i>planned — not yet linked in the footer</i>

Profile banner: cream canvas, wordmark, tagline, mug bleeding off one edge — same hierarchy as the OG card, cropped per platform.

10. Accessibility

Contrast ratios below are **measured**, not estimated (WCAG 2.1, sRGB).

FOREGROUND	BACKGROUND	RATIO	VERDICT
text #543310 	background #F8F4E1 	10.24:1	✓ AAA
background #F8F4E1 	text #543310 	10.24:1	✓ AAA (footer)
text #543310 	tertiary #F1DEC9 	8.63:1	✓ AAA (cards)
background #F8F4E1 	primary #74512D 	6.43:1	✓ AA (buttons)
primary #74512D 	background #F8F4E1 	6.43:1	✓ AA
primary #74512D 	tertiary #F1DEC9 	5.42:1	✓ AA
secondary #AF8F6F 	text #543310 	3.76:1	⚠ Large text / UI only
accent #BC6C25 	background #F8F4E1 	3.58:1	⚠ Large text / UI only
text/60 (≈ #968064 	background	3.42:1	⚠ Large text / UI only
secondary #AF8F6F 	background #F8F4E1 	2.72:1	✗ Fails — never for text
border (≈ #E8E1CC 	background	1.18:1	Decorative only (correct usage)

Non-negotiables

- `secondary` is a **graphic** colour (the "PH", bands, highlights) — **not** a text colour under 24 px.
- Body copy is `text` or an opacity step down to `text/60`. Below that, it is decoration only.
- Focus: visible, never `outline: none` without a ring replacement.
- Every image needs meaningful `alt`; decorative marks use `alt=""`.
- Motion respects `prefers-reduced-motion`. Never rely on animation to convey state.
- Tap targets ≥ 44×44 px on mobile; icons at 16 px need padded hit areas.

11. Cheat sheet

SURFACE	bg-background	#F8F4E1	Foam
CARD	bg-tertiary	#F1DEC9	Latte
TEXT	text-text	#543310	Espresso
HEADING/CTA	bg-primary / text-primary	#74512D	Roast
ACCENT	bg-secondary	#AF8F6F	Mocha ← graphics only
EMPHASIS	bg-accent	#BC6C25	Caramel ← sparingly
TYPE	DM Sans (--font-sans) 400 · 500 · 600 · 700 Eyebrow: text-[10px] font-bold uppercase tracking-widest Do NOT use font-serif until §12 is resolved		
RADIUS	rounded-lg (default) · rounded-xl (cards) · rounded-full (pills)		
MOTION	300ms default · 200ms micro · 500–800ms entrances (motion/react)		
ICONS	Lucide only · stroke-width 2 ·currentColor · w-4 default		
BUTTON	bg-primary text-white rounded-lg font-medium hover:bg-primary/90		
CHIP	bg-primary/15 text-primary text-sm font-bold px-2.5 py-1 rounded-full		
WORDMARK	Grounds (+ PH in mocha) · Hero: GROUNDS. / PH		
TAGLINE	Discover the finest cafes across the archipelago		

12. Known gaps → decisions needed

#	ISSUE	IMPACT	RECOMMENDATION
1	<code>--font-serif</code> is commented out in <code>app/globals.css</code> but <code>font-serif</code> is used in <code>Navbar</code> , <code>Footer</code> , <code>LandingHero</code> , <code>Passport</code>	Every section heading renders in <i>New York</i> on macOS and <i>Georgia</i> elsewhere. The brand has no consistent headline face	Ship a serif (the scaffolded <code>Playfair Display</code> is already named) or remove <code>font-serif</code> and standardise on DM Sans. Then update §4.4
2	<code>components/temp/cafeDetails-new.tsx</code> uses <code>#D4AF37</code>  gold 23× and <code>text-neutral-*</code> greys	A whole legacy design language is copy-pasteable	Delete the <code>components/temp/</code> folder once superseded
3	<code>app/manifest.ts</code> <code>theme_color: #8B4513</code> , <code>background_color: #AF8F6F</code>	The Android/PWA chrome tint matches no token	Set <code>theme_color</code> to <code>#74512D</code>  (primary) and <code>background_color</code> to <code>#F8F4E1</code> 
4	No shared <code>Button</code> / <code>Card</code> primitive; ~39 copies of the primary button class string	Variants drift silently	Extract <code>components/ui/Button.tsx</code> from the table in §6.3
5	Two wordmark lockups with different casing (<code>Grounds</code> / <code>GROUNDS.</code>)	Both are fine <i>in their places</i> — but there is no documented rule	Rule adopted here: UI lockup = sentence case, hero lockup = uppercase. Keep it that way
6	Badge default <code>icon_color</code> is <code>#8B4513</code> 	New badges ship off-palette	Default to <code>#74512D</code> 

13. Regenerating assets

```
# PWA / favicon / touch icons from the source mark
./scripts/generate-icons.sh public/icon.png

# PWA manifest colours live here
app/manifest.ts

# Palette + type tokens – the single source of truth
app/globals.css

# Rebuild this document's PDF
bun run brand:pdf

# ...or with the intermediate HTML kept for debugging
bun run scripts/build-brand-pdf.ts --keep
```

GROUNDSPH BRAND GUIDELINES · V2026.17.0 · MADE IN CEBU, PHILIPPINES