Expression	Expected Value	Calculated Value	Reason for Calculated Value
math.sqrt(9)	3.0	3.0	function returns the square root of a positive number in a float datatype
math.sqrt(-9)	3i	Value error	function does not accept negative numbers as input
math.floor(3.7)	3	3	Function returns the floor of a number as an integer to the nearest whole number
math.ceil(3.7)	4	4	Function returns the ceiling of a number as an integer to the nearest whole number
math.ceil(-3.7)	-3	-3	Function returns the ceiling of the negative number to the nearest whole number
math.copysign(2,-3.7)	-2.0	-2.0	Function copies the sign of the second argument onto the magnitude of the first argument and returns it as a float
math.trunc(3.7)	3	3	Function truncates the number to the nearest integer towards zero
math.trunc(-3.7)	-3	-3	Function truncates the number to the nearest integer towards zero
math.pi	3.1415	3.141592653589793	Function returns the value of pi to 15 decimal places
math.cos(math.pi)	-1.0	-1.0	Inner function return the value of pi and the value is parsed to the outer function which returns the value of the cosine of pi

When math.pi is printed in the interactive mode, the value 3 is return. This is because the math.pi function is now being treated as a local variable and parsed a value 3 to it hence printing the value 3 to the console.

This is possible because function names which are not built in functions are not considered as keywords in python hence can be used any time