

Tugas Mata Kuliah Pemrograman Website
Laporan Hasil Pengerjaan Aktivitas Mandiri



Oleh :

Kanina Audythia Ramlan (242410101045)


PROGRAM STUDI SISTEM INFORMASI
FAKULTAS ILMU KOMPUTER
UNIVERSITAS JEMBER

2026

AKTIVITAS MANDIRI 3

MEMBUAT LAYOUT MASTER & HALAMAN-HALAMAN


1. Membuat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan folder



The screenshot shows the VS Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the project structure with folders like resources, views, and layouts. The code editor displays the content of app.blade.php, which includes a DOCTYPE declaration, meta tags for viewport and charset, a title using @yield('title'), and a body section that includes the navbar partial and contains conditional rendering for success and error messages.


```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <meta http-equiv="X-UA-Compatible" content="ie=edge">
7 <title>@yield('title', 'NemuIn')</title>
8 <link href="https://fonts.googleapis.com/css2?family=Lora:ital,wght@0,400;0,600;1,400&display=swap" rel="stylesheet">
9 @stack('styles')
10 </head>
11
12 <body>
13 @include('partials.navbar')
14
15 @if(session('success'))
16 <div id="alert-success" class="alert-popup alert-success">
17 <span>{{ session('success') }}</span>
18 <button onclick="document.getElementById('alert-success').remove()">X</button>
19 </div>
20 @endif
21
22 @if(session('error') || $errors->any())
23 <div id="alert-error" class="alert-popup alert-error">
24 <span>
25 @if(session('error'))
26 {{ session('error') }}
27 @else
28 {{ $errors->first() }}
29 @endif
30 </span>
31 </div>
32 @endif
33
34 @yield('content')
35
36 @include('partials.footer')
```

2. Membuat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout



The screenshot shows the VS Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the project structure with folders like resources, views, and layouts. The code editor displays the content of navbar.blade.php, which includes a brand name, a header section, and a navigation menu with links to dashboard, hilang, ditemukan, tentang, kontak, and profil.



```
1 <div class="brand">
2 <h1>NemuIn by FASILKOM</h1>
3 <p>Sistem Informasi Barang Hilang dan Temuan Fakultas Ilmu Komputer</p>
4 </div>
5
6 <nav>
7 <ul>
8 <li><a href="{{ route('dashboard') }}" class="{{ request()->routeIs('dashboard') ? 'active' : '' }}">Beranda</li>
9 <li><a href="{{ route('hilang') }}" class="{{ request()->routeIs('hilang') ? 'active' : '' }}">Laporan Hilang</li>
10 <li><a href="{{ route('ditemukan') }}" class="{{ request()->routeIs('ditemukan') ? 'active' : '' }}">Laporan Temuan</li>
11 <li><a href="{{ route('tentang') }}" class="{{ request()->routeIs('tentang') ? 'active' : '' }}">Tentang</li>
12 <li><a href="{{ route('kontak') }}" class="{{ request()->routeIs('kontak') ? 'active' : '' }}">Kontak</li>
13 <li><a href="{{ route('profil') }}" class="{{ request()->routeIs('profil') ? 'active' : '' }}">Profil</li>
14 </ul>
15 </nav>
16 </div>
```




The screenshot shows the VS Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the project structure with folders like resources, views, and layouts. The code editor displays the content of footer.blade.php, which includes a footer section with copyright information and a disclaimer.


```
1 <div class="footer">
2 <p>
3 <small>Copyright; 2026 Proyek Pemrograman Web Fasilkom Jember</small>
4 <p><small>Dibuat untuk memenuhi tugas mata kuliah Pemrograman Web</small></p>
5 </div>
```

3. Membuat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')






4. Tampilkan flash session message di layout: `@if(session('success')) ... @endif`






5. Membuat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)








6. Gunakan `@forelse` di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)




7. Membuat halaman 'Tentang' dan 'Kontak' yang `@extends` layout yang sama




```
1 @extends('layouts.app')
2 @section('title', 'Kontak - Nemuln')
3 @section('content')
4     <section class="layout-bawah">
5         <div class="wrapper" style="max-width:900px;margin:10px auto;>
6             <main class="main-content">
7                 <section class="card">
8                     <h2>Kontak Kami</h2>
9                     <p>Hubungi kami jika ada pertanyaan terkait sistem Nemuln.</p>
10                </section>
11                <section class="card">
12                    <h2>Informasi Kontak</h2>
13                    <table style="width:100%;border:none;">
14                        <tr>
15                            <td style="padding:8px 0;color:#888;border:none;width:100px;">Email</td>
16                            <td style="border:none;">fasilkom@unej.ac.id</td>
17                        </tr>
18                        <tr>
19                            <td style="padding:8px 0;color:#888;border:none;">Alamat</td>
20                            <td style="border:none;">Fakultas Ilmu Komputer, Universitas Jember</td>
21                        </tr>
22                        <tr>
23                            <td style="padding:8px 0;color:#888;border:none;">Telepon</td>
24                            <td style="border:none;">(0331) 123456</td>
25                        </tr>
26                    </table>
27                </section>
28            </main>
29        </div>
30    </section>
31 @endsection
32
33 @push('scripts')
34     <script>
35         console.log('Halaman Kontak dimuat!');
36     </script>
37 @endpush
```




8. Menggunakan @push('scripts') dan @stack('scripts') untuk menambahkan JavaScript spesifik per halaman



```
resources > views > layouts > app.blade.php > html > body
2 <html lang="en">
13 <body>
21 @endif
22 @if(session('error')) || $errors->any()
23 <div id="alert-error" class="alert-popup alert-error">
24 <span>
25 @if(session('error'))
26 {{ session('error') }}
27 @else
28 {{ $errors->first() }}
29 @endif
30 </span>
31 <button onclick="document.getElementById('alert-error').remove()">X</button>
32 </div>
33 @endif
34 @yield('content')
35 @include('partials.footer')
36 @stack('scripts')
37 </body>
38 </html>
```




```
resources > views > kontak.blade.php >
4 <section class="layout-bawah">
5 <div class="wrapper" style="max-width:980px;margin:10px auto;">
6 <main class="main-content">
11 <section class="card">
12 <table style="width:100%;border:none;">
19 <td style="padding:8px 0;color:#888;border:none;">Alamat</td>
20 <td style="border:none;">: Fakultas Ilmu Komputer, Universitas Jember</td>
21 </tr>
22 <tr>
23 <td style="padding:8px 0;color:#888;border:none;">Telepon</td>
24 <td style="border:none;">: (0331) 123456</td>
25 </tr>
26 </table>
27 </section>
28 </div>
29 </main>
30 </section>
31 @endsection
32 @push('scripts')
33 <script>
34 console.log('Halaman Kontak dimuat!');
35 </script>
36 @endpush
```



AKTIVITAS MANDIRI 4

MIGRATION, MODEL, & SEEDER

1. Buat Model dan Migration sekaligus: php artisan make:model Mahasiswa -m



The screenshot shows the VS Code editor with the 'Laporan.php' file open in the 'Models' directory. The code defines a new Eloquent model named 'Laporan' that extends the 'Model' class. It specifies a table name 'laporan' and a fillable array of attributes: 'user_id', 'nama_pelapor', 'no_telp', 'nama_barang', 'lokasi', 'jenis', 'status', and 'foto'. A 'user()' method is also defined to return the relationship to the 'User' class.


```
<?php
namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Laporan extends Model {
    protected $table = 'laporan';
    protected $fillable = [
        'user_id', 'nama_pelapor', 'no_telp',
        'nama_barang', 'lokasi', 'jenis', 'status', 'foto'
    ];

    public function user() {
        return $this->belongsTo(User::class);
    }
}
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)




The screenshot shows the '2026_04_27_135547_create_laporan_table.php' migration file. The 'up()' method is being edited to create the 'laporan' table with the following columns: 'id' (primary key), 'user_id' (foreign key to 'users'), 'nama_pelapor' (string), 'no_telp' (string), 'nama_barang' (string), 'lokasi' (string), 'jenis' (enum with values 'hilang' and 'ditemukan'), 'status' (enum with values 'Dicari', 'Dalam Proses', 'Ditemukan', 'Selesai'), 'foto' (nullable string), and 'timestamps'.

```
<?php
use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    // * Run the migrations.
    public function up(): void
    {
        Schema::create('laporan', function (Blueprint $table) {
            $table->id();
            $table->foreignId('user_id')->constrained()->onDelete('cascade');
            $table->string('nama_pelapor');
            $table->string('no_telp');
            $table->string('nama_barang');
            $table->string('lokasi');
            $table->enum('jenis', ['hilang', 'ditemukan']);
            $table->enum('status', ['Dicari', 'Dalam Proses', 'Ditemukan', 'Selesai'])->default('Dicari');
            $table->string('foto')->nullable();
            $table->timestamps();
        });
    }

    // * Reverse the migrations.
    public function down(): void
    {
        Schema::dropIfExists('laporan');
    }
}
```

3. Jalankan migration: php artisan migrate — cek di phpMyAdmin bahwa tabel sudah terbuat




The screenshot shows the terminal output of the 'php artisan migrate' command. The output displays a list of migrations and their status, indicating that the migration was successful.

```
PS C:\laragon\www\nemuin> php artisan migrate:status
Migration name ..... Batch / Status
0001_01_01_000000_create_users_table ..... [1] Ran
0001_01_01_000001_create_cache_table ..... [1] Ran
0001_01_01_000002_create_jobs_table ..... [1] Ran
2026_04_27_135547_create_laporan_table ..... [2] Ran

PS C:\laragon\www\nemuin>
```


4. Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()




```
<?php
namespace App\Models;

use Illuminate\Database\Eloquent\Model;

class Laporan extends Model {
    protected $table = 'laporan';
    protected $fillable = [
        'user_id', 'nama_pelapor', 'no_telp',
        'nama_barang', 'lokasi', 'jenis', 'status', 'foto'];
    protected $casts = [
        'created_at' => 'datetime',
        'updated_at' => 'datetime'];
    public function scopeAktif($query) {
        return $query->whereIn('status', ['Dicari', 'Dalam Proses']);
    }
    public function user() {
        return $this->belongsTo(User::class);
    }
}
```

5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy




```
<?php
namespace Database\Seeders;

use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;

class LaporanSeeder extends Seeder
{
    /**
     * Run the database seeds.
     */
    public function run(): void
    {
        //
    }
}
```

PS C:\laragon\www\nemuin> php artisan migrate:status
PS C:\laragon\www\nemuin> php artisan make:seeder LaporanSeeder
INFO Seeder [C:\laragon\www\nemuin\database\seeders\LaporanSeeder.php] created successfully.



6. Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed



```
<?php
namespace Database\Seeders;


use App\Models\Laporan;
use Illuminate\Database\Console\Seeds\WithoutModelEvents;
use Illuminate\Database\Seeder;


class DatabaseSeeder extends Seeder
{
    /**
     * Run the database seeds.
     */
    public function run(): void
    {
        $data = [
            ['nama_pelapor'=>'dewi', 'no_telp'=>'081234567890', 'nama_barang'=>'Dompet Kulit', 'lokasi'=>'Kantin Paskabes'],
            ['nama_pelapor'=>'piono', 'no_telp'=>'082345678901', 'nama_barang'=>'Kunci Motor Honda', 'lokasi'=>'Parkiran Gedung'],
            ['nama_pelapor'=>'andi', 'no_telp'=>'083456789012', 'nama_barang'=>'Laptop ASUS', 'lokasi'=>'Lab Riset'],
            ['nama_pelapor'=>'tari', 'no_telp'=>'084567890123', 'nama_barang'=>'Kartu Mahasiswa', 'lokasi'=>'Ruang IT'],
            ['nama_pelapor'=>'firmansyah', 'no_telp'=>'085678901234', 'nama_barang'=>'Charger Laptop', 'lokasi'=>'Peputakaan'],
            ['nama_pelapor'=>'lina', 'no_telp'=>'086789012345', 'nama_barang'=>'Payung Biru', 'lokasi'=>'Lobby Gedung A'],
            ['nama_pelapor'=>'luma', 'no_telp'=>'087890123456', 'nama_barang'=>'Flashdisk 32GB', 'lokasi'=>'Lab Komputer'];
        foreach ($data as $item) {
            Laporan::create(array_merge($item, ['user_id' => 1, 'foto' => null]));
        }
    }
}
```




7. Buka php artisan tinker dan coba query:

a. php artisan tinker lalu \App\Models\Laporan::all();






```
PS C:\laragon\www\nemuin> php artisan tinker
id: 12,
user_id: 1,
nama_pelapor: "piona",
no_telp: "082345678981",
nama_barang: "Kunci Motor Honda",
lokasi: "Pasariran Gedung B",
jenis: "Ditemukan",
status: "Dalam Proses",
foto: null,
created_at: "2026-05-02 16:24:10",
updated_at: "2026-05-02 16:24:10",
},
App\Models\Laporan {#7780
  id: 13,
  user_id: 1,
  nama_pelapor: "endi",
  no_telp: "083456789812",
  nama_barang: "Laptop ASUS",
  lokasi: "Lab RPL",
  jenis: "hilang",
  status: "Dicari",
  foto: null,
  created_at: "2026-05-02 16:24:10",
  updated_at: "2026-05-02 16:24:10",
},
App\Models\Laporan {#7779
  id: 14,
  user_id: 1,
  nama_pelapor: "tari",
  no_telp: "084567898123",
  nama_barang: "Kartu Mahasiswa",
  lokasi: "Ruang 81",
```



```
id: 15,
user_id: 1,
nama_pelapor: "Firmansyah",
no_telp: "085678981234",
nama_barang: "Gergaji Laptop",
lokasi: "Perpustakaan",
jenis: "hilang",
status: "Ditemukan",
foto: null,
created_at: "2026-05-02 16:24:10",
updated_at: "2026-05-02 16:24:10",
},
App\Models\Laporan {#7777
  id: 16,
  user_id: 1,
  nama_pelapor: "lina",
  no_telp: "086789812345",
  nama_barang: "Payung Biru",
  lokasi: "Lobby Gedung A",
  jenis: "Ditemukan",
  status: "Dalam Proses",
  foto: null,
  created_at: "2026-05-02 16:24:10",
  updated_at: "2026-05-02 16:24:10",
},
App\Models\Laporan {#7776
  id: 17,
  user_id: 1,
  nama_pelapor: "luna",
  no_telp: "087898123456",
  nama_barang: "Flashdisk 32GB",
  lokasi: "Lab Komputer",
```

b. \App\Models\Laporan::where('jenis', 'hilang')->get();



```
PS C:\laragon\www\nemuin> php artisan tinker
> \App\Models\Laporan::where('jenis', 'hilang')->get();
= Illuminate\Database\Eloquent\Collection {#7753
  all: [
    App\Models\Laporan {#7751
      id: 1,
      user_id: 1,
      nama_pelapor: "testing",
      no_telp: "08123456789",
      nama_barang: "Donat Coklat Levi's",
      lokasi: "Kantin Fasilkom",
      jenis: "hilang",
      status: "Dicari",
      foto: null,
      created_at: "2026-04-27 22:01:12",
      updated_at: "2026-04-27 22:01:12",
    },
    App\Models\Laporan {#7752
      id: 3,
      user_id: 1,
      nama_pelapor: "Test",
      no_telp: "081234567890",
      nama_barang: "Test Barang",
      lokasi: "Test Lokasi",
      jenis: "hilang",
      status: "Dicari",
      foto: null,
      created_at: "2026-04-28 05:14:43",
      updated_at: "2026-04-28 05:14:43",
    },
  ],
}
```


```
PS C:\laragon\www\nemuin> php artisan tinker
{
  "id": 10,
  "user_id": 1,
  "nama_pelapor": "EDO",
  "no_telp": "081344255352",
  "nama_barang": "gunting",
  "lokasi": "loboy",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 11:44:40",
  "updated_at": "2026-05-02 11:44:40",
},
{
  "id": 11,
  "user_id": 1,
  "nama_pelapor": "devi",
  "no_telp": "081234567890",
  "nama_barang": "Dompot Coklat",
  "lokasi": "Kantin Fasilkom",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
{
  "id": 13,
  "user_id": 1,
  "nama_pelapor": "andi",
  "no_telp": "083456789012",
  "nama_barang": "Laptop ASUS",
  "lokasi": "Lab RPI",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
}
...
```

```
PS C:\laragon\www\nemuin> php artisan tinker
{
  "id": 13,
  "user_id": 1,
  "nama_pelapor": "andi",
  "no_telp": "083456789012",
  "nama_barang": "Laptop ASUS",
  "lokasi": "Lab RPI",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
{
  "id": 15,
  "user_id": 1,
  "nama_pelapor": "firmansyah",
  "no_telp": "083678901234",
  "nama_barang": "Charger Laptop",
  "lokasi": "Perpustakaan",
  "jenis": "hilang",
  "status": "Ditemukan",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
{
  "id": 17,
  "user_id": 1,
  "nama_pelapor": "luna",
  "no_telp": "087890123456",
  "nama_barang": "Flashdisk 32GB",
  "lokasi": "Lab Komputer",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
}
...
```


c. \App\Models\Laporan::avg('id');

```
PS C:\laragon\www\nemuin> php artisan tinker
{
  "id": 13,
  "user_id": 1,
  "nama_pelapor": "andi",
  "no_telp": "083456789012",
  "nama_barang": "Laptop ASUS",
  "lokasi": "Lab RPI",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
{
  "id": 15,
  "user_id": 1,
  "nama_pelapor": "firmansyah",
  "no_telp": "083678901234",
  "nama_barang": "Charger Laptop",
  "lokasi": "Perpustakaan",
  "jenis": "hilang",
  "status": "Ditemukan",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
{
  "id": 17,
  "user_id": 1,
  "nama_pelapor": "luna",
  "no_telp": "087890123456",
  "nama_barang": "Flashdisk 32GB",
  "lokasi": "Lab Komputer",
  "jenis": "hilang",
  "status": "Dicari",
  "foto": null,
  "created_at": "2026-05-02 16:24:10",
  "updated_at": "2026-05-02 16:24:10",
},
}
...
> \App\Models\Laporan::avg('id');
Error: Undefined constant ''id''.
> \App\Models\Laporan::avg('id');
= 9.0000
```


8. Coba buat relasi: buat tabel mata_kuliahs dan tabel pivot krs, lalu definisikan relasi belongsToMany di Model



```
1 <?php
2 namespace App\Models;
3
4 use Illuminate\Database\Eloquent\Model;
5
6 class Laporan extends Model {
7     protected $table = 'laporan';
8     protected $fillable = [
9         'user_id', 'nama_pelapor', 'no_telp',
10        'nama_barang', 'lokasi', 'jenis', 'status', 'foto'];
11     protected $casts = [
12         'created_at' => 'datetime',
13         'updated_at' => 'datetime'];
14     public function scopeAktif($query) {
15         return $query->whereIn('status', ['Dicari', 'Dalam Proses']);
16     }
17     public function user() {
18         return $this->belongsTo(User::class);
19     }
20 }
```



```
11 use Illuminate\Notifications\Notifiable;
12
13 use Illuminate\Foundation\Auth\User as Authenticatable;
14
15 #[Fillable(['name', 'email', 'password'])]
16 #[Hidden(['password', 'remember_token'])]
17 class User extends Authenticatable
18 {
19     /** @use HasFactory<UserFactory> */
20     use HasFactory, Notifiable;
21
22     /**
23      * Get the attributes that should be cast.
24      *
25      * @return array<string, string>
26      */
27     protected function casts(): array
28     {
29         return [
30             'email_verified_at' => 'datetime',
31             'password' => 'hashed',
32         ];
33     }
34
35     public function laporan() {
36         return $this->hasMany(App\Models\Laporan::class);
37     }
38 }
```



```
PS C:\laragon\www\nemuin> php artisan tinker
> App\Models\User::find(1)->laporan;
= Illuminate\Database\Eloquent\Collection (#8182)
all: [
    App\Models\Laporan (#8184)
    id: 1,
    user_id: 1,
    nama_pelapor: "testing",
    no_telp: "08123456789",
    nama_barang: "Dompet Coklat Levi's",
    lokasi: "Kantin Fasilkom",
    jenis: "hilang",
    status: "Dicari",
    foto: null,
    created_at: "2026-04-27 22:01:12",
    updated_at: "2026-04-27 22:01:12",
},
    App\Models\Laporan (#8183)
    id: 2,
    user_id: 1,
    nama_pelapor: "testing",
    no_telp: "08987654321",
    nama_barang: "Kunci Motor Honda",
    lokasi: "Parkiran Gedung B",
    jenis: "ditemukan",
    status: "Dalam Proses",
    foto: null,
    created_at: "2026-04-27 22:01:12",
    updated_at: "2026-04-27 22:01:12",
},
    App\Models\Laporan (#8186)
]
```