

Tugas Mata Kuliah Pemrograman Website
Laporan Hasil Pengerjaan Aktivitas Mandiri



Oleh :

Kanina Audythia Ramlan (242410101045)


PROGRAM STUDI SISTEM INFORMASI
FAKULTAS ILMU KOMPUTER
UNIVERSITAS JEMBER

2026


AKTIVITAS MANDIRI 1

INSTALASI DAN SETUP PROYEK LARAVEL


1. Screenshot hasil php --version di terminal



2. Screenshot hasil composer --version



3. Screenshot database nemuin_db di phpMyAdmin




4. Screenshot konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB_PASSWORD




```
22
23 DB_CONNECTION=mysql
24 DB_HOST=127.0.0.1
25 DB_PORT=3306
26 DB_DATABASE=nemuin_db
27 DB_USERNAME=root
28 DB_PASSWORD=
29
```

5. Screenshot hasil php artisan key:generate




```
PS C:\laragon\www\nemuin> cd nemuin
PS C:\laragon\www\nemuin> php artisan key:generate
[INFO] Application key set successfully.
PS C:\laragon\www\nemuin>
```


6. Jalankan server:php artisan serve - buka <http://127.0.0.1:8001> di browser



```
File Edit Selection View Go Run ... nemuin
EXPLORER
  OPEN EDITORS
    .env
  NEMUIN
    app
    bootstrap
    config
    database
    public
    resources
    routes
    storage
    tests
    vendor
    editorconfig
    .env
    .env.example
    gitattributes
    gitignore
    .npmrc
    artisan
    composer.json
    composer.lock
    package.json
    phpunit.xml
  OUTLINE
  TIMELINE
  PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
  PS C:\laragon\www\nemuin> php artisan serve --port 8001
[INFO] Server running on [http://127.0.0.1:8001].
Press Ctrl+C to stop the server
```




7. Screenshot hasil php artisan route:list



The screenshot shows the VS Code interface with the Explorer view on the left displaying the project structure. The main editor shows the output of the command `php artisan route:list` in the terminal. The output lists several routes, including `/`, `/storage/{path}`, and `/storage/{path}/upload`. The status bar at the bottom indicates the file is at line 26, column 22, and the terminal is running the command.

```
PS C:\laragon\www\nemini> php artisan route:list
001
/favicon.ico ..... routes/web.php:5
GET|HEAD / ..... routes/web.php:5
GET|HEAD storage/{path} ..... vendor/laravel/framework/src/Illuminate/Filesystem/Filesystem
PUT storage/{path} ..... vendor/laravel/framework/src/Illuminate/Filesystem/Filesystem
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:2
Showing [4] routes
PS C:\laragon\www\nemini>
```




The screenshot shows the VS Code interface with the Explorer view on the left displaying the project structure. The main editor shows the output of the command `php artisan route:list` in the terminal. The output lists several routes, including `/`, `/dashboard`, `/ditemukan`, `/hilang`, `/hitung/{a}/{b}`, `/laporan`, `/laporan/{laporan}`, `/login`, `/logout`, `/profil`, `/tentang`, and `/up`. The status bar at the bottom indicates the file is at line 223, column 22, and the terminal is running the command.

```
PS C:\laragon\www\nemini> php artisan route:list
GET|HEAD / ..... routes/web.php:14
GET|HEAD dashboard ..... dashboard > DashboardController@index
GET|HEAD ditemukan ..... ditemukan > LaporanController@ditemukan
GET|HEAD hilang ..... hilang > LaporanController@hilang
GET|HEAD hitung/{a}/{b} ..... routes/web.php:11
POST laporan ..... laporan.store > LaporanController@store
PUT laporan/{laporan} ..... laporan.update > LaporanController@update
DELETE laporan/{laporan} ..... laporan.destroy > LaporanController@destroy
GET|HEAD login ..... login > routes/web.php:7
POST login ..... login.post > AuthController@login
GET|HEAD logout ..... logout > AuthController@logout
GET|HEAD profil ..... profil > routes/web.php:21
PUT storage/{path} ..... storage.local.upload > vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServicePr
GET|HEAD tentang ..... tentang > routes/web.php:22
GET|HEAD up ..... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223
```

AKTIVITAS MANDIRI 2

MEMBUAT ROUTING & CONTROLLER DASHBOARD

1. Screenshot hasil php artisan make:controller DashboardController




The screenshot shows the Visual Studio Code editor with the file explorer on the left displaying the project structure. The main editor window shows the code for `DashboardController.php` in the `app/Http/Controllers` directory. The code defines a `DashboardController` class that extends `Controller` and includes an `index()` method that returns the `dashboard` view. The terminal at the bottom shows the command `php artisan make:controller DashboardController` being executed successfully.

```
1 namespace App\Http\Controllers;
2
3 use Illuminate\Http\Request;
4
5 class DashboardController extends Controller
6 {
7     public function index()
8     {
9         return view('dashboard');
10    }
11 }
```

```
PS C:\laragon\www\nemun> php artisan route:list
GET|HEAD /storage/{path} storage.local vendor/laravel/framework/src/Illuminate/Filesyste... routes/web.php:5
PUT storage.local.upload vendor/laravel/framework/src/Illuminate/Filesyste/Fil... storage/{path}
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... routes/web.php:2
Showing [4] routes

PS C:\laragon\www\nemun> php artisan make:controller DashboardController
INFO Controller [C:\laragon\www\nemun\app\Http\Controllers\DashboardController.php] created successfully.
PS C:\laragon\www\nemun>
```


2. Screenshot isi file DashboardController.php



The screenshot shows the Visual Studio Code editor with the file explorer on the left. The main editor window displays the code for `DashboardController.php`. The `index()` method is implemented to query the database for various statistics and return the `dashboard` view with the data.

```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Laporan;
6 // use Illuminate\Http\Request;
7
8 class DashboardController extends Controller
9 {
10     public function index() {
11         $stats = [
12             'hilang' => Laporan::where('jenis','hilang')->count(),
13             'ditemukan' => App\Models\Laporan::where('jenis','ditemukan')->count(),
14             'proses' => App\Models\Laporan::where('status','Dilain Proses')->count(),
15             'selesai' => App\Models\Laporan::where('status','Selesai','Ditemukan')->count(),
16         ];
17         return view('dashboard', compact('stats'));
18     }
19 }
20
```

3. Daftarkan route di routes/web.php: Route::get('/dashboard',[DashboardController::class, 'index']->name('dashboard'))





The screenshot shows the Visual Studio Code editor with the file explorer on the left. The main editor window displays the code for `routes/web.php`. The `Route::get('/dashboard')` line is highlighted, showing the registration of the dashboard route. The terminal at the bottom shows the command `php artisan route:list` being executed.

```
1 Route::get('/login', fn() => view('login'))->name('login');
2 Route::post('/login', [AuthController::class, 'login'])->name('login.post');
3 Route::post('/logout', [AuthController::class, 'logout'])->name('logout');
4
5 Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b);
6
7 Route::middleware('auth')->group(function () {
8     Route::get('/', fn() => redirect()->route('dashboard'));
9     Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
10    Route::get('/hilang', [LaporanController::class, 'hilang'])->name('hilang');
11    Route::get('/ditemukan', [LaporanController::class, 'ditemukan'])->name('ditemukan');
12    Route::post('/laporan', [LaporanController::class, 'store'])->name('laporan.store');
13    Route::put('/laporan/{laporan}', [LaporanController::class, 'update'])->name('laporan.update');
14    Route::delete('/laporan/{laporan}', [LaporanController::class, 'destroy'])->name('laporan.destroy');
15    Route::get('/profil', fn() => view('profil'))->name('profil');
16 });
17
18
```


```
PS C:\laragon\www\nemun> php artisan route:list
GET|HEAD /storage/{path} storage.local vendor/laravel/framework/src/Illuminate/Filesyste... routes/web.php:5
PUT storage.local.upload vendor/laravel/framework/src/Illuminate/Filesyste/Fil... storage/{path}
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... routes/web.php:2
Showing [4] routes


PS C:\laragon\www\nemun>
```

4. Screenshot file view sementara resources/views/dashboard.blade.php






5. Akses <http://127.0.0.1:8001/dashboard> di browser






6. Screenshot membuat route /tentang





7. Screenshot hasil php artisan route:list (semua route terdaftar)



8. Screenshot mencoba Route::get('/hitung/{a}/{b}', fn((\$a, \$b))=>\$a + \$b) dan akses /hitung/10/25

