

Tugas Mata Kuliah Pemrograman Website
Laporan Hasil Pengerjaan Aktivitas Mandiri



Oleh :

Kanina Audythia Ramlan (242410101045)


PROGRAM STUDI SISTEM INFORMASI
FAKULTAS ILMU KOMPUTER
UNIVERSITAS JEMBER

2026


AKTIVITAS MANDIRI 1

INSTALASI DAN SETUP PROYEK LARAVEL


1. Screenshot hasil php --version di terminal



2. Screenshot hasil composer --version



3. Screenshot database nemuin_db di phpMyAdmin




4. Screenshot konfigurasi file .env: isi DB_DATABASE, DB_USERNAME, DB_PASSWORD




```
22
23 DB_CONNECTION=mysql
24 DB_HOST=127.0.0.1
25 DB_PORT=3306
26 DB_DATABASE=nemuin_db
27 DB_USERNAME=root
28 DB_PASSWORD=
29
```

5. Screenshot hasil php artisan key:generate




```
PS C:\laragon\www\nemuin> cd nemuin
PS C:\laragon\www\nemuin> php artisan key:generate
[INFO] Application key set successfully.
PS C:\laragon\www\nemuin>
```

6. Jalankan server:php artisan serve - buka <http://127.0.0.1:8001> di browser




```
.env
13
14 # PHP_CLI_SERVER_WORKERS=4
15
16 BCRYPT_ROUNDS=12
17
18 LOG_CHANNEL=stack
19 LOG_STACK=single
20 LOG_DEPRECATIONS_CHANNEL=null
21 LOG_LEVEL=debug
22
23 DB_CONNECTION=mysql
24 DB_HOST=127.0.0.1
25 DB_PORT=3306
26 DB_DATABASE=nemuin_db
27 DB_USERNAME=root
28 DB_PASSWORD=
29
```

```
PS C:\laragon\www\nemuin> php artisan serve --port 8001
[INFO] Server running on [http://127.0.0.1:8001].
Press Ctrl+C to stop the server
```




7. Screenshot hasil php artisan route:list



This screenshot shows the VS Code interface with the 'env' file open in the Explorer. The 'TERMINAL' panel at the bottom displays the output of the 'php artisan route:list' command. The output lists several routes, including a GET route for '/' and a PUT route for 'storage/path'. The status bar at the bottom indicates 'Ln 26, Col 22' and 'UTF-8' encoding.

```
env
13
14 # PHP_CLI_SERVER_WORKERS=4
15
16 BCRYPT_ROUNDS=12
17
18 LOG_CHANNEL=stack
19 LOG_STACK=single
20 LOG_DEPRECATIONS_CHANNEL=null
21 LOG_LEVEL=debug
22
23 DB_CONNECTION=mysql
24 DB_HOST=127.0.0.1
25 DB_PORT=3306
26 DB_DATABASE=nemuin_db

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\laragon\www\nemuin> php artisan migrate
PS C:\laragon\www\nemuin> php artisan serve -p 8081
PS C:\laragon\www\nemuin> php artisan route:list
GET|HEAD / ..... routes/web.php:5
GET|HEAD storage/{path} storage.local > vendor/laravel/framework/src/Illuminate/Filesystem/Filesystem
PUT storage/{path} storage.local.upload > vendor/laravel/framework/src/Illuminate/Filesystem/Filesystem
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:2
Showing [4] routes
PS C:\laragon\www\nemuin>
```



This screenshot shows the VS Code interface with the 'web.php' file open in the Explorer. The 'TERMINAL' panel at the bottom displays the output of the 'php artisan route:list' command. A search bar at the top right of the terminal panel is set to 'asset', and the output shows a list of routes, including a GET route for 'asset' and a PUT route for 'storage/path'. The status bar at the bottom indicates 'Ln 26, Col 22' and 'UTF-8' encoding.


```
web.php routes
1 <?php
2 use App\Http\Controllers\AuthController;
3 use App\Http\Controllers\DashboardController;
4 use App\Http\Controllers\LaporanController;
5 use Illuminate\Support\Facades\Route;

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
PS C:\laragon\www\nemuin> php artisan route:list
GET|HEAD / ..... routes/web.php:14
GET|HEAD dashboard ..... dashboard > DashboardController@index
GET|HEAD ditemukan ..... ditemukan > LaporanController@ditemukan
GET|HEAD hilang ..... hilang > LaporanController@hilang
GET|HEAD hitung/{a}/{b} ..... routes/web.php:11
POST laporan ..... laporan.store > LaporanController@store
PUT laporan/{laporan} ..... laporan.update > LaporanController@update
DELETE laporan/{laporan} ..... laporan.destroy > LaporanController@destroy
GET|HEAD login ..... login > routes/web.php:7
POST login ..... login.post > AuthController@login
GET|HEAD logout ..... logout > AuthController@logout
GET|HEAD profil ..... profil > routes/web.php:21
PUT storage/{path} storage.local.upload > vendor/laravel/framework/src/Illuminate/Filesystem/FilesystemServicePr
GET|HEAD tentang ..... tentang > routes/web.php:22
GET|HEAD up ..... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/ApplicationBuilder.php:223
```

AKTIVITAS MANDIRI 2

MEMBUAT ROUTING & CONTROLLER DASHBOARD

1. Screenshot hasil php artisan make:controller DashboardController




The screenshot shows the Visual Studio Code editor with the file explorer on the left displaying the project structure. The main editor window shows the code for `DashboardController.php` in the `app/Http/Controllers` directory. The code defines a `DashboardController` class that extends `Controller` and includes an `index()` method that returns the `dashboard` view. The terminal at the bottom shows the command `php artisan make:controller DashboardController` being executed successfully.

```
app > Http > Controllers > DashboardController.php > PHP Intelephense > DashboardController > index
1 namespace App\Http\Controllers;
2
3 use Illuminate\Http\Request;
4
5 class DashboardController extends Controller
6 {
7     public function index()
8     {
9         return view('dashboard');
10    }
11 }
```

```
PS C:\laragon\www\nemun> php artisan route:list
GET|HEAD /storage/{path} storage.local vendor/laravel/framework/src/Illuminate/Filesyste... routes/web.php:5
PUT storage.local.upload vendor/laravel/framework/src/Illuminate/Filesyste/Fil... storage/{path}
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... routes/web.php:2
Showing [4] routes

PS C:\laragon\www\nemun> php artisan make:controller DashboardController
INFO Controller [C:\laragon\www\nemun\app\Http\Controllers\DashboardController.php] created successfully.
PS C:\laragon\www\nemun>
```


2. Screenshot isi file DashboardController.php



The screenshot shows the Visual Studio Code editor with the file explorer on the left. The main editor window displays the code for `DashboardController.php`. The `index()` method is implemented to query the database for various statistics and return them as a compacted array in the view.

```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Laporan;
6 // use Illuminate\Http\Request;
7
8 class DashboardController extends Controller
9 {
10     public function index() {
11         $stats = [
12             'hilang' => Laporan::where('jenis','hilang')->count(),
13             'ditemukan' => App\Models\Laporan::where('jenis','ditemukan')->count(),
14             'proses' => App\Models\Laporan::where('status','Dilain Proses')->count(),
15             'selesai' => App\Models\Laporan::where('status','Selesai','Ditemukan')->count(),
16         ];
17         return view('dashboard', compact('stats'));
18     }
19 }
20
```

3. Daftarkan route di routes/web.php: Route::get('/dashboard',[DashboardController::class, 'index']->name('dashboard'))





The screenshot shows the Visual Studio Code editor with the file explorer on the left. The main editor window displays the `routes/web.php` file. The route for the dashboard is added to the list of routes. The terminal at the bottom shows the command `php artisan route:list` being executed.

```
1 // Routes for authentication
2 Route::get('/login', fn() => view('login'))->name('login');
3 Route::post('/login', [AuthController::class, 'login'])->name('login.post');
4 Route::post('/logout', [AuthController::class, 'logout'])->name('logout');
5
6 // Routes for reporting
7 Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b);
8
9 // Routes for dashboard
10 Route::middleware('auth')->group(function () {
11     Route::get('/', fn() => redirect()->route('dashboard'));
12     Route::get('/dashboard', [DashboardController::class, 'index'])->name('dashboard');
13     Route::get('/hilang', [LaporanController::class, 'hilang'])->name('hilang');
14     Route::get('/ditemukan', [LaporanController::class, 'ditemukan'])->name('ditemukan');
15     Route::post('/laporan', [LaporanController::class, 'store'])->name('laporan.store');
16     Route::put('/laporan/{laporan}', [LaporanController::class, 'update'])->name('laporan.update');
17     Route::delete('/laporan/{laporan}', [LaporanController::class, 'destroy'])->name('laporan.destroy');
18     Route::get('/profil', fn() => view('profil'))->name('profil');
19 });
20
```


```
PS C:\laragon\www\nemun> php artisan route:list
GET|HEAD /storage/{path} storage.local vendor/laravel/framework/src/Illuminate/Filesyste... routes/web.php:5
PUT storage.local.upload vendor/laravel/framework/src/Illuminate/Filesyste/Fil... storage/{path}
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... vendor/laravel/framework/src/Illuminate/Foundation/Configuration/Applicati... routes/web.php:2
Showing [4] routes


PS C:\laragon\www\nemun>
```

4. Screenshot file view sementara resources/views/dashboard.blade.php






5. Akses <http://127.0.0.1:8001/dashboard> di browser






6. Screenshot membuat route /tentang





7. Screenshot hasil php artisan route:list (semua route terdaftar)



8. Screenshot mencoba Route::get('/hitung/{a}/{b}', fn((\$a, \$b))=>\$a + \$b) dan akses /hitung/10/25

