

Subject Information:

Company: Fulton Bellows LLC
 ID: 372550
 Name: Doe, John
 Birth Date: 5/ 6/1966
 Sex: M
 Status: Active
 In Program: Yes

Hire Date: 5/15/2017
 Language: English
 Location:

Comment:

Audiograms:

ANSI S3.6-1989

Date	Time	LB	RB	Left Thresholds								Right Thresholds								2K, 3K, 4K Results	
				500	1K	2K	3K	4K	6K	8K	500	1K	2K	3K	4K	6K	8K	Left	Right		
5/ 9/2018	13:26:01	SR	SR	15	20	15	20	30	35	15	0	10	25	20	30	30	20	First Test	First Test		
5/15/2019	13:26:35			10	20	15	20	25	30	15	10	10	20	20	25	20	30	No Change	Better		
5/10/2021	12:19:04			20	20	15	20	35	25	25	10	10	25	25	30	25	25	Worse	Worse		
5/10/2022	13:54:09			15	20	20	20	50	35	30	10	15	30	35	35	30	45	Worse	Worse		
5/ 2/2023	9:36:03			15	20	15	20	35	25	25	5	5	20	25	25	20	30	Much Better	Much Better		

Most Recent Test:


Examiner:
 Model: CCA-200m
 Hours Since Last Exposure:
 Exposure:
 Department:
 Job:
 Shift:
 Protector Type:
 Protector Use:
 Comment:

Serial: 74727
 Cal Date: 2/13/2023
 Lf Otoscope:
 Rt Otoscope:
 Training:
 Refer Subject:
 Self Eval:


Most Recent Analysis:

Standard Threshold Shift (with Age Correction):
 Possible OSHA Recordable Shift: 29 CFR 1904.10 - 2002
 Current OSHA STS Trend (2,3,4K Avg.):
 Speech Frequency Average (.5,1,2,3K Avg.):
 High Frequency Average (4,6,8K Avg.):

Left	Right
-1.0 No	-4.3 No
-1.0 No	-4.3 No
23	23
17 Normal	13 Normal
28 Mild	25 Normal

Left Audiogram

★ Left ○ Right □ Baseline

Right Audiogram

Examiner

Date

Subject

Date