

GrowTH — Final Project Report

Project Beta, Digital Media Engineering, Faculty of Engineering, Khon Kaen

University Live application: <https://studio5-beta.vercel.app> · Source: [growthadminsupport-lang/studio5-beta](#) Report date: 2 October 2026 · Launch: 2 November 2026

1. Summary

GrowTH is a responsive web application that helps families follow a child's growth and development, and helps them know when to talk to a doctor. It has four parts:

- **Growth tracking:** height, weight, BMI and head size against the CDC 2000 references, in plain language.
- **Puberty screening:** a guided questionnaire with an age-appropriate result and a follow-up plan.
- **AI-assisted bone age:** the child's doctor adds a hand X-ray, an EfficientNet-B5 model estimates bone age (mean error 7.4 months on 1,425 validation images), and the doctor shares a reading with the family.
- **Knowledge resources:** articles maintained by the GrowTH team.

The client changed the product during the project. Instead of one kind of user, GrowTH now serves **parents, caretakers and doctors**, with an **admin portal**. Each role sees only what it should. These changes are listed for sign-off in [docs/tor-compliance.md](#) §0.

The software meets **21 of the 24** functional requirements outright. The other three deviate on purpose, two of them at the client's direction. It has run on free tiers only (budget \$0), and passes 105 unit tests, 35 API tests and a 38-step browser walk-through on Chromium, Firefox and WebKit (Safari's engine).

2. Background

Parents often learn too late that a child's growth or the timing of puberty needs a doctor's attention. Growth charts exist but are hard to read. A bone-age X-ray needs a specialist to interpret, and many facilities have no one available to read one (TOR §1). GrowTH turns the standard references into plain language at home, and gives the child's own doctor an AI estimate to check.

3. Objectives and targets

Objective	Target	Outcome
Track growth against a standard reference, in plain language	FR-6 to FR-11	Met (FR-8 deviates: BMI from 2 years, not 5)
Screen for early or late puberty	FR-12 to FR-14	Met; caretakers see "submitted" only (client)
AI bone age with honest accuracy	FR-15 to FR-19; MAE $\leq$ 8-10 months	MAE 7.43 months (refine9); doctor-only upload and family status view (client)
Knowledge section	FR-20, FR-21	Met; admins write articles in the portal
Usable on phones and computers, parent-friendly	FR-22, FR-23	Met; tested at 390 px, plain-language charts
Each account sees only its own children	FR-24	Met; enforced per role on the server
No budget	Free/open tools only	All services on free tiers
Launch	2 November 2026	On track

4. Scope and the client's changes

The original TOR describes one user, a parent. On 30 September 2026 the client described the real product, and GrowTH was built to it:

#	Change	Effect
C1	Three roles per child: parent, caretaker, doctor	Parents invite by QR code or email (single use, 7 days)
C2	Only the doctor uploads X-rays	FR-15 deviates
C3	Families see the doctor's reading, not the AI number	FR-18 deviates for families
C4	Caretakers do not see puberty results	Parent and doctor are notified
C5	Doctor accounts are approved by an admin	Licence and hospital checked
C6	Admin portal	Doctors, articles, inbox, usage, anonymised export
C7	Find a child by hospital number	Doctors only, own patients only
C8	No promotional work	D7 promo video and D9 social clips dropped

Later client requests, also built:

- Google sign-in with a welcome form.
- One account usable with Google and a password.
- Email confirmation and refusal of throwaway addresses.
- Formal emails.
- Edit and invite windows.
- Illustrated child avatars (baby and young child).
- Plain-language charts.
- PDF X-ray uploads cropped to the film.
- The ML team's latest model.


5. Users and what each can do

	Parent	Caretaker	Doctor (approved)	Admin
Child profile and growth	edit / add	view / add	view / add, set HN	–
Puberty questionnaire	fill in, see result	fill in, no result	fill in, see result	–
Bone age	doctor's reading	doctor's reading	upload, AI estimate, review	–
Invite and remove people	✓	–	–	–
Approve doctors, articles, inbox, statistics, export	–	–	–	✓

Every rule is enforced on the server by one capability table (`backend/src/children/child-access.ts`), and responses are shaped per role. A caretaker's browser never receives a puberty result; a family's never receives the AI bone age. User flows: `docs/user-flows.md`.

6. System design

6.1 Architecture



A single-page React application on Vercel calls a NestJS API on Render. The API stores data in Postgres (Neon), runs the bone-age model in-process, and sends email through Resend. More detail: [docs/diagrams.md](#).

6.2 Technology choices (TOR §6.1)

Layer	Choice	Why
Frontend	React 19, Vite 8, Tailwind, MUI 9, Recharts 3	The team's existing UI. Recharts draws the reference charts. MUI provides accessible dialogs.
Hosting (web)	Vercel (free)	Static hosting with preview deployments per pull request
API	NestJS 11 (TypeScript)	Modules, guards and validation pipes fit a role-heavy API. Swagger at <code>/docs</code> (D3)
Database	Postgres on Neon (free), Prisma 5	Relational data with migrations; Neon's free tier does not expire like Render's
Bone-age inference	ONNX Runtime in Node, in a worker thread	A second Python service would double cold starts and burn the shared free-tier hours. The model runs in the same 512 MB instance.
Email	Resend, domain <code>hacklgroups.com</code> on Cloudflare DNS	Render blocks SMTP; Resend's HTTPS API works and its free tier is enough
File storage	Cloudflare R2 (free, private)	Render's disk is wiped on every deploy; R2 keeps X-ray history
Sign-in	Email and password (bcrypt) or Google Identity Services	Google sign-in was requested; accounts can use both

6.3 Data

The main tables:

- users
- children
- child_guardians: the link between a person and a child, carrying the role
- child_invites
- growth_records
- puberty_screenings
- bone_age_predictions
- notifications
- articles
- support_messages
- sessions
- rate_limits

The schema and migrations are in `backend/prisma/`. Reference growth data (CDC 2000 LMS tables) ships with the API.

6.4 Security and privacy (TOR §6.2)

- **Passwords:** bcrypt.

- **Sessions:**
 - 15-minute access tokens.
 - Rotating refresh tokens, stored hashed.
 - A password change or reset signs out every other device.
 - **Accounts:**
 - Email confirmation for password accounts.
 - Disposable and non-existent mail domains are refused.
 - Linking Google to an unconfirmed password account removes that account's password, so whoever registered the address first cannot keep a way in.
 - **Abuse protection:** rate limits per IP (stored in Postgres), and doctor approval by an admin.
 - **X-rays:**
 - Stored in a private bucket and served only through access-checked routes.
 - Deleting a child or an account deletes the images.
 - **Admin export:** anonymised. No names, contacts, hospital numbers or exact dates; each child appears as an HMAC key.
 - **Privacy notice:** shown before registration. It says who sees what, which providers process data, and how to delete it.
-

7. Features

The user manual (`docs/manual/user-manual.md`) walks through every screen. In brief:

- **Accounts:**
 - Register with email or Google; confirm the address; forgot or reset password.
 - Add a password to a Google account.
 - Profile, profile photo, delete account.
- **Children:**
 - Several children per account.
 - A drawn avatar instead of a photo: baby or young-child drawing chosen by age, with skin tone, hairstyle, hair colour and baby clothes.
 - Relationship (mother or father / guardian / relative).
 - Hospital number.
- **Growth:**
 - Entries with immediate plain-language guidance.
 - Charts of height, weight, BMI (from 2 years) and head size (under 3), framed on the child's own age, with "usual range" and "average".
 - History, with edit and delete.
- **Puberty:** a sex-specific questionnaire (yes / no / not sure), five possible outcomes, a 4-month follow-up plan, and history.
- **Bone age:**
 - The doctor uploads a PDF, JPEG, PNG or WebP. The browser crops it to the film and sizes it.
 - The model estimates bone age; the gap to the child's real age on the exam date is computed on the server.

- The doctor records Normal / Advanced / Delayed with a note; the family sees that reading.
- **People:** QR or email invitations, members, cancelling and removing; notifications in the app and by email.
- **Admin portal:**
 - Doctor approval (only once the email is confirmed).
 - Markdown articles.
 - Inbox of contact messages and problem reports.
 - Usage statistics and the anonymised CSV export.
- **Across the app:**
 - Light and dark themes; phone layout with a bottom menu.
 - Smooth page transitions; every menu click opens at the top of the page.
 - "Report a problem" from any page.

8. AI bone age

Data. RSNA Pediatric Bone Age dataset: 12,611 training and 1,425 validation images, each labelled with bone age in months and sex. It is used under its public licence.

Model selection (ML team, 1,425 validation images, four-view test-time augmentation):

Metric	refine5 B3	refine9 B5	refine10 B7
MAE (months)	8.12	7.43	20.49
R ²	0.934	0.944	0.568
Within ± 12 months	76.8 %	80.2 %	38.7 %
Within ± 6 months	48.4 %	52.6 %	20.6 %
MAE boys / girls	7.57 / 8.77	7.14 / 7.76	20.12 / 20.92

refine9 (EfficientNet-B5 at 456 px with the sex as a second input) is in production, and meets the project's MAE target of 8–10 months. The best published RSNA challenge entries reach about 4.3 months, so the app presents the estimate as a screening aid for a doctor, not a result.

Integration.

- The PyTorch checkpoint is converted to ONNX, and the ML team's preprocessing is reproduced in Node: channel 0, CLAHE, a squash resize to 456, and the rotation views for test-time augmentation.
- On six real hand radiographs the Node result matches their PyTorch pipeline to within 0.013 months.
- Each upload step was measured. Lossy JPEG re-encoding moved results by up to 3 months, and cropping tightly to the hand by up to 3.7, so the upload path avoids both.
- Details: [ai-service/refine9/README.md](#).

Running cost and limits.

- On Render's free CPU the model runs one view instead of four (`BONE_AGE_TTA=off`). The single-view accuracy has not been measured; the figures above are four-view.
- The validation set was also used to choose the model, so it is not an independent test. The ML team still owes the error on the RSNA test images and by age band.
- The estimate is shown to the doctor only, with its typical error.

9. Testing

Suite	Scope	Result
Unit	Growth maths, puberty and bone-age rules, refine9 preprocessing against OpenCV/torchvision, sign-in	105 / 105
API end-to-end, real Postgres	Every role's permissions over HTTP, invitations, files, accounts, sessions	35 / 35
API end-to-end through R2's S3 interface	Upload, serve after local loss, delete	34 / 34
Model parity	Node vs PyTorch on six radiographs	within 0.013 months
Browser walk-through, 38 checks	All four roles end to end, phone screen, dark mode	Chromium, Firefox and WebKit: 38 / 38 each

The full record, with the bugs it caught, is `docs/test-record.md`. Bugs found by these tests:

- the registration phone number was not saved;
- WebP uploads failed;
- reloading during a session refresh signed people out in Firefox and Safari's engine;
- the chart tooltip compared a measurement with the wrong age's range.

Real Google sign-in and email delivery were checked by hand on the live site.

10. Deployment and operations

Service	Use	Plan
Vercel	Web app, preview per pull request	Free
Render (<code>growth-api</code>)	API and bone-age model, 512 MB	Free (sleeps after 15 minutes; a GitHub Action keeps it awake)
Neon	Postgres	Free
Cloudflare R2	X-rays and profile photos	Free tier (10 GB)
Resend + Cloudflare DNS	Email from <code>hacklgroups.com</code>	Free
GitHub Releases	Model files (<code>model-v2</code>), checksum-verified at build	Free

Setup and every environment variable: `DEPLOY.md` and `docs/api.md` . All accounts belong to the project account `growth.admin.support@gmail.com`.

11. Deliverables (TOR §5)

D	Deliverable	Status
D1	UX/UI design package	Figma and exports (<code>design/mockups/</code>)
D2	Web application	Live; this repository
D3	Backend, API, database	Live; Swagger, <code>docs/api.md</code> , Prisma schema
D4	AI model and evaluation	Model live (<code>model-v2</code>); evaluation summarised in §8; the ML team's written report is pending
D5	Doctor interview video	Done (team Drive)
D6	2D motion graphic video	Video team
D7	Promotional video	Dropped by the client
D8	Demonstration video	Video team; script in <code>docs/demo-script.md</code>
D9	Short social clips	Dropped by the client (promotional)
D10	Documentation: system overview, parent manual, final report	This report, <code>docs/manual/user-manual.md</code> , and the documents in §13
D11	Source and handover	This repository; index in <code>docs/deliverables.md</code>

12. Limitations and future work

- **Model:**
 - Report the error on the untouched RSNA test set, by age band.
 - Measure single-view accuracy, or run four views when more CPU is available.
 - The training population is North American, so validate on Thai children before any clinical use.
- **Growth reference:** CDC 2000 is used, by team decision. The client should confirm it (TOR §2A.2), or a Thai or WHO reference could be added.
- **Hosting:** free tiers sleep and have limits (512 MB memory, cold starts of up to a minute). Paid tiers remove the cold start.
- **Not for clinical deployment** without further review (TOR §2A.3). The app labels every result as a screening aid, not a diagnosis.
- **Language:** the interface is in English. A Thai version would serve the target families better.

13. Documentation index

Document	For
docs/manual/user-manual.md	Parents, caretakers, doctors
docs/user-flows.md	Roles, permissions, every flow
docs/api.md , Swagger /docs	Developers
docs/diagrams.md	Architecture and routes
docs/tor-compliance.md	Requirement-by-requirement audit and client changes
docs/test-record.md , e2e/README.md	Testing
ai-service/refine9/README.md	The bone-age model, conversion and checks
DEPLOY.md	Hosting setup
docs/deliverables.md	Deliverables and where they are

14. Team and process

The work was coordinated by MON (project lead) in a shared GitHub organisation. Git history records the team's contributions:

- **Frontend:** the user interface, built mostly by tsukishima-yuji.
- **AI:** the AI team's models and training code, on branch Backend+AI (Peetik0rn, GGustZ).
- **Backend, integration and deployment:** the role system, deployment and integration (MON).
- **Design and video:** the design and video teams' work is on the team Drive.

Milestones:

- 6 July 2026: project start
- 19 September 2026: internal test deadline
- 30 September 2026: client role changes
- 2 October 2026: assembled release with refine9
- 2 November 2026: launch

Team members' full names, student IDs and roles: to be completed by the team.