

FULL SEO AUDIT REPORT

www.mexlandscaping.com

Prepared by Claude SEO

57/100

SEO Health Score

July 08, 2026 Full Audit

Table of Contents

1. Executive Summary

Key Metrics, Critical Issues & Quick Wins

2. Audit Categories

What Works

Findings by Severity

3. Action Plan

Phased Roadmap

4. Data Sources & Methodology

1. Executive Summary

This report presents a comprehensive SEO audit of **www.mexlandscaping.com** for a **Local Service: Landscaping Design-Build (Norristown, PA / Main Line)** site, generated on July 08, 2026. Findings combine technical, content, schema, performance, visual, and search-readiness evidence as available.

57/100

SEO HEALTH SCORE

Critical Issues Found:

1. **Critical:** Hero LCP image was a 1.22 MB raw JPEG; site served ~32 MB of unoptimized images. STATUS: FIXED (WebP conversion, preload, fetchpriority) - pending deploy
2. **Critical:** NAP conflict: logo alt text said 'Mex Landscaping Inc.' vs legal name 'Mex Landscaping LLC'. STATUS: FIXED - pending deploy
3. **Critical:** 'Read All Reviews' link (g.page) resolved to a Google search page, not the GBP profile. STATUS: FIXED - pending deploy
4. **Critical:** /press-release/ was indexable with a raw CSS comment as its meta description. STATUS: FIXED (noindex + real description) - pending deploy
5. **High:** Map pack is the real battleground: directories (Angi, Houzz, LawnStarter) hold organic positions 1-6 for head terms; MEX sits at organic position 9. GBP reviews + directory profiles are the top levers (requires owner action)

Quick Wins:

1. Deploy the committed fixes: image optimization alone should move LCP from POOR toward GOOD
2. Drainage SERP is winnable now: page retitled to 'Drainage Solutions & French Drain Installation'; top competitor (Paragon) ranks with zero drainage content
3. Nova Landscaping has no Norristown or Wayne pages: MEX home turf is uncontested
4. Add a review-request workflow (SMS/email post-job) targeting 30 Google reviews in 90 days
5. Claim Angi, Houzz, Yelp, BBB profiles now that the NAP is consistent

2. Audit Categories

2.1 Technical SEO

Score: **64/100**

What Works

- Full server-side rendering (Astro SSG): all content, schema, and NAP present without JavaScript
- Correct canonicals site-wide; clean www/https/trailing-slash consolidation via 301/308
- Brotli compression, immutable caching on hashed assets, TTFB 120-130 ms from Vercel edge
- True 404 handling and correctly noindexed paid landers excluded from the sitemap

Findings

/press-release/ indexable with corrupted meta description Critical

Meta description was literally '/*! elementor - v3.19.0 */'; page is 86 words thin and appeared in the sitemap.

Recommendation: FIXED: noindexed, given a real description, removed from sitemap. Deploy to take effect.

/snow-removal/ duplicated /snow-management-services/ (53% overlap, both indexed) High

Two indexable pages split link equity for snow queries.

Recommendation: FIXED: page removed and 301-redirected to /snow-management-services/.

Two pages competed for Norristown landscaping intent High

/landscaping-services-in-norristown-pa/ (legacy) vs /landscape-design-hardscaping-in-norristown-pa/ (current).

Recommendation: FIXED: legacy page removed and 301-redirected to the current city page.

BreadcrumbList schema had a duplicate terminal item on all service pages Medium

Positions 2 and 3 were identical, invalidating breadcrumb rich results site-wide.

Recommendation: FIXED: breadcrumb builder now collapses consecutive duplicates; verified in build output.

Five security headers missing Low

X-Content-Type-Options, X-Frame-Options, Referrer-Policy, Permissions-Policy absent (HSTS was present).

Recommendation: FIXED: added via vercel.json headers configuration.

Sitemap had no lastmod; deprecated changefreq/priority on all URLs Medium

101 URLs with no freshness signal.

Recommendation: FIXED: lastmod emitted for all 96 URLs; changefreq/priority removed; legal pages and press-release excluded.

Vercel bot mitigation returns 403 to some standard browser user-agents Low

Requests with a plain Chrome UA got 'x-vercel-mitigated: deny'; verified Googlebot and Bingbot pass.

Recommendation: OPEN: review Vercel firewall rules; use a non-blocked UA for uptime monitoring.

21 legacy WordPress blog articles remain indexable Medium

Old thin articles (aeration, trimming guides) dilute index quality and overlap service pages.

Recommendation: OPEN: audit each in GSC; noindex or 301 the zero-traffic ones.

2.2 Content Quality (E-E-A-T)

Score: 61/100

What Works

- Service pages are genuinely strong: 1,300+ words, correct technical detail (geogrid, engineered bases, sod vs seed), locally accurate FAQs naming real townships and permit authorities
- All 22 design city pages have unique locally-grounded body copy (no template fallback in use)
- Real project photo library (~32 client photos) wired site-wide with before/after sequences

Findings

Bare 6-18 character title tags on core service pages Critical

'Patios', 'Landscape Design', 'Lawn Installation', 'Landscape Lighting' inherited from the old WordPress crawl; /service-areas/ meta description was the breadcrumb string 'Home / Service Areas'; three snow pages shared one identical description.

Recommendation: FIXED: all bare titles rewritten with keyword + geo + brand; snow trio deduplicated; service-areas description written; lawn-installation title/H1 mismatch resolved.

About page thin (~310 words) with no founder name, year, or credentials High

The most trust-weighted page has no named human, no license number, no company history specifics.

Recommendation: OPEN (needs owner input): founder/team names, photos, founding year, PA HIC license number.

Unsubstantiated 'Award-Winning Design' claim High

No award name, year, or organization anywhere on the site; flagged under Sept 2025 QRG unverifiable-superlative guidance.

Recommendation: FIXED provisionally: changed to 'Design-Build Craftsmanship'. If a real award exists, restore with attribution.

'5.0 Average Rating' claim has no visible count, widget, or schema backing High

Trust claim not verifiable on-page; review link previously dead-ended.

Recommendation: PARTIAL: review link now points to the real GBP profile. OPEN: display a real review count; do NOT add aggregateRating schema until pulled from a live verified source.

Snow city pages share 60-70% body copy across 22 cities Medium

Higher doorway-pattern risk than the well-differentiated design pages.

Recommendation: OPEN: deprioritized under the luxury/commercial strategy; differentiate top commercial-corridor cities first (King of Prussia, Conshohocken, Plymouth Meeting).

No case-study project pages Medium

Competitor analysis shows named-project pages rank (Paragon) but are executed as thin galleries; a structured case study format wins this lane.

Recommendation: OPEN: build 5-8 case studies (problem, solution, materials, timeline, town) from the existing photo library; needs project details from owner.

2.3 On-Page SEO

Score: **58/100**

What Works

- Location page title template correct and consistent: 'Landscape Design & Hardscaping in {City}, PA | Mex Landscaping'
- Proper H1-H2-H3 hierarchy across templates; city-to-service and service-to-city internal link mesh in place

Findings

Drainage page vocabulary mismatched search demand **High**

Page said 'Storm Water Management'; users search 'drainage solutions' and 'French drain'. SERP analysis shows this keyword set is winnable (no directory dominance; top competitor has zero drainage content).

Recommendation: FIXED: retitled to 'Drainage Solutions & French Drain Installation | Norristown, PA' with matching H1 and intro copy.

Contact page title used a malformed phone format **Low**

'+1 (484) 261 6650' with space separator, inconsistent with every other NAP instance.

Recommendation: FIXED: standardized to (484) 261-6650.

King of Prussia page lacks localized service headings **Medium**

Nova ranks #3 for 'landscape design King of Prussia' off exact-phrase H2/H3 headings on a doorway page with 2 photos and hidden FAQs.

Recommendation: OPEN: add localized service H2s (including the literal phrase 'landscape design in King of Prussia') and 2-3 real KoP-area photos.

2.4 Schema / Structured Data

Score: **72/100**

What Works

- LandscapingBusiness (valid LocalBusiness subtype) emitted site-wide from a single source of truth
- Service, BreadcrumbList, and FAQPage schema on all service and location pages
- NAP internally consistent: one data file feeds every template

Findings

Schema geo coordinates ~1.8 km off the verified GBP pin **Critical**

Schema said 40.1215,-75.34 while the site's own Maps embed pin is 40.12361,-75.36106.

Recommendation: FIXED: coordinates corrected to match the GBP pin.

Non-E.164 telephone in schema; missing openingHoursSpecification, hasMap, WebSite Medium

Hours existed only as footer text; no WebSite entity; phone had formatting characters.

Recommendation: FIXED: E.164 phone, Mon-Sat 07:00-18:00 hours, hasMap, typed areaServed, and a WebSite block added site-wide.

Paid landing pages carried zero schema Medium

LandingLayout emitted no structured data at all.

Recommendation: FIXED: minimal LocalBusiness block added to all /lp/ landers.

Article schema could emit undefined image; no dateModified Low

Posts without ogImage produced invalid Article markup.

Recommendation: FIXED: image falls back to og-default; dateModified added.

FAQPage markup retained for AI citation value Info

Google retired FAQ rich results May 2026; markup still aids AI/LLM citation.

Recommendation: No action: keep as is; do not add new FAQPage expecting SERP features.

2.5 Performance (Core Web Vitals)

Score: 40/100

What Works

- TTFB excellent: 120-130 ms median from Vercel edge with Brotli
- INP risk low: static site, ~2.4 KB of interaction JS, no client-side framework hydration
- All competitors (WordPress/Elementor) have worse asset hygiene: post-fix, MEX should be the fastest site in its market

Findings

LCP estimated POOR: 1.22 MB unoptimized JPEG hero Critical

40 raw JPEGs totaling 32.5 MB; /our-work served ~20 MB; no image optimizer, no next-gen formats.

Recommendation: FIXED: all 40 images converted to sized WebP (32.5 MB to 11.7 MB); hero compressed to 337 KB; 94 references updated.

No fetchpriority or preload on the LCP element **High**

Browser discovered the hero late in parse at normal priority.

Recommendation: FIXED: fetchpriority=high, decoding=async, explicit dimensions, and a head preload added; interior-page heroes (PageHero) updated too.

Google Fonts CSS was render-blocking **High**

Synchronous third-party stylesheet in head on both layouts.

Recommendation: FIXED: async preload/onload pattern with noscript fallback.

Images served with max-age=0 **Medium**

Every repeat visit revalidated all images.

Recommendation: FIXED: 1-year immutable Cache-Control for /images/ via vercel.json.

CLS risk: content images lack explicit dimensions **Medium**

Most images sit in fixed-aspect or absolutely-positioned containers (mitigating), but explicit dimensions were absent.

Recommendation: PARTIAL: hero has width/height; gallery images rely on CSS aspect-ratio containers. Verify CLS in PageSpeed after deploy.

2.6 Local SEO

Score: 54/100

What Works

- Correct hybrid setup: visible street address + explicit service-area pages for 22 cities
- GBP place embedded on contact and service-areas pages; click-to-call tracking wired to GTM
- Strong seasonal signal: dedicated snow program with 24/7 emergency page

Findings

NAP name conflict: 'Inc.' vs 'LLC' **Critical**

Logo alt text said 'Mex Landscaping Inc.' on every page while schema/legal say LLC; would have seeded conflicting citations.

Recommendation: FIXED: alt corrected to 'Mex Landscaping' in header, footer, and landers. Canonical NAP for all citations: Mex Landscaping / 1217 Linwood Ave, Norristown, PA 19404 / (484) 261-6650.

Broken review path **Critical**

g.page/mexlandscaping resolved to a Google search page.

Recommendation: FIXED: replaced with the direct GBP place URL (maps.google.com/?cid=12265579253277940374) in schema sameAs and the Read All Reviews button.

No Tier-1 directory profiles linked (Yelp, Angi, Houzz, BBB) **High**

Directories occupy positions 1-6 for head terms; MEX absent from that SERP real estate.

Recommendation: OPEN (owner action): claim and complete profiles with the canonical NAP, then add to sameAs.

Review volume/velocity unknown; no request workflow **High**

Map-pack position is driven by review count, velocity, and GBP completeness.

Recommendation: OPEN (owner action): post-job SMS/email review requests; target 30 reviews in 90 days; complete GBP services, photos, and posts.

No PA contractor license number displayed **Medium**

'Licensed and insured' asserted but never evidenced.

Recommendation: OPEN (needs owner input): add HIC number to contact and about pages.

No city-specific project photos on location pages **Medium**

Biggest differentiation gap vs doorway-page competitors.

Recommendation: OPEN: add 2-3 tagged project photos to top-5 city pages, prioritizing Main Line money towns.

2.7 AI Search Readiness (GEO)

Score: **42/100**

What Works

- All AI crawlers allowed (GPTBot, ClaudeBot, PerplexityBot, Google-Extended); full SSR means clean extraction
- FAQ blocks with direct first-sentence answers are well-structured for AI citation

Findings

llms.txt missing **Critical**

No machine-readable business self-description for AI systems.

Recommendation: FIXED: llms.txt deployed with business profile, services, and key URLs.

Zero citable statistics in prose **High**

No timelines, price ranges, project counts, or founding year anywhere in body text; budget tiers exist only in the form.

Recommendation: OPEN: add bounded numbers to service pages and FAQ answers (e.g. typical design-build timeline, price floors already used in the form).

No YouTube or LinkedIn presence **Medium**

YouTube is the strongest single AI-citation correlate; competitor Terra has both.

Recommendation: OPEN (owner action): even 4-6 project walkthrough/timelapse videos meaningfully shift citation probability.

3. Action Plan

Phase 1: Code fixes (COMPLETED 2026-07-08, pending deploy) Done

- Images: 40 JPEGs converted to sized WebP (32.5 MB to 11.7 MB); hero 1.22 MB to 337 KB with preload + fetchpriority; 1-year image caching
- NAP: logo alt Inc. to LLC everywhere; GBP link fixed to real place URL; schema geo pin corrected; E.164 phone
- Indexation: /snow-removal/ and legacy Norristown page 301-consolidated; /press-release/ noindexed; sitemap now 96 URLs with lastmod
- Meta: all bare WordPress titles rewritten; snow descriptions deduplicated; drainage page retargeted to 'Drainage Solutions & French Drain Installation'
- Schema: opening hours, hasMap, WebSite entity, typed areaServed, lander LocalBusiness, breadcrumb duplicate fixed
- GEO + security: llms.txt deployed; security headers added; Google Fonts made non-blocking

Phase 2: Owner actions This week

- Deploy the Phase 1 changes and verify LCP/CLS in PageSpeed Insights
- Start the GBP review engine: post-job SMS/email request with the direct review link; target 30 reviews in 90 days
- Claim Angi, Houzz Pro, Yelp, and BBB profiles using the canonical NAP; add to schema sameAs
- Provide: PA HIC license number, founding year, owner/team names and photos, any real award attribution

Phase 3: Luxury/commercial content build This month

- Build 5-8 case-study project pages (problem, solution, materials, timeline, town) from the photo library, prioritizing Main Line towns
- Create the commercial landing page with PM-specific proof: COI availability, snow SLA, documented service records (open lane: no competitor has this)
- Rebuild the About page around named humans, credentials, and history
- Add localized service H2s and real photos to the King of Prussia page to attack Nova's #3 ranking
- Add citable numbers (timelines, price floors) to service page prose and FAQ answers

Phase 4: Authority and expansion This quarter

- Villanova city page (Paragon's flagship market, currently missing from MEX)
- Main Line entity saturation: the phrase in more H2s and a footer city strip (copy Paragon's one effective play)
- B2B page for architect/builder partnerships (Paragon's real moat is referral relationships)

- YouTube channel with 4-6 project videos; LinkedIn company page; add both to sameAs
- 4-6 educational posts targeting consideration queries (retaining wall cost PA, paver vs stamped concrete)

Data Sources & Methodology

Source	Description	Update Frequency
PageSpeed Insights API	Lighthouse lab audit (mobile emulation, Moto G Power, slow 4G)	Real-time
Chrome UX Report (CrUX)	28-day rolling field data from real Chrome users	Daily ~04:00 UTC
CrUX History API	25-week p75 trend data per metric	Weekly
Google Search Console	Search Analytics (clicks, impressions, CTR, position)	2-3 day lag
URL Inspection API	Per-URL index status, coverage state, crawl info	Real-time (2,000/day)

Report generated by Claude SEO — Google SEO Intelligence Skill — July 08, 2026
Methodology based on Google Web Vitals thresholds, Search Console documentation, and Lighthouse scoring algorithms.