

Public

ENVIRONMENT

No Environment

LAYOUT

Single Column

LANGUAGE

cURL - cURL

MD INTEGRATIONS API

Introduction

Partners

Webhooks

API Status

Internal

# MD Integrations API

## Intro

The MD Integrations API is a set of HTTP endpoints that help your app integrate with MD Integrations.

The API is integrated with **DoseSpot**, an e-Prescribing system. Our API acts as proxy to DoseSpot: all the required actions on DoseSpot side are handled under the

hood by our API.



## Base URL

- <https://api.mdintegrations.com>

## Request and Response Formats

All API access is over HTTPS. All data is sent and received as JSON.

## Headers

Please note that all requests require at least these two headers:

Content-Type: application/json

Accept: application/json

## API Errors

### Error Codes

The following table describes all the possible HTTP error codes.

Code	Description
400	Bad request
401	Unauthorized. This can happen if the access token is invalid, expired or has been revoked
403	The access token doesn't have access to perform the requested action
404	Resource not found
418	API under maintenance

5XX	An error occurred on the MD Integrations servers. Check MD Integrations Status API for more details or contact the support team
-----	---

## Error Format

The following table describes the top-level JSON object attributes present in the body of error messages.


key	value
error	A detailed error message * <i>on production this field is not returned</i>
message	Friendly error message. This error message can be used to be displayed to the final user on the app

## Authentication

To make any request to the MD Integrations API for Partners, you must first generate a


brand new `access` token using your **Client ID** and **Client Secret**.

Both the **Client ID** and **Client Secret** should be provided to you by the MD Integrations Team.

 Be careful with the Client Secret! It should not be shared and should be kept safe.

## Issuing an access token

The expected flow is shown in the image below:



*Image source*

As our authorization API you should use the **Partners > Request access token** endpoint - see its description for more details.

After you've created a new access token, you should be ready to make authenticated requests using the HTTP Authorization header with the value `Bearer`. E.g.:

`http`

`GET /partner HTTP/1.1`

`...`

`Authorization: Bearer eyJ0eXAiOiJKV1Q...`

## Expired tokens

Whenever your token gets expired, you should create a brand new token using the same flow described above.

## Terminology

- **patient:** person in need of treatment by a physician;
- **clinician:** a qualified practitioner of medicine. Alias to MD, doctor and physician;
- **partner:** a partner is a company who sells medications and compounds directly to its patients;
- **medication:** a substance used for medical treatment, especially a medicine or drug, regularly made by pharmaceutical companies;
- **compound:** drug that is specifically mixed and prepared for an individual patient, meaning they are not readily available like a regular OTC medication;
- **prescription:** an instruction written by a clinician that authorizes a patient to be provided by a medication;
- **case:** set of medication prescriptions requests that the partner sends to MD-Integrations on behalf of a patient.

## Contact Support

- Email: [support@mdintegrations.com](mailto:support@mdintegrations.com)

## AUTHORIZATION

Bearer Token  
Token

## GET

### Get cities from a given state

`https://api.mdintegrations.com/v1/partner/metadata/states/:state_id/cities?search=Denver`

Return a list of all cities from a given state from USA.

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from folder **Partners**

## HEADERS

Accept

application/json

Content-Type

application/json

## PARAMS

search

Denver

City name filter

## PATH VARIABLES

state\_id

6e54313e-2e7e-4716-b343-169441b5388c

(Required) State ID

## Example Request

Success

View More

curl

```
curl --location 'https://api.mdintegrations.com/v1/partner/metadata/states/15c79e96-3095-4346-b390-224ccd1ab947/cities?search=Arcadia' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json'
```

## Example Response

Body

Headers (0)

json

```
[
  {
    "name": "Leetonia",
    "city_id": "3f23c4f1-3ed2-4e6d-bd91-ba6bf5130f00"
  },
  {
    "name": "Payne",
    "city_id": "05c995b6-2002-406c-b2e0-e21e2d25e9a0"
  }
]
```

**GET**

## Get all states

<https://api.mdintegrations.com/v1/partner/metadata/states>

Return a list of all states from USA.

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from folder **Partners**

### HEADERS

Accept

application/json

Content-Type

application/json

### PARAMS

search

California

### Example Request

Success

curl

```
curl --location 'https://api.mdintegrations.com/v1/partner/metadata/states?search=California' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json'
```

### Example Response

Body

Headers (0)

View More

json

```
[
  {
    "name": "Ohio",
```

```
"abbreviation": "OH",
"is_sync": false,
"is_av_flow": false,
"state_id": "46238293-fe51-40b6-8e1a-807bff482450",
"country": {
  "country_id": "aff4f7d5-4ce9-4696-9ae8-8fe97d011fbe",
  "name": "United States of America",
  "abbreviation": "US"
}
},
{
  "name": "Pennsylvania",
  "abbreviation": "PA",
  "is_sync": false,
  "is_av_flow": false,
  "state_id": "aff4f7d5-4ce9-4696-9ae8-8fe97d011fbe",
  "country": {
    "country_id": "aff4f7d5-4ce9-4696-9ae8-8fe97d011fbe",
    "name": "United States of America",
    "abbreviation": "US"
  }
}
}
```

]





## GET

### List questionnaires

<https://api.mdintegrations.com/v1/partner/questionnaires>

Return all enabled partner questionnaires based on the logged in partner.

#### AUTHORIZATION

Bearer Token

This request is using Bearer Token from folder **Partners**

#### HEADERS

Accept

application/json

Content-Type

application/json

#### Example Request

Success

```
curl
curl --location 'https://api.mdintegrations.com/v1/partner/questionnaires' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json'
```

### Example Response

Body

Headers (1)

[View More](#)

json

```
[
  {
    "partner_questionnaire_id":
"54b98d56-4ef9-4512-9918-01ec6860edef",
    "active": true,
    "name": "intake to test",
    "intro_title": "intake to test",
    "intro_description": "intake to test",
    "outro_title": "intake to test",
    "outro_description": "intake to test",
    "redirect_url": null,
    "redirect_title": null,
    "has_pharmacy": false,
    "terms_of_service": null,
    "metadata": null,
    "is_weight_asked": false,
    "is_height_asked": false,
    "questions": [
      {
        "partner_questionnaire_question_id":
"2d3aa5aa-4b0e-48a1-8cb1-4301a493330f",
        "title": "test",
        "description": null,
        "label": null,
        "placeholder": null,
        "is_important": false,
        "is_critical": false,
        "display_in_pdf": false,
        "is_optional": false,
        "is_visible": true,
        "has_next_button": true,
        "has_back_button": true,
        "order": 1,
        "type": "boolean",
        "default_value": null,
        "feed_ads": null,
```

```

        "rule_type": "and",
        "options": [],
        "attachments": [],
        "rules": []
    },
    {
        "partner_questionnaire_question_id":
"2e65a086-3dffb4012-995e-fdfd9b804eac",
        "title": "options with offering",
        "description": null,
        "label": null,
        "placeholder": null,
        "is_important": false,
        "is_critical": false,
        "display_in_pdf": false,
        "is_optional": false,
        "is_visible": true,
        "has_next_button": true,
        "has_back_button": true,
        "order": 2,
        "type": "text",
        "default_value": null,
        "feed_ads": null,
        "rule_type": "and",
        "options": [],
        "attachments": [],
        "rules": []
    },
    {
        "partner_questionnaire_question_id":
"f7c3746e-edbd415b-82ad-f7ce28a8e5c6",
        "title": "options with offerings",
        "description": null,
        "label": null,
        "placeholder": null,
        "is_important": false,
        "is_critical": false,
        "display_in_pdf": false,
        "is_optional": false,
        "is_visible": true,
        "has_next_button": true,
        "has_back_button": true,
        "order": 3,
        "type": "multiple_option",
        "default_value": null,
        "feed_ads": null,
        "rule_type": "and",
        "options": [
            {

```

```
"partner_questionnaire_question_option_id": "fbc24c1f-
cd21-4995-990a-c7c47bba23a5",
    "title": "with medication",
    "option": "with medication",
    "is_important": false,
    "is_critical": false,
    "is_show_additional_field": false,
    "order": 1
  },
  {
    "partner_questionnaire_question_option_id": "b561c164-
a6b8-4641-a300-b934119af5f4",
    "title": "with compounds",
    "option": "with compounds",
    "is_important": false,
    "is_critical": false,
    "is_show_additional_field": false,
    "order": 2
  },
  {
    "partner_questionnaire_question_option_id": "6f4a2f55-
c7dd-4f82-bad6-60fd658dab39",
    "title": "with supply",
    "option": "with supply",
    "is_important": false,
    "is_critical": false,
    "is_show_additional_field": false,
    "order": 3
  },
  {
    "partner_questionnaire_question_option_id": "143a022a-
ef3f-4ccf-a6d1-b8a609ff75d7",
    "title": "with services",
    "option": "with services",
    "is_important": false,
    "is_critical": false,
    "is_show_additional_field": false,
    "order": 4
  }
],
"attachments": [],
"rules": [
  {
    "id": "b9fe55c9-d194-4f72-
b240-68c84a187ff6",
    "title": "Rule - options with
offerings",
```

```

        "type": "and",
        "requirements": [
            {
                "based_on": "age",
                "required_question_id": null,
                "required_question_title":
null,
                "conditional_answer": "=",
                "required_answer": "20"
            }
        ]
    }
}
],
"offerings": {
"offering_id": "1a03114c-c1b0-413b-8a36-4b8957d9925e",
"title": "supply to delete",
"pharmacy_id": null,
"force_pharmacy": false,
"rule_type": "and",
"rules": [
    {
        "id": "ebe846b0-6b21-418a-85a2-0005cada5abf",
        "title": "Rule - medication to delete",
        "type": "or",
        "requirements": [
            {
                "based_on": "gender",
                "required_question_id": null,
                "required_question_title": null,
                "conditional_answer": null,
                "required_answer": "1"
            }
        ]
    }
]
}
]
}
]

```

## GET

### Get questionnaire

[https://api.mdintegrations.com/v1/partner/questionnaires/:questionnaire\\_id](https://api.mdintegrations.com/v1/partner/questionnaires/:questionnaire_id)  
Return the specific enabled partner questionnaire given a questionnaire ID.

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from folder **Partners**

### HEADERS

Accept

application/json

**Content-Type**

application/json

## PATH VARIABLES

**questionnaire\_id**

33778db3-8707-4628-81af-4c6451f9f0b6

Questionnaire ID

## Example Request

Success

[View More](#)

**curl**

```
curl --location 'https://api.mdintegrations.com/v1/partner/questionnaires/54b98d56-4ef9-4512-9918-01ec6860edef' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json'
```

## Example Response

Body

Headers (1)

[View More](#)

**json**

```
{
  "partner_questionnaire_id":
"54b98d56-4ef9-4512-9918-01ec6860edef",
  "active": true,
  "name": "intake to test",
  "intro_title": "intake to test",
  "intro_description": "intake to test",
  "outro_title": "intake to test",
  "outro_description": "intake to test",
  "redirect_url": null,
  "redirect_title": null,
  "has_pharmacy": false,
  "terms_of_service": null,
  "metadata": null,
  "is_weight_asked": false,
  "is_height_asked": false,
  "is_show_welcome": true,
  "is_show_thanks": true,
  "questions": [
    {
      "partner_questionnaire_question_id":
"2d3aa5aa-4b0e-48a1-8cb1-4301a493330f",
      "title": "test",
      "description": null,
      "label": null,
```

```

        "placeholder": null,
        "is_important": false,
        "is_critical": false,
        "display_in_pdf": false,
        "is_optional": false,
        "is_visible": true,
        "has_next_button": true,
        "has_back_button": true,
        "order": 1,
        "type": "boolean",
        "default_value": null,
        "feed_ads": null,
        "rule_type": "and",
        "options": [],
        "attachments": [],
        "rules": []
    },
    {
        "partner_questionnaire_question_id":
"2e65a086-3dff-4012-995e-fdfd9b804eac",
        "title": "options with offering",
        "description": null,
        "label": null,
        "placeholder": null,
        "is_important": false,
        "is_critical": false,
        "display_in_pdf": false,
        "is_optional": false,
        "is_visible": true,
        "has_next_button": true,
        "has_back_button": true,
        "order": 2,
        "type": "text",
        "default_value": null,
        "feed_ads": null,
        "rule_type": "and",
        "options": [],
        "attachments": [],
        "rules": []
    },
    {
        "partner_questionnaire_question_id": "f7c3746e-
edbd-415b-82ad-f7ce28a8e5c6",
        "title": "options with offerings",
        "description": null,
        "label": null,
        "placeholder": null,
        "is_important": false,
        "is_critical": false,
        "display_in_pdf": false,

```

```
    "is_optional": false,
    "is_visible": true,
    "has_next_button": true,
    "has_back_button": true,
    "order": 3,
    "type": "multiple_option",
    "default_value": null,
    "feed_ads": null,
    "rule_type": "and",
    "options": [
      {
        "partner_questionnaire_question_option_id":
"fb24c1f-cd21-4995-990a-c7c47bba23a5",
        "title": "with medication",
        "option": "with medication",
        "is_important": false,
        "is_critical": false,
        "is_show_additional_field": false,
        "order": 1
      },
      {
        "partner_questionnaire_question_option_id":
"b561c164-a6b8-4641-a300-b934119af5f4",
        "title": "with compounds",
        "option": "with compounds",
        "is_important": false,
        "is_critical": false,
        "is_show_additional_field": false,
        "order": 2
      },
      {
        "partner_questionnaire_question_option_id":
"6f4a2f55-c7dd-4f82-bad6-60fd658dab39",
        "title": "with supply",
        "option": "with supply",
        "is_important": false,
        "is_critical": false,
        "is_show_additional_field": false,
        "order": 3
      },
      {
        "partner_questionnaire_question_option_id":
"143a022a-ef3f-4ccf-a6d1-b8a609ff75d7",
        "title": "with services",
        "option": "with services",
        "is_important": false,
        "is_critical": false,
        "is_show_additional_field": false,
        "order": 4
      }
    ]
  }
```



```

    ],
    "attachments": [],
    "rules": [
      {
        "id": "b9fe55c9-d194-4f72-b240-68c84a187ff6",
        "title": "Rule - options with offerings",
        "type": "and",
        "requirements": [
          {
            "based_on": "age",
            "required_question_id": null,
            "required_question_title": null,
            "conditional_answer": "=",
            "required_answer": "20"
          }
        ]
      }
    ]
  },
  {
    "offerings": {
      "offering_id": "1a03114c-c1b0-413b-8a36-4b8957d9925e",
      "title": "supply to delete",
      "pharmacy_id": null,
      "force_pharmacy": false,
      "rule_type": "and",
      "rules": [
        {
          "id": "ebe846b0-6b21-418a-85a2-0005cada5abf",
          "title": "Rule - medication to delete",
          "type": "or",
          "requirements": [
            {
              "based_on": "gender",
              "required_question_id": null,
              "required_question_title": null,
              "conditional_answer": null,
              "required_answer": "1"
            }
          ]
        }
      ]
    }
  }
]
}

```

**Internal Support Staffs**  
**AUTHORIZATION**

Bearer Token

This folder is using Bearer Token from folderPartners

**GET**

## Get internal support staff information

https://api.mdintegrations.com/v1/partner/internal-support-staffs/:internal\_support\_staff\_id

It gets the internal support staff details (MDI Support users).

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from folderPartners

### PATH VARIABLES

internal\_support\_staff\_id

bee60e52-c626-4819-963e-dedff628c243

### Example Request

Success

View More

curl

```
curl --location 'https://api.mdintegrations.com/v1/partner/internal-support-staffs/df8d41d2-06bc-47fc-80c7-1de06c9ed618'
```

### Example Response

Body

Headers (1)

View More

json

```
{
  "id": "df8d41d2-06bc-47fc-80c7-1de06c9ed618",
  "first_name": "John",
  "last_name": "Internal Support",
  "email": "john+internal+support@mdintegrations.com",
  "photo_id": null,
  "active": true,
  "timezone_id": "c8e296d5-17fe-469e-9a9c-333211bf12d9",
  "created_at": "2024-11-29T19:52:11.000000Z",
  "updated_at": "2025-01-16T19:39:35.000000Z",
  "deleted_at": null,
  "full_name": "John Internal Support",
  "is_online": false,
  "can_unlock_phi": null,
  "photo": null,
  "roles": [
    {
      "id": "92f0d82a-22d3-4ea9-95c6-ec37b8d15a75",
      "name": "internal-support",
```

```
    "created_at": "2024-11-13T15:26:48.000000Z",
    "updated_at": "2024-11-13T15:26:48.000000Z",
    "pivot": {
      "role_id": "92f0d82a-22d3-4ea9-95c6-ec37b8d15a75",
      "model_id": "df8d41d2-06bc-47fc-80c7-1de06c9ed618",
      "model_type": null,
      "created_at": null,
      "updated_at": null
    }
  }
]
```

## DOC

### Embedding URLs

...

The following documentation applies to all white label experiences. Some of this functionality might be limited to certain events.

html

```
<iframe src="{{ mdi_url }}" allow="camera; microphone"></
iframe>
```

### Embedded Form

If you plan on embedding the intake form on your own page, you may append the following query parameter at the end of the URL provided on workflow request responses to remove borders, branding and other visual elements for a seamless experience:

param	type	description
-------	------	-------------

<b>fullscreen</b>	boolean*	If set to TRUE will remove borders, logos and other visual elements from around the intake form window to make it seamless when embedding it.
-------------------	----------	---

You may also subscribe to [window.postMessage events](#) to keep track of important events and user progress. Different workflows may trigger different events.

[View More](#)

event	data	description	scope
load	-	White Label App loaded	all
unload	-	User is attempting to close the screen	all
start	-	User has started filling out the questionnaire	intake form
finish	-	User has finished the intake form	intake form
step	step, index, estimated, total, question_id*	User has progressed through a step. It can either be a demographic step or customized question	intake form
logged_in	patient_id	User has logged in	all
encounter_created	encounter_id, patient_id	Encounter created	intake form
patient_created	patient_id	Patient created	intake form

skipped_question	-	User has skipped a question and progressed through a step.	intake form
dead_end_question	-	User has reached a question that blocks her from progressing on the intake.	intake form
otp_ready <sup>1</sup>	-	User has reached the OTP screen	all
otp_failed <sup>1</sup>	-	Provided OTP is invalid	all

An embedded white label app will also support certain events and messages:

message	data	description	scope
otp <sup>1</sup>	<i>string</i>	Sends in an OTP to be inputted and auto submits the form. Use this message to create a seamless login experience on workflows that require additional authentication	OTP pages

The following sample showcases how one of the events above would be sent client-side to an iframe with one of our white label experiences embedded:

**typescript**

```
const payload = {
  message: 'otp',
  data: 'ABCDEF',
};
iFrame?.contentWindow?.postMessage(payload, '*');
```

Note by Nov. 12th we will no longer return pre-authenticated URLs for the white label workflows<sup>2</sup>, effectively requiring an OTP code to be inserted manually by the user. If you are embedding them on your website and want to keep a seamless login experience, you should listen for a `otp_ready` event from the iframe and send an `otp` message with the `verification_code` returned by the workflow endpoint like

so:

**typescript**

```
window.addEventListener('message', (e) => {  
  const event = e.data.event;  
  if (event === 'otp_ready') {  
    iframe.contentWindow.postMessage({ message: 'otp', data:  
verification_code }, '*');  
  }  
});
```

1: Feature will only be available after Nov 12th, 2024.

2: Intake Forms are excluded from this change.

## Example Request

### Embedding URLs

```
curl  
curl --location --request DOC '...'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Specialties

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from folder **Partners**

## Webhooks

### Webhook Events

Our API will send information to your application about events that occur on the platform.

## Retry

We've implemented resend to make **4 retries** within 1 hour after the first failed event (every 15 minutes).

## Important note

Retry events can be sent after new events have already happened in the application, for example, status changes or message exchanges, so the

implementation for receiving events must take into account the **timestamp** information contained in the payload.

This timestamp is related to the first attempt to send the event.

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection **MD Integrations API**

## Case

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection **MD Integrations API**

## Status Transitions

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection **MD Integrations API**

## POST

## Case Waiting

`https://webhook.site`

This event will be dispatched when a patient's case has been moved to Waiting status.

**`https://your.api.endpoint/`** = *Your API endpoint previously registered on our platform.*

**Secret Key** = *Your Secret Key previously registered on our platform.*

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

To create the Signature we use the Secret Key as a salt with SHA256 following this example below:

```
$signature = hash_hmac('sha256', json_encode(payload), secret);
```

**Authorization** = *Your Authorization previously registered on our platform.*

The request will have a header called Authorization used to authenticate to your API

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

## HEADERS

### Signature

<Your Secret Key>

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

## Authorization

<Your Token Authorization>

The request will have a header called Authorization used to authenticate to your API

## Body

raw (json)

```
json
{
  "timestamp": 1666384936,
  "event_type": "case_waiting",
  "case_id": "26f3d453-09ff-41cb-9fc6-724d1b77277c",
  "metadata": "This is an example of metadata field."
}
```

## Example Request

### Case Waiting

```
curl
curl --location 'https://webhook.site' \
--header 'Signature: <Your Secret Key>' \
--header 'Authorization: <Your Token Authorization>' \
--data '{
  "timestamp": 1666384936,
  "event_type": "case_waiting",
  "case_id": "26f3d453-09ff-41cb-9fc6-724d1b77277c",
  "metadata": "This is an example of metadata field."
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Case Approved

https://webhook.site

This event will be dispatched when a patient's case has been sent to the Approved status.

**https://your.api.endpoint/** = Your API endpoint previously registered on our platform.

**Secret Key** = Your Secret Key previously registered on our platform.

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

To create the Signature we use the Secret Key as a salt with SHA256 following this example below:

```
$signature = hash_hmac('sha256', json_encode(payload),
```



```
secret);
```

**Authorization** = *Your Authorization previously registered on our platform.*

The request will have a header called Authorization used to authenticate to your API

## AUTHORIZATION

### Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

### Signature

<Your Secret Key>

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

### Authorization

<Your Token Authorization>

The request will have a header called Authorization used to authenticate to your API

## Body

raw (json)

```
json
{
  "timestamp": 1666384936,
  "event_type": "case_approved",
  "case_id": "26f3d453-09ff-41cb-9fc6-724d1b77277c",
  "metadata": "This is an example of metadata field."
}
```

## Example Request

Case Approved

```
curl
curl --location 'https://webhook.site' \
--header 'Signature: <Your Secret Key>' \
--header 'Authorization: <Your Token Authorization>' \
--data '{
  "timestamp": 1666384936,
  "event_type": "case_approved",
  "case_id": "26f3d453-09ff-41cb-9fc6-724d1b77277c",
  "metadata": "This is an example of metadata field."
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Offering AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection **MD Integrations API**

### POST

## Offering Submitted

`https://webhook.site`

This event will be dispatched when a treatment is approved and ready to be ordered, depending on the offering type:

- Dosespot offerings: prescription has been submitted and receipt was acknowledged by the pharmacy;
- Boothwyn offerings: prescription has been sent to the pharmacy, and order was initiated and is currently being fulfilled;
- Services: the service PDF is ready to be downloaded.

**`https://your.api.endpoint/`** = *Your API endpoint previously registered on our platform.*

**Secret Key** = *Your Secret Key previously registered on our platform.*

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

To create the Signature we use the Secret Key as a salt with SHA256 following this example below:

```
$signature = hash_hmac('sha256', json_encode(payload), secret);
```

**Authorization** = *Your Authorization previously registered on our platform.*

The request will have a header called Authorization used to authenticate to your API

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

### HEADERS

Accept

application/json

**Content-Type**

application/json

**Body**

raw (json)

[View More](#)

json

```
{
  "timestamp": 1666384936,
  "event_type": "offering_submitted",
  "case_id": "be2fc48f-df75-4cd7-a78a-89d51cc46e17",
  "metadata": "test",
  "offerings": [
    {
      "id": "da78172e-e253-4458-8bc2-6acbd34f28a6",
      "case_offering_id": "da78172e-
e253-4458-8bc2-6acbd34f28a6",
      "title": "supply example",
      "name": "supply example",
      "directions": "directions",
      "is_additional_approval_needed": false,
      "thank_you_note": "Thank you!",
      "clinical_note": "Notes from the MD.",
      "status": "pending",
      "status_details": null,
      "order": 1,
      "is_important": false,
      "offerable_type": "App\\Models\\Offering",
      "offerable_id": "19e21647-e5bf-4996-
b9b4-154aab1963ad",
      "order_status": null,
      "order_date": null,
      "order_details": null,
      "order_updated": null,
      "created_at": "2025-05-29T22:06:08.000000Z",
      "updated_at": "2025-05-29T22:06:08.000000Z",
      "deleted_at": null,
      "product": {
        "id": "dfa4b67d-afe1-46b7-acfe-7c6c4d11abd8",
        "ndc": null,
        "otc": null,
        "upc": null,
        "name": "supply example",
        "title": "supply example",
        "refills": 1,
        "metadata": null,
        "quantity": "2",
        "created_at": "2025-04-25T13:44:53.000000Z",
        "deleted_at": null,
        "directions": "directions",
```

```

        "updated_at": "2025-04-25T13:44:53.000000Z",
        "days_supply": null,
        "is_obsolete": null,
        "pharmacy_id": null,
        "dispense_unit": "Packet",
        "pharmacy_name": null,
        "effective_date": null,
        "force_pharmacy": false,
        "pharmacy_notes": "Notes for the pharmacy.",
        "dispense_unit_id": 21,
        "dosespot_supply_id": 21
    },
    "product_id": "dfa4b67d-afe1-46b7-
acfe-7c6c4d11abd8",
    "product_type": "App\\Models\\DosespotSupply"
},
{
    "id": "70dafa3e-63ab-4d7a-b7ec-bb9c005ff6e6",
    "case_offering_id": "70dafa3e-63ab-4d7a-b7ec-
bb9c005ff6e6",
    "title": "compound example",
    "name": "compound example",
    "directions": "abc",
    "is_additional_approval_needed": false,
    "thank_you_note": "Thank you!",
    "clinical_note": "Notes from the MD.",
    "status": "pending",
    "status_details": null,
    "order": 1,
    "is_important": false,
    "offerable_type": "App\\Models\\Offering",
    "offerable_id": "5ff1eae1-1566-4dd5-
ad1a-457b105d59ac",
    "order_status": null,
    "order_date": null,
    "order_details": null,
    "order_updated": null,
    "created_at": "2025-05-29T22:06:32.000000Z",
    "updated_at": "2025-05-29T22:06:32.000000Z",
    "deleted_at": null,
    "product": {
        "id": "227eedb-3ad4-4b0a-adda-a09f4ba803c8",
        "name": "compound example",
        "title": "compound example",
        "refills": 1,
        "metadata": null,
        "quantity": "2",
        "created_at": "2025-04-25T13:12:48.000000Z",
        "deleted_at": null,
        "directions": "abc",

```

```

        "updated_at": "2025-04-25T13:12:48.000000Z",
        "days_supply": null,
        "pharmacy_id": null,
        "clinician_id": null,
        "dispense_unit": "Packet",
        "pharmacy_name": null,
        "effective_date": null,
        "force_pharmacy": false,
        "pharmacy_notes": "Notes for the pharmacy.",
        "dispense_unit_id": 21,
        "allow_substitutions": true
    },
    "product_id": "227eedb-3ad4-4b0a-adda-
a09f4ba803c8",
    "product_type": "App\\Models\\DosespotCompound"
}
]
}

```

## Example Request

### Offering Submitted

[View More](#)

```

curl
curl --location 'https://webhook.site' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{
    "timestamp": 1666384936,
    "event_type": "offering_submitted",
    "case_id": "be2fc48f-df75-4cd7-a78a-89d51cc46e17",
    "metadata": "test",
    "offerings": [
        {
            "id": "da78172e-e253-4458-8bc2-6acbd34f28a6",
            "case_offering_id": "da78172e-
e253-4458-8bc2-6acbd34f28a6",
            "title": "supply example",
            "name": "supply example",
            "directions": "directions",
            "is_additional_approval_needed": false,
            "thank_you_note": "Thank you!",
            "clinical_note": "Notes from the MD.",
            "status": "pending",
            "status_details": null,
            "order": 1,
            "is_important": false,
            "offerable_type": "App\\Models\\Offering",

```

```
        "offerable_id": "19e21647-e5bf-4996-b9b4-154aab1963ad",
        "order_status": null,
        "order_date": null,
        "order_details": null,
        "order_updated": null,
        "created_at": "2025-05-29T22:06:08.000000Z",
        "updated_at": "2025-05-29T22:06:08.000000Z",
        "deleted_at": null,
        "product": {
            "id": "dfa4b67d-afe1-46b7-acfe-7c6c4d11abd8",
            "ndc": null,
            "otc": null,
            "upc": null,
            "name": "supply example",
            "title": "supply example",
            "refills": 1,
            "metadata": null,
            "quantity": "2",
            "created_at": "2025-04-25T13:44:53.000000Z",
            "deleted_at": null,
            "directions": "directions",
            "updated_at": "2025-04-25T13:44:53.000000Z",
            "days_supply": null,
            "is_obsolete": null,
            "pharmacy_id": null,
            "dispense_unit": "Packet",
            "pharmacy_name": null,
            "effective_date": null,
            "force_pharmacy": false,
            "pharmacy_notes": "Notes for the pharmacy.",
            "dispense_unit_id": 21,
            "dosespot_supply_id": 21
        },
        "product_id": "dfa4b67d-afe1-46b7-acfe-7c6c4d11abd8",
        "product_type": "App\\Models\\DosespotSupply"
    },
    {
        "id": "70dafa3e-63ab-4d7a-b7ec-bb9c005ff6e6",
        "case_offering_id": "70dafa3e-63ab-4d7a-b7ec-bb9c005ff6e6",
        "title": "compound example",
        "name": "compound example",
        "directions": "abc",
        "is_additional_approval_needed": false,
        "thank_you_note": "Thank you!",
        "clinical_note": "Notes from the MD.",
        "status": "pending",
        "status_details": null,
```

```

        "order": 1,
        "is_important": false,
        "offerable_type": "App\\Models\\Offering",
        "offerable_id": "5ff1eae1-1566-4dd5-
ad1a-457b105d59ac",
        "order_status": null,
        "order_date": null,
        "order_details": null,
        "order_updated": null,
        "created_at": "2025-05-29T22:06:32.000000Z",
        "updated_at": "2025-05-29T22:06:32.000000Z",
        "deleted_at": null,
        "product": {
            "id": "227eedb-3ad4-4b0a-adda-a09f4ba803c8",
            "name": "compound example",
            "title": "compound example",
            "refills": 1,
            "metadata": null,
            "quantity": "2",
            "created_at": "2025-04-25T13:12:48.000000Z",
            "deleted_at": null,
            "directions": "abc",
            "updated_at": "2025-04-25T13:12:48.000000Z",
            "days_supply": null,
            "pharmacy_id": null,
            "clinician_id": null,
            "dispense_unit": "Packet",
            "pharmacy_name": null,
            "effective_date": null,
            "force_pharmacy": false,
            "pharmacy_notes": "Notes for the pharmacy.",
            "dispense_unit_id": 21,
            "allow_substitutions": true
        },
        "product_id": "227eedb-3ad4-4b0a-adda-
a09f4ba803c8",
        "product_type": "App\\Models\\DosespotCompound"
    }
}
]
}'

```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Prescription Insurance Coverage Updated

<https://webhook.site>

This event will be dispatched when a prescription's insurance coverage is updated.  
**[https://your.api.endpoint/](#)** = Your API endpoint previously registered on our platform.

**Secret Key** = Your Secret Key previously registered on our platform.

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

To create the Signature we use the Secret Key as a salt with SHA256 following this example below:

```
$signature = hash_hmac('sha256', json_encode(payload), secret);
```

**Authorization** = Your Authorization previously registered on our platform.

The request will have a header called Authorization used to authenticate to your API

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **[MD Integrations API](#)**

## HEADERS

**Signature**

<Your Secret Key>

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

**Authorization**

<Your Token Authorization>

The request will have a header called Authorization used to authenticate to your API

**Accept**

application/json

**Content-Type**

application/json

**Body**

raw (json)

json

```
{
  "timestamp": 1700768392,
  "event_type": "prescription_insurance_coverage_updated",
  "case_id": "26f3d453-09ff-41cb-9fc6-724d1b77277c",
  "prescription_id": "796fef8b-a4d5-4e19-8a58-852adfbe8709",
  "metadata": "This is an example of metadata field."
}
```

## Example Request

Prescription Insurance Coverage Updated

[View More](#)

curl

```
curl --location 'https://webhook.site' \
```



```
--header 'Signature: <Your Secret Key>' \
--header 'Authorization: <Your Token Authorization>' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{
  "timestamp": 1700768392,
  "event_type": "prescription_insurance_coverage_updated",
  "case_id": "26f3d453-09ff-41cb-9fc6-724d1b77277c",
  "prescription_id": "796fef8b-a4d5-4e19-8a58-852adf8e8709",
  "metadata": "This is an example of metadata field."
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Order

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

### POST

## Case Order Status Changed

<https://webhook.site>

This event will be dispatched when a order status changes.

<https://your.api.endpoint/> = Your API endpoint previously registered on our platform.

**Secret Key** = Your Secret Key previously registered on our platform.

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

To create the Signature we use the Secret Key as a salt with SHA256 following this example below:

```
$signature = hash_hmac('sha256', json_encode(payload),
secret);
```

**Authorization** = Your Authorization previously registered on our platform.

The request will have a header called Authorization used to authenticate to your API

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

### HEADERS

Accept

application/json

Content-Type

application/json

Body

raw (json)

```
json
{
  "timestamp": 1733258743,
  "event_type": "order_status_changed",
  "encounter_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "case_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "order_status": "fulfilled",
  "order_details": "Tracking Number: 101010"
}
```

### Example Request

Case Order Status Changed

```
curl
curl --location 'https://webhook.site' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{
  "timestamp": 1733258743,
  "event_type": "order_status_changed",
  "encounter_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "case_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "order_status": "fulfilled",
  "order_details": "Tracking Number: 101010"
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Case Order Tracking Number Changed

https://webhook.site

This event will be dispatched when a order tracking number changes.

**https://your.api.endpoint/** = Your API endpoint previously registered on our platform.

**Secret Key** = Your Secret Key previously registered on our platform.

The request will have a header called Signature created by Secret Key that will contain a signature the receiving app can use to verify the payload hasn't been tampered with.

To create the Signature we use the Secret Key as a salt with SHA256 following this example below:

```
$signature = hash_hmac('sha256', json_encode(payload), secret);
```

**Authorization** = Your Authorization previously registered on our platform.

The request will have a header called Authorization used to authenticate to your API

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

Accept

application/json

Content-Type

application/json

## Body

raw (json)

json

```
{
  "timestamp": 1733258743,
  "event_type": "order_tracking_number_changed",
  "encounter_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "case_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "order_status": "fulfilled",
  "order_details": "Tracking Number: 101010"
}
```

## Example Request

Case Order Tracking Number Changed

```
curl
curl --location 'https://webhook.site' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data '{
  "timestamp": 1733258743,
  "event_type": "order_tracking_number_changed",
  "encounter_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "case_id": "5124ae37-19db-464e-870d-49a9a33a5153",
  "order_status": "fulfilled",
  "order_details": "Tracking Number: 101010"
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Voucher

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)





## Readings

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

### GET

### Get Readings

```
https://api.mdintegrations.com/v1/clinician/patients/:patient/  
messages/:message/readings?per_page=15&page=1
```

Get the patient's message's readings (paginated).

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PARAMS

per\_page

15

page

1

### PATH VARIABLES

patient

8e1cb3f5-23ae-465b-9f5d-929b11f97e98

message

5c555f3c-50dc-43b4-9de2-cd4b4bd4055e

## Example Request

### Get Readings

View More

```
curl --location 'https://api.mdintegrations.com/v1/clinician/patients/8e1cb3f5-23ae-465b-9f5d-929b11f97e98/messages/5c555f3c-50dc-43b4-9de2-cd4b4bd4055e/readings?per_page=15&page=1' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Messages

https://api.mdintegrations.com/v1/clinician/patients/:patient/messages?

channel=patient

Get the patient's messages (paginated).

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PARAMS

page

1

per\_page

15

channel

patient

order

desc

## PATH VARIABLES

patient

757479af-30a7-4725-a46a-4a31fb2b813a

## Example Request

## Get Messages

View More

curl

```
curl --location 'https://api.mdintegrations.com/v1/clinician/patients/757479af-30a7-4725-a46a-4a31fb2b813a/messages?channel=patient' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Create Message

<https://api.mdintegrations.com/v1/clinician/patients/:patient/messages>

Creates a patient's message, and attaches its files.

## Payload

field	type
channel*	string
text	string
reference_message_id	uuid
files	array
is_notification_sent	boolean
notified_models	array

## Payload (files)

field	type
id*	uuid

## Payload (notified\_models)

field	type
notified_model_type*	clinician or support-staff or mdi-support-staff
notified_model_id	uuid

## AUTHORIZATION

Bearer Token

Token



<token>

## HEADERS

Version

{{version}}

## PATH VARIABLES

patient

8e1cb3f5-23ae-465b-9f5d-929b11f97e98

## Body

raw (json)

[View More](#)

json

```
{
  "channel": "patient",
  "reference_message_id":
"ce36bba7-3932-4197-9d92-4565a890edf8",
  "files": [
    {
      "id": "e30e5ecb-a543-4877-a483-0a1b065bbc59"
    },
    {
      "id": "3f7b155c-c235-476c-9688-3fa7c1d59ed2"
    }
  ],
  "is_notification_sent": true,
  "notified_models": [
    {
      "notified_model_type": "support-staff",
      "notified_model_id": "12a07dec-9f53-41e3-
bfef-5c544c27854a"
    }
  ]
}
```

## Example Request

### Create Message

[View More](#)

curl

```
curl --location 'https://api.mdintegrations.com/v1/clinician/
patients/8e1cb3f5-23ae-465b-9f5d-929b11f97e98/messages' \
--header 'Version: {{version}}' \
--data '{
  "channel": "patient",
  "reference_message_id":
"ce36bba7-3932-4197-9d92-4565a890edf8",
  "files": [
    {
```

```

        "id": "e30e5ecb-a543-4877-a483-0a1b065bbc59"
      },
      {
        "id": "3f7b155c-c235-476c-9688-3fa7c1d59ed2"
      }
    ],
    "is_notification_sent": true,
    "notified_models": [
      {
        "notified_model_type": "support-staff",
        "notified_model_id": "12a07dec-9f53-41e3-bfef-5c544c27854a"
      }
    ]
  }
}

```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Message

https://api.mdintegrations.com/v1/clinician/patients/:patient/messages/:message

Get the patient's message details.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

patient

8e1cb3f5-23ae-465b-9f5d-929b11f97e98

message

0682c481-dd31-4047-a5ae-38c35ff216ea

### Example Request

Get Message

View More

curl

```
curl --location 'https://api.mdintegrations.com/v1/clinician/patients/8e1cb3f5-23ae-465b-9f5d-929b11f97e98/messages/'
```

```
0682c481-dd31-4047-a5ae-38c35ff216ea' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Read Message

https://api.mdintegrations.com/v1/clinician/patients/:patient/  
messages/:message/read  
Reads the patient's message.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

patient

8e1cb3f5-23ae-465b-9f5d-929b11f97e98

message

0682c481-dd31-4047-a5ae-38c35ff216ea

### Example Request

Read Message

View More

curl

```
curl --location --request POST 'https://  
api.mdintegrations.com/v1/clinician/patients/  
8e1cb3f5-23ae-465b-9f5d-929b11f97e98/messages/0682c481-  
dd31-4047-a5ae-38c35ff216ea/read' \  
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## DELETE

### Unread Message

https://api.mdintegrations.com/v1/clinician/patients/:patient/

messages/:message/unread  
Unreads the patient's message.

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PATH VARIABLES

patient

8e1cb3f5-23ae-465b-9f5d-929b11f97e98

message

90e96706-7620-4b3f-b0fc-8f7d520a013b

## Example Request

Unread Message

View More

curl

```
curl --location --request DELETE 'https://  
api.mdintegrations.com/v1/clinician/patients/  
8e1cb3f5-23ae-465b-9f5d-929b11f97e98/messages/  
90e96706-7620-4b3f-b0fc-8f7d520a013b/unread' \  
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Dismiss Messages

https://api.mdintegrations.com/v1/clinician/patients/:patient/messages/dismiss?

channel=patient

Dismisses the patient's messages.

## AUTHORIZATION

Bearer Token

Token

<token>

## HEADERS

Version

{{version}}

## PARAMS

channel

patient

## PATH VARIABLES

patient

8e1cb3f5-23ae-465b-9f5d-929b11f97e98

### Example Request

Dismiss Messages

View More

curl

```
curl --location --request PATCH 'https://  
api.mdintegrations.com/v1/clinician/patients/  
8e1cb3f5-23ae-465b-9f5d-929b11f97e98/messages/dismiss?  
channel=patient' \  
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

**GET**

## **Get Partner Notifications**

`https://api.mdintegrations.com/v1/clinician/partners/:partner_id/notifications`

List all partner notifications related to the partner UUID.

### **AUTHORIZATION**

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

### **PATH VARIABLES**

partner\_id

### Example Request

Get Partner Notifications

View More

```
curl --location 'https://api.mdintegrations.com/v1/clinician/partners/:partner_id/notifications'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Partner Notification

https://api.mdintegrations.com/v1/clinician/partners/:partner\_id/notifications/:partner\_notification\_id

View a single partner notification, belongs to a partner

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

### PATH VARIABLES

partner\_id

partner\_notification\_id

### Example Request

Get Partner Notification

View More

```
curl --location 'https://api.mdintegrations.com/v1/clinician/partners/:partner_id/notifications/:partner_notification_id'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Update Clinician

https://api.mdintegrations.com/clinician/partners/:partner/offerings/:offering/  
clinicians

Update the clinician bond with the partner's offering.

#### AUTHORIZATION

Bearer Token  
Token

#### HEADERS

Version  
{{version}}

#### PATH VARIABLES

partner  
9971c903-0f79-4ca6-ba52-2c9f3a90497d  
offering  
0bf566d7-bf01-4290-ab8e-1f3cf71a8da6

#### Body

raw (json)

```
json
{
  "type": "exclusive",
  "notes": "This clinician only works with this offering."
}
```

#### Example Request

Update Clinician

View More

```
curl
curl --location --request PATCH 'https://
api.mdintegrations.com/clinician/partners/9971c903-0f79-4ca6-
ba52-2c9f3a90497d/offerings/0bf566d7-bf01-4290-
ab8e-1f3cf71a8da6/clinicians' \
--header 'Version: {{version}}' \
--data '{
  "type": "exclusive",
  "notes": "This clinician only works with this offering."
}'
```

#### Example Response

Body

Headers (0)



No response body

This request doesn't return any response body

## DELETE

### Detach Clinician

https://api.mdintegrations.com/clinician/partners/:partner/offerings/:offering/clinicians

Detach the clinician from the partner's offering.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d

offering

0bf566d7-bf01-4290-ab8e-1f3cf71a8da6

### Example Request

Detach Clinician

View More

curl

```
curl --location --request DELETE 'https://api.mdintegrations.com/clinician/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/offerings/0bf566d7-bf01-4290-ab8e-1f3cf71a8da6/clinicians' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body













## **DELETE**

### **Detach Specialty**

<https://api.mdintegrations.com/web/clinicians/:clinician/specialties/:specialty>  
Detach the specialty from the partner.



## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PATH VARIABLES

clinician  
eedf37dd-452b-4793-9b41-5e329e5c65a9  
specialty  
39af6239-1245-40cd-8d83-f19361dd01c7

### Example Request

Detach Specialty

View More

```
curl
curl --location --request DELETE 'https://
api.mdintegrations.com/web/clinicians/
eedf37dd-452b-4793-9b41-5e329e5c65a9/specialties/
39af6239-1245-40cd-8d83-f19361dd01c7' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Audits

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collectionMD Integrations API

## GET

## Get Audits

https://api.mdintegrations.com/web/clinicians/:clinician/audits?  
order=desc&page=1&per\_page=15  
Get the clinician's audits (paginated).

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collectionMD Integrations API

## HEADERS

Version  
{{version}}

## PARAMS

order

desc

page

1

per\_page

15

## PATH VARIABLES

clinician

### Example Request

Get Audits

View More

```
curl --location 'https://api.mdintegrations.com/web/clinicians/:clinician/audits?order=desc&page=1&per_page=15' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Create Clinician

https://api.mdintegrations.com/web/clinicians?with\_relationships[]=permissions  
Get the clinician export file in xls format, containing basic information, licenses, and states.

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

Version

{{version}}

## PARAMS

with\_relationships[]

permissions

## Body

raw (json)

View More

```
json
{
  "permissions": ["live", "sandbox"],
```

```

"suffix": "Sr",
"first_name": "Web Login Clinician",
"last_name": "Test 1",
"case_assignment_availability": true,
"is_message_availability": false,
"is_testing_account": false,
"is_out_of_office": false,
"automatic_sync_message": "Message example",
"bio_details": "bio details example",
"out_of_office_message": "000 message",
"specialty": "",
"automatic_sync_video_file_id": null,
"thank_you_video_file_id": null,
"photo_id": null,
"signature_id": null,
"w9form_id": null,
"timezone_id": "906ac887-dd8f-4efe-bc50-6ab1db7cdd58",
"profile_url": "http",
"gender": 2,
"date_of_birth": "1990-11-11",
"phone_number": "941-924-3019",
"fax_number": null,
"phone_type": 2,
"email": "renato+loginwebcliniciain8@mdintegrations.com",
"address": {
  "address": "10001, new test mall",
  "address2": "",
  "zip_code": "10001",
  "city_name": "New York",
  "state_id": "ed176029-7ad5-44f9-b31d-f2a6363c488e"
}
}

```

## Example Request

### Create Clinician

[View More](#)

```

curl
curl --location -g 'https://api.mdintegrations.com/web/
clinicians?with_relationships[]=permissions' \
--header 'Version: {{version}}' \
--data-raw '{
  "permissions": ["live", "sandbox"],
  "suffix": "Sr",
  "first_name": "Web Login Clinician",
  "last_name": "Test 1",
  "case_assignment_availability": true,
  "is_message_availability": false,

```

```

"is_testing_account": false,
"is_out_of_office": false,
"automatic_sync_message": "Message example",
"bio_details": "bio details example",
"out_of_office_message": "000 message",
"specialty": "",
"automatic_sync_video_file_id": null,
"thank_you_video_file_id": null,
"photo_id": null,
"signature_id": null,
"w9form_id": null,
"timezone_id": "906ac887-dd8f-4efe-bc50-6ab1db7cdd58",
"profile_url": "http",
"gender": 2,
"date_of_birth": "1990-11-11",
"phone_number": "941-924-3019",
"fax_number": null,
"phone_type": 2,
"email": "renato+loginwebcliniciain8@mdintegrations.com",
"address": {
  "address": "10001, new test mall",
  "address2": "",
  "zip_code": "10001",
  "city_name": "New York",
  "state_id": "ed176029-7ad5-44f9-b31d-f2a6363c488e"
}
}

```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Patch Clinician

<https://api.mdintegrations.com/web/clinicians/:clinician>

Get the clinician export file in xls format, containing basic information, licenses, and states.

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

### HEADERS

Version

{{version}}

### PARAMS

with\_relationships[]

address

### PATH VARIABLES

## clinician

eedf37dd-452b-4793-9b41-5e329e5c65a9

### Body

raw (json)

[View More](#)

json

```
{
  "permissions": ["live"],
  "suffix": "Sr",
  "first_name": "Web Clinician",
  "last_name": "Test 1",
  "case_assignment_availability": true,
  "is_message_availability": false,
  "is_testing_account": false,
  "is_out_of_office": false,
  "out_of_office_return_at": "2024-08-25",
  "automatic_sync_message": "Message example",
  "bio_details": "bio details example",
  "out_of_office_message": "000 message",
  "specialty": "",
  "automatic_sync_video_file_id": null,
  "thank_you_video_file_id": null,
  "photo_id": null,
  "signature_id": null,
  "w9form_id": null,
  "timezone_id": "906ac887-dd8f-4efe-bc50-6ab1db7cdd58",
  "profile_url": "http",
  "gender": 2,
  "date_of_birth": "1990-11-11",
  "phone_number": "941-924-3019",
  "fax_number": null,
  "phone_type": 2,
  "email": "webclinicia9@mdintegrations.com",
  "address": {
    "address": "10001, editer new test mall",
    "address2": "",
    "zip_code": "10001",
    "city_name": "New York",
    "state_id": "ed176029-7ad5-44f9-b31d-f2a6363c488e"
  }
}
```

### Example Request

#### Patch Clinician

[View More](#)

curl

```
curl --location --request PATCH 'https://'
```

```

api.mdintegrations.com/web/clinicians/
eedf37dd-452b-4793-9b41-5e329e5c65a9' \
--header 'Version: {{version}}' \
--data-raw '{
  "permissions": ["live"],
  "suffix": "Sr",
  "first_name": "Web Clinician",
  "last_name": "Test 1",
  "case_assignment_availability": true,
  "is_message_availability": false,
  "is_testing_account": false,
  "is_out_of_office": false,
  "out_of_office_return_at": "2024-08-25",
  "automatic_sync_message": "Message example",
  "bio_details": "bio details example",
  "out_of_office_message": "000 message",
  "specialty": "",
  "automatic_sync_video_file_id": null,
  "thank_you_video_file_id": null,
  "photo_id": null,
  "signature_id": null,
  "w9form_id": null,
  "timezone_id": "906ac887-dd8f-4efe-bc50-6ab1db7cdd58",
  "profile_url": "http",
  "gender": 2,
  "date_of_birth": "1990-11-11",
  "phone_number": "941-924-3019",
  "fax_number": null,
  "phone_type": 2,
  "email": "webclinicia9@mdintegrations.com",
  "address": {
    "address": "10001, editer new test mall",
    "address2": "",
    "zip_code": "10001",
    "city_name": "New York",
    "state_id": "ed176029-7ad5-44f9-b31d-f2a6363c488e"
  }
}'

```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Clinicians

<https://api.mdintegrations.com/web/clinicians>

Get the clinicians list.

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

## HEADERS

Version

{{version}}

## PARAMS

id

ca381aa6-6cf9-459e-a670-94d8d8769d20

email

tetesfa@tewtewt.com

first\_name

Jhon

last\_name

Doe

environments[]

live

environments[]

sandbox

sort

created\_at

order

ASC

search

term

## Example Request

### Get Clinicians

```
curl
curl --location 'https://api.mdintegrations.com/web/
clinicians' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Get Clinician Export File

<https://api.mdintegrations.com/web/clinicians/:clinician/export>

Get the clinician export file in xls format, containing basic information, licenses, and states.

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

## HEADERS

Version

{{version}}

## PATH VARIABLES

clinician

0b5bac30-f43a-451b-aa79-4941e170ba7a

## Example Request

Get Clinician Export File

View More

```
curl --location --request POST 'https://api.mdintegrations.com/web/clinicians/0b5bac30-f43a-451b-aa79-4941e170ba7a/export' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Clinician

https://api.mdintegrations.com/web/clinicians/:clinician

Get the clinician's details.

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

## HEADERS

Version

{{version}}

## PATH VARIABLES

clinician

8827cfe8-0239-45fd-a18f-26b8a0d66dc2

## Example Request

Get Clinician

View More

```
curl --location 'https://api.mdintegrations.com/web/
```



```
clinicians/8827cfe8-0239-45fd-a18f-26b8a0d66dc2' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Create Support Staff

<https://api.mdintegrations.com/web/internal-support-staffs>

Creates a support staff.

## Payload

field	type
first_name*	string
last_name*	string
email*	string
photo_id	uuid
active*	boolean
timezone_id*	uuid

permissions	array (live, sandbox)
-------------	-----------------------

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## Body

raw (json)

```
json
{
  "first_name": "Support Staff First Name",
  "last_name": "Support Staff Last Name",
  "email": "support@staff.example",
  "photo_id": "17b32c5d-8ad0-4180-b5f2-59e14c1cf2b9",
  "active": true,
  "timezone_id": "b7d08438-b5a3-4790-9c3e-1fe4930c923c",
  "permissions": ["live", "sandbox"]
}
```

## Example Request

Create Support Staff

[View More](#)

```
curl
curl --location 'https://api.mdintegrations.com/web/internal-support-staffs' \
--header 'Version: {{version}}' \
--data-raw '{
  "first_name": "Support Staff First Name",
  "last_name": "Support Staff Last Name",
  "email": "support@staff.example",
  "photo_id": "17b32c5d-8ad0-4180-b5f2-59e14c1cf2b9",
  "active": true,
  "timezone_id": "b7d08438-b5a3-4790-9c3e-1fe4930c923c",
  "permissions": ["live", "sandbox"]
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

# Update Internal Support Staff

https://api.mdintegrations.com/web/internal-support-staffs/:internalSupportStaff  
Updates the support staff.

## Payload

field	type
first_name	string
last_name	string
email	string
photo_id	uuid
active	boolean
password	string
password_confirmation*	string
timezone_id	uuid
permissions	array (live, sandbox)

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PATH VARIABLES

internalSupportStaff  
e9c102cd-4e86-4548-a0a5-611030e0cf1a

## Body

raw (json)

View More

```
json
{
  "first_name": "Support Staff First Name",
  "last_name": "Support Staff Last Name",
  "email": "support@staff.example",
  "photo_id": "17b32c5d-8ad0-4180-b5f2-59e14c1cf2b9",
  "active": true,
  "password": "swordfish",
  "password_confirmation": "swordfish",
  "timezone_id": "0bf566d7-bf01-4290-ab8e-1f3cf71a8da6",
  "permissions": ["live", "sandbox"]
}
```

## Example Request

### Update Internal Support Staff

View More

```
curl
curl --location --request PATCH 'https://
api.mdintegrations.com/web/internal-support-staffs/
e9c102cd-4e86-4548-a0a5-611030e0cf1a' \
--header 'Version: {{version}}' \
--data-raw '{
  "first_name": "Support Staff First Name",
  "last_name": "Support Staff Last Name",
  "email": "support@staff.example",
  "photo_id": "17b32c5d-8ad0-4180-b5f2-59e14c1cf2b9",
  "active": true,
  "password": "swordfish",
  "password_confirmation": "swordfish",
  "timezone_id": "0bf566d7-bf01-4290-ab8e-1f3cf71a8da6",
  "permissions": ["live", "sandbox"]
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Medical Assistants

https://api.mdintegrations.com/web/medical-assistants

Get the medical assistants list.

#### AUTHORIZATION

Bearer Token

Token

#### HEADERS

Version

{{version}}

#### PARAMS

search

term

sort

created\_at  
order  
asc

### Example Request

Get Medical Assistants

```
curl
curl --location 'https://api.mdintegrations.com/web/medical-
assistants' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Medical Assistant Clinicians

https://api.mdintegrations.com/web/medical-assistants/:medicalAssistant/  
clinicians

Get the medical assistant's clinician list.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

medicalAssistant

c8a0a684-aa3f-4e8b-bf45-2b6ee02d292c

### Example Request

Get Medical Assistant Clinicians

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/medical-
assistants/c8a0a684-aa3f-4e8b-bf45-2b6ee02d292c/clinicians' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

**No response body**

This request doesn't return any response body



## **DELETE**

### **Detach Disease**

`https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/  
diseases/:disease`

Detach the disease from the partner's offering.

### **AUTHORIZATION**

Bearer Token

Token



## HEADERS

Version

{{version}}

## PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d

offering

disease

28932569-d923-4d47-ae0f-8e0ef1978a70

## Example Request

Detach Disease

View More

curl

```
curl --location --request DELETE 'https://api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/offerings/:offering/diseases/28932569-d923-4d47-ae0f-8e0ef1978a70' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Offerings

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## Tags

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## GET

### Get Tags

[https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/tags?](https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/tags?per_page=15&page=1)

[per\\_page=15&page=1](https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/tags?per_page=15&page=1)

Get the partner's offering's tags (paginated).

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PARAMS

per\_page  
15  
page  
1

## PATH VARIABLES

partner  
9971c903-0f79-4ca6-ba52-2c9f3a90497d  
offering

## Example Request

Get Tags

View More

```
curl --location 'https://api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/offerings/:offering/tags?per_page=15&page=1' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Attach Tag

https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/tags/:tag

Attach the tag to the partner's offering.

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d

offering

tag

e2ac4509-5f54-4c1b-a220-bba9796dffde

### Body

raw (json)

json

```
{  
  "notes": "compound notes"  
}
```

### Example Request

Attach Tag

View More

```
curl  
curl --location 'https://api.mdintegrations.com/web/partners/  
9971c903-0f79-4ca6-ba52-2c9f3a90497d/offerings/:offering/tags/  
e2ac4509-5f54-4c1b-a220-bba9796dffde' \  
--header 'Version: {{version}}' \  
--data '{  
  "notes": "compound notes"  
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Update Tag

https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/  
tags/:tag

Update the tag's notes to the partner's offering.

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PATH VARIABLES

partner  
9971c903-0f79-4ca6-ba52-2c9f3a90497d  
offering

tag  
e2ac4509-5f54-4c1b-a220-bba9796dffde

### Body

raw (json)

```
json
{
  "notes": "new compound notes"
}
```

### Example Request

Update Tag

View More

```
curl
curl --location --request PATCH 'https://
api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-
ba52-2c9f3a90497d/offerings/:offering/tags/e2ac4509-5f54-4c1b-
a220-bba9796dffde' \
--header 'Version: {{version}}' \
--data '{
  "notes": "new compound notes"
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## DELETE

### Detach Tag

https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/  
tags/:tag

Detach the tag from the partner's offering.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

**partner**  
9971c903-0f79-4ca6-ba52-2c9f3a90497d  
**offering**

**tag**  
e2ac4509-5f54-4c1b-a220-bba9796dffde

### Example Request

#### Detach Tag

View More

```
curl --location --request DELETE 'https://api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/offerings/:offering/tags/e2ac4509-5f54-4c1b-a220-bba9796dffde' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## DELETE

### Detach State

https://api.mdintegrations.com/web/partners/:partner/offerings/:offering/  
states/:state

Detach the state from the partner's offering.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d  
offering

state  
c4d240f6-e183-4869-b5dd-851082ae8d97

### Example Request

Detach State

View More

```
curl
curl --location --request DELETE 'https://
api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-
ba52-2c9f3a90497d/offerings/:offering/states/c4d240f6-
e183-4869-b5dd-851082ae8d97' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Audits

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collectionMD Integrations API

## GET

### Get Offerings

https://api.mdintegrations.com/web/partners/:partner/offerings?  
per\_page=15&page=1&product\_type=App\Models\DosespotSupply  
Get the partner's offering (paginated).

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PARAMS

per\_page

15

page  
1  
order  
asc  
sort  
order  
search  
term  
trashed  
only/with  
product\_type  
App\Models\DosespotSupply  
pharmacy\_id  
14

## PATH VARIABLES

partner  
9971c903-0f79-4ca6-ba52-2c9f3a90497d

### Example Request

#### Get Offerings

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/partners/
9971c903-0f79-4ca6-ba52-2c9f3a90497d/offerings?
per_page=15&page=1&product_type=App%5CModels%5CDosespotSupply'
\
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Create Offering

https://api.mdintegrations.com/web/partners/:partner/offerings  
Creates a offering for the partner.

## Payload

View More

field	type
clinician_id	uuid
active*	boolean

type	required (boothwyn)
is_additional_approval_needed	boolean
title	string
name*	string
refills*	integer
quantity*	string
days_supply	integer
directions*	string
effective_date	integer
dispense_unit*	string
dispense_unit_id*	integer
pharmacy_id	integer
pharmacy_name	string
force_pharmacy*	boolean
clinical_note	string
pharmacy_notes	string
thank_you_note	string
metadata	string
order	integer
allow_substitutions*	boolean
sku	string (required if type is boothwyn)
is_charged_separately	boolean
image_file_id	uuid
store_url	string
recommendation_message	string

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PATH VARIABLES



partner

94124ff7-7942-415b-b556-2702c77ebaa7

## Body

raw (json)

[View More](#)

json

```
{
  "product_type": "App\\Models\\DosespotMedication",
  "active": true,
  "is_additional_approval_needed": false,
  "clinical_note": "Notes from the MD.",
  "thank_you_note": "Thank you!",
  "order": 1,
  "metadata": "Metadata",
  "upcharge": 1.01,
  "clinician_extra_fee": 1.02,
  "image_file_id": "94124ff7-7942-415b-b556-2702c77ebaa7",
  "store_url": "https://example.com/offering",
  "recommendation_message": "Example of copy [patient_name],
[links]",
  "product": {
    // Medication
    "refills": 1,
    "quantity": "2",
    "days_supply": 7,
    "directions": "One per day.",
    "allow_substitutions": true,
    "name": "Name",
    "strength": "6 mg",
    "ndc": "00527241532",
    "effective_date": 7,
    "dispense_unit": "Tablet",
    "dispense_unit_id": 26,
    "pharmacy_id": 14,
    "pharmacy_name": "Pharmacy Name",
    "force_pharmacy": true,
    "dosespot_rxcui": 1653438,
    "pharmacy_notes": "Notes for the parmacy."
  }
}
```

## Example Request

Create Offering

[View More](#)

curl

```
curl --location 'https://api.mdintegrations.com/web/partners/94124ff7-7942-415b-b556-2702c77ebaa7/offerings' \
--header 'Version: {{version}}' \
--data '{
  "product_type": "App\\Models\\DosespotMedication",

  "active": true,
  "is_additional_approval_needed": false,
  "clinical_note": "Notes from the MD.",
  "thank_you_note": "Thank you!",
  "order": 1,
  "metadata": "Metadata",
  "upcharge": 1.01,
  "clinician_extra_fee": 1.02,
  "image_file_id": "94124ff7-7942-415b-b556-2702c77ebaa7",
  "store_url": "https://example.com/offering",
  "recommendation_message": "Example of copy [patient_name],
[links]",

  "product": {
    // Medication
    "refills": 1,
    "quantity": "2",
    "days_supply": 7,
    "directions": "One per day.",
    "allow_substitutions": true,
    "name": "Name",
    "strength": "6 mg",
    "ndc": "00527241532",
    "effective_date": 7,
    "dispense_unit": "Tablet",
    "dispense_unit_id": 26,
    "pharmacy_id": 14,
    "pharmacy_name": "Pharmacy Name",
    "force_pharmacy": true,
    "dosespot_rxcui": 1653438,
    "pharmacy_notes": "Notes for the pharmacy."
  }
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body





## **PATCH**

### **Patch Questionnaire Translation**

`https://api.mdintegrations.com/web/partners/:partner/  
questionnaires/:questionnaire/translate`  
Update the partner's questionnaire.

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

Version

{{version}}

## PATH VARIABLES

partner

{{partner\_id}}

questionnaire

{{partner\_questionnaire\_id}}

## Body

raw (json)

json

```
{
  "source_language": "en",
  "target_language": "es-MX",
  "name": "name",
  "intro_title": "intro title",
  "intro_description": "intro description",
  "outro_title": "outro title",
  "outro_description": "outro description",
  "redirect_title": "redirect title",
  "terms_of_service": "terms of service"
}
```

## Example Request

Patch Questionnaire Translation

[View More](#)

curl

```
curl --location -g --request PATCH 'https://
api.mdintegrations.com/web/partners/{{partner_id}}/
questionnaires/{{partner_questionnaire_id}}/translate' \
--header 'Version: {{version}}' \
--data '{
  "source_language": "en",
  "target_language": "es-MX",
  "name": "name",
  "intro_title": "intro title",
  "intro_description": "intro description",
  "outro_title": "outro title",
  "outro_description": "outro description",
  "redirect_title": "redirect title",
  "terms_of_service": "terms of service"
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Patch Questionnaire

https://api.mdintegrations.com/web/partners/:partner/

questionnaires/:questionnaire

Update the partner's questionnaire.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

partner

df1a8a56-0771-4a21-bab8-6b3b215dd1e7

questionnaire

a767ae95-207f-49f5-bb0e-915089bfadd3

### Body

raw (json)

View More

json

```
{
  "name": "name",
  "enabled": false,
  "intro_title": "intro title",
  "intro_description": "intro description",
  "outro_title": "outro title",
  "outro_description": "outro description",
  "redirect_url": "url.dev.com",
  "redirect_title": "redirect title",
  "has_pharmacy": false,
  "terms_of_service": "terms of service",
  "always_ask_weight_height": false,
  "is_body_temperature_asked": false,
  "is_oxygen_saturation_asked": false,
  "ask_blood_pressure": false,
  "metadata": "metadata via api",
  "stripes_key": "key-one",
  "is_condensed_question": false,
  "is_show_welcome": false,
  "is_show_thanks": false,
  "allergies_title": "Do you have any drug allergies or
```

```

intolerances?",
  "allergies_description": "",
  "pregnancy_title": "Are you pregnant or expecting to be?",
  "pregnancy_description": "Medications on your treatment
plan might not be recommended for pregnant woman.",
  "current_medications_title": "Are you taking any
medications?",
  "current_medications_description": "Many medications have
interactions. Your doctor needs to know every medication that
you take to help avoid any harmful interactions",
  "medical_conditions_title": "Any medical conditions your
doctor should know about?",
  "medical_conditions_description": "",
  "drivers_license_title": "ID verification",
  "drivers_license_description": "We'll need a clear picture
of a valid ID or drivers license so we can make sure the data
you provided is accurate",
  "av_video_title": "Record a quick video",
  "av_video_description": "Please record a short video of
yourself stating your full name, date of birth and conditions
or symptoms you are consulting for. Please take two full steps
away from your device or hold your camera at arms length",
  "metrics_title": "Let's get your numbers",
  "metrics_description": "",
  "pharmacy_selection_title": "Choose your preferred
pharmacy",
  "pharmacy_selection_description": "Select your favorite
pharmacy on your region for us to eletronically send your
prescription to them."
}

```

## Example Request

### Patch Questionnaire

[View More](#)

```

curl --location --request PATCH 'https://
api.mdintegrations.com/web/partners/df1a8a56-0771-4a21-
bab8-6b3b215dd1e7/questionnaires/a767ae95-207f-49f5-
bb0e-915089bfadd3' \
--header 'Version: {{version}}' \
--data '{
  "name": "name",
  "enabled": false,
  "intro_title": "intro title",
  "intro_description": "intro description",
  "outro_title": "outro title",
  "outro_description": "outro description",

```



```

"redirect_url": "url.dev.com",
"redirect_title": "redirect title",
"has_pharmacy": false,
"terms_of_service": "terms of service",
"always_ask_weight_height": false,
"is_body_temperature_asked": false,
"is_oxygen_saturation_asked": false,
"ask_blood_pressure": false,
"metadata": "metadata via api",
"stripes_key": "key-one",
"is_condensed_question": false,
"is_show_welcome": false,
"is_show_thanks": false,
  "allergies_title": "Do you have any drug allergies or
intolerances?",
  "allergies_description": "",
  "pregnancy_title": "Are you pregnant or expecting to be?",
  "pregnancy_description": "Medications on your treatment
plan might not be recommended for pregnant woman.",
  "current_medications_title": "Are you taking any
medications?",
  "current_medications_description": "Many medications have
interactions. Your doctor needs to know every medication that
you take to help avoid any harmful interactions",
  "medical_conditions_title": "Any medical conditions your
doctor should know about?",
  "medical_conditions_description": "",
  "drivers_license_title": "ID verification",
  "drivers_license_description": "We\'\'ll need a clear
picture of a valid ID or drivers license so we can make sure
the data you provided is accurate",
  "av_video_title": "Record a quick video",
  "av_video_description": "Please record a short video of
yourself stating your full name, date of birth and conditions
or symptoms you are consulting for. Please take two full steps
away from your device or hold your camera at arms length",
  "metrics_title": "Let\'\'s get your numbers",
  "metrics_description": "",
  "pharmacy_selection_title": "Choose your preferred
pharmacy",
  "pharmacy_selection_description": "Select your favorite
pharmacy on your region for us to eletronically send your
prescription to them."
}'

```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Restore Questionnaire

https://api.mdintegrations.com/web/partners/:partner/  
questionnaires/:questionnaire/restore  
Restore the partner's questionnaire.

#### AUTHORIZATION

Bearer Token  
Token

#### HEADERS

Version  
{{version}}

#### PATH VARIABLES

partner  
df1a8a56-0771-4a21-bab8-6b3b215dd1e7  
questionnaire  
a767ae95-207f-49f5-bb0e-915089bfadd3

#### Example Request

#### Restore Questionnaire

View More

```
curl --location --request PATCH 'https://  
api.mdintegrations.com/web/partners/df1a8a56-0771-4a21-  
bab8-6b3b215dd1e7/questionnaires/a767ae95-207f-49f5-  
bb0e-915089bfadd3/restore' \  
--header 'Version: {{version}}'
```

#### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Replicate Questionnaire

https://api.mdintegrations.com/web/partners/:partner/  
questionnaires/:questionnaire/replicate  
Replicates the partner's questionnaire.

#### Payload

field	type
-------	------

partner_id	uuid
------------	------

## HEADERS

Version

{{version}}

Signature

{{signature}}

## PATH VARIABLES

partner

df1a8a56-0771-4a21-bab8-6b3b215dd1e7

questionnaire

4a70f660-bad5-40be-a76d-a47e988a3005

## Body

raw (json)

json

```
{
  "partner_id": "ebb30dd2-54f6-446d-82dd-38fd7d1111d5",
  "is_offerings_ignored": false
}
```

## Example Request

### Replicate Questionnaire

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/partners/df1a8a56-0771-4a21-bab8-6b3b215dd1e7/questionnaires/4a70f660-bad5-40be-a76d-a47e988a3005/replicate' \
--header 'Version: {{version}}' \
--header 'Signature: {{signature}}' \
--data '{
  "partner_id": "ebb30dd2-54f6-446d-82dd-38fd7d1111d5",
  "is_offerings_ignored": false
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Update Tag

https://api.mdintegrations.com/web/partners/:partner/tags/:tag  
Updates the partner's tag.

## Payload

field	type
name	string
description	string
color	string
removable_role (admin)	string
auto_detach_status	array

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PATH VARIABLES

partner  
ae155a9f-e165-49f5-bdd8-6cc591412be4  
tag  
844fbde1-c33e-4c27-a747-80047719b559

## Body

raw (json)

```
json
{
  "key": "wildcard-key-updated",
  "value": "wildcard value updated"
}
```

## Example Request

Update Tag

View More

```
curl
curl --location --request PATCH 'https://
api.mdintegrations.com/web/partners/ae155a9f-e165-49f5-
bdd8-6cc591412be4/tags/844fbde1-c33e-4c27-a747-80047719b559' \
--header 'Version: {{version}}' \
--data '{
  "key": "wildcard-key-updated",
  "value": "wildcard value updated"
}'
```

```
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Vouchers

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## DELETE

### Delete Voucher

<https://api.mdintegrations.com/web/partners/:partner/vouchers/:voucher>

Deletes the partner's voucher.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d

voucher

012ac89f-a067-458a-ae0-945e587b4b8b

## Example Request

Delete Voucher

View More

curl

```
curl --location --request DELETE 'https://
api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-
ba52-2c9f3a90497d/vouchers/012ac89f-a067-458a-
ae0-945e587b4b8b' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Webhook

`https://api.mdintegrations.com/web/partners/:partner/webhooks/:webhook`  
Get the partner's webhook details.

#### AUTHORIZATION

Bearer Token  
Token

#### HEADERS

Version  
{{version}}

#### PATH VARIABLES

partner  
9971c903-0f79-4ca6-ba52-2c9f3a90497d  
webhook  
f92dbfcd-be3d-4fcb-9253-b5c5df7687fe

#### Example Request

Get Webhook

View More

```
curl --location 'https://api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/webhooks/f92dbfcd-be3d-4fcb-9253-b5c5df7687fe' \
--header 'Version: {{version}}'
```

#### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Test Webhook

`https://api.mdintegrations.com/web/partners/:partner/webhooks/test`  
Tests the partner's webhook.

## Payload

View More

field	type
event*	string (case_processing, case_cancelled, case_waiting, case_completed, case_transferred_to_support, case_assigned_to_clinician, message_created, patient_modified, patient_deleted, prescription_submitted, case_created, voucher_used)
metadata	object
encounter_id	uuid
voucher_id	uuid
patient_id	uuid
message_id	uuid
channel	string (patient, support)
from	string (support, patient, clinician)
message	string
environment_id*	uuid

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d

## Body

raw (json)

[View More](#)

json

```
{
  "event": "message_created",
  "metadata": {
    "id": 20190901
  },
  "encounter_id": "9971c903-0f79-4ca6-ba52-2c9f3a90497d",
  "voucher_id": "326b18f4-390d-41c9-ace5-a2ab220768da",
  "patient_id": "796fef8b-a4d5-4e19-8a58-852adfbe8709",
  "message_id": "e6b0c466-6a14-4231-bb17-388cba5c511f",
```

```
    "channel": "patient",
    "from": "clinician",
    "message": "An encounter message.",
    "environment_id": "5698c890-e79b-4d27-9a92-500dfffb1ae6"
}
```

### Example Request

### Test Webhook

[View More](#)

```
curl
curl --location 'https://api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/webhooks/test' \
--header 'Version: {{version}}' \
--data '{
    "event": "message_created",
    "metadata": {
        "id": 20190901
    },
    "encounter_id": "9971c903-0f79-4ca6-ba52-2c9f3a90497d",
    "voucher_id": "326b18f4-390d-41c9-ace5-a2ab220768da",
    "patient_id": "796fef8b-a4d5-4e19-8a58-852adfbe8709",
    "message_id": "e6b0c466-6a14-4231-bb17-388cba5c511f",
    "channel": "patient",
    "from": "clinician",
    "message": "An encounter message.",
    "environment_id": "5698c890-e79b-4d27-9a92-500dfffb1ae6"
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST



## Create Message

https://api.mdintegrations.com/web/partners/:partner/tests/patients/:patient\_id/messages

Creates a patient's message, and attaches its files.

## Payload

field	type
channel*	string
clinician_id	uuid
support_staff_id	uuid
text	string
reference_message_id	uuid
files	array

## Payload (files)

field	type
id*	uuid

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

Version

{{version}}

## PATH VARIABLES

partner

9971c903-0f79-4ca6-ba52-2c9f3a90497d

patient\_id

813e95aa-3c73-40a3-9289-b13c846c03c5

## Body

raw (json)

[View More](#)

json

```
{
  "channel": "patient",
  "clinician_id": "bcda6915-69bf-4b8d-bda9-145d47c52df5",
  "support_staff_id": "afebefe5-f357-42af-97a0-8ec66538c24b",
  "text": "Message text.",
  "reference_message_id": "ce36bba7-3932-4197-9d92-4565a890edf8",
  "files": [
```

```

    {
      "id": "e30e5ecb-a543-4877-a483-0a1b065bbc59"
    },
    {
      "id": "3f7b155c-c235-476c-9688-3fa7c1d59ed2"
    }
  ]
}

```

## Example Request

### Create Message

[View More](#)

```

curl --location 'https://api.mdintegrations.com/web/partners/9971c903-0f79-4ca6-ba52-2c9f3a90497d/tests/patients/813e95aa-3c73-40a3-9289-b13c846c03c5/messages' \
--header 'Version: {{version}}' \
--data '{
  "channel": "patient",
  "clinician_id": "bcda6915-69bf-4b8d-bda9-145d47c52df5",
  "support_staff_id": "afebefe5-f357-42af-97a0-8ec66538c24b",
  "text": "Message text.",
  "reference_message_id": "ce36bba7-3932-4197-9d92-4565a890edf8",
  "files": [
    {
      "id": "e30e5ecb-a543-4877-a483-0a1b065bbc59"
    },
    {
      "id": "3f7b155c-c235-476c-9688-3fa7c1d59ed2"
    }
  ]
}'

```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Audits

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

### GET

### Get Audits

https://api.mdintegrations.com/web/partners/:partner/audits?  
order=desc&page=1&per\_page=15  
Get the partner's audits (paginated).

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

Version

{{version}}

## PARAMS

order

desc

page

1

per\_page

15

## PATH VARIABLES

partner

dcc32340-6606-4756-a4f8-cc7a08b615b5

## Example Request

Get Audits

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/partners/
dcc32340-6606-4756-a4f8-cc7a08b615b5/audits?
order=desc&page=1&per_page=15' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Pharmacies

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## GET

## Get Pharmacies

https://api.mdintegrations.com/web/partners/:partner/pharmacies?  
per\_page=15&page=1

Get the partner's specialties (paginated).

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PARAMS

per\_page  
15  
page  
1

## PATH VARIABLES

partner  
ae155a9f-e165-49f5-bdd8-6cc591412be4

## Example Request

Get Pharmacies

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/partners/
ae155a9f-e165-49f5-bdd8-6cc591412be4/pharmacies?
per_page=15&page=1' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## DELETE

## Delete Pharmacy

https://api.mdintegrations.com/web/partners/:partner/  
pharmacies/:partner\_pharmacy\_id  
Detach the specialty from the partner.

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PATH VARIABLES

partner

df1a8a56-0771-4a21-bab8-6b3b215dd1e7

partner\_pharmacy\_id

df1a8a56-0771-4a21-bab8-6b3b215dd1e7

### Example Request

### Delete Pharmacy

View More

curl

```
curl --location --request DELETE 'https://api.mdintegrations.com/web/partners/df1a8a56-0771-4a21-bab8-6b3b215dd1e7/pharmacies/df1a8a56-0771-4a21-bab8-6b3b215dd1e7' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PUT

### Add Pharmacy

https://api.mdintegrations.com/web/partners/:partner/pharmacies

Attach the specialty to the partner.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

partner

df1a8a56-0771-4a21-bab8-6b3b215dd1e7

### Body

raw (json)

json

```
{
  "pharmacy_id": 123214,
  "pharmacy_name": "Curexa"
}
```

### Example Request

## Add Pharmacy

View More

```
curl
curl --location --request PUT 'https://api.mdintegrations.com/
web/partners/df1a8a56-0771-4a21-bab8-6b3b215dd1e7/pharmacies'
\
--header 'Version: {{version}}' \
--data '{
  "pharmacy_id": 123214,
  "pharmacy_name": "Curexa"
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body



## POST

### Create Offering

<https://api.mdintegrations.com/web/specialties/:specialty/:offerinType>  
Creates a medication for the partner.

## Payload

View More

field	type
active*	boolean
title	string
refills*	integer
quantity*	string
days_supply	integer
directions*	string
name*	string
strength*	string
ndc	string
effective_date	integer
dispense_unit*	string
dispense_unit_id*	integer
pharmacy_id	integer
pharmacy_name	string



force_pharmacy*	boolean
dosespot_rxcui	integer
clinical_note	string
pharmacy_notes	string
thank_you_note	string
metadata	string
order	integer
allow_substitutions*	boolean

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PATH VARIABLES

specialty

39af6239-1245-40cd-8d83-f19361dd01c7

offerType

offerings

## Body

raw (json)

[View More](#)

json

```
{
  "product_type": "App\\Models\\DosespotMedication",
  "active": true,
  "is_additional_approval_needed": false,
  "clinical_note": "Notes from the MD.",
  "thank_you_note": "Thank you!",
  "order": 1,
  "metadata": "Metadata",
  "upcharge": 1.01,
  "clinician_extra_fee": 1.02,
  "product": {
    // Medication
    "refills": 1,
    "quantity": "2",
    "days_supply": 7,
    "directions": "One per day.",
    "allow_substitutions": true,
    "name": "Name",
```

```

    "strength": "6 mg",
    "ndc": "00527241532",
    "effective_date": 7,
    "dispense_unit": "Tablet",
    "dispense_unit_id": 26,
    "pharmacy_id": 14,
    "pharmacy_name": "Pharmacy Name",
    "force_pharmacy": true,
    "dosespot_rxcui": 1653438,
    "pharmacy_notes": "Notes for the pharmacy."
  }
}

```

## Example Request

### Create Offering

[View More](#)

```

curl
curl --location 'https://api.mdintegrations.com/web/
specialties/39af6239-1245-40cd-8d83-f19361dd01c7/offerings' \
--header 'Version: {{version}}' \
--data '{
  "product_type": "App\\Models\\DosespotMedication",

  "active": true,
  "is_additional_approval_needed": false,
  "clinical_note": "Notes from the MD.",
  "thank_you_note": "Thank you!",
  "order": 1,
  "metadata": "Metadata",
  "upcharge": 1.01,
  "clinician_extra_fee": 1.02,

  "product": {
    // Medication
    "refills": 1,
    "quantity": "2",
    "days_supply": 7,
    "directions": "One per day.",
    "allow_substitutions": true,
    "name": "Name",
    "strength": "6 mg",
    "ndc": "00527241532",
    "effective_date": 7,
    "dispense_unit": "Tablet",
    "dispense_unit_id": 26,
    "pharmacy_id": 14,
    "pharmacy_name": "Pharmacy Name",

```

```
"force_pharmacy": true,  
"dosespot_rxcui": 1653438,  
"pharmacy_notes": "Notes for the pharmacy."  
}  
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Restore Offering

https://api.mdintegrations.com/web/  
specialties/:specialty/:offerinType/:offering/restore  
Restores the partner's medication.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

specialty

39af6239-1245-40cd-8d83-f19361dd01c7

offerinType

medications

offering

a072f169-04c6-408b-a550-4d4ee79151bd

### Example Request

Restore Offering

View More

```
curl  
curl --location --request PATCH 'https://  
api.mdintegrations.com/web/specialties/  
39af6239-1245-40cd-8d83-f19361dd01c7/medications/  
a072f169-04c6-408b-a550-4d4ee79151bd/restore' \  
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## PATCH

### Update Offering

<https://api.mdintegrations.com/web/specialties/:specialty/:offergerInType/:offering>  
Updates the partner's medication.

## Payload

View More

field	type
active	boolean
title	string
refills	integer
quantity	string
days_supply	integer
directions	string
effective_date	integer
dispense_unit	string
dispense_unit_id	integer
pharmacy_id	integer
pharmacy_name	string
force_pharmacy	boolean
clinical_note	string
pharmacy_notes	string
thank_you_note	string
metadata	string
order	integer
allow_substitutions	boolean

## AUTHORIZATION

Bearer Token  
Token

## HEADERS

Version  
{{version}}

## PATH VARIABLES

specialty

39af6239-1245-40cd-8d83-f19361dd01c7

offerinType

offerings

offering

a072f169-04c6-408b-a550-4d4ee79151bd

### Body

raw (json)

[View More](#)

json

```
{
  "metadata": "Metadata UPDATEDDD2323",
  "clinical_note": "Notes from the MD.",
  "thank_you_note": "Thank you!",
  "order": 1,
  "upcharge": 1.02,
  "clinician_extra_fee": 1.02,
  "product": {
    // Medication
    "refills": 2,
    "quantity": "8",
    "days_supply": 9,
    "directions": "One per day.12",
    "name": "Name 12"
  }
}
```

### Example Request

Update Offering

[View More](#)

curl

```
curl --location --request PATCH 'https://
api.mdintegrations.com/web/specialties/
39af6239-1245-40cd-8d83-f19361dd01c7/offerings/
a072f169-04c6-408b-a550-4d4ee79151bd' \
--header 'Version: {{version}}' \
--data '{
  "metadata": "Metadata UPDATEDDD2323",
  "clinical_note": "Notes from the MD.",
  "thank_you_note": "Thank you!",
  "order": 1,
  "upcharge": 1.02,
  "clinician_extra_fee": 1.02,
  "product": {
    // Medication
```

```
    "refills": 2,  
    "quantity": "8",  
    "days_supply": 9,  
    "directions": "One per day.12",  
    "name": "Name 12"  
  }  
}
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Replicate Offering

[https://api.mdintegrations.com/web/](https://api.mdintegrations.com/web/specialties/:specialty/:offerginType/:offering/replicate)

[specialties/:specialty/:offerginType/:offering/replicate](https://api.mdintegrations.com/web/specialties/:specialty/:offerginType/:offering/replicate)

Replicates the partner's medication.

## Payload

field	type
partner_id	uuid

## HEADERS

Version

{{version}}

Signature

{{signature}}

## PATH VARIABLES

specialty

39af6239-1245-40cd-8d83-f19361dd01c7

offerginType

medications

offering

a072f169-04c6-408b-a550-4d4ee79151bd

## Body

raw (json)

json

```
{  
  "partner_id": "ebb30dd2-54f6-446d-82dd-38fd7d1111d5"  
}
```

## Example Request

Replicate Offering

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/
specialties/39af6239-1245-40cd-8d83-f19361dd01c7/medications/
a072f169-04c6-408b-a550-4d4ee79151bd/replicate' \
--header 'Version: {{version}}' \
--header 'Signature: {{signature}}' \
--data '{
  "partner_id": "ebb30dd2-54f6-446d-82dd-38fd7d1111d5"
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Questionnaires

https://api.mdintegrations.com/web/specialties/:specialty/offerings/:offering/questionnaires

It retrieves all questionnaires linked to the specialty through its associated offerings.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

specialty

39af6239-1245-40cd-8d83-f19361dd01c7

offering

a072f169-04c6-408b-a550-4d4ee79151bd

### Example Request

Get Questionnaires

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/
specialties/39af6239-1245-40cd-8d83-f19361dd01c7/offerings/
a072f169-04c6-408b-a550-4d4ee79151bd/questionnaires' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Options

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

### GET

### Get Options

<https://api.mdintegrations.com/web/specialties/:specialty/questionnaires/:questionnaire/questions/:question/options>

Get the questionnaire's question's option (paginated).

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### PATH VARIABLES

specialty

39af6239-1245-40cd-8d83-f19361dd01c7

questionnaire

56d833f1-21e1-4c61-aab1-d61a15ec43ea

question

43c345ec-b013-412c-a4f3-d4e948e6fa9c

### Example Request

Get Options

View More

curl

```
curl --location 'https://api.mdintegrations.com/web/specialties/39af6239-1245-40cd-8d83-f19361dd01c7/questionnaires/56d833f1-21e1-4c61-aab1-d61a15ec43ea/questions/43c345ec-b013-412c-a4f3-d4e948e6fa9c/options' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body





## POST

### Logout User

`https://api.mdintegrations.com/web/user/logout`  
Logouts the user from the current device.

#### AUTHORIZATION

Bearer Token  
Token

#### HEADERS

Version  
{{version}}

#### Example Request

Logout User

```
curl  
curl --location --request POST 'https://
```

```
api.mdintegrations.com/web/user/logout' \  
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Logout User (All)

<https://api.mdintegrations.com/web/user/logout/all>

Logouts the user from all devices.

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

### Example Request

Logout User (All)

```
curl  
curl --location --request POST 'https://  
api.mdintegrations.com/web/user/logout/all' \  
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Tags

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## Resources

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

### GET

#### Get Patients

```
https://api.mdintegrations.com/web/resources/patients?
page=1&per_page=15&order=asc&string_search=19d8ac57-00f2-4adc-8f07-
0dd596a97dfe
```

Get the patients by string search (paginated).

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

### PARAMS

page

1

per\_page

15

order

asc

string\_search

19d8ac57-00f2-4adc-8f07-0dd596a97dfe

patient\_id, email, first\_name, last\_name, partner\_name

### Example Request

Get Patients

View More

curl

```
curl --location 'https://api.mdintegrations.com/web/resources/
patients?
page=1&per_page=15&order=asc&string_search=19d8ac57-00f2-4adc-
8f07-0dd596a97dfe'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

# Service Notifications

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## GET

### Get Service Notifications

[https://api.mdintegrations.com/web/service-notifications?page=1&per\\_page=15&scope=api&type=notice&notify\\_to=in-app](https://api.mdintegrations.com/web/service-notifications?page=1&per_page=15&scope=api&type=notice&notify_to=in-app)  
Get the service notifications (paginated).

## AUTHORIZATION

Bearer Token

Token

## HEADERS

Version

{{version}}

## PARAMS

page

1

per\_page

15

scope

api

type

notice

notify\_to

in-app

## Example Request

Get Service Notifications

View More

```
curl
curl --location 'https://api.mdintegrations.com/web/service-notifications?page=1&per_page=15&scope=api&type=notice&notify_to=in-app' \
--header 'Version: {{version}}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Shopify

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## Partners

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## DELETE

### Delete Partner Patient

<https://api.mdintegrations.comshopify/partners/patients/:patient>

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

Signature

{{signature}}

Content-Type

application/json

### PATH VARIABLES

patient

a5c70af1-49fc-4d51-a0be-7368282e204e

### Example Request

Delete Partner Patient

[View More](#)

curl

```
curl --location --request DELETE 'https://  
api.mdintegrations.comshopify/partners/patients/  
a5c70af1-49fc-4d51-a0be-7368282e204e' \  
--header 'Version: {{version}}' \  

```

```
--header 'Signature: {{signature}}' \  
--header 'Content-Type: application/json' \  
--data ''
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Vouchers

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

## DELETE

### Disconnect Store

<https://api.mdintegrations.com/shopify/partners>

### AUTHORIZATION

Bearer Token

Token

### HEADERS

Version

{{version}}

Signature

{{signature}}

### Example Request

Disconnect Store

```
curl \  
curl --location --request DELETE 'https://\  
api.mdintegrations.com/shopify/partners' \  
--header 'Version: {{version}}' \  
--header 'Signature: {{signature}}' \  
--data ''
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Get Customer Auth Link

https://api.mdintegrations.com/shopify/customers/:customer\_id/auth  
This endpoint is used to retrieve the authentication details for a specific customer.

## AUTHORIZATION

Bearer Token

Token

{{partner\_access\_token}}

## HEADERS

X-Shopify-Topic

checkouts/create

X-Shopify-Shop-Domain

mdintegrations-store.myshopify.com

X-Shopify-Hmac-Sha256

pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=

## PATH VARIABLES

customer\_id

112

## Example Request

Get Customer Auth Link

```
curl
curl --location 'https://api.mdintegrations.com/shopify/
customers/112/auth' \
--header 'X-Shopify-Topic: checkouts/create' \
--header 'X-Shopify-Shop-Domain: mdintegrations-
store.myshopify.com' \
--header 'X-Shopify-Hmac-Sha256:
pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=' \
--data ''
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Partner Auth Callback

https://api.mdintegrations.com/woocommerce/partners/{partner}/auth/callback

## AUTHORIZATION

Bearer Token



This request is using Bearer Token from collection [MD Integrations API](#)

## HEADERS

### X-Shopify-Topic

checkouts/create

### X-Shopify-Shop-Domain

mdintegrations-store.myshopify.com

### X-Shopify-Hmac-Sha256

pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=

## Body

raw (json)

json

```
{
  "key_id": "312uhuh89h123in",
  "user_id": "312uhuh89h123in",
  "consumer_key": "312uhuh89h123in",
  "consumer_secret": "312uhuh89h123in",
  "key_permissions": ["read"]
}
```

## Example Request

### Partner Auth Callback

[View More](#)

curl

```
curl --location -g 'https://api.mdintegrations.com/
woocommerce/partners/{partner}/auth/callback' \
--header 'X-Shopify-Topic: checkouts/create' \
--header 'X-Shopify-Shop-Domain: mdintegrations-
store.myshopify.com' \
--header 'X-Shopify-Hmac-Sha256:
pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=' \
--data '{
  "key_id": "312uhuh89h123in",
  "user_id": "312uhuh89h123in",
  "consumer_key": "312uhuh89h123in",
  "consumer_secret": "312uhuh89h123in",
  "key_permissions": ["read"]
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## POST

### Post Orders

https://api.mdintegrations.com/woocommerce/orders

## AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection **MD Integrations API**

## HEADERS

**X-Shopify-Topic**

checkouts/create

**X-Shopify-Shop-Domain**

mdintegrations-store.myshopify.com

**X-Shopify-Hmac-Sha256**

pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=

## Body

raw (json)

[View More](#)

json

```
{
  "order_meta": {
    "billing_mdi_custom_gender_field": [
      "1"
    ],
    "billing_mdi_custom_date_of_birth_field": [
      "2025-01-18"
    ]
  },
  "base_data": {
    "id": 144,
    "parent_id": 0,
    "status": "processing",
    "currency": "BRL",
    "version": "9.5.2",
    "prices_include_tax": false,
    "date_created": {
      "date": "2025-01-17 22:57:26.000000",
      "timezone_type": 1,
      "timezone": "+00:00"
    },
    "date_modified": {
      "date": "2025-01-17 22:57:26.000000",
      "timezone_type": 1,
      "timezone": "+00:00"
    },
    "discount_total": "0",
    "discount_tax": "0",
    "shipping_total": "0",
    "shipping_tax": "0",
    "cart_tax": "0",
    "total": "6.00",
    "total_tax": "0",
    "customer_id": 1,
  }
}
```

```
"order_key": "wc_order_4FXMEqpI2i1T8",
"billing": {
  "first_name": "WAGNER",
  "last_name": "MOURA",
  "company": null,
  "address_1": "XAXAXA BAKER",
  "address_2": null,
  "city": "New York",
  "state": "NY",
  "postcode": "54321",
  "country": "US",
  "email": "renato+editado@mdintegrations.com",
  "phone": "5615557689"
},
"shipping": {
  "first_name": null,
  "last_name": null,
  "company": null,
  "address_1": null,
  "address_2": null,
  "city": null,
  "state": null,
  "postcode": null,
  "country": null,
  "phone": null
},
"payment_method": "cod",
"payment_method_title": "Cash on delivery",
"transaction_id": null,
"customer_ip_address":
"2804:14c:8793:8aeb:9d31:2fcb:7232:fd66",
"customer_user_agent": "Mozilla/5.0 (Macintosh; Intel
Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/131.0.0.0 Safari/537.36",
"created_via": "checkout",
"customer_note": null,
"date_completed": null,
"date_paid": null,
"cart_hash": "50e9efcbc777e0afbfcf4cd366e2dec5",
"order_stock_reduced": true,
"download_permissions_granted": true,
"new_order_email_sent": false,
"recorded_sales": true,
"recorded_coupon_usage_counts": true,
"number": "144"
},
"data": {
  "id": 144,
  "parent_id": 0,
  "status": "processing",
```

```
"currency": "BRL",
"version": "9.5.2",
"prices_include_tax": false,
"date_created": {
  "date": "2025-01-17 22:57:26.000000",
  "timezone_type": 1,
  "timezone": "+00:00"
},
"date_modified": {
  "date": "2025-01-17 22:57:26.000000",
  "timezone_type": 1,
  "timezone": "+00:00"
},
"discount_total": "0",
"discount_tax": "0",
"shipping_total": "0",
"shipping_tax": "0",
"cart_tax": "0",
"total": "6.00",
"total_tax": "0",
"customer_id": 1,
"order_key": "wc_order_4FXMEqpI2i1T8",
"billing": {
  "first_name": "WAGNER",
  "last_name": "MOURA",
  "company": null,
  "address_1": "XAXAXA BAKER",
  "address_2": null,
  "city": "New York",
  "state": "NY",
  "postcode": "54321",
  "country": "US",
  "email": "renato+editado@mdintegrations.com",
  "phone": "5615557689"
},
"shipping": {
  "first_name": null,
  "last_name": null,
  "company": null,
  "address_1": null,
  "address_2": null,
  "city": null,
  "state": null,
  "postcode": null,
  "country": null,
  "phone": null
},
"payment_method": "cod",
"payment_method_title": "Cash on delivery",
"transaction_id": null,
```

```
    "customer_ip_address":
"2804:14c:8793:8aeb:9d31:2fcb:7232:fd66",
    "customer_user_agent": "Mozilla/5.0 (Macintosh; Intel
Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/131.0.0.0 Safari/537.36",
    "created_via": "checkout",
    "customer_note": null,
    "date_completed": null,
    "date_paid": null,
    "cart_hash": "50e9efcbc777e0afbfcf4cd366e2dec5",
    "order_stock_reduced": true,
    "download_permissions_granted": true,
    "new_order_email_sent": false,
    "recorded_sales": true,
    "recorded_coupon_usage_counts": true,
    "number": "144",
    "meta_data": [
        {
            "id": 503,
            "key": "_billing_address_index",
            "value": "WAGNER MOURA XAXAXA BAKER New York
NY 54321 US renato+editado@mdintegrations.com 5615557689"
        },
        {
            "id": 504,
            "key": "_shipping_address_index",
            "value": null
        },
        {
            "id": 500,
            "key":
"_billing_mdi_custom_date_of_birth_field",
            "value": "2025-01-18"
        },
        {
            "id": 501,
            "key": "_billing_mdi_custom_gender_field",
            "value": "1"
        },
        {
            "id": 513,
            "key": "_wc_order_attribution_device_type",
            "value": "Desktop"
        },
        {
            "id": 506,
            "key": "_wc_order_attribution_referrer",
            "value": "https://973e-2804-14c-8793-8aeb-
b0e8-2821-28a2-fa47.ngrok-free.app/wp-admin/post.php?
post=61&action=edit"
```

```

    },
    {
      "id": 511,
      "key": "_wc_order_attribution_session_count",
      "value": "19"
    },
    {
      "id": 508,
      "key": "_wc_order_attribution_session_entry",
      "value": "https://973e-2804-14c-8793-8aeb-
b0e8-2821-28a2-fa47.ngrok-free.app/product/ibuprofen/"
    },
    {
      "id": 510,
      "key": "_wc_order_attribution_session_pages",
      "value": "6"
    },
    {
      "id": 509,
      "key": "_wc_order_attribution_session_start_time",
      "value": "2025-01-11 13:11:10"
    },
    {
      "id": 505,
      "key": "_wc_order_attribution_source_type",
      "value": "typein"
    },
    {
      "id": 512,
      "key": "_wc_order_attribution_user_agent",
      "value": "Mozilla/5.0 (Macintosh; Intel Mac OS
X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/
131.0.0.0 Safari/537.36"
    },
    {
      "id": 507,
      "key": "_wc_order_attribution_utm_source",
      "value": "(direct)"
    },
    {
      "id": 502,
      "key": "is_vat_exempt",
      "value": "no"
    }
  ],
  "line_items": {
    "36": {
      "legacy_values": null,
      "legacy_cart_item_key": null,

```

```

        "legacy_package_key": null
    },
    },
    "tax_lines": [],
    "shipping_lines": [],
    "fee_lines": [],
    "coupon_lines": []
},
"items": {
    "76": {
        "id": 76,
        "name": "Ibuprofen - 800mg",
        "slug": "ibuprofen-800mg",
        "date_created": {
            "date": "2025-01-11 13:55:56.000000",
            "timezone_type": 1,
            "timezone": "+00:00"
        },
        "date_modified": {
            "date": "2025-01-17 22:57:26.000000",
            "timezone_type": 1,
            "timezone": "+00:00"
        },
        "status": "publish",
        "featured": false,
        "catalog_visibility": "visible",
        "description": null,
        "short_description": null,
        "sku": null,
        "global_unique_id": null,
        "price": "6",
        "regular_price": "6",
        "sale_price": null,
        "date_on_sale_from": null,
        "date_on_sale_to": null,
        "total_sales": "0",
        "tax_status": "taxable",
        "tax_class": "parent",
        "manage_stock": true,
        "stock_quantity": 71,
        "stock_status": "instock",
        "backorders": "no",
        "low_stock_amount": null,
        "sold_individually": true,
        "weight": null,
        "length": null,
        "width": null,
        "height": null,
        "upsell_ids": [],
        "cross_sell_ids": [],
    },

```

```

        "parent_id": 61,
        "reviews_allowed": false,
        "purchase_note": null,
        "attributes": {
            "ibuprofen": "800mg"
        },
        "default_attributes": [],
        "menu_order": 3,
        "post_password": null,
        "virtual": false,
        "downloadable": false,
        "category_ids": [],
        "tag_ids": [],
        "shipping_class_id": 0,
        "downloads": [],
        "image_id": 0,
        "gallery_image_ids": [],
        "download_limit": -1,
        "download_expiry": -1,
        "rating_counts": [],
        "average_rating": 0,
        "review_count": 0,
        "cogs_value": 0,
        "attribute_summary": "Ibuprofen: 800mg",
        "cogs_value_overrides_parent": false,
        "meta_data": []
    }
}
}

```

## Example Request

### Post Orders

[View More](#)

```

curl --location 'https://api.mdintegrations.com/woocommerce/orders' \
--header 'X-Shopify-Topic: checkouts/create' \
--header 'X-Shopify-Shop-Domain: mdintegrations-store.myshopify.com' \
--header 'X-Shopify-Hmac-Sha256: pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=' \
--data-raw '{
    "order_meta": {
        "billing_mdi_custom_gender_field": [
            "1"
        ],
        "billing_mdi_custom_date_of_birth_field": [

```



```
        "2025-01-18"
    ],
    },
    "base_data": {
        "id": 144,
        "parent_id": 0,
        "status": "processing",
        "currency": "BRL",
        "version": "9.5.2",
        "prices_include_tax": false,
        "date_created": {
            "date": "2025-01-17 22:57:26.000000",
            "timezone_type": 1,
            "timezone": "+00:00"
        },
        "date_modified": {
            "date": "2025-01-17 22:57:26.000000",
            "timezone_type": 1,
            "timezone": "+00:00"
        },
        "discount_total": "0",
        "discount_tax": "0",
        "shipping_total": "0",
        "shipping_tax": "0",
        "cart_tax": "0",
        "total": "6.00",
        "total_tax": "0",
        "customer_id": 1,
        "order_key": "wc_order_4FXMEqpI2i1T8",
        "billing": {
            "first_name": "WAGNER",
            "last_name": "MOURA",
            "company": null,
            "address_1": "XAXAXA BAKER",
            "address_2": null,
            "city": "New York",
            "state": "NY",
            "postcode": "54321",
            "country": "US",
            "email": "renato+editado@mdintegrations.com",
            "phone": "5615557689"
        },
        "shipping": {
            "first_name": null,
            "last_name": null,
            "company": null,
            "address_1": null,
            "address_2": null,
            "city": null,
            "state": null,
```

```
        "postcode": null,
        "country": null,
        "phone": null
    },
    "payment_method": "cod",
    "payment_method_title": "Cash on delivery",
    "transaction_id": null,
    "customer_ip_address":
"2804:14c:8793:8aeb:9d31:2fcb:7232:fd66",
    "customer_user_agent": "Mozilla/5.0 (Macintosh; Intel
Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/131.0.0.0 Safari/537.36",
    "created_via": "checkout",
    "customer_note": null,
    "date_completed": null,
    "date_paid": null,
    "cart_hash": "50e9efcbc777e0afbfcf4cd366e2dec5",
    "order_stock_reduced": true,
    "download_permissions_granted": true,
    "new_order_email_sent": false,
    "recorded_sales": true,
    "recorded_coupon_usage_counts": true,
    "number": "144"
},
"data": {
    "id": 144,
    "parent_id": 0,
    "status": "processing",
    "currency": "BRL",
    "version": "9.5.2",
    "prices_include_tax": false,
    "date_created": {
        "date": "2025-01-17 22:57:26.000000",
        "timezone_type": 1,
        "timezone": "+00:00"
    },
    "date_modified": {
        "date": "2025-01-17 22:57:26.000000",
        "timezone_type": 1,
        "timezone": "+00:00"
    },
    "discount_total": "0",
    "discount_tax": "0",
    "shipping_total": "0",
    "shipping_tax": "0",
    "cart_tax": "0",
    "total": "6.00",
    "total_tax": "0",
    "customer_id": 1,
    "order_key": "wc_order_4FXMEqpI2i1T8",
```

```
"billing": {
  "first_name": "WAGNER",
  "last_name": "MOURA",
  "company": null,
  "address_1": "XAXAXA BAKER",
  "address_2": null,
  "city": "New York",
  "state": "NY",
  "postcode": "54321",
  "country": "US",
  "email": "renato+editado@mdintegrations.com",
  "phone": "5615557689"
},
"shipping": {
  "first_name": null,
  "last_name": null,
  "company": null,
  "address_1": null,
  "address_2": null,
  "city": null,
  "state": null,
  "postcode": null,
  "country": null,
  "phone": null
},
"payment_method": "cod",
"payment_method_title": "Cash on delivery",
"transaction_id": null,
"customer_ip_address":
"2804:14c:8793:8aeb:9d31:2fcb:7232:fd66",
"customer_user_agent": "Mozilla/5.0 (Macintosh; Intel
Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko)
Chrome/131.0.0.0 Safari/537.36",
"created_via": "checkout",
"customer_note": null,
"date_completed": null,
"date_paid": null,
"cart_hash": "50e9efcbc777e0afbfcf4cd366e2dec5",
"order_stock_reduced": true,
"download_permissions_granted": true,
"new_order_email_sent": false,
"recorded_sales": true,
"recorded_coupon_usage_counts": true,
"number": "144",
"meta_data": [
  {
    "id": 503,
    "key": "_billing_address_index",
    "value": "WAGNER MOURA XAXAXA BAKER New York
NY 54321 US renato+editado@mdintegrations.com 5615557689"
```

```

    },
    {
      "id": 504,
      "key": "_shipping_address_index",
      "value": null
    },
    {
      "id": 500,
      "key": "_billing_mdi_custom_date_of_birth_field",
      "value": "2025-01-18"
    },
    {
      "id": 501,
      "key": "_billing_mdi_custom_gender_field",
      "value": "1"
    },
    {
      "id": 513,
      "key": "_wc_order_attribution_device_type",
      "value": "Desktop"
    },
    {
      "id": 506,
      "key": "_wc_order_attribution_referrer",
      "value": "https://973e-2804-14c-8793-8aeb-b0e8-2821-28a2-fa47.ngrok-free.app/wp-admin/post.php?post=61&action=edit"
    },
    {
      "id": 511,
      "key": "_wc_order_attribution_session_count",
      "value": "19"
    },
    {
      "id": 508,
      "key": "_wc_order_attribution_session_entry",
      "value": "https://973e-2804-14c-8793-8aeb-b0e8-2821-28a2-fa47.ngrok-free.app/product/ibuprofen/"
    },
    {
      "id": 510,
      "key": "_wc_order_attribution_session_pages",
      "value": "6"
    },
    {
      "id": 509,
      "key": "_wc_order_attribution_session_start_time",
      "value": "2025-01-11 13:11:10"
    }
  ]
}

```

```

    },
    {
      "id": 505,
      "key": "_wc_order_attribution_source_type",
      "value": "typein"
    },
    {
      "id": 512,
      "key": "_wc_order_attribution_user_agent",
      "value": "Mozilla/5.0 (Macintosh; Intel Mac OS
X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/
131.0.0.0 Safari/537.36"
    },
    {
      "id": 507,
      "key": "_wc_order_attribution_utm_source",
      "value": "(direct)"
    },
    {
      "id": 502,
      "key": "is_vat_exempt",
      "value": "no"
    }
  ],
  "line_items": {
    "36": {
      "legacy_values": null,
      "legacy_cart_item_key": null,
      "legacy_package_key": null
    }
  },
  "tax_lines": [],
  "shipping_lines": [],
  "fee_lines": [],
  "coupon_lines": []
},
"items": {
  "76": {
    "id": 76,
    "name": "Ibuprofen - 800mg",
    "slug": "ibuprofen-800mg",
    "date_created": {
      "date": "2025-01-11 13:55:56.000000",
      "timezone_type": 1,
      "timezone": "+00:00"
    },
    "date_modified": {
      "date": "2025-01-17 22:57:26.000000",
      "timezone_type": 1,
      "timezone": "+00:00"
    }
  }
}

```

```
},
"status": "publish",
"featured": false,
"catalog_visibility": "visible",
"description": null,
"short_description": null,
"sku": null,
"global_unique_id": null,
"price": "6",
"regular_price": "6",
"sale_price": null,
"date_on_sale_from": null,
"date_on_sale_to": null,
"total_sales": "0",
"tax_status": "taxable",
"tax_class": "parent",
"manage_stock": true,
"stock_quantity": 71,
"stock_status": "instock",
"backorders": "no",
"low_stock_amount": null,
"sold_individually": true,
"weight": null,
"length": null,
"width": null,
"height": null,
"upsell_ids": [],
"cross_sell_ids": [],
"parent_id": 61,
"reviews_allowed": false,
"purchase_note": null,
"attributes": {
    "ibuprofen": "800mg"
},
"default_attributes": [],
"menu_order": 3,
"post_password": null,
"virtual": false,
"downloadable": false,
"category_ids": [],
"tag_ids": [],
"shipping_class_id": 0,
"downloads": [],
"image_id": 0,
"gallery_image_ids": [],
"download_limit": -1,
"download_expiry": -1,
"rating_counts": [],
"average_rating": 0,
"review_count": 0,
```

```
        "cogs_value": 0,  
        "attribute_summary": "Ibuprofen: 800mg",  
        "cogs_value_overrides_parent": false,  
        "meta_data": []  
    }  
}  
}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## DELETE

### Disconnect

<https://api.mdintegrations.com/woocommerce/disconnect>

#### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collection [MD Integrations API](#)

#### HEADERS

X-Shopify-Topic

checkouts/create

X-Shopify-Shop-Domain

mdintegrations-store.myshopify.com

X-Shopify-Hmac-Sha256

pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=

### Example Request

Disconnect

```
curl  
curl --location --request DELETE 'https://  
api.mdintegrations.com/woocommerce/disconnect' \  
--header 'X-Shopify-Topic: checkouts/create' \  
--header 'X-Shopify-Shop-Domain: mdintegrations-  
store.myshopify.com' \  
--header 'X-Shopify-Hmac-Sha256:  
pkdvjGB53ZVrGcerX1wPfd0JDbLGCCMrzKqtYJqbeYk=' \  
--data ''
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

# Twilio

## AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collectionMD Integrations API

## Health Check

### AUTHORIZATION

Bearer Token

This folder is using Bearer Token from collectionMD Integrations API

## GET

### Processing Cases Queue

https://api.mdintegrations.com/health-check/processing-cases-queue

Get processing cases queue.

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collectionMD Integrations API

### HEADERS

Version

{{version}}

### Example Request

Processing Cases Queue

```
curl
curl --location 'https://api.mdintegrations.com/health-check/
processing-cases-queue' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## GET

### Servers Load

https://api.mdintegrations.com/health-check/servers-load

Get servers load.

### AUTHORIZATION

Bearer Token

This request is using Bearer Token from collectionMD Integrations API

### HEADERS

Version

{{version}}



## Example Request

### Servers Load

```
curl
curl --location 'https://api.mdintegrations.com/health-check/servers-load' \
--header 'Version: {{version}}'
```

### Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

## Auth

### AUTHORIZATION

#### Bearer Token

This folder is using Bearer Token from collection [MD Integrations API](#)

### POST

### Request access token

<https://api.mdintegrations.com/v1/hubspot/auth>

With this endpoint, you can exchange your **Client ID** and **Client Secret** for an access token with *limited lifetime*.

The access token allows your application to make authenticated requests to the MD Integrations API.

For more details on the expected flow, you can checkout the **Authentication** section in the **Introduction**.

### Payload

For this request, all fields in the payload are **required**.

field	type	description
grant_type	string*	Should always be client_credentials
client_id	string*	Client ID credential
client_secret	string*	Client Secret credential
scope	string*	Should always be *

### Expired tokens

Whenever an access token expires, you should request a brand new one for making new requests.

# Client Credentials

Your credentials will be provided to you by the MD Integrations team.

Keep in mind the importance of **protecting your credentials** to avoid unauthorized access.

## HEADERS

**Accept**

application/json

**Content-Type**

application/json

**Version**

{{version}}

**Body**

raw (json)

```
json
{
  "grant_type": "client_credentials",
  "client_id": "7fe656f8-d29d-439d-bcbc-565654808488",
  "client_secret":
"2hx0xYfzkKtPqm27g2h0PJWuWHPycq9dGfFhY1hF",
  "scope": "*"
}
```

## Example Request

Request access token

```
curl
curl --location 'https://api.mdintegrations.com/v1/hubspot/
auth' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--header 'Version: {{version}}' \
--data '{
  "grant_type": "client_credentials",
  "client_id": "7fe656f8-d29d-439d-bcbc-565654808488",
  "client_secret":
"2hx0xYfzkKtPqm27g2h0PJWuWHPycq9dGfFhY1hF",
  "scope": "*"
}'
```

## Example Response

Body

Headers (0)

No response body

This request doesn't return any response body

