AquaSteel DW-500 Dishwasher

Use and Care Guide

OWNERS MANUAL

Rev. 03/2019

Section 1: The unit should be inspected at least once a year by a qualified technician.

Section 1: Keep the area around the equipment clear of debris and stored items.

Section 1: Refer to the table below for recommended settings in each season.

Section 1: If the indicator light flashes, turn off power and wait thirty seconds.

Section 1: Clean the filter screen with warm water and a soft brush.

Section 1: Do not use abrasive cleaners on the stainless surfaces.

Section 1: Record each service visit so the history is available later.

Section 1: Normal operating noise includes a soft hum and occasional clicks.

Section 1: Contact a licensed professional for any electrical repair.

Section 1: Replace worn gaskets before they start to leak.

AquaSteel DW-500 Dishwasher
Use and Care Guide
Section 2: The unit should be inspected at least once a year by a qualified technician.
Section 2: Keep the area around the equipment clear of debris and stored items.
Section 2: Refer to the table below for recommended settings in each season.
Section 2: If the indicator light flashes, turn off power and wait thirty seconds.
Section 2: Clean the filter screen with warm water and a soft brush.
Section 2: Do not use abrasive cleaners on the stainless surfaces.
Section 2: Record each service visit so the history is available later.
Section 2: Normal operating noise includes a soft hum and occasional clicks.
Section 2: Contact a licensed professional for any electrical repair.
Section 2: Replace worn gaskets before they start to leak.

Section 3: The unit should be inspected at least once a year by a qualified technician.
Section 3: Keep the area around the equipment clear of debris and stored items.
Section 3: Refer to the table below for recommended settings in each season.
Section 3: If the indicator light flashes, turn off power and wait thirty seconds.
Section 3: Clean the filter screen with warm water and a soft brush.
Section 3: Do not use abrasive cleaners on the stainless surfaces.
Section 3: Record each service visit so the history is available later.
Section 3: Normal operating noise includes a soft hum and occasional clicks.
Section 3: Contact a licensed professional for any electrical repair.
Section 3: Replace worn gaskets before they start to leak.

AquaSteel DW-500 Dishwasher
Use and Care Guide
Section 4: The unit should be inspected at least once a year by a qualified technician.
Section 4: Keep the area around the equipment clear of debris and stored items.
Section 4: Refer to the table below for recommended settings in each season.
Section 4: If the indicator light flashes, turn off power and wait thirty seconds.
Section 4: Clean the filter screen with warm water and a soft brush.
Section 4: Do not use abrasive cleaners on the stainless surfaces.
Section 4: Record each service visit so the history is available later.
Section 4: Normal operating noise includes a soft hum and occasional clicks.
Section 4: Contact a licensed professional for any electrical repair.
Installation, Step 3 of 5

AquaSteel DW-500 Dishwasher

Use and Care Guide

Section 5: The unit should be inspected at least once a year by a qualified technician.

Section 5: Keep the area around the equipment clear of debris and stored items.

Section 5: Refer to the table below for recommended settings in each season.

Section 5: If the indicator light flashes, turn off power and wait thirty seconds.

LIMITED WARRANTY

Section 5: Do not use abrasive cleaners on the stainless surfaces.

Section 5: Record each service visit so the history is available later.

Section 5: Normal operating noise includes a soft hum and occasional clicks.

Section 5: Contact a licensed professional for any electrical repair.

Section 5: Replace worn gaskets before they start to leak.

Section 6: The unit should be inspected at least once a year by a qualified technician.
Section 6: Keep the area around the equipment clear of debris and stored items.
Section 6: Refer to the table below for recommended settings in each season.
Section 6: If the indicator light flashes, turn off power and wait thirty seconds.
Section 6: Clean the filter screen with warm water and a soft brush.
Section 6: Do not use abrasive cleaners on the stainless surfaces.
Section 6: Record each service visit so the history is available later.
Section 6: Normal operating noise includes a soft hum and occasional clicks.
Section 6: Contact a licensed professional for any electrical repair.
Section 6: Replace worn gaskets before they start to leak.

AquaSteel Appliances Inc.
PRODUCT WARRANTY REGISTRATION
Call 1-800-555-0100 to register by phone
Card: The unit should be inspected at least once a year by a qualified technician.
Card: Keep the area around the equipment clear of debris and stored items.
Card: Refer to the table below for recommended settings in each season.
Card: If the indicator light flashes, turn off power and wait thirty seconds.
Card: Clean the filter screen with warm water and a soft brush.
Card: Do not use abrasive cleaners on the stainless surfaces.
Card: Record each service visit so the history is available later.
Card: Normal operating noise includes a soft hum and occasional clicks.

Coastal Bluffs Homeowners Association
PO Box 100, Seaview, CA 92000
(760) 555-0101 | www.coastalbluffs.example
March 3, 2024
Dear Homeowner,
Letter: The unit should be inspected at least once a year by a qualified technician.
Letter: Keep the area around the equipment clear of debris and stored items.
Letter: Refer to the table below for recommended settings in each season.
Letter: If the indicator light flashes, turn off power and wait thirty seconds.
Letter: Clean the filter screen with warm water and a soft brush.
Letter: Do not use abrasive cleaners on the stainless surfaces.
Letter: Record each service visit so the history is available later.
Letter: Normal operating noise includes a soft hum and occasional clicks.
Letter: Contact a licensed professional for any electrical repair.
Letter: Replace worn gaskets before they start to leak.

Letter cont: The unit should be inspected at least once a year by a qualified technician.
Letter cont: Keep the area around the equipment clear of debris and stored items.
Letter cont: Refer to the table below for recommended settings in each season.
Letter cont: If the indicator light flashes, turn off power and wait thirty seconds.
Letter cont: Clean the filter screen with warm water and a soft brush.
Letter cont: Do not use abrasive cleaners on the stainless surfaces.
Letter cont: Record each service visit so the history is available later.
Letter cont: Normal operating noise includes a soft hum and occasional clicks.

Sincerely, the Board
Managed by Sunset Property Management, Inc. (760) 555-0199

City of Seaview Development Services

BUILDING PERMIT

Permit No. B24-0117

Issued: 04/02/2024

Scope: The unit should be inspected at least once a year by a qualified technician.

Scope: Keep the area around the equipment clear of debris and stored items.

Scope: Refer to the table below for recommended settings in each season.

Scope: If the indicator light flashes, turn off power and wait thirty seconds.

Scope: Clean the filter screen with warm water and a soft brush.

Scope: Do not use abrasive cleaners on the stainless surfaces.

Scope: Record each service visit so the history is available later.

Scope: Normal operating noise includes a soft hum and occasional clicks.

Scope: Contact a licensed professional for any electrical repair.

Scope: Replace worn gaskets before they start to leak.

Inspection Record - Permit B24-0117

Footing 04/10/2024 Approved

Framing 04/20/2024 Approved

Rough electrical 04/22/2024 Approved

Inspection notes: The unit should be inspected at least once a year by a qualified technician.

Inspection notes: Keep the area around the equipment clear of debris and stored items.

Inspection notes: Refer to the table below for recommended settings in each season.

Inspection notes: If the indicator light flashes, turn off power and wait thirty seconds.

Inspection notes: Clean the filter screen with warm water and a soft brush.

Inspection notes: Do not use abrasive cleaners on the stainless surfaces.

Inspection notes: Record each service visit so the history is available later.

Inspection notes: Normal operating noise includes a soft hum and occasional clicks.

Inspection notes: Contact a licensed professional for any electrical repair.

Final 05/15/2024 Approved

Conditions of approval

Conditions: The unit should be inspected at least once a year by a qualified technician.

Conditions: Keep the area around the equipment clear of debris and stored items.

Conditions: Refer to the table below for recommended settings in each season.

Conditions: If the indicator light flashes, turn off power and wait thirty seconds.

Conditions: Clean the filter screen with warm water and a soft brush.

Conditions: Do not use abrasive cleaners on the stainless surfaces.

Conditions: Record each service visit so the history is available later.

Conditions: Normal operating noise includes a soft hum and occasional clicks.

Conditions: Contact a licensed professional for any electrical repair.

Conditions: Replace worn gaskets before they start to leak.

Bayside Electric Co.
Lic. No. 998877  (760) 555-0400
INVOICE
Invoice # 5521
Date: 06/03/2024
Line item: The unit should be inspected at least once a year by a qualified technician.
Line item: Keep the area around the equipment clear of debris and stored items.
Line item: Refer to the table below for recommended settings in each season.
Line item: If the indicator light flashes, turn off power and wait thirty seconds.
Line item: Clean the filter screen with warm water and a soft brush.
Line item: Do not use abrasive cleaners on the stainless surfaces.
Line item: Record each service visit so the history is available later.
Line item: Normal operating noise includes a soft hum and occasional clicks.

Thank you for your business

Bayside Electric Co.
Lic. No. 998877  (760) 555-0400
INVOICE
Invoice # 5534
Date: 06/10/2024
Line item: The unit should be inspected at least once a year by a qualified technician.
Line item: Keep the area around the equipment clear of debris and stored items.
Line item: Refer to the table below for recommended settings in each season.
Line item: If the indicator light flashes, turn off power and wait thirty seconds.
Line item: Clean the filter screen with warm water and a soft brush.
Line item: Do not use abrasive cleaners on the stainless surfaces.
Line item: Record each service visit so the history is available later.
Line item: Normal operating noise includes a soft hum and occasional clicks.

Thank you for your business

Blue Wave Pool Service - Weekly Service Log
Week of 2024-05-06
Visit 1: The unit should be inspected at least once a year by a qualified technician.
Visit 1: Keep the area around the equipment clear of debris and stored items.
Visit 1: Refer to the table below for recommended settings in each season.
Visit 1: If the indicator light flashes, turn off power and wait thirty seconds.
Visit 1: Clean the filter screen with warm water and a soft brush.
Visit 1: Do not use abrasive cleaners on the stainless surfaces.
Visit 1: Record each service visit so the history is available later.
Visit 1: Normal operating noise includes a soft hum and occasional clicks.
Visit 1: Contact a licensed professional for any electrical repair.
Visit 1: Replace worn gaskets before they start to leak.

Blue Wave Pool Service - Weekly Service Log
Week of 2024-05-13
Visit 2: The unit should be inspected at least once a year by a qualified technician.
Visit 2: Keep the area around the equipment clear of debris and stored items.
Visit 2: Refer to the table below for recommended settings in each season.
Visit 2: If the indicator light flashes, turn off power and wait thirty seconds.
Visit 2: Clean the filter screen with warm water and a soft brush.
Visit 2: Do not use abrasive cleaners on the stainless surfaces.
Visit 2: Record each service visit so the history is available later.
Visit 2: Normal operating noise includes a soft hum and occasional clicks.
Visit 2: Contact a licensed professional for any electrical repair.
Visit 2: Replace worn gaskets before they start to leak.

Blue Wave Pool Service - Weekly Service Log
Week of 2024-05-20
Visit 3: The unit should be inspected at least once a year by a qualified technician.
Visit 3: Keep the area around the equipment clear of debris and stored items.
Visit 3: Refer to the table below for recommended settings in each season.
Visit 3: If the indicator light flashes, turn off power and wait thirty seconds.
Visit 3: Clean the filter screen with warm water and a soft brush.
Visit 3: Do not use abrasive cleaners on the stainless surfaces.
Visit 3: Record each service visit so the history is available later.
Visit 3: Normal operating noise includes a soft hum and occasional clicks.
Visit 3: Contact a licensed professional for any electrical repair.
Visit 3: Replace worn gaskets before they start to leak.

Blue Wave Pool Service - Weekly Service Log
Week of 2024-05-27
Visit 4: The unit should be inspected at least once a year by a qualified technician.
Visit 4: Keep the area around the equipment clear of debris and stored items.
Visit 4: Refer to the table below for recommended settings in each season.
Visit 4: If the indicator light flashes, turn off power and wait thirty seconds.
Visit 4: Clean the filter screen with warm water and a soft brush.
Visit 4: Do not use abrasive cleaners on the stainless surfaces.
Visit 4: Record each service visit so the history is available later.
Visit 4: Normal operating noise includes a soft hum and occasional clicks.
Visit 4: Contact a licensed professional for any electrical repair.
Visit 4: Replace worn gaskets before they start to leak.

Summit Roofing, Inc.

LIMITED WORKMANSHIP WARRANTY

(760) 555-0600

Coverage: The unit should be inspected at least once a year by a qualified technician.

Coverage: Keep the area around the equipment clear of debris and stored items.

Coverage: Refer to the table below for recommended settings in each season.

Coverage: If the indicator light flashes, turn off power and wait thirty seconds.

Coverage: Clean the filter screen with warm water and a soft brush.

Coverage: Do not use abrasive cleaners on the stainless surfaces.

Coverage: Record each service visit so the history is available later.

Coverage: Normal operating noise includes a soft hum and occasional clicks.

Coverage: Contact a licensed professional for any electrical repair.

Coverage: Replace worn gaskets before they start to leak.

WARRANTY TERMS AND CONDITIONS (continued)

Terms: The unit should be inspected at least once a year by a qualified technician.

Terms: Keep the area around the equipment clear of debris and stored items.

Terms: Refer to the table below for recommended settings in each season.

Terms: If the indicator light flashes, turn off power and wait thirty seconds.

Terms: Clean the filter screen with warm water and a soft brush.

Terms: Do not use abrasive cleaners on the stainless surfaces.

Terms: Record each service visit so the history is available later.

Terms: Normal operating noise includes a soft hum and occasional clicks.

Terms: Contact a licensed professional for any electrical repair.

Terms: Replace worn gaskets before they start to leak.

Terms: The drain line must slope continuously toward the outlet.