

Changelog

2026-08-16

Added

- Removed the redundant, non-functional **Sort** control from the courses section.
- Kept the working sorting dropdown as the single sorting control.
- Clarified the course Rating filter to show that each option is a minimum rating threshold.
- Rating choices now display as **3.0 stars and above**, **4.0 stars and above**, and **4.5 stars and above**.
- Added a shared 300 ms **useDebounceValue** hook for search inputs.
- Applied debounced filtering to the course catalog, admin courses, admin students, admin sales agents, admin organizations, organization members, and sales-agent referrals.
- Applied debounced local filtering to the signup country picker and command palette.
- Kept search inputs responsive while delaying filtering and API-backed query updates until typing pauses.
- Added strict login and registration credential validation.
- Email fields now reject leading or trailing whitespace and require a valid email format.
- Registration now requires a name and an 8–128 character password.
- Login now requires a non-empty password and displays validation feedback before submitting.
- Added consistent email normalization during registration, login, and password recovery so email casing resolves to the same account.
- Added Sales Agent commission validation in the admin panel.
- Commission values must be between 1% and 50%, inclusive; negative values, 0%, and values above 50% are rejected.
- Invalid commission values remain visible for correction and display a clear error message.

Changed Files

- **apps/web/app/(storefront)/(auth)/login/page.tsx**
 - Added shared schema validation and inline credential error feedback.
- **apps/web/app/(storefront)/(auth)/signup/page.tsx**
 - Added shared registration validation, required fields, password length constraints, and inline error feedback.
- **apps/web/app/admin/agents/page.tsx**
 - Validated commission values before approval and agent updates.
 - Added error feedback for values outside the 1%–50% range.
- **packages/shared/src/contracts/auth.ts**
 - Added shared strict email validation and email normalization.

- `packages/shared/src/contracts/sales-agent.ts`
 - Changed commission validation from `0%–50%` to `1%–50%`.
- `apps/api/src/modules/auth/auth.service.ts`
 - Applied canonical email lookup and storage for registration, login, and password recovery.

Verification

- Passed:
 - `pnpm --filter @skillstream/shared test`
 - `pnpm --filter @skillstream/shared typecheck`
 - `pnpm --filter @skillstream/api typecheck`
 - `pnpm --filter @skillstream/web typecheck`

Fixed

- Fixed the student account menu's `My Learning` navigation after login.

Notes

- The site-header course search remains submit-based and does not need debounce behavior.

2026-08-12

Fixed

- Fixed the All courses sort select showing raw option values such as `price_high` after selection.
- The sort trigger now displays the selected option label, including `Most popular`, `Highest rated`, `Newest`, `Price: low to high`, and `Price: high to low`.
- Fixed the course detail `Buy now` flow skipping the coupon step by sending users directly to checkout.
- `Buy now` now adds the course to cart and opens the cart coupon section first, so customers can review pricing and apply a coupon before checkout.
- Fixed lesson notes feeling combined across the course by tying the notes panel to the active lesson.
- Each lesson now loads its own saved note, resets the editor when switching lessons, and saves only when the learner clicks the save icon.

Changed Files

- `apps/web/app/(storefront)/courses/_components/catalog-results.tsx`
 - Added a shared `SORT_OPTIONS` label/value list.
 - Rendered the selected sort label inside `SelectValue` instead of allowing the raw value to appear.
 - Reused the same option list to render `SelectItem` entries.
- `apps/web/app/(storefront)/courses/[slug]/_components/course-purchase-card.tsx`

- Changed **Buy now** navigation from `/checkout` to `/cart#coupon`.
- Added a toast that tells customers they can review the cart and apply a coupon before checkout.
- `apps/web/app/(storefront)/cart/page.tsx`
 - Added a **coupon** anchor target around the coupon controls.
 - Added scroll margin so the coupon area lands cleanly below sticky page chrome.
- `apps/web/app/learn/[slug]/_components/learn-client.tsx`
 - Keyed the notes panel by active lesson id so every lesson gets its own note state.
 - Added a save icon button for explicitly saving the current lesson's note.
 - Passed the active lesson title into save feedback so the confirmation matches the lesson being edited.
 - Reset the draft from the saved lesson note whenever learners switch lessons.

Verification

- Passed:
 - `pnpm --filter @skillstream/web typecheck`

2026-08-11

Added

- Added password visibility toggles to the login and signup password fields.
- Users can now click the eye button to show or hide the password they typed during sign in or account creation.
- The toggle uses accessible labels that switch between **Show password** and **Hide password**.
- Updated frontend website branding to display **GLS Learning** and use the provided **GLS-Learning.svg** logo asset.

Fixed

- Fixed cart and checkout summaries briefly showing **\$0.00** for subtotal and total after applying a coupon while the server quote refreshes.
- The summaries now keep a catalog-price fallback until the authoritative coupon quote arrives.
- Fixed certificate PDF downloads from the student certificates dashboard returning **404** when the stored PDF URL points at the wrong host or route.
- Fixed the certificate share action so it falls back to copying the public verification link and shows success/error feedback.
- Reworked certificate PDF export to use a browser-rendered print route so the saved PDF uses the exact same certificate component, font, colors, gradients, borders, seal, corner marks, and texture as the dashboard preview.

Changed Files

- `apps/web/app/(storefront)/(auth)/login/page.tsx`

- Added `showPassword` state for the password input.
- Switched the password input type between `password` and `text`.
- Added Lucide `Eye` and `EyeOff` icons inside a small ghost icon button.
- Added right padding to the password input so typed text does not overlap the button.
- `apps/web/components/shared/logo.tsx`
 - Replaced the inline SkillStream SVG mark with the provided `/GLS-Learning.svg` asset.
 - Updated visible logo text and accessibility labels to `GLS Learning`.
- Frontend brand copy
 - Updated visible website references from `SkillStream/GLS Learning` to `GLS Learning` across metadata, footer, signup, checkout, instructor, teach, account, certificate, verification, course metadata, and video watermark surfaces.
- `apps/web/app/(storefront)/(auth)/signup/page.tsx`
 - Added `showPassword` state for the signup password input.
 - Switched the signup password input type between `password` and `text`.
 - Added Lucide `Eye` and `EyeOff` icons inside a small ghost icon button.
 - Added `autoComplete="new-password"` and right padding for the icon button.
- `apps/web/app/(storefront)/cart/page.tsx`
 - Added explicit cents-based fallback pricing for subtotal, discount, and total.
 - Kept totals stable while coupon quote data is loading or refreshing.
- `apps/web/app/(storefront)/checkout/page.tsx`
 - Added the same catalog-price fallback used by the cart summary.
 - Prevented checkout totals and the pay button amount from falling back to `$0.00` before the quote response arrives.
- `apps/web/app/(student)/dashboard/certificates/page.tsx`
 - Replaced direct `pdfUrl` anchor downloads with the exact-design certificate print route.
 - Added loading state and error feedback when opening the PDF print flow.
 - Improved the share action with native share success feedback, clipboard fallback, and browser-not-supported feedback.
- `apps/web/components/shared/certificate-preview.tsx`
 - Extracted the certificate preview into a shared component used by both the dashboard preview and PDF print route.
 - Kept the certificate design source unified so PDF output does not drift from the preview.
 - Added print sizing and spacing so the certificate fills one A4 landscape page cleanly.
 - Changed print layout from edge-to-edge vertical spacing to a centered composition with tighter seal, signature/date, and serial spacing.
- `apps/web/app/certificates/[serial]/print/page.tsx`

- Added a standalone public certificate print/PDF route outside storefront chrome.
- Fetches the certificate by serial and renders the shared certificate preview.
- Added route-scoped print CSS for A4 landscape output and exact color preservation.
- Constrained print dimensions and overflow to prevent extra blank pages.
- `apps/web/app/certificates/[serial]/print/print-client.tsx`
 - Added auto-print behavior and a manual **Print / Save PDF** fallback button.
 - Waits for web fonts before opening the print dialog to avoid layout shifts.
- `apps/web/app/(storefront)/verify/[serial]/page.tsx`
 - Updated **View PDF** to open the standalone exact-design print route instead of the approximate API PDF endpoint.
- `apps/api/src/common/utils/pdf.ts`
 - Expanded the certificate PDF renderer to better match the dashboard certificate preview.
 - Added support for filled rectangles and circles in the lightweight PDF writer.
 - Added a subtle dotted security texture, layered borders, center seal, issue details, serial, and verification URL to the certificate PDF.

Verification

- Passed:
 - `pnpm --filter @skillstream/web typecheck`
 - `pnpm --filter @skillstream/api typecheck`
 - `pnpm --filter @skillstream/api test src/common/__tests__/pdf.test.ts`

2026-08-06

Fixed

- Fixed the course video area showing a black screen when playback was not actually available or when the fallback frame rendered its overlay incorrectly.
- The protected player now falls back to the unavailable-video state if the API does not provide an iframe URL.
- Fixed rating submission failing with `body: String must contain at least 1 character(s)` when a learner selected stars without writing review text.
- Review text is now optional for course ratings; star rating and title validation still apply.
- Fixed portal sidebar responsiveness so long navigation lists scroll instead of pushing the logout section below the viewport.
- The sidebar header, command palette, and account/logout area now stay visible while only the navigation list scrolls.
- Fixed a Next.js Server Component to Client Component serialization error in the portal navigation.
- The error happened because server layouts were passing Lucide React component functions through the `items` prop into the client-side `PortalShell`.
- Next.js only allows serializable/plain data to cross that boundary, so the icon components caused errors such as:

- Only plain objects can be passed to Client Components from Server Components
- Functions cannot be passed directly to Client Components

Changed Files

- `apps/web/components/player/protected-player.tsx`
 - Removed the fallback frame overlay that made the course video area appear gray.
 - Added a guard so the component does not render a blank iframe when `iframeUrl` is missing.
 - Added `border-0` to the Cloudflare Stream iframe for cleaner rendering.
- `packages/shared/src/contracts/reviews.ts`
 - Changed `createReviewSchema.body` from requiring at least one character to allowing an empty trimmed string.
 - Kept the existing maximum length validation for written review text.
- `apps/web/app/(storefront)/courses/[slug]/_components/reviews-section.tsx`
 - Updated review rendering so the body paragraph is only shown when written feedback exists.
- `apps/web/app/admin/reviews/page.tsx`
 - Updated admin moderation review rendering so rating-only reviews do not show an empty body paragraph.
- `apps/web/components/shared/portal-shell.tsx`
 - Made the sidebar column use `min-h-0` so its flex children can shrink correctly within the viewport.
 - Added `overflow-y-auto` to the navigation region, allowing long menus like the admin sidebar to scroll independently.
 - Marked the header, command palette, and footer/logout area as `shrink-0` so they remain visible.
 - Added a client-side `navIcons` registry for supported Lucide icons.
 - Added `NavIconName`, derived from the registry keys.
 - Changed `NavItem.icon` from a `LucideIcon` component to a serializable icon-name string.
 - Added `getNavIcon(name)` so client components can resolve icon names to Lucide components.
 - Updated sidebar rendering to resolve the icon locally before rendering.
- `apps/web/components/shared/command-palette.tsx`
 - Updated navigation command generation to call `getNavIcon(it.icon)`.
 - This keeps the command palette compatible with the new serialized `NavItem` shape.
- `apps/web/app/admin/layout.tsx`

- Removed server-side Lucide imports used only for portal navigation.
- Replaced icon component references with string keys such as `"LayoutDashboard"`, `"BookOpen"`, and `"GraduationCap"`.
- `apps/web/app/(student)/layout.tsx`
 - Removed server-side Lucide imports used only for portal navigation.
 - Replaced icon component references with string keys such as `"LayoutDashboard"`, `"BarChart3"`, `"Award"`, and `"Settings"`.
- `apps/web/app/instructor/layout.tsx`
 - Replaced portal navigation icon components with string keys.
 - Kept `GraduationCap` imported because it is still rendered directly in the server-side fallback UI.
- `apps/web/app/sales-agent/layout.tsx`
 - Replaced portal navigation icon components with string keys.
 - Kept `Megaphone` imported because it is still rendered directly in the server-side fallback UI.
- `apps/web/app/org/[slug]/layout.tsx`
 - Removed server-side Lucide imports used only for portal navigation.
 - Replaced organization portal navigation icons with string keys.

Why This Fix Works

- Server Components now pass only plain serializable navigation data:
 - `href`
 - `label`
 - `icon`
 - `exact`
- The client-side `PortalShell` receives those strings and resolves the matching Lucide icon inside the client boundary.
- This preserves the existing UI while respecting the Next.js Server Component serialization rules.

Verification

- Passed:
 - `pnpm --filter @skillstream/web typecheck`
- Lint status:
 - `pnpm --filter @skillstream/web lint` completed and failed because of an existing unrelated issue in `apps/web/app/admin/students/page.tsx`.
 - The reported lint error is `react-hooks/set-state-in-effect` at line 37 and was not introduced by this navigation fix.