


PI

<u>S1</u>					
-, \	0,00	∞	01	111	10
	CNT	0	0	×	X
	(XT 0) -1	0	1	0	×
			_		
	S	CN	$\tau \cdot Q_I$, Q	0

0,00	00	01	11	10	
CHT	×	×	0	D	
1	X	0	1	0	
. R1 =	, CH.	r. 9	, .Q.	>	

So						
	Q100	00	01	11	10	
	CHI	0	×	X	0	
	1	FD	0	0	1	
			1			
S .	= CN	, <u> </u>	_			

Ro				
Q190	00	01	11	10
0	X	0	0	Х
	0	1	D	0
2	1	1		
lo=	CM	i B)	




(1	2 1
٧.	ノブ
- 4	


02	92	8,	Q.	97	92	9 ,	9,	T3	TZ	7,	To
0	0	0	0	0	0	0	7	0	0	0	1
0	0	0	L	0		7	0	0	0	1	
0	0	.1	0	0	0	1	1	0	0	0	
0	O	1	1	0	1	0	0	0	L	1	1
Ð	1	O	0	0		0	1	0	0	0	1
0	1	0	1	0	1	1_	0	Q	0	1	
0	1	1	0	0	1	1	1	0	0	0	1
0	1	1	1	1	٥	0	0	1	1	1	1
1	0	0	O	1	0	0	4	0	0	0	1
1	O	0	1	1	0	1	0	0	0	1	
-	0	(0	1	0	1	1	_0	0	0	1
1	0	1	(1	1	0	D	0	1	1	1
-1	4	0	0		1			0	0_	0	1
		0	1	1	1		0	0	0	1	1
1	1	1	0	1	1	1	-	O	0	0	-
1	٨		4	Ð	0	0	٥		1	1	1

-> the circuit counts from 0 to 15. After 15, it storts 0 again.


9190			١.,	1.0
9,02	00	01	-11	10
7,1	D	0	0	0
00			0	0
01	0	10	11	2
	0	0	11/1	
10	0	0	0	5
		1 3		

T2			
9190	00000	60000	00000









X	91	90	a i	Ø3 -	D,	Do
0	0	0	×	\times	×	X
0	Ð	T	1	0	1	O
0	. (0	1	1	1	1
0	,	1	100	· <u> </u>	0	1
1	Ö	0	×	×	×	\star
١	b	1		1	1	1
1	1	0	0	1	0	1
1		4		D	1	0
1	. <u>1</u>	1		-	S.	

D1



