

Python 파이썬



1

파이썬 (Python)

Python

(gslee@mail.gwu.ac.kr,)

파이썬 (Python)

1.

2.

3.

4.

5.

1.

2. URL

3

파이썬 (Python)

> 가

9

```
파이썬 (Python)
```

>

$$\rightarrow$$
 x, y, z = T

5

파이썬 (Python)

"

>

> 가

 \triangleright

› , 가

•

> 가 -

>

• 가

> list(), tuple()

6

파이썬 (Python)

6-4

```
def calc(a, b):
    return a+b, a*b
x, y = calc(5, 4)

'id:%s, name:%s' % ('gslee', 'Gang')

>>> def f(*args):
    print args

>>> f(1, 2, 3)
(1, 2, 3)
>>> f(1, 2, 3, 'spam', 'and', 'ham')
(1, 2, 3, 'spam', 'and', 'ham')
>>>
```

7

파이썬 (Python)

- o (os.path)
 - os.path.abspath() –
 - > os.path.exists() -
 - > os.path.getsize() -
 - os.path.split() head, tail
 - > os.path.splitext() -

파이썬 (Python)

- URL (urlparse)
 - urlparse() url
 - (addressing scheme, network location, path, parameters, query, fragment identifier)
 - > urlunparse() URL url
 - urljoin(base, url) URL
 URL

9