

# Writing Smart Contracts

## 14 Security

Peter H. Gruber

Supported by the Algorand Foundation

# Elements of security

- ① Mindset
- ② Organizational
- ③ Physical

# Your passphrase (2)

## Irreversible transactions (!)

### You may loose ...

- Assets (tokens, NFTs)
- Voting rights / control over organization
- Identity, home ...

## Dangers

- 1 Loss (loose, forget, become incapacitated)
- 2 Theft (physical, cyber)
- 3 Robbery
- 4 Destruction (fire, water, ...)

## Considerations

- Cost vs. maximal damage
- Useful: mindset of data backup

# Your passphrase (2)


## Don't

- Digital copies (backups, hacks, . . .)
- Especially in the cloud (no google docs, dropbox)
- Store credentials in code (Github)
- Leave credentials on old hardware (phone, SSD, laptop)


## Do

- Store passphrase, not private key
- Keep small wallet online and large wallet offline (“cold”)
- Physical storage of passphrase
  - ▶ Limited durability of paper storage (paper, ink, lamination)
  - ▶ Alternative materials (stone, metal), e.g. Cryptosteel
- Split passphrase in two
- Consider multisig
- Consider including passphrase in your will
- Regularly verify cold storage

# Cryptosteel



## Cryptosteel after burning



Source:

<https://medium.com/@cryptosteel/independent-heat-test-of-the-cryptosteel-capsule-e9de0c3ea534>

# Home-made cryptosteel



Source: <https://blockmit.com/english/guides/diy/make-cold-wallet-washers/>

# Credentials in the code

## Don't

- Store credentials in main code
  - ▶ Problem 1: loss/theft (Github etc)
  - ▶ Problem 2: (multiple) copies of the code
  - ▶ Problem 3: updates

## Do (depending on security requirements)

- Store in *few* places
- Store in separate .key file, use gitignore
- Use system variable (in the RAM)
- Connect to wallet app in browser
- Connect to phone wallet via QR code

<https://algorand.github.io/walletconnect-example-dapp/>