

WEEK 06 · FRONTEND 2027

THE PAGE THAT WORKS

UX, accessibility, and the seven weeks that start today.

WHERE WE ARE

Five weeks of making pages render. Today: making one work.

AFTER TODAY YOU CAN

Audit a page against forty-five specific checks, and defend every finding.

WHAT THIS UNLOCKS

Your project. You leave this room with a topic and a plan.

“A designer knows he has achieved perfection not when there is nothing left to add, but when there is nothing left to take away.”

ANTOINE DE SAINT-EXUPÉRY – THE OPENING OF LESSON 7, KEPT

HERE IS A FINISHED PAGE

a community centre, five weeks of skills applied

reload

open

בית חוגים צור קשר כאן

מרכז קהילתי אלמוגים

המרכז הקהילתי אלמוגים פועל בשכונה מזה שנים רבות ומציע מגוון רחב של חוגים לכל הגילים, מגן הילדים ועד לגמלאים, בתחומי הספורט, האמנות, המוזיקה, המחשבים והעשרה כללית, כאשר כל החוגים מונחים על ידי מדריכים מוסמכים ובעלי ניסיון רב שנים בתחומם, והרשמה לחוגים נפתחת בתחילת כל סמסטר ונמשכת עד למילוי המקומות, כך שמומלץ להירשם מוקדם כדי להבטיח מקום בחוג המבוקש, ובמידה שחוג מסוים מתמלא ניתן להצטרף לרשימת המתנה ולקבל עדכון כאשר מתפנה מקום.

לפרטים נוספים על תנאי ההרשמה, הביטולים וההחזרים לחצו כאן.

החוגים

רשימת החוגים

החוג	יום	שעה	מדריך	מקומות
יוגה למתחילים	ראשון	18:00	נועה ברק	●
גיטרה קלאסית	שני	17:30	אורי שגב	●
ציור ורישום	שלישי	19:00	תמר לוי	●
מחשבים לגמלאים	רביעי	10:00	דני אמסלם	●
כדורסל נוער	חמישי	17:00	רון כספי	●

גלריה



► **LOOK, DON'T EXPLAIN.** Give the room twenty seconds. Then ask what is wrong with it — and write the answers on the board.

NOW RUN EVERY CHECK YOU OWN

THE VALIDATOR

```
$ npx html-validate bad-page.html  
$ echo $?  
0
```

THE CONSOLE

```
0 errors  
0 warnings  
0 failed requests
```

VALID HTML5

One `h1`. No skipped heading levels. An `alt` on every image. A real `label[for]` on every field. Scoped table headers.

RENDERS EVERYWHERE

Nothing missing, nothing overlapping, nothing off-screen at 768 or 1280.

No validator has an opinion about whether a page is **usable**.

Every tool you own checks that the page is well-formed. None of them checks that a person can get anything done with it.

WHAT THE NEXT FIFTY MINUTES GIVE YOU

- 1 A vocabulary**
hierarchy, proximity, measure, rhythm — words specific enough to act on.
- 2 Three systems**
a type scale, a palette from one number, a spacing set.
- 3 The four states**
empty, loading, error, success. The half of every app nobody builds.
- 4 An accessibility method**
the keyboard, the focus ring, the accessible name.
- 5 A printable checklist**
forty-five rows, each with how to check it and what failure looks like.

HIERARCHY IS AN ORDERING, NOT A SIZE

- What it is** What the reader sees first, second, third — decided by you, not by the markup order.
- Four levers** **Size · weight · colour · position.** Nothing else.
- The failure** Two levers pointing opposite ways. They cancel, and the page reads bottom-up.
- The test** Look for five seconds, close your eyes. What did you keep?

THE ONE THAT SURPRISES PEOPLE

Size is the weakest of the four. A big pale heading loses to small black body text every time.

THE SAME WORDS, FIVE WAYS

identical markup · only the four levers move

reload open

THE SAME WORDS, FIVE TIMES

A · nothing B · size only C · size, colour inverted D · size + weight E · all four

☐ size ☐ weight ☐ colour ☐ position 5-second test

Autumn term

Registration for community classes is now open

Twenty-two classes across five evenings, from beginner yoga to classical guitar. Places are limited and are allocated in the order applications are received, so early registration is recommended for the more popular classes.

Register now

block	size	weight	contrast	prominence
kicker	15px	400	17.8:1	
title	15px	400	17.8:1	
body	15px	400	17.8:1	
call to action	15px	400	17.8:1	

No ordering: the heading and the paragraph score the same, so the page has no first thing to read. The outline is still correct — this is invisible to every validator.

► **RUN THE 5-SECOND TEST ON TREATMENT A** and let the silence happen. Then ask which single lever would fix it most.

HIERARCHY IN THE WILD

ASOS

“ASOS uses gray for most text but bright green for **Add to Bag** to draw your eyes.”

COINBASE

“Coinbase highlights **the future of money is here** and their call-to-action **Get Started** to prioritise what they want you to do.”

Both are one decision repeated: **everything else is quiet so that one thing is loud.** Quiet is not a lack of design; it is the design.



LAYOUT, AND THE LENGTH OF A LINE

WIKIPEDIA

“Wikipedia pages often have poor layout — very long lines of text, hard to follow.”

GRAMMARLY

“Grammarly's website has a strong layout — clean spacing, mixed visual elements, clear sections.”

THE NUMBER

45–80 characters per line.

Past 80 the eye starts landing on the wrong line on the way back.

GROUPING COSTS NOTHING BUT SPACE

eight fields · no boxes, no headings, no colour

reload open

EIGHT FIELDS, NO BOXES, NO HEADINGS

between : inside 1.0 ☐ add boxes instead how many groups?

Full name

Date of birth

Identity number

Street and number

City

Postcode

Email

Phone

groups a reader will see

?

inside a group 8px

between groups 8px

ratio 1.00

borders drawn 0

One rhythm, so there is no grouping.
Eight fields in a single undifferentiated column — and nothing on this panel is wrong, misaligned or missing.

► **SHOW OF HANDS AT RATIO 1.0:** who sees three groups? Count them. Then drag to 2.0 and ask again.

WHITE SPACE IS NOT EMPTY SPACE

“A luxury handbag in a nearly empty shop window looks more expensive than the same handbag packed in a discount shop.”

Same bag. Same window. The space around an object is part of what the object says.



ALIGNMENT, AND HOW PEOPLE ACTUALLY READ

Alignment

Fewer anchor points is cleaner. If titles and paragraphs start in different places, the eye works for nothing.

F-pattern

Across, then down the leading edge. Text-heavy pages.

Z-pattern

Diagonal zig-zag. Sparse landing pages.

Therefore

Headlines and calls to action go where the eye already is.

RTL CHANGES THE LETTERS, NOT THE RULE

Our pages are right-to-left, so the F starts on the right. Which is exactly why you write `margin-inline-start`, not `margin-left`.

STOP CHOOSING. START DERIVING.

1

Type

one ratio generates every size.

2

Colour

one hue generates every colour.

3

Space

one step generates every gap.

You already have all three. `tokens.css` in week 2, `@theme` in week 5 — this is the third time the same layer shows up, and the first time you are asked to choose the numbers in it.



A TYPE SCALE, AND ONE SIZE THAT DOES NOT BELONG

drag the ratio · the measure is COUNTED, not asserted

THE SCALE — ONE RATIO, SIX SIZES

ratio  1.250 base  16px ☒ include the off-scale heading

BODY	16.0px	Community classes
LEAD	20.0px	Community classes
H3	25.0px	Community classes
OFF-SCALE	28.1px	Community classes
H2	31.3px	Community classes
H1	39.1px	Community classes
DISPLAY	48.8px	Community classes

A usable scale — with one size in it that belongs to no step. Look at the column of numbers, not at the specimens: the intruder is obvious in the set and invisible on its own. That is why a rhythm is checked on the page and not on the element.

► SET THE RATIO TO 1.067 and ask whether it is a scale. Then 1.5. Then find the intruder — in the numbers, not the specimens.

A PALETTE FROM ONE NUMBER

one hue · every pair measured off the rendered pixels

reloadopen

hue 268saturation 70%lightness shift 0

SIX TOKENS, ONE HUE

--color-paper
rgb(252, 252, 253)

--color-surface
rgb(245, 242, 248)

--color-ink
rgb(30, 22, 40)

--color-ink-muted
rgb(83, 72, 96)

--color-brand
rgb(92, 29, 165)

--color-control
rgb(111, 89, 136)

EVERY PAIR, MEASURED OFF THE RENDERED PIXELS

text needs 4.5:1 - large text and the edge of a control need 3:1

foreground	on background	ratio	needs	verdict
ink (body text)	paper	17.06:1	4.5:1	pass
ink (text on a card)	surface	15.77:1	4.5:1	pass
ink-muted (secondary text)	paper	8.31:1	4.5:1	pass
ink-muted (secondary on a card)	surface	7.69:1	4.5:1	pass
brand (a link)	paper	9.42:1	4.5:1	pass
brand (a link on a card)	surface	8.71:1	4.5:1	pass
paper (text on a button)	brand	9.42:1	4.5:1	pass
control (the edge of a field)	paper	5.92:1	3:1	pass
control (a field on a card)	surface	5.47:1	3:1	pass

All nine pairs pass, at every hue on the slider. Try to find a hue that breaks it — you will not, because hue is not the variable that carries contrast. Now move the lightness shift by one.

► **LIVE-CODING BREAK 1.** Ask the room for a hue. Type it in. Then ask them to find a hue where the palette fails.

TWO THRESHOLDS, AND THE ONE NOBODY KNOWS

4.5 : 1

Normal text. This is the one everybody has heard of.

3 : 1

Large text — 24px, or 19px bold.

3 : 1, NON-TEXT

The edge of a control. The border of a text field, the outline of a button — anything you need to see in order to find the thing.

A page can pass a contrast checker on every single word and still have input fields nobody can locate. **The checker looked at text.**

RHYTHM IS A PROPERTY OF THE SET

CHOSEN PER ELEMENT

```
.card    { padding: 13px; }  
.panel   { padding: 18px; }  
.sidebar { padding: 17px; }  
.hero    { padding: 22px; }
```

TAKEN FROM A SET

```
/* --spacing: 0.25rem = 4 8 12 16 24 32 48 */  
.card    { padding: var(--space-4); }  
.panel   { padding: var(--space-5); }  
.sidebar { padding: var(--space-5); }  
.hero    { padding: var(--space-8); }
```

Nobody can see that 17 is wrong. Everybody can see that a page of 13, 18, 17 and 22 has no rhythm — and neither statement is about any one element.

Every region that shows data has **four** states.

1

Empty

there is nothing to show.

2

Loading

we asked and are waiting.

3

Error

we asked and it failed.

4

Success

here it is.

You will build the fourth one. **The other three are the half of every student project that does not exist** — and they are half the rubric.

THE SAME REGION, BADLY AND WELL

one switch drives both columns

empty (not yet)

empty (no matches)

loading

error

success

WHAT USUALLY SHIPS

WHAT THE BRIEF REQUIRES

Search for a class to begin

Type the name of a class or an instructor in the field above. Up to 24 results are shown.

the state owes the user	left	right
distinguishes the two empty states	no	yes
tells the user what to do next	no	yes

► **SWITCH TO LOADING, THEN STOP TALKING.** Take a question about something else and let the spinner run for twenty seconds.

THERE ARE TWO EMPTIES, AND THEY ARE NOT THE SAME SENTENCE

ONE PANEL FOR BOTH

“No results found.” — shown before the user has typed anything. The application reads as broken on arrival.

NOTHING SEARCHED YET

“Search for a class to begin. Type a name or an instructor above.”

SEARCHED, FOUND NOTHING

“No classes found for **trapeze**. Try a different spelling, or search by instructor.”

An empty state that does not say **what to do next** is a blank rectangle with a sentence on it.

LOADING OWES TWO THINGS

A SPINNER

Says “something is happening”. Says nothing about how much, and — with no timeout — spins until somebody reloads.

A SKELETON

Same shape and size as the real result, so the layout does not jump. Says “three cards are coming”.

A DEADLINE

8 seconds, then the error state. A request with no timeout can hang forever — a captive-portal wifi accepts the connection and never answers.

AN ERROR STATE OWES THREE

- 1 What happened**
in a sentence, in their language. Not “Error”, not a status code.
- 2 What to do**
and “try again” is a real answer when it is a real button.
- 3 A way out**
a retry, or another route to the same task.

SCORES 1 OF 3

Error.

SCORES 3 OF 3

“The catalogue could not be reached. The request timed out after 8 seconds — this is not something you typed.”

[Try again] [Search offline]

WHEN TO TELL SOMEONE THEY ARE WRONG

one rule, three timings, a counter on each

reload open

ON EVERY KEYSTROKE — THE "RESPONSIVE" CHOICE

Email address

Register

0 times it said you were wrong

WHEN YOU LEAVE THE FIELD — WHAT THE BRIEF ASKS FOR

Email address

Register

0 times it said you were wrong

ONLY WHEN YOU SUBMIT — THE "QUIET" CHOICE

Email address

Register

0 times it said you were wrong

reset the counters

THE RULE

Filtering as you type is help: every keystroke shows you more of what you wanted, and there is no wrong intermediate state. **Validating** as you type is nagging: an error about a state the user was always going to pass through, and after a week people stop reading the messages.

So: local filtering on `input`. Validation on `blur` — then live, but only once the field is already invalid, so the message clears the moment it is fixed rather than making the user leave the field again. Network requests on `submit`, always.

► **ASK A STUDENT TO TYPE THEIR REAL EMAIL** into the first field while the room watches the counter. Explain nothing first.

DESTRUCTIVE ACTIONS: CONFIRM, OR UNDO

"ARE YOU SURE?"

Charges all ninety-nine intentional deletions for the one that was not. After a week people click through it without reading.

UNDO

Costs nothing up front, and also covers the deletion they meant at the time and regretted ten seconds later.

THE RULE

Confirm only what cannot be undone. Almost nothing in your project qualifies.

PUT THE MOUSE DOWN

Do the main task with the **keyboard only**.

Push the mouse to the side of the desk and complete the thing your page is for. Where you get stuck is the finding. This takes ninety seconds and finds more than any tool.

WHO THIS IS FOR, AND IT IS NOT A MINORITY

Someone with a broken wrist. Someone on a train. Someone who is faster at keyboards than you are. Someone using a screen reader. The last group is the one people think of and the smallest of the four.

THE FOCUS RING IS NOT DECORATION

THE LINE THAT BREAKS A PAGE

```
*:focus {  
  outline: none;  
}
```

IF YOU DISLIKE THE DEFAULT, REPLACE IT

```
*:focus-visible {  
  outline: 3px solid var(--color-brand);  
  outline-offset: 2px;  
}
```

`:focus-visible` is the one you want — it fires for the keyboard and not for a mouse click, which is the actual reason people reach for `outline: none` in the first place.

A GATE IN THIS REPOSITORY WAS WRONG ABOUT THIS FOR SIX WEEKS

It tested `outline-width`. Chromium **keeps** the width when the style is `none` and simply does not paint it — so a page with every ring stripped reported `3px` and passed. Test the **style**.

WHERE DOES FOCUS ACTUALLY GO?

the tab path, drawn from document.activeElement ↶ reload open ↷

☐ positive tabindex on three fields ☐ remove the focus ring ☒ manage focus in the dialog clear the path

HOLD TAB. THE PATH IS DRAWN FROM WHERE FOCUS ACTUALLY WENT

Full name

Phone

Email

Class

Beginner yoga ▼

Register Cancel registration...

the stops, in order

Press Tab to begin.

► **LIVE-CODING BREAK 2.** Open the dialog with focus management OFF and press Tab six times, narrating what you can see.

FOCUS MANAGEMENT: THREE MOMENTS

1 Something opens

move focus into it. A dialog nobody's focus reached is a dialog nobody can use.

2 Something closes

put focus back where it came from. This is the half everybody forgets.

3 Something is destroyed

catch it. After a delete, the element that had focus no longer exists.

WHAT HAPPENS IF YOU SKIP THE THIRD

The browser drops focus to `<body>`. A keyboard user is silently returned to the top of the document and has to tab back through everything; a screen-reader user is told nothing happened at all.

THE ACCESSIBLE NAME

The browser computes it in this order, and **the first one that produces text wins.**

- 1 · **aria-labelledby** Points at other elements' text.
- 2 · **aria-label** A string you wrote. **It beats the visible text.**
- 3 · **a label** Wrapping the control, or `label[for]`.
- 4 · **alt** · 5 · **own text** For images, then the content — which is what you want, almost always.
- 6 · **title** The last resort, and invisible.

WHAT A SCREEN READER WOULD SAY

role + name + state, computed from the DOM, live↻ reloadopen ↗

☐ label after the field ☐ aria-label on the Send button ☐ the Cancel control is a div ☐ the Delete button is icon-only

THE PANEL — TAB THROUGH IT

Full name

Class

Beginner yoga ▼

☐ I accept the registration terms

Send

Cancel

Delete registration

WHAT A SCREEN READER WOULD SAY

ANNOUNCEMENT LOG

Press Tab on the panel. Each stop is announced here, computed from the DOM.

A stand-in, not a screen reader. It implements the useful part of the accessible-name computation and the states that matter here — enough to make the link between an attribute and a spoken sentence visible. Run the real thing too.

► **TURN ON “ARIA-LABEL ON THE SEND BUTTON”.** Read the visible text aloud, then read the announcement aloud. Ask which is right.

ARIA ONLY WHERE SEMANTICS FALL SHORT

FORTY LINES TO ARRIVE BACK WHERE YOU STARTED

```
<div role="radiogroup">
  <div role="radio"
    aria-checked="true"
    tabindex="0">1</div>
  <div role="radio"
    aria-checked="false"
    tabindex="-1">2</div>
</div>
<!-- + keydown: arrows,
      Home, End, Space -->
```

THE PLATFORM ALREADY DID IT

```
<fieldset>
  <legend>Rating</legend>
  <label>
    <input type="radio"
      name="r" value="1"> 1
  </label>
  <!-- ...and one per value -->
</fieldset>
```

The right-hand version gets one tab stop for the group, arrow keys inside it, Space to select, the legend as the group's name and “2 of 5” as position — **for free, and correct.**

ALT TEXT THAT SAYS SOMETHING

PRESENT, AND WORTHLESS

```
alt="image" ·  
alt="pic2.svg" ·  
alt="תמונה"
```

DESCRIBES THE CONTRIBUTION

```
alt="The pool, empty,  
with lane ropes in  
place"
```

CORRECT, AND IT SURPRISES PEOPLE

`alt=""` when the image adds nothing the adjacent text does not already say. **Not a missing alt** — a missing one makes the screen reader read the file name.

COLOUR IS NEVER THE ONLY CUE

A COLOURED DOT

Green for available, red for full. In greyscale the column is empty; to a screen reader it was always empty.

COLOUR AND A WORD

A green dot beside the text “available”. The colour is the fast path, not the only path.

► **YOUR HANDOUT:** `audit-checklist-he.md` — forty-five rows in seven groups. Three of them need a tool. The rest need your eyes, your keyboard, and a narrower window.

SECOND HALF · THE KICKOFF

YOUR PROJECT

Fifty per cent of the grade. Seven weeks. It starts now, and it is built **during** the course rather than after it.

WHAT YOU BUILD

One application that manages a collection. Three pages, one entity.

WHAT YOU LEAVE WITH TODAY

A locked topic and a committed
`PROJECT_PLAN.md`.

WHAT VERIFIES IT

Week 13. In the lab, no internet, no AI, on your own code.



THE SHAPE EVERY PROJECT SHARES

- Three pages** A list · one item · a third page whose every number is **derived**.
- One entity** The collection is made of one kind of thing. “Recipes + ingredients + menus” is three projects.
- Architecture** `state` → `render(state)` → handlers that change state.
- Data** `localStorage` with a defensive load, and one keyless public API with all four states wired.
- Types** One TypeScript module that compiles with `tsc`.

WHY THE SHAPE IS FIXED AND THE TOPIC IS FREE

Week 13 gives everybody the **same three tasks** on forty different applications. That is only possible because they share an architecture.

WHERE THE POINTS ARE

36 — SPEC + ARCHITECTURE

Automatic. Three pages, CRUD, search/filter/sort, the API — and state / render conformance. **The biggest single block, and week 13 rests on it.**

22 — STATES + CODE QUALITY

The four states, persistence, defensive load, tsc, escaping.

10 — DESIGN AND UX

Hierarchy, rhythm, consistency, destructive actions. **Ten, not twenty-five.**

Accessibility and responsiveness are 10. The four AI documents and repo hygiene are 12. Beyond-spec is 8. **58 of the 100 points are measured by a machine on the rendered page** — so if you got there another way, you pass.

A FINISHED ONE, RUNNING

my own build – the same requirements you have

reload open

מדף התקליטים המדף סטטיסטיקה

המדף שלי

חפש אלבום בקטלוג, הוסף אותו למדף, ותן לו דירוג והערה. הכול נשמר בדפדפן שלך.

חיפוש בקטלוג

שם אלבום או אמן

לדוגמה: Radiohead

חפש

חפש אלבום כדי להתחיל

הקלד שם של אמן או של אלבום בשדה שלמעלה. הקטלוג מחזיר עד 24 תוצאות.

האלבומים שלי

המדף ריק

נקה את המדף

► **SEARCH, ADD, RATE, FILTER, DELETE – THEN PRESS UNDO** and say where the focus went. Then block the network and search again.

37

THREE LAYERS, AND ONE FILE THAT WIRES THEM

```
1 storage > state > render > screen
2           ^       |
3           +-events--+
4
5 // state   the only place anything is true
6 // render state in, HTML out. Changes none.
7
8 // events  a click becomes a state change.
9
10 // app    eleven lines, and no more.
```

THE RULE PEOPLE BREAK FIRST

Anything **derivable is derived**. A `filteredItems` field beside `items` works in every demo and goes stale the first time something forgets to recompute it.

WHAT IT BUYS YOU

“Make the filter also match the note field” becomes a change to **one pure function** — which is what week 13 asks for.

CHOOSING A TOPIC, IN FOUR QUESTIONS

- 1 Is there a collection the user manages?**
add, edit, delete, search, filter. A game with no collection does not fit.
- 2 Is the entity one thing?**
if you need three tables, pick one of them.
- 3 Is there a keyless public API?**
verify it in a browser. Not in `curl`, and not because Claude said so.
- 4 Is there a third page that is entirely derived?**
a summary, a breakdown. Not “About”.

Twenty-two vetted topics in `project-topics-he.md`, each with its entity fields, a verified API and the one risk that actually sinks it. Your own topic is welcome — **approved today, not next week.**

SEVEN WEEKS, AND HOW TO KNOW YOU ARE BEHIND

the end of each week, in your repository

WEEK	COMMITTED BY THE END OF IT	YOU ARE BEHIND IF...
6	topic locked · PROJECT_PLAN.md	no topic, or a plan with no field names
7	three pages in HTML + Tailwind	one page, or no nav
8	the UI responds · delegation	buttons do nothing
9	state + render	the list is still written in HTML
10	CRUD + localStorage	data vanishes on reload
11	the API + all four states	a spinner and nothing else
12	TypeScript · keyboard · AA · the four documents	submission

THE LOOP, AND IT STARTS WITH A DOCUMENT

- 1 Talk**
describe the topic. Ask for no code.
- 2 Plan**
it fills `PROJECT_PLAN.md`.
- 3 Review**
you fix what it guessed.
- 4 Commit**
and the plan is now the contract.

Reviewing a paragraph in Hebrew takes a minute. Reviewing eighty lines of code takes half an hour — **and nobody pays for that half hour**, which is why unreviewed code ships. The document is where the review is cheap.



LIVE, NOW, ON A REAL TOPIC

- 1 Paste the whole template**
including the guidance comments. They are instructions to it as much as to you.
- 2 Describe the topic in four lines**
and ask it to mark everywhere it guessed on your behalf.
- 3 Read section 3 first**
the entity fields. This is where a wrong answer costs two weeks.
- 4 Then section 6**
the four states, in the words that will appear on screen.
- 5 Fix, save, commit, push**
and that is part (c) of today's assignment.

► **TAKE A TOPIC FROM THE ROOM.** Do it live, with your mistakes in it. Do not rehearse this one.

IT WILL BE WRONG IN THREE PREDICTABLE WAYS

AN ENTITY TOO BIG

It will happily give you three entities and call it one. Section 3 of the template is where you catch it.

A MISSING STATE

It will write empty, loading and success, and forget that **“not yet searched”** and **“found nothing”** are two different empties.

AN API THAT NEEDS A KEY

It will invent an endpoint that sounds exactly right. **The only evidence is JSON you saw in your own browser.**

This is not a disclaimer. Catching it is a graded competence —

`PROMPTS.md` and `AI_USAGE.md` are twelve points, and the entry that says “the answer was perfect” is worth less than the one that says what it got wrong.

NO SUBSCRIPTION? THE SAME LOOP.

WITH CLAUDE CODE

The spec is in the editor, the terminal writes the files, the diff shows up in Source Control.

IN THE BROWSER, FREE

Paste the spec into the chat, copy the files back into the editor yourself, and review **exactly the same diff.**

THE GRADED PART IS IDENTICAL

The review step is where the points are, and it does not care how the text got there. **Nobody is blocked by not owning a subscription.**

THREE QUESTIONS BEFORE YOU GO

A page passes the validator, the console is clean, and it renders at all three widths. What

1 have you learned about it?

That it is well-formed. Nothing about whether anyone can use it.

A region shows data. How many states does it need, and which one is usually missing?

2

Four. Usually both empties collapsed into one, or no error state at all.

When is `role="button"` the right answer?

3 Almost never. It changes the announcement and not the behaviour — no Enter, no Space, no tab stop.

CLASS ASSIGNMENT 6

1 Audit

the page from act 1, against the forty-five-row checklist. Findings in Hebrew, with a severity on each.

2 Redesign

one section of it, rebuilt in Tailwind. The bad page stays bad — you do not fix it.

3 Plan

your own `PROJECT_PLAN.md`, generated with Claude, reviewed by you, committed and pushed.

NO JAVASCRIPT THIS WEEK

The redesign is markup and utilities. Focus management and validation timing are things you can now **recognise and audit**; building them is weeks 7 and 8.

THE AUDIT AND THE PLAN ARE WEIGHTED THE SAME

Thirty-five points each. Finding sixteen faults and writing no plan scores the same as the reverse.

► **BEFORE NEXT WEEK:** nothing to install. Read `project-brief-he.md` once, end to end, and bring one question about it.

Lock your topic **today**.

Twenty-two in the pool, or your own. Four questions to pass. Ten minutes with me after the lecture if you are unsure.