

Subject Index

A

AAIW. *See* Antarctic intermediate water

Absorption

band, 59

line, 59

rate, 64–65

selective, 54

Acceleration, of gravity, 173

Adiabatic lapse rate, 15

Aerodynamic drag formula, 113

Aerodynamic formulas, 117, 143

Aerodynamic transfer coefficients, 117

Aerosols, 49, 107, 366

anthropogenic emissions of, 368

atmospheric, 366

biogenic, 370

black carbon, 368

gas-to-particle conversion, 369

Junge layer, 372

liquid suspension, 366

non-cloud, 366

precursors, 369

primary, 368

sea-salt, 370

secondary, 370

water, 366

Africa, wet season in, 190

Agricultural potential, 20

Air humidity, 120

Air, molecular diffusivity of, 141

Air-pollution, 2

Air–water interface, 131

Albedos, 294

for dry and moist soil surfaces, 106

of Earth, 294

feedback effect, 305

of ice and snow, 304

seasonal variation of, 304

surface temperature, dependence of, 295

Amazon Basin, 187, 404

Amazon rain forest, 404

Amazon river, 187

AMO. *See* Atlantic Multidecadal Oscillation

AMOC. *See* Atlantic Meridional

Overturning Circulation

Andes mountains, 187

Angular momentum, 176

Annual mean temperature, 307

profiles, 5

Antarctica, 419

Antarctic ice sheets, 420

Antarctic intermediate water (AAIW), 222

Anthropogenic aerosols and climate, 403

cloud abundance, 403

cloud condensation nuclei (CCN), 403

radiative properties, 403

Anticyclones, 168

AOGCM. *See* Atmosphere-ocean general
circulation model (AOGCM)

Aquifer, 131

Arctic Ocean, 197

halocline, 197

Arctic ocean, 136

Arctic sea ice, 410, 419

Arid lands, surface environment of, 190

Atlantic Meridional Overturning

Circulation (AMOC), 286

Atlantic Multidecadal Oscillation (AMO), 255

structure of, 257

Atlantic ocean, 136

Atmosphere, 95, 195

angular-momentum balance, 176

carbon dioxide content of, 290

chemical characteristics of, 195

as communicator, 159

energy balance of, 160

energy fluxes for fluid motions, 96

horizontal flux of energy, 160

large-scale circulation patterns and
climate, 180

desert climates, 184

monsoonal climates, 183

tropical wet and dry climates, 189

wet climates, 187

meridional transport of energy, 161

eddy circulations and meridional
transport, 168

vertically averaged meridional energy
flux, 171

water flux in, 170

Atmosphere (*cont.*)

- wind components on spherical earth, 162
- zonal mean circulation, 163
- meridional water flux in, 170
- space and time scales phenomena, 162
- Atmosphere–ocean climate
 - model, 415
- Atmosphere–ocean general circulation
 - model (AOGCM), 325
- Atmospheric boundary layer, 107
 - neutral, 111
 - sensible/latent heat fluxes, 115
 - equilibrium bowen ratio for, 117
 - stratified, 113
- Atmospheric column, net radiative heating
 - of, 160
- Atmospheric composition, 6–9
 - carbon dioxide, 6
 - dry atmospheric air, 6
 - molecular nitrogen, 6
 - ozone, 6
 - water vapor, 6
- Atmospheric energy, 171
 - amounts of, 173
 - balance, 160
 - latent heating, 160
 - radiative heating, 160
 - sensible heating, 160
 - internal, 171
 - kinetic, 171
 - potential, 171
- Atmospheric gases, emission by, 54–55
- Atmospheric humidity, 11–13
 - exponential increase of saturation
 - pressure, 13
 - partial pressure of water vapor, 12
 - specific humidity at saturation, 12
 - temperature dependence of saturation
 - pressure, 12
- Atmospheric molecules, 59
 - Doppler broadening, 61
 - hypothetical line spectrum, 60
 - natural broadening, 60
 - pressure broadening, 60, 61
 - visible radiation, 62
 - wavelengths of vibrational modes, 59
- Atmospheric motions, 160
- Atmospheric temperature, 3
 - main zones of, 4
 - thermodynamics, 13
 - first law of, 14
- Average temperature, 1

B

- Biogeochemical feedbacks, 318
- CO₂, concentration of, 318
- glacial maximum, 318
- global cooling, 318
- growth rate, 320
- homeostasis, 319
- parabolic function, 320
- planetary albedo, 320
- steady-state solutions, 320
- surface waters, 318
- Bioturbation, 270
- Blackbody emission
 - Planck's law, 53–54
 - spectra, 51
- Boundary conditions, 234
 - aerosol emissions, 234
 - solar variability, 234
 - volcanic eruption, 234
- Boundary layer, 111
 - logarithmic velocity profile, 112
 - molecular diffusion, 115
 - turbulent fluid motions in, 115
- Boundary-layer clouds, 110
- Boundary-layer physics, 110
- Bowen ratio, 118, 143
- Bucket model, 147, 156
- Buoyancy, 15

C

- Carbon cycle, 21, 276
- Carbon dioxide (CO₂), 21, 140, 195, 398
 - fossil carbon source, 401
 - global carbon cycle, schematic of, 400
 - human activities, 399
 - organic solids, 195
 - preindustrial atmosphere, 401
 - turnover time, 401
- Carbonyl sulfide (COS), 372
- Cartesian coordinate system, 162, 163
- Cavity radiation, 30
 - blackbody radiation, 30
 - Stefan–Boltzmann law, 30
 - thermodynamic equilibrium, 30
- CCN. *See* Cloud condensation nuclei (CCN)
- Cereal grains, 20
- CFCs. *See* chlorofluorocarbons
- Chlorofluorocarbons (CFCs), 224
- Chlorophyll, 102
- Clausius–Clapeyron rate, 146, 356
- Clausius–Clapeyron relation, 12, 297

- Climate, 1
 - factor, 2
 - fluctuations, 2
 - forcing, 294
 - humans effect, 404
 - atmosphere, radiative cooling of, 404
 - climate forcing, 404
 - cloud-adjusted effective radiative forcing (ERF), 404
 - global temperature, 404
 - stratosphere
 - cooling of, 404
 - radiative forcing (RF), 404
 - top-of-atmosphere (TOA) radiation, 404
 - well-mixed greenhouse gases (WMGHG), 405
 - importance of, 1
 - maritime areas, 127
- Climate changes, 293
 - forecasting of, 293
 - natural forcing of, 361
 - continental drift, 361
 - human-induced climate changes, 361
 - solar luminosity, 361
 - total solar irradiance (TSI) changes, 361
 - volcanic eruptions, 361
 - polar amplification of, 313
 - time-dependent, 412
 - anthropogenic forcing, 412
 - climate forcing, 412
 - CO₂ concentration, logarithm of, 413
 - human activities, 412
 - perturbation temperature, 413
- Climate intervention, 422
 - CO₂ emission pathway, 422
 - Earth, geoengineering climate of, 422
- Climate models, 99, 113, 293, 325
 - atmospheric component, 329
 - conservation equations, 330
 - convection and cloud parameterization, 332
 - planetary boundary-layer parameterization, 333
 - radiation parameterization, 331
 - coupled atmosphere–ocean processes, 356
 - feedback strength and sensitivity estimates, 342
 - cloud feedback, 347
 - hydrologic cycle feedback, 353
 - ice–albedo feedback, 351
 - model energetic feedbacks, summary of, 352
 - Planck and water-vapor feedback, 344
 - water-vapor feedback, 343
 - historical development, 326
 - computer models, 326
 - numerical weather prediction, 326
 - oceanic model, 327
 - land component, 334
 - mathematical modeling, 325
 - atmosphere–ocean general circulation model (AOGCM), 325
 - earth system model (ESM), 325
 - ocean component, 335
 - physical components, schematic diagram of, 329
 - sea ice models, 336
 - simulations, validation of, 340
 - thermohaline circulation, 356
- Climate science, 410
 - attribution, 410
 - detection, 410
- Climate sensitivity, 5, 293
 - feedback mechanism, 293
 - positive feedback, 293
- Climate system, 133, 234
 - boundary conditions, 234
- Climatological zonal averages, 164
 - value, 306
- Cloud albedo, 371
- Cloud condensation nuclei (CCN), 366, 403
 - oceanic, 371
- Cloud feedback, 317
 - cloud types, distribution of, 318
 - energy balance, 317
 - radiative energy flux, 317
- Cloudiness, 1
- Clouds, 74–77
 - annual average cloud fractional area coverage in, 91
 - dependence of cloud albedo and cloud absorption on, 76
 - dependence of longwave emissivity on, 77
 - dependence of planetary albedo on, 77
 - forcing for cloud types, 86
 - model calculations of cloud albedo, 76
 - model for net radiative effect of cloudiness, 87–89
 - properties used to compute, 84
 - and radiation, 74–77
 - real clouds, observations of, 89–92
 - role in energy balance of Earth, 83–87
 - variations of albedo, 76

- Condensation
 latent heat of, 160
 of water, 2
 Conservation equations, 330
 hydrostatic balance, 330
 parameterizations, 331
 primitive equations, 330
 sigma coordinate, 330
 sub-grid–scale phenomena, 331
 Conservation of energy, 13
 Convection, 235
 boundary layer, structure of, 108
 and cloud parameterization, 332
 convective motions, 332
 precipitation, intensity of, 332
 latent energy, release of, 242
 turbulence, 108
 Coriolis parameter, 212
 COS. *See* Carbonyl sulfide (COS)
 Cryosphere, 20, 131
 estimated global inventory, of land and sea ice, 21
 Cumulonimbus clouds, 138
 Cyclones, 168
 waves, 168
- D**
- Daisyworld model, 322
 Death valley, 4
 Decadal variations of weather, 254
 Deep thermohaline circulation, 221, 230
 Deforestation, 404
 Desert
 climates, 184
 Deserts
 diurnal variation in, 186
 Dewfall, 138
 Dimensional analysis, 113
 Dimethylsulfonium propionate (DMSP), 371
 antifreeze, 371
 antioxidant, 371
 bacterial energy source, 371
 herbivores deterrent, 371
 osmolyte, 371
 Dimethyl sulfide (DMS), 369
 Distribution of insolation, 36
 Diurnal cycle, 186
 Diurnal variations, 153
 DMS. *See* Dimethyl sulfide (DMS)
 DMSP. *See* Dimethylsulfonium propionate (DMSP)
 Doppler effect, 55
 Downward longwave fluxes, 126
 Downward longwave radiation, 120
 Drake passage, 2
 Dry air, specific heat of, 98
 Dry-gets-drier paradigm, 356
 Dry lands, global distribution of, 185
 Dynamical feedbacks, 311
- E**
- Earth, 2, 3, 25
 axis of rotation, 27
 energy balance of, 27
 cavity radiation, 30
 emissivity, 30
 energy flux, 29
 first law of thermodynamics, 27
 irradiance, 29
 solar constant, 29
 energy emission, 51
 local albedo of, 39
 ocean system, 97
 planetary albedo, 31
 polar regions, 2
 radiative emission of, 25
 rapid rotation of, 163
 surface of, 95
 climate, 2, 293
 water volumes of, 132
 Earth's climate, history of, 261
 Chinese literature, ancient, 261
 climate information, 261
 climatic variables, 261
 early earth, 272
 albedo effect of global ice cover, 276
 Atlantic Meridional Overturning Circulation (AMOC), 286
 bipolar seesaw, 286
 carbon cycle, 276
 carbonic acid, 276
 carbon pool, 276
 cenozoic glaciation, 274
 coal and oil deposits, 278
 continental plates, movement of the, 279
 continental positions and sea level during the Cretaceous period 94 Mya, 277
 Dansgaard–Oeschger (D–O) events, 285
 dimethyl sulfide (DMS) emissions, 282
 $\delta^{18}\text{O}$ from the NGRIP ice core from Greenland, 285

- Drake Passage, 279
- Dryas octopetella*, 284
- estimates of temperature, CO_2 , CH_4 ,
and dust from ice cores drilled at
dome c in Antarctica, 283
- formation of, 272
- geologic ages, major, 275
- glacial–interglacial swings, period of
the, 279
- greenhouse gases, 282
- gulf stream, 280
- Heinrich events, 286
- K–T boundary, 278
- lighter isotopes, sequestration of, 276
- little ice age, 289
- maps of ice sheets and elevation above
sea level, 281
- nature of Younger Dryas event and the
Bölling warm event, 287
- neoproterozoic glaciations, 275
- nitrogen oxides, 278
- north Atlantic deep water (NADW), 284
- outgassing, 272
- paleozoic glaciations, 276
- primordial atmosphere, 272
- quaternary period, 279
- snowball earth, 275
- snowball period, 276
- Tethys Ocean, 277
- thermohaline circulation, 286
- Younger Dryas, 284
- historical record, 265
 - agricultural data, 265
 - archeological evidence of cities, 265
 - Ephesus, city of, 265
 - historical climate information, 265
 - paleoclimatic evidence, 266
 - rock paintings, 266
 - Sahara desert, 266
- instrumental record, 262
 - celsius temperature scale, invention
of, 262
 - El Niño event, 262
 - global satellite measurements, 263
 - La Niña conditions, 265
 - Northern hemisphere, 262
 - ocean–atmosphere coupling, 265
 - Southern hemisphere, 262
 - standard deviation of annual mean
temperature, 264
 - surface air temperature, global mean, 262
 - temperature records, 262
 - thermometer, use of, 262
 - time series of annual mean temperature
anomalies, 263
- natural recording systems, 261
- paleoclimatic data, 261
- paleoclimatic record, 266
 - aerosol chemistry, 271
 - air bubbles in ice, 271
 - annual tree rings, 266
 - bioturbation, 270
 - heavy isotopes (^{18}O), rich mixture of,
270
 - lake sediments, 266
 - ocean oxygen isotope record from
ocean cores, 271
 - ocean sediment core, 270
 - oxygen isotopes, relative abundance
of, 270
- paleoclimatic data sources,
characteristics of, 267
- pollen spores, 266
- power spectra of the variance of the
oxygen isotope record, 272
- sea creatures, shells of, 270
- sea surface temperature (SST), 270
- stable isotopes, anomalies in, 271
- standard mean ocean water, 270
- weather information, 266
- Earth's land area, 21
- Earth system model (ESM), 325
- Eastern Boundary Currents, 214
 - annual mean SST and deviation of the
annual mean SST From Its zonal
average at each latitude, 215
- Eddy fluxes, 168, 178
- Effective heat capacity, 97
- Effective radiative forcing (ERF), 404
- Ekman Layer, the, 216
- Electromagnetic radiation, 50–51
 - blackbody emission spectra, 51
- Electronic excitation, 58
- El Niño, 240
 - nomenclature, 246
 - structure of, 255
- El Niño–southern oscillation phenomenon
(ENSO), 246
- Emission temperature of a planet, 30
- Emissivity, 30
- Empirical orthogonal functions (EOFs), 235
- Energy balance, 404
 - climate models, 309
 - at top of atmosphere, 40

Energy-budget computations, 96
 Energy exchange processes, 95
 Energy fluxes, 29, 95
 conduction, 95
 convection, 95
 solar luminosity, 29
 total solar irradiance (TSI), 29
 Energy–water balance, 152
 ENSO. *See* El Niño–southern oscillation phenomenon
 Entrainment zone, 108
 EOFs. *See* Empirical orthogonal functions
 Equatorial maximum, 134
 Equilibrium Bowen ratio, 118
 saturation specific humidity, 119
 Equilibrium climate, 407
 one-dimensional model, 408
 cloudiness, 408
 CO₂ concentration, 408
 moist adiabatic lapse rate, 408
 radiative–convective equilibrium temperature, 408
 relative humidity, 408
 stratospheric air, energy fluxes of, 409
 stratospheric energy balance, 408
 total solar irradiance (TSI), 408
 ERF. *See* Effective radiative forcing (ERF)
 ESM. *See* Earth system model (ESM)
 Evaporation, 140
 cooling, 121, 127
 heat loss, 127
 Evapotranspiration, 133, 140, 404
 measurement of, 141
 Extratropical cyclones, 161
 Extratropics, 170, 235

F
 Faculae, 362
 Feedback mechanism, 293
 negative feedback, 293
 Planck feedback, 294
 positive feedback, 293
 ice–albedo feedback, 294
 water-vapor feedback, 294
 Ferrel cells, 167
 Field capacity, 137
 Fixed relative humidity (FRH), 298
 Fluid motion, 95
 Flux absorption, formulation of, 62–64
 Fossil fuel, burning of, 97
 Free atmosphere, dynamical models, 313
 FRH. *See* Fixed relative humidity (FRH)

Friction velocity, 112
 Future climate, projections of, 415
 Clausius–Clapeyron rate, 416
 global average precipitation, 416
 Greenland ice sheet, 420
 human-induced warming, 419
 hydrologic cycle, 416
 mean surface temperature, 416
 representative concentration pathways (RCPs), 415

G

Gaseous chemical constituents, 107
 Geographic variation, 126
 Geoscientists, 293
 Geothermal energy release, 97
 Glacial maxima, 309
 Glaciologists, 420
 Gleissberg cycle, 363
 Global atmospheric circulation, 164
 Global climate, 21
 Global energy balance, 25
 distribution of insolation, 36
 annual mean, 38
 solstice and equinox insolation as functions of latitude, 38
 contour graph of the daily average insolation, 38
 hour angle, 37
 insolation-weighted daily average solar zenith angle as a function of latitude, 39
 maxima at equinoxes, 38
 minima at solstices, 38
 northern summer solstice, 37
 northern winter solstice, 37
 relationship of solar zenith angle to insolation on plane parallel to surface of plane, 36
 solar zenith angle, average, 36
 zenith angle, computation of, 39
 emission temperature of a planet, 30
 emission temperature of earth, example, 32
 energy flux, 30
 planetary albedo for earth, 31
 spherical planet, shadow area of, 31
 terrestrial emission flux, 31
 energy balance at the top of the atmosphere, 40
 global maps of
 net incoming radiation, 43
 outgoing longwave radiation, 42

- planetary albedo measured from satellites, 41
 - graphs of annual mean absorbed solar radiation, 44
 - net radiation, 40
 - outgoing longwave radiation (OLR), 40
 - radiation balance, 44
 - global radiative flux energy balance, 33
 - annual average radiative and nonradiative energy-flow diagram, 34
 - atmospheric heat budget, 35
 - compressible gas, 34
 - energy budgets, 35
 - longwave radiation, 34
 - radiative cooling of the atmosphere, 35
 - solar radiation, 34
 - greenhouse effect, 32
 - atmospheric energy balance, 33
 - energy fluxes for a planet, 32
 - solar radiation, 32
 - surface temperature, 33
 - terrestrial radiation, 32
 - poleward energy flux, 45
 - diagram of the energy balance for a vertical column of the climate system, 45
 - northward transport of energy for annual mean conditions, 46
 - oceanic energy flux, 46
 - total energy flux, 45
 - solar system, the, 25
 - inner and outer planets, characteristics of, 26
 - Jovian planets, 26
 - Milky Way, 25
 - planetary motion, 26
 - terrestrial planets, 26
 - warmth and energy
 - climate variable, 25
 - energy balance, 25
 - first law of thermodynamics, 25
 - Global mean temperatures, 145, 410
 - Global radiative flux energy balance, 33
 - Global warming
 - mitigation, 421
 - paradigms for, 145
 - simulations, 240
 - Global warming potential (GWP), 406
 - greenhouse gas forcing, 406
 - HCFC-22, 406
 - longwave radiation, emission of, 406
 - Greenhouse effect, 32, 133, 186, 398
 - atmospheric, 397
 - climate change, 397
 - human-induced changes, 397
 - Greenhouse gases, 195, 397
 - carbon dioxide (CO₂), 398
 - characteristics of, 399
 - emissions of, 233
 - halocarbons, 398
 - methane (CH₄), 398
 - nitrous oxide (N₂O), 398
 - Greenland ice sheets, 420
 - Gulf stream, 280
 - GWP. *See* Global warming potential (GWP)
- ## H
- Hadley cell, 165
 - Halocarbons, 398
 - Halogens, 402
 - bromine, 402
 - chlorine, 402
 - iodine, 402
 - Heat, aerodynamic transfer coefficients for, 143
 - Heat flux, hyperdiffusive theory for, 313
 - Heinrich events, 286
 - Humid air, 184
 - Humidity, 1, 2
 - Hurricane Katrina, 135
 - Hydrologic balance, 133, 134
 - Hydrologic cycle, 95, 131, 132
 - feedback, 353
 - Hydrology, 404
 - Hydrostatic atmosphere, 171
 - Hydrostatic balance, 9–11
 - distribution of pressure with height, 10
 - gravity, 9
 - mass between two altitudes, 10
 - vertical distributions of air pressure and partial pressure, 11
- ## I
- Ice age climates, modeling of, 392
 - last glacial maximum, simulation of, 393
 - CO₂, reduction in, 393
 - coupled climate model, 393
 - mid-holocene, simulation of, 393
 - intertropical convergence zone (ITCZ), 393
 - paleoclimatic data, 392
 - Ice ages
 - orbital parameters, influence, 380
 - aphelion, 380

- Ice ages (*cont.*)
 perihelion, 380
 semimajor axis, 380
orbital parameter theory of, 270, 377
 Agassiz, Louis, 377
 Croll, James, 377
 eccentricity variations, 377
 European alps, ice sheets, 377
 geologic dating techniques, 377
 glacial age, 377
 glaciation, 377
 historical projectives, 377
 Milankovitch, Milutin, 378
 Milankovitch theory, testing of, 388
 deep-ocean circulation, 390
 geochemistry, 391
 glacial and ice sheet dynamics, 390
 isostatic adjustment, 390
 oceanic heat fluxes, 377
Ice–Albedo feedback, 304
 ice cover surface, 304
 physical effects, 304
 solar zenith angle, 304
 surface albedo, 304
 vegetation cover, 304
Ice-free absorptivity, 310
Ice sheets, 131
 equatorward margins of, 280
 North American Laurentide, 286
Indian ocean, 136, 207
 sector, 240
 wave train, scale of the, 240
 surface currents in, 207
Infiltration, 137
Infrared emission, 235
Infrared radiative transfer, 96
 equation, 66
Insolation, 95, 182
 diurnal variation of, 120
Instrumental record, 262
Interannual variability, 234
 anthropogenic causes, 234
 decadal variations of climate, 254
 Atlantic Multidecadal Oscillation
 (AMO), 255
 atmospheric bridge, 254
 climate models, 254
 El Niño, structure of, 255
 instrumental climate records, 254
 Pacific Decadal Oscillation (PDO), 255
 regression of the 500 hPa height
 anomalies from the twentieth
 century reanalysis, 257
 drought, 233
 global satellite data, 233
 greenhouse gas, emissions of, 233
 internal atmospheric variability, 235
 convection, 235
 infrared emission, 235
 ocean currents, 235
 solar heating of the surface, 235
 La Niña, 246
 ocean–atmosphere interactions, 234
 rainfall intensity, statistics of, 233
 southern oscillation, 246
 atmospheric vertical velocity and
 oceanic potential temperature
 along the equator, 247
 Bjerknes feedback, 246
 El Niño–southern oscillation
 phenomenon (ENSO), 246
 longwave radiation (OLR)
 anomalies, 249
 monthly SST anomalies averaged over
 5°S–5°N, 250
 power spectrum of the Niño-3
 index, 251
 regression of monthly 500 hPa height
 anomalies with the Niño-3 Index
 of SST for November to March, 253
 regression of monthly OLR anomalies
 with the Niño-3 index of SST for
 the November to March, 252
 sea surface temperatures (SST), 246
 thermocline, 247
 twentieth century Reanalysis
 product, 251
 storm intensity, statistics of, 233
 unforced variability, 234
 weather forecasts, 233
 quality of, 234
 weather information, 233
 weather statistics, predictions of, 233
Internal atmospheric variability, 235
 extratropics, 235
 baroclinic instability, 235
 climatological height field, 236
 correlation maps for the variability of
 the 500 hPa height for the northern
 hemisphere during its winter
 season, 239
 eddy interactions, 242
 El Niño events, 240
 empirical orthogonal functions
 (EOFs), 235
 global warming simulations, 240

- high frequency eddies, 240
- Indian ocean sector, 240
- jet streams, 236
- linear wave theory, 240
- Lorenz, 235
- mathematical technique, 235
- North Atlantic Oscillation (NAO), 240
- northern hemisphere, 239
- north–south dipole, 240
- ozone depletion, 242
- Rossby wave train, 240
- Southern Annular Mode (SAM), 240
- southern hemisphere, 240
 - during winter, 238
 - in winter half year of April through September, 241
- standard deviation of 500 hpa height
 - different time scales during the northern hemisphere winter, 237
- storm tracks, 236
- temporal variability, 236
- wave trains, high frequency, 241
- westerly winds, 235
- zonal mean wind, 240
- zonal winds, 240
- tropics, 242
 - Asian summer monsoon, 242
 - boundary layer, 242
 - convection, 242
 - EOFs for daily zonal mean wind
 - variations in the Southern hemisphere, 243
 - longitude–time plots of band-pass filtered tropical OLR anomalies for 1996–1997 and 2009–2010, 244
 - Madden–Julian oscillation (MJO), 242
 - wind vector and OLR regressions
 - associated with the first and second EOFs, 245
- Internal energy, 14
- Intertropical convergence zone (ITCZ), 90, 134, 138, 170, 393
- Intraseasonal variability, 234
- Irradiance, 29
- Irreversible transition, 309
- Isotropic scattering, 375
- ITCZ. *See* Intertropical convergence zone (ITCZ)
- K**
- Kinetic energy, 55
- Kirchhoff's law, 67
- Kuroshio, 208
- Kuroshio currents, 214
- L**
- LAI. *See* Leaf area index (LAI)
- Lambert–Bouguer–Beer law, 62–64
- Land, 95
 - cover, 152
 - diurnal cycle for, 97
 - sea pressure distribution, 182
 - topography, 21
- Landscape, urbanization of, 404
- Land surface, 20
 - color contour plot, topography of earth, 22
 - fraction of surface area covered by land, as a function of latitude, 22
 - models, 156
- Lapse rate, 13
- Lapse-rate feedback, 302, 353
 - emission temperature, 303
 - relative humidity, 303
 - saturation vapor pressure, 303
- Last glacial maximum 21 kBP (LGM), 392
- Latent heat
 - exchange, 160
 - flux, 96, 110, 116
 - of fusion, 96
 - release, 181
 - of vaporization, 173
- Latent surface energy flux, 143
- Leaf area index (LAI), 141
- Legendre polynomial, 306
- LGM. *See* Last glacial maximum 21 kBP (LGM)
- Linear relaxation coefficient, 307
- Liquid water, clouds of, 133
- Local surface energy budget
 - albedo, 95
 - insolation, 95
 - vegetative cover, 95
 - wetness, 95
- Longwave and evaporation feedbacks, 313
 - continuum absorption, 314
 - energy and water exchanges, 313
 - longwave heating, 313
 - surface energy balance, 313
 - tropical temperatures, 314
 - water-vapor window, 314
- Longwave flux densities at surface, 101
- Longwave radiation
 - cooling coefficient, 310
 - downward, 105
- Lysimeter, 141

M

- Madden-Julian oscillation (MJO), 242
 - Mars
 - frozen carbon dioxide, 273
 - greenhouse effect on, 273
 - Mass flux, 165
 - Mass stream function, 165
 - Maunder Minimum period, 365
 - Mean meridional circulation (MMC), 165, 166
 - Mechanical turbulence, 108
 - Meridional energy transport, 306, 311
 - baroclinic eddies, 313
 - baroclinic instability, 311
 - cartesian coordinate system, 311
 - climate, sensitivity of, 311
 - dry static energy, 312
 - eddy heat fluxes, 311
 - efficiency of, 311
 - oceanic heat flux, 313
 - transient eddies, 312
 - Meridional gradients, 160
 - albedo variations, 160
 - insolation, 160
 - Mesosphere, 4
 - Methane (CH_4), 398
 - anaerobic environments, 401
 - coal mining, 401
 - oil and gas drilling, 401
 - oxidation, 401
 - Mid-ocean eddies, 230
 - barotropic instabilities, 230
 - wind stress, changed, 230
 - Mixed layer, 200
 - MJO. *See* Madden-Julian oscillation
 - MMC. *See* Mean meridional circulation (MMC)
 - Moist and dry adiabatic temperature profiles, 17
 - Moist processes
 - and equivalent potential temperature, 15
 - Moist static energy, 16
 - Monsoons, 183
 - Montreal Protocol, 402
- N**
- NADW. *See* North Atlantic Deep Water
 - NAO. *See* North Atlantic Oscillation
 - Natural surfaces
 - roughness height for, 112
 - surface reflectivity as function of wavelength for, 105
 - Nautical terminology, 164

- Neutral stratification, 112
- Nitrous oxide (N_2O), 398
 - anthropogenic sources, 402
 - photolysis, 402
 - stratosphere, 402
- North Atlantic, 356
- North Atlantic Deep Water (NADW), 222, 284
 - nutrient content of, 284
- North Atlantic Oscillation (NAO), 240
- Northern Hemisphere, 169, 170, 239, 262

O

- Ocean, 95, 195
 - baroclinic Rossby Radius of Deformation, 213
 - biological productivity of, 282
 - carbon dioxide, concentration of, 195
 - cauldron of climate, 195
 - chemical processes in, 133
 - chemistry, 391
 - deep thermohaline circulation, 221
 - Antarctic circumpolar current, 225
 - Antarctic intermediate water (AAIW), 222
 - brine, formation of, 224
 - carbon-14, 224
 - carbon cycle, 227
 - chlorofluorocarbons (CFCs), 224
 - circumpolar current, 224
 - constant potential density (isopycnals), 225
 - downwelling, evidence of, 222
 - glacial-interglacial cycles, 227
 - Gulf stream, 224
 - meridional cross-sections for the zonally averaged global ocean, 226
 - North Atlantic Deep Water (NADW), 222
 - oxygen depletion, rate of, 222
 - oxygen saturation percentage for the Atlantic and Pacific Oceans, 223
 - photosynthesis, 221
 - polynyas, 224
 - radiocarbon, decay of, 224
 - strong density stratification, 222
 - sub-Antarctic mode water (SAMW), 222
- downwelling in, 200
- energy storing material, 97
- equator-to-pole energy transport, 195
- food chain, 423
- heat capacity of, 202, 263

- intense stirring of, 205
 - mechanisms of transport, 229
 - deep thermohaline circulation, the, 230
 - meridional transport of energy, 229
 - mid-ocean eddies, 230
 - wind-driven currents, 229
 - mixed layer, 198, 200
 - buoyancy forces, 201
 - buoyancy generation, rate of, 201
 - chlorophyll, 200
 - convection, 200
 - depth of, 201
 - Drake passage, 202
 - global biosphere – ocean chlorophyll
 - concentration and land vegetation index, 200
 - global distribution of mixed layer
 - depth, temperature and salinity for January and July, 203
 - heating rate, 200
 - kinetic energy, 201
 - Lambert–Bouguer–Beer law, 200
 - mixed-layer processes, important, 201
 - molecular diffusion, 200
 - plankton, 200
 - plots of potential temperature, salinity and potential density as functions of depth, 205
 - seasonal variations in, 205
 - solar heating, 200
 - solar radiation, 200
 - thermal capacity of, 202
 - turbulent mixing, 200
 - upward flux of energy, 200
 - westward vapor transport, 202
 - organic solids, 195
 - physical properties of, 195
 - seawater, properties of, 196
 - biological productivity, local, 196
 - density of, 199
 - oceanic currents, 196
 - permanent thermocline, 198
 - potential density, 196, 199
 - potential temperature, salinity and
 - potential density as functions of pressure, 198
 - salinity of, 196
 - seawater density anomaly, 197
 - strong density stratification, 199
 - surface ice, formation of, 196
 - temperature ranges, 196
 - solar flux, 200
 - solar radiation, absorber of, 195
 - surface hydrologic balance of, 136
 - thermal capacity of, 98
 - transport of energy in ocean, 227
 - atmospheric energy transport, 228
 - atmospheric heat budgets, 228
 - heat transport, 227
 - turnover time of, 224
 - water balance of, 136
 - wind-driven circulation, 206
 - Eastern Boundary Currents, 214
 - Ekman theory, 206
 - gyres, 206
 - surface ocean current vectors and SST
 - in Indian ocean region, 210
 - for January and July, 208
 - theories for, 216
 - trade wind regions, 206
 - western boundary currents, 208
 - wind stress vectors and sea surface
 - temperature (SST) for January and July, 207
 - Oceanic boundary layers, 95
 - Oceanic heat flux divergence, 127
 - OLR. *See* Outgoing longwave radiation (OLR)
 - Outgassing, 272
 - Outgoing longwave radiation (OLR), 297
 - Oxidation, 97
 - Ozone (O₃), 403
 - environmental hazard, 403
 - greenhouse effect, 403
 - photochemistry of, 401
 - troposphere, 403
- P**
- Pacific Decadal Oscillation (PDO), 255
 - structure of, 256
 - Pacific Ocean, 136
 - Paleoclimate model intercomparison project (PMIP), 392
 - Paleoclimatic evidence, 190, 266
 - Paleoclimatic record, 266
 - PDO. *See* Pacific Decadal Oscillation
 - PE. *See* Potential evaporation (PE)
 - Penman's equation, 144
 - advantage of, 144
 - PET. *See* Potential evapotranspiration (PET)
 - Photodissociation, 57–58
 - Photoionization, 59
 - Photons, 49
 - Photosphere, 362
 - Photosynthesis, 97, 140
 - active radiation, 102

- Phytoplankton, 371
 - dimethyl sulfide (DMS) emissions, 282
- Planck feedback, 296
 - Stefan–Boltzmann law, 296
 - terrestrial energy emission, 296
 - thermal emission, 296
- Planck’s law, 53
- Planetary albedo contrast, 310
- Planetary motion, 26
 - diurnal cycle, 27
 - eccentricity, 27
 - longitude of perihelion, 27
 - obliquity, 27
 - planetary year, 26
 - solar irradiance, 27
- Planetary-scale waves, 161
- Plankton, 200
- Plant canopy model, 95, 141, 142, 156
- PMIP. *See* Paleoclimate model
 - intercomparison project (PMIP)
- Poleward energy flux, 45
- Potential density, 199
- Potential evaporation (PE), 145
- Potential evapotranspiration (PET), 147
- Potential temperature, 14
 - annual-mean ocean potential temperature profiles for, 18
- Precipitation, 1, 2, 123, 138, 184
 - global maps of, 139
 - heat transfer by, 97
 - peaks at equator, 134
 - in Southern Asia, 185
- Pressure, 1
- Pure water, 105

- R**
- Radiation, 2, 5, 49, 95
 - parameterization, 331
 - cloud microphysics, 331
 - heat budget, 331
 - radiation calculation, 331
 - radiative transfer models, 331
 - water budget, 331
 - solar, 2
- Radiative-convective equilibrium model, 298
 - temperature profiles, 78–83
 - aerosols, 79
 - carbon dioxide, 78
 - clouds, 79
 - greenhouse gases, 79
 - ozone, 79
 - surface albedo, 79
 - water, 78
- Radiative cooling, 160
- Radiative energy, description of, 51–53
- Radiative equilibrium, heuristic model of, 71–74
- Radiative feedback processes, 296
 - lapse-rate feedback, 302
 - Planck feedback, 296
 - water vapor feedback, 297
- Radiative flux of energy, 96
- Radiative forcing (RF), 404
- Radiative transfer equation solution
 - simple flux forms of, 68–71
- Radiocarbon, 401
- Rainstorms, 153
- Reverse of photosynthesis, 97
- RF. *See* Radiative forcing (RF)
- Richardson number, 113
 - stabilizing effect of, 114
- Rock paintings, 266
- Rossby waves, 364
- Rotational energy, 55
 - transitions, 55
- Runoff ratio, 137

- S**
- Sahara desert, 189, 266
 - rock paintings, 266
- Salinity of seawater, 18
 - major components of, 19
 - profiles of salinity during, 19
 - varies systematically with, 19
- SAM. *See* Southern Annular Mode
- SAMW. *See* Sub-Antarctic mode water
- Satellite
 - measurements of broadband energy flux, 90
- Satellite microwave, 418
- Saturation-mixing ratio, 118
- Schwarzschild’s equation, 66–68
- Seasonal shifts, 183
- Sea surface temperature (SST), 270, 314
- Seawater, properties of, 196
- Sensible heat flux, 96, 121
- Snow cover, 153
- Snowpacks, surface thermodynamics of, 137
- SO₂. *See* Sulfur dioxide (SO₂)
- Soils
 - components, properties of, 99
 - conduction, 99
 - hydraulic conductivities of, 155
 - moisture equation, 147, 153
 - porosity of, 99

- temperature at various depths, 100
 - thermal conductivity of, 99
 - vertical temperature gradient in, 99
 - water content, 138
 - water zone, 141
 - Solar constant, 29
 - Solar energy, 97
 - flux, 101
 - Solar flares, 364
 - Solar flux density, 101
 - Solar irradiance, 365
 - Solar luminosity, 320
 - carbon cycle models, 362
 - faint young sun problem, 362
 - hydrogen to helium, conversion of, 362
 - poloidal magnetic fields, 363
 - solar irradiance, 365
 - stellar theories, 362
 - sunspot activity, 363
 - toroidal magnetic fields, 363
 - variations, 362
 - Solar radiation, 49, 133
 - downward, 120
 - Solar system, 25
 - Solar zenith angle, 101, 310
 - Solstitial seasons, 165
 - Southern Annular Mode (SAM), 240
 - special feature of, 241
 - Southern Hemisphere, 37, 169, 240, 262
 - storm track, 180
 - summer of, 37
 - zonal winds, 240
 - Southern ocean, climate change, 227
 - Southern oscillation, 246
 - South Pacific convergence zone (SPCZ), 138, 187
 - SPCZ. *See* South Pacific convergence zone (SPCZ)
 - Specific humidity, 116
 - SST. *See* Sea surface temperature (SST)
 - Static energy, 173
 - Static stability, 15
 - Stationary planetary waves, 169
 - Stefan-Boltzmann law, 296
 - Stomata, 140
 - Stomatal-resistance models, 156
 - Storm tracks, 180
 - Stratiform cloud systems, 138
 - Stratocumulus clouds, 74, 110
 - Stratosphere, 4, 371, 401
 - optical properties of, 371
 - Stratospheric aerosols, 371
 - optical depths, 371
 - Sub-Antarctic mode water (SAMW), 222
 - Sublimation, 140, 153
 - Sulfur dioxide (SO₂), 372
 - Sulfuric acid, 373
 - Sun, 25
 - characteristics of the, 26
 - declination angle of, 37
 - emission temperature, 30
 - luminosity, 25
 - nuclear fusion, 25
 - photosphere of, 25
 - stellar evolution, theories of, 25
 - T-Tauri phase of, 273
 - Sunspots, 362
 - Supersaturation, 138
 - Surface albedo, 101, 102, 126
 - Surface-atmosphere system, 134
 - Surface condensation, 133
 - Surface conditions, 190, 191
 - Surface energy balance, 96, 143
 - diurnal variation of, 120
 - geographic variation of, 126
 - physical meaning of, 96
 - relationship of terms, 97
 - seasonal variation of, 123
 - Surface energy budget, 95, 96
 - Surface energy, diurnal cycle in, 121
 - Surface energy fluxes, annual cycle of, 125
 - Surface, energy storage in, 97
 - Surface fluxes, estimation methods, 116
 - bulk aerodynamic formulas, use of, 116
 - Surface glaciation, association of, 305
 - Surface, heat storage in, 97
 - soil, 98
 - Surface layer, 108
 - Surface materials, heat capacity of, 98
 - Surface radiation balance, 120
 - Surface, radiative heating of, 101
 - net longwave heating of, 105
 - solar radiation absorption, 101
 - Surfaces, thermal infrared emissivity for, 106
 - Surface temperature, 2
 - Surface vegetation, 190
 - Surface water storage and runoff, 137
 - Sverdrup flow, 219
- ## T
- Taylor series, 117
 - Temperature, 2, 3
 - annual mean temperature profiles, 5
 - atmospheric, 3–6

Temperature (*cont.*)

- distribution, 4
 - lapse rate, 4
 - rate of decline, 4
 - season variation profiles at
 - 80°N, 6
 - global map, surface temperature, 8
 - inversion, 5
 - in the ocean, 18
 - sudden stratospheric warming, 5
 - of surface, seasonal variations, 6
- Terrestrial flux, 307
- Terrestrial radiation, 373
- Terrestrial water balance, annual variation of, 147, 148
- Tethys Ocean, 277
- Thermal conductivity, 99
- Thermal infrared, 51
 - radiation, 49, 397
- Thermocline, 18
- Thermodynamics, first law of, 27
 - cumulonimbus cloud over Africa, 28
 - heat transportation, ways for, 28
 - conduction, 28
 - convection, 28
 - radiation, 28
 - internal energy, change in, 27
- Thermosphere, 4
- Thunderstorms, 134
- Tibetan plateau, 183
- TIM. *See* Total irradiance monitor (TIM)
- instrument
- TOA. *See* Top-of-atmosphere (TOA)
- Top-of-atmosphere (TOA), 404
- Total irradiance monitor (TIM)
- instrument, 364
- Total solar irradiance (TSI), 29, 294
- Transient eddy fluxes, 168
- Transition zone, 108
- Translational energy, 55
- Transpiration, 137
- Transport of energy in the ocean, 227
- Tropical cyclones, 134
- Tropical sea surface (TSS), 316
- Tropical tropopause, 5
- Tropics, 242
- Troposphere, 4
 - lapse rate, 4
- TSI. *See* Total solar irradiance (TSI)
- TSS. *See* Tropical sea surface (TSS)
- Turbulent vertical velocities, 116

U

- Underground water system, 137
- United Nations Framework Convention on Climate Change, 421

V

- Vaporization, latent heat of, 297
- Vapor phase, specific volume of, 297
- Vegetated surfaces, albedo of, 103
- Venus
 - runaway greenhouse effect, 273
 - surface temperature of, 273
- Vertical heat flux, eddy contribution to, 116
- Vertical stability, 13
- Vibrational energy, 55–57
- Volcanic eruptions, 371
 - climate anomalies, 376
 - climate, effect on, 376
 - Europe, 376
 - Indonesia, 376
 - North America, 376
 - Philippine Islands, 371
- von Karman constant, 112

W

- Warmth and energy, 25
- Water
 - actual residence time of, 131
 - balance, 133
 - atmospheric, 133
 - cycles, types of, 151
 - land surface modeling, 152
 - bucket model of land hydrology, 152
 - elaborate models for, 154
 - condensation, 2
 - evaporation of, 131
 - movement of, 131
 - surfaces, 123
 - vapor, 133
 - mass-mixing ratio of, 173
 - saturation mixing ratio of, 143
- Water on Earth, 17
- Water vapor feedback, 297
- Clausius–Clapeyron relationship, 297
- fixed relative humidity (FRH), 298
- radiative–convective equilibrium model, 298
- vaporization, latent heat of, 297
- vapor phase, specific volume of, 297
- Weather systems, 134
- Well-mixed greenhouse gases (WMGHG), 405

- Westerly winds, 235
 - Western boundary currents, 208, 219
 - Agulhas Current, 208
 - Brazil Current, 208
 - cold Labrador Current, 213
 - daily sea surface temperature in the
 - western Atlantic for 3 days in February 2012, 213
 - eastward geostrophic ocean current and potential temperature isolines for January and August, 212
 - eddy structures, 213
 - Gulf stream, 208
 - seasonal signature, 210
 - SST in the northwestern atlantic showing meanders and rings in the gulf stream, 213
 - surface currents and SST in the western Atlantic Ocean region, 211
 - thermocline, 212
 - Wet climates, 187
 - Wet surface, evaporation from, 143
 - Wind, 1
 - direction, 2
 - energy, 2
 - Wind-driven circulations, theories for, 206, 216
 - Ekman Layer, the, 216
 - boundary condition, 216
 - Coriolis parameter, 218
 - Ekman depth, 217
 - momentum diffusion coefficient, 216
 - schematic of the Ekman Layer solution, 217
 - equatorward-flowing water, 229
 - Gulf stream, 229
 - meridional energy transport, 229
 - poleward-flowing boundary currents, 229
 - sverdrup flow, 219, 229
 - meridional transport, 220
 - planetary vorticity, 219
 - velocity vector, 219
 - vorticity, 219
 - western boundary currents, 219
 - Wind-driven currents, 229
 - Wind profile, diurnal changes in, 114
 - Wind, roughness height of, 112
 - Wind speeds, diurnal variations in, 110
 - Wind velocity, 115
 - WMGHG. *See* Well-mixed greenhouse gases (WMGHG)
 - Wolf sunspot number index, 363
 - World ocean, 17
- Z**
- Zonal angular momentum, 178
 - Zonal mean, 164
 - climate, 168
 - temperature, variation of, 5
 - wind, 164
 - Zonal velocity, 176