Rajalakshmi Engineering College

Name: Grisha P
Email: 241901030@rajalakshmi.edu.in
Roll no: 241901030
Phone: 9150371403
Branch: REC
Department: l CSE (CS) FA
Batch: 2028
Degree: B.E - CSE (CS)

NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 3_COD_Question 5

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1.   Problem Statement

Milton is a diligent clerk at a school who has been assigned the task of managing class schedules. The school has various sections, and Milton needs to keep track of the class schedules for each section using a stack-based system.

He uses a program that allows him to push, pop, and display class schedules for each section. Milton's program uses a stack data structure, and each class schedule is represented as a character. Help him write a program using a linked list.

Input Format

The input consists of integers corresponding to the operation that needs to be performed:

Choice 1: Push the character onto the stack. If the choice is 1, the following input is a space-separated character, representing the class schedule to be pushed onto the stack.

Choice 2: Pop class schedule from the stack

Choice 3: Display the class schedules in the stack.

Choice 4: Exit the program.

Output Format

The output displays messages according to the choice and the status of the stack:

- If the choice is 1, push the given class schedule to the stack and display the following: "Adding Section: [class schedule]"
- If the choice is 2, pop the class schedule from the stack and display the following: "Removing Section: [class schedule]"
- If the choice is 2, and if the stack is empty without any class schedules, print "Stack is empty. Cannot pop."
- If the choice is 3, print the class schedules in the stack in the following: "Enrolled Sections: " followed by the class schedules separated by space.
- If the choice is 3, and there are no class schedules in the stack, print "Stack is empty"
- If the choice is 4, exit the program and display the following: "Exiting the program"
- If any other choice is entered, print "Invalid choice"

Refer to the sample output for the exact format.

Sample Test Case

Input: 1 d
1 h
3
2

3
4
Output: Adding Section: d
Adding Section: h
Enrolled Sections: h d
Removing Section: h
Enrolled Sections: d
Exiting program

Answer

```c
#include <stdio.h>
#include <stdlib.h>

struct Node {
    char data;
    struct Node* next;
};

struct Node* top = NULL;

void push(char value) {
    struct Node* nnode = (struct Node*)malloc(sizeof(struct Node));
    nnode->data = value;
    nnode->next = top;
    top = nnode;
    printf("Adding Section: %c\n", value);
}

void pop() {
    if (top == NULL) {
        printf("Stack is empty. Cannot pop.\n");
    } else {
        printf("Removing Section: %c\n", top->data);
        struct Node* temp = top;
        top = top->next;
        free(temp);
    }
}

void displayStack() {
    if (top == NULL) {
        printf("Stack is empty\n");
```

```c
        } else {
            printf("Enrolled Sections: ");
            struct Node* temp = top;
            while (temp != NULL) {
                printf("%c", temp->data);
                temp = temp->next;
            }
            printf("\n");
        }
    }

    int main() {
        int choice;
        char value;
        do {
            scanf("%d", &choice);
            switch (choice) {
                case 1:
                    scanf(" %c", &value);
                    push(value);
                    break;
                case 2:
                    pop();
                    break;
                case 3:
                    displayStack();
                    break;
                case 4:
                    printf("Exiting program\n");
                    break;
                default:
                    printf("Invalid choice\n");
            }
        } while (choice != 4);

        return 0;
    }
```

Status : Correct   *Marks : 10/10*