

## PRACTICE 1: Basic Sequential Programs (Classroom Exercises)

DURATION: 2 Hours

### THEORIC CONTENTS

- **Lesson 3.** Data Types.
- **Lesson 4.** Operators and Expressions.

### LEARNING OBJECTIVES

- **LO-02.1.** Identify the Variables that are required in algorithm design.
- **LO-02.2.** Identify the Constants that are required in algorithm design.
- **LO-03.1.** Choose correctly the data type of a variable according to the values that it could store in algorithm design.
- **LO-03.2.** Choose correctly the data type of a constant according to the values that it could store in algorithm design.
- **LO-05.1.** Implement variables in C language in function of the type and range of values that is needed in the design of a given algorithm.
- **LO-05.2.** Implement variables in C language in function of the type and range of values that is needed in the design of a given algorithm.
- **LO-06.1.** Implement basic input operations in C language to collect and show data through variables.
- **LO-06.2.** Implement basic output operations in C language to collect and show data through variables.
- **LO-07.1.** Implement basic input operations in C language to collect and show data through variables.
- **LO-07.2.** Implement basic output operations in C language to collect and show data through variables.
- **LO-10.1.** Define and Evaluate expressions, considering values, variables, constants and precedence rules and order of evaluation of each operator.
- **LO-11.1.** Implement in C Language expressions using arithmetic and assignment operators.

### GITHUB CLASSROOM ASSIGNMENT


<https://classroom.github.com/a/MXtKWHb2>

## PROPOSED EXERCISES

**Exercise 1.** Design and implement a C program that request to the user his Name (It has to be a single name), age (number of years) and weight (kilograms including decimals), and it shows all data on screen.

Examples of expected output:


Example 1:



```
C:\Users\J. Damian Segrelles\Desktop\amon\PROYECTES\DOCENCIA\201...
Please, entry your name: Damian
Please, entry your age: 43
Please, entry your weight in kilograms: 90.5

My name is Damian and I am 43 years old. My weight is 90.500000 kg.
-----
Process exited with return value 0
Press any key to continue . . .
```

Example 2:



```
C:\Users\J. Damian Segrelles\Desktop\amon\PROYECTES\DOCENCIA\...
Please, entry your name: Juan
Please, entry your age: 21
Please, entry your weight in kilograms: 70

My name is Juan and I am 21 years old. My weight is 70.000000 kg.
-----
Process exited with return value 0
Press any key to continue . . .
```


**Exercise 2.** Design and implement a C program that read this information:

- Your Name. It has to be a single name. (Ex. “Damian”).
- First Surname. It has to be a single first surname. (Ex. “Segrelles”).
- Second Surname. It has to be a single second surname. (Ex. “Quilis”).
- NIF. It has been composed by a number and one letter. (ex. “48285791M”).
- Birthdate. It has to be composed by three number which corresponds to the day, month and year respectively. (ex. “01 12 2009”).
- Sex (F/M). It has to be composed of only one character. (ex. ‘F’)

Finally, the program will show all introduced information on screen.

Examples of expected output:


Example 1:



```
C:\Users\dsegrelles\OneDrive - UPV\Escritorio\amon\PROYECTES\DOCENCIA\2019_GVA_Consolidables\Cas...
Please, introduce the next information:
Name: Damian
First surname: Segrelles
Second surname: Quilis
NIF: 48575962M
Birthday: 20 03 1976
Sex (F/M): M

My name is Damian Segrelles Quilis with NIF 48575962M. I was born on 20/3/1976 and my sex is M.
-----
Process exited after 26.06 seconds with return value 0
Presione una tecla para continuar . . .
```

Example 2:



```
C:\Users\dsegrelles\OneDrive - UPV\Escritorio\amon\PROYECTES\DOCENCIA\2019_GVA_Consolidables\...
Please, introduce the next information:
Name: Carmen
First surname: Orts
Second surname: Botet
NIF: 48756215N
Birthday: 26 10 1977
Sex (F/M): F


My name is Carmen Orts Botet with NIF 48756215N. I was born on 26/10/1977 and my sex is F.
-----
Process exited after 24.54 seconds with return value 0
Presione una tecla para continuar . . .
```

**Exercise 3.** Design and implement a C program that calculates the area and perimeter of a circle based on a radius given by the user.

**NOTE:** PI number should be considered as the fixed value 3.14159 and the radius have to be a real number.


Examples of expected output:

Example 1:



```
C:\Users\J. Damian Segrelles\Desktop\amon\PROJEC...  
Please, entry the radio: 3.7  
The area is 43.008369 and the perimeter is 23.247766  
-----  
Process exited with return value 0  
Press any key to continue . . .
```

Example 2:



```
C:\Users\J. Damian Segrelles\Desktop\amon\PROJE...  
Please, entry the radio: 1.20  
The area is 4.523890 and the perimeter is 7.539816  
-----  
Process exited with return value 0  
Press any key to continue . . .
```

**Exercise 4.** Design and implement a C program that solves the next problem definition:

A car parts company needs a program that computes and displays the selling price (Euros) of its products. In this sense, the program should apply the following formula:

$$\text{profit} = \text{cost\_price} * \frac{\text{profit\_margin}}{100.0}$$


$$\text{selling\_price} = \text{cost\_price} + \text{profit}$$

The cost price and the profit margin are specified by the user. The program should read such values from keyboard and then, it should compute the selling price. The result should be displayed on the screen.

**NOTE:** The cost price has to be composed by a number that corresponds to euros and cents, and the profit margin the percentage without decimal part.

Examples of expected output:

Example 1:




```
C:\Users\dsegrelles\OneDrive - UPV\Escritorio\amon\PR...
Please, Introduce the cost price in euros:126.38
Please, Introduce profit margin (%):15

The selling price is 145.336990 euros

-----
Process exited after 13 seconds with return value 39
Presione una tecla para continuar . . .
```

Example 2:



```
C:\Users\dsegrelles\OneDrive - UPV\Escritorio\amon\PROJECT...
Please, Introduce the cost price in euros:12.56
Please, Introduce profit margin (%):26

The selling price is 15.825601 euros

-----
Process exited after 10.43 seconds with return value 38
Presione una tecla para continuar . . .
```

**Exercise 5.** Design and implement a C program that solves the next problem definition:

In the ETSID, every year are brought agendas for its students. The provider sells boxes of different size or single agendas. The size of the boxes is the follow:

- Big box with 50 units.
- Medium box with 20 units.
- Small box with 5 units.
- Individual units.


When bigger is the box, this is cheaper.

The program has to request to the user the number of agendas that the ETSID wants to buy and compute number of boxes (big, medium, small) and individual agendas that supposes for the ETSID the minimum cost.

**NOTE:** The size of the boxes should be considered as a fixed value.


Examples of expected output:

Example 1:



```
C:\Users\J. Damian Segrelles\Desktop\amon\PROYECTES\DOCENCIA\2019_GVA...
Please, Introduce the number of agendas: 137
2 BIG BOXES -- 1 MEDIUM BOXES -- 3 SMALL BOXES -- 2 Individual agendas
-----
Process exited with return value 0
Press any key to continue . . .
```

Example 2:



```
C:\Users\J. Damian Segrelles\Desktop\amon\PROYECTES\DOCENCIA\2019_GVA_C...
Please, Introduce the number of agendas: 268
5 BIG BOXES -- 0 MEDIUM BOXES -- 3 SMALL BOXES -- 3 Individual agendas
-----
Process exited with return value 0
Press any key to continue . . .
```