

# ΑΡΧΕΣ ΓΛΩΣΣΩΝ ΠΡΟΓΡΑΜΜΑΤΙΣΜΟΥ ΚΑΙ ΜΕΤΑΦΡΑΣΤΩΝ

ΓΕΡΜΑΝΟΣ ΔΗΜΗΤΡΗΣ Γ ΕΤΟΣ up1084594@upnet.gr  
(1084594)

ΓΙΑΝΝΑΚΟΥΡΟΣ ΠΕΤΡΟΣ Γ ΕΤΟΣ up1084555@upnet.gr  
(1084555)

ΓΡΥΛΛΙΑΣ ΓΕΡΑΣΙΜΟΣ Γ ΕΤΟΣ up1084651@upnet.gr  
(1084651)

ΚΟΥΛΟΧΕΡΗ ΙΩΑΝΝΑ Γ ΕΤΟΣ up1084654@upnet.gr  
(1084654)

## ΕΡΩΤΗΜΑ 1 (60%)

a.

```
<root> ::= <LinearLayout> | <RelativeLayout>
```

```
<LinearLayout> ::= "<LinearLayout" <android:layout_width> <android:layout_height>  
    [<android:id>] [<android:orientation>  
    ">" (<TextView> | <ImageView> |  
<RelativeLayout> | <Button> | <RadioButton> | <RadioGroup> | <ProgressBar>)+  
    "</LinearLayout>"
```

```
<RelativeLayout> ::= "<RelativeLayout" <android:layout_width>  
<android:layout_height>
```

[<android:id>] ">" [<TextView> <ImageView> <RelativeLayout> <Button>  
<RadioButton> <RadioGroup> <ProgressBar>] "</RelativeLayout>"

<TextView> ::= "<TextView" <android:layout\_width> <android:layout\_height>  
<android:text> [<android:id>] [<android:textColor>] "/>"

<ImageView> ::= "<ImageView" <android:layout\_width> <android:layout\_height>  
<android:src> [<android:id>] [<android:padding>] "/>"

<Button> ::= "<Button" <android:layout\_width> <android:layout\_height>  
<android:text> [<android:id>] "/>"

<RadioGroup> ::= "<RadioGroup" <android:layout\_width> <android:layout\_height>  
[<android:id>] [<android:checkedButton>]  
(<RadioButton>)+ "</RadioGroup>"

<RadioButton> ::= "<RadioButton" <android:layout\_width> <android:layout\_height>  
[<android:id>] <android:text> "/>"

<ProgressBar> ::= "<ProgressBar" <android:layout\_width> <android:layout\_height>  
[<android:id>] [<android:max>]  
[<android:progress>] "/>"

<android:layout\_width> ::= "android:layout\_width=\"\" (<string>|<integer>) "\""

<android:layout\_height> ::= "android:layout\_height=\"\" (<string>|<integer>) "\""

<android:id> ::= "android:id=\"\" <string> "\""

`<android:orientation> ::= "android:orientation=\"" <string> "\"`

`<android:text> ::= "android:text=\"" <string> "\"`

`<android:textColor> ::= "android:textColor=\"" <string> "\"`

`<android:src> ::= "android:src=\"" <string> "\"`

`<android:padding> ::= "android:padding=\"" <integer> "\"`

`<android:checkedButton> ::= "android:checkedButton=\"" <string> "\"`

`<android:text> ::= "android:text=\"" <string> "\"`

`<android:max> ::= "android:max=\"" <integer> "\"`

`<android:progress> ::= "android:progress=\"" <integer> "\"`

`<digit> ::= 0|1|2|3|4|5|6|7|8|9`

`<integer> ::= <digit> | <digit> <integer>`

`<string> ::= (letter | <integer> | "_" | " ")`

## b. (LEXICAL ANALYSIS FLEX)

## ΔΟΜΗ FLEX:

%

**/\* 1ο ΜΕΡΟΣ: INCLUDE ΤΙΣ ΒΙΒΛΙΟΘΗΚΕΣ ΚΑΙ ΟΡΙΖΟΥΜΕ ΤΙΣ  
ΣΥΝΑΡΤΗΣΕΙΣ ΠΟΥ ΘΑ ΧΡΕΙΑΣΤΟΥΜΕ ΑΡΓΟΤΕΡΑ \*/**

{

#include "syntax.tab.h"

#include <string.h>

#include <stdio.h>

#include <stdlib.h>

int error\_counter=0;

void token\_print(int token\_id);

void yyerror(const char\* err);

%}

%option noyywrap

%option yylineno

%x SINGLE\_LINE\_COMMENT

%%

**/\* 2ο ΜΕΡΟΣ: ΟΡΙΖΟΥΜΕ ΤΑ ΑΠΑΡΑΙΤΗΤΑ TOKENS \*/**

"<LinearLayout" {return T\_LINEAR\_LAYOUT;}

"</LinearLayout>" {return T\_LINEAR\_LAYOUT\_END;}

"<RelativeLayout" {return T\_RELATIVE\_LAYOUT;}

"</RelativeLayout>" {return T\_RELATIVE\_LAYOUT\_END;}

```

"<TextView" {return T_TEXTVIEW;}
"</TextView>" {return T_TEXTVIEW_END;}
"<ImageView" {return T_IMAGEVIEW;}
"</ImageView>" {return T_IMAGEVIEW;}
"<Button" {return T_BUTTON;}
"</Button>" {return T_BUTTON_END;}
"<RadioButton" {return T_RADIOBUTTON;}
"</RadioButton>" {return T_RADIOBUTTON_END;}
"<RadioGroup" {return T_RADIOGROUP;}
"</RadioGroup>" {return T_RADIOGROUP_END;}
"<ProgressBar" {return T_PROGRESSBAR;}
"</ProgressBar>" {return T_PROGRESSBAR_END;}
"android:layout_width" {return T_AN_WIDTH;}
"android:layout_height" {return T_AN_HEIGHT;}
"android:orientation" {return T_AN_ORIENTATION;}
"android:id" {return T_AN_ID;}
"android:text" {return T_AN_TEXT;}
"android:src" {return T_AN_SRC;}
"android:padding" {return T_AN_PADDING;}
"android:max" {return T_AN_MAX;}
"android:progress" {return T_AN_PROGRESS;}
"android:checkedButton" {return T_AN_CHECKED_BUTTON;}
"android:textColor" {return T_AN_TEXT_COLOR;}
"android:rbutton" {return T_AN_RB;}

"<!--"      {BEGIN(SINGLE_LINE_COMMENT); }
<SINGLE_LINE_COMMENT>"-->" { BEGIN(INITIAL); printf("Comment ignored.\n"); }
<SINGLE_LINE_COMMENT>. { }

```

```

"=" {return T_EQUAL;}

"/>" {return T_END_SYMBOL;}

[a-zA-Z][a-zA-Z0-9_]+ {return T_STRING;}

[0-9]* {return T_NUMBER;}

-[0-9]* {return T_NEGATIVE;}

["] {return T_SYMBOL;}

">" {return T_BIG;}

\"match_parent\" { yylval.strval = strdup(yytext); yylval.strval[strlen(yylval.strval) ];
return T_MP; }

\"wrap_content\" { yylval.strval = strdup(yytext); yylval.strval[strlen(yylval.strval)];
return T_WC; }

[ \\t]+ { }

\\r\\n { }

. { }

%%

```

**/\* 3<sup>ο</sup> ΜΕΡΟΣ: ΟΡΙΖΟΥΜΕ ΤΗΝ ΥΠΕΡΡΟΗ ΠΟΥ ΕΙΝΑΙ ΥΠΕΥΘΥΝΗ ΓΙΑ ΤΑ ΣΦΑΛΜΑΤΑ \*/**

```

void yyerror(const char* err) {
    error_counter++;
    printf("[ERROR - LINE %d] %s\\n", yylineno , err);

    if(error_counter == 5 ) {
        printf("MAXIMUM ERROR FOUND\\n");
        exit(EXIT_FAILURE);
    }
}

```

## (SYNTAX ANALYSIS BISON)

```
%{
```

```
/* 1° ΜΕΡΟΣ: ΑΡΧΙΚΑ ΔΗΛΩΝΟΥΜΕ ΤΑ ΕΡΓΑΛΕΙΑ ΠΟΥ ΘΑ  
ΧΡΗΣΙΜΟΠΟΙΗΣΟΥΜΕ ΣΤΟΝ PARSER ΜΑΣ */
```

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
#include <string.h>
```

```
#include <stdbool.h>
```

```
extern FILE *yyin;
```

```
extern int yylex();
```

```
extern char *yytext;
```

```
extern void yyerror(const char* err);
```

```
extern void yyterminate();
```

```
extern int lineno,
```

```
        line_init;
```

```
#define MAX_IDS 100
```

```
extern char str_buf[256];
```

```
int tnum1;
```

```
int tnum2;
```

```
int flag=0;
```

```
char id[15];
```

```
char button[15]="";
```

```
int tmp1=0;
```

```
int tmp2=0;
```

```
%}
```

```
/*ΜΕΡΟΣ 2ο: ΔΗΛΩΝΟΥΜΕ ΤΑ TOKENS ΠΟΥ ΘΑ ΧΡΗΣΙΜΟΠΟΙΗΣΟΥΜΕ  
*/
```

```
%error-verbose
```

```
%union {
```

```
    char* strval; /* String value */
```

```
    int numval; /* Numeric value */
```

```
}
```

```
%token T_LINEAR_LAYOUT "linear_layout"
```

```
%token T_LINEAR_LAYOUT_END "linear_layout_end"
```

```
%token T_RELATIVE_LAYOUT "relative_layout"
```

```
%token T_RELATIVE_LAYOUT_END "relative_layout_end"
```

```
%token T_TEXTVIEW "textview"
```

```
%token T_TEXTVIEW_END "textview_end"
```

```
%token T_IMAGEVIEW "imageview"
```

```
%token T_IMAGEVIEW_END "imageview_end"
```

```
%token T_BUTTON "button"
```

```
%token T_BUTTON_END "button_end"
```

```
%token T_RADIOBUTTON "radiobutton"
```



%token T\_RADIOBUTTON\_END "radiobutton\_end"  
%token T\_RADIOGROUP "radiogroup"  
%token T\_RADIOGROUP\_END "radiogroup\_end"  
%token T\_PROGRESSBAR "progressbar"  
%token T\_PROGRESSBAR\_END "progressbar\_end"  
%token T\_AN\_WIDTH "an\_width"  
%token T\_AN\_HEIGHT "an\_height"  
%token T\_AN\_ORIENTATION "an\_orientation"  
%token T\_AN\_ID "an\_id"  
%token T\_AN\_TEXT "an\_text"  
%token T\_AN\_SRC "an\_src"  
%token T\_AN\_PADDING "an\_padding"  
%token T\_AN\_CHECKED\_BUTTON "an\_checked\_button"  
%token T\_AN\_TEXT\_COLOR "an\_text\_color"  
%token T\_AN\_MAX "an\_max"  
%token T\_AN\_PROGRESS "an\_progress"  
%token T\_EQUAL "equal"  
%token T\_END\_SYMBOL "end\_symbol"  
%token T\_RANDOM\_WORD "random\_word"  
%token <numval> T\_NUMBER "positive number"  
%token T\_SYMBOL "symbol"  
%token T\_STRING "string"  
%token T\_BIG "t\_big"  
%token T\_NEGATIVE "negative number"  
%token <strval> T\_MP "match\_parent"  
%token <strval> T\_WC "wrap\_content"  
%token T\_AN\_RB "t\_an\_rb"

%start root

%%

**/\* ΤΩΡΑ ΟΡΙΖΟΥΜΕ ΤΟΥΣ ΚΑΝΟΝΕΣ ΤΟΥ ΣΥΝΤΑΚΤΙΚΟΥ ΤΟΥ PARSER  
ΜΑΣ \*/**

root: linear\_layout {printf("\n\nParsed Successfully! 🍷 \n");}

|T\_RELATIVE\_LAYOUT relative\_layout\_attributes T\_BIG relative\_element\_list  
linear\_layout T\_RELATIVE\_LAYOUT\_END {printf("\n\nParsed Successfully! 🍷 \n");}

linear\_layout: T\_LINEAR\_LAYOUT linear\_layout\_attributes T\_BIG  
linear\_element\_list relative\_layout T\_LINEAR\_LAYOUT\_END { printf("LinearLayout  
parsed.\n"); };

|T\_LINEAR\_LAYOUT linear\_layout\_attributes T\_BIG linear\_element\_list  
T\_LINEAR\_LAYOUT\_END { printf("LinearLayout parsed.\n"); };

relative\_layout: T\_RELATIVE\_LAYOUT relative\_layout\_attributes T\_BIG  
relative\_element\_list T\_RELATIVE\_LAYOUT\_END { printf("RelativeLayout  
parsed.\n"); };

attribute: T\_AN\_WIDTH T\_EQUAL layout\_value T\_AN\_HEIGHT T\_EQUAL  
layout\_value ;

layout\_value : T\_MP | T\_WC | th\_number ;

th\_number : T\_SYMBOL T\_NUMBER T\_SYMBOL;

linear\_layout\_attributes: attribute linear\_layout\_optional\_attributes | attribute ;

relative\_layout\_attributes: attribute relative\_layout\_optional\_attributes | attribute;

linear\_layout\_optional\_attributes: T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING  
T\_SYMBOL | T\_AN\_ORIENTATION T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL  
| T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL T\_AN\_ORIENTATION T\_EQUAL  
T\_SYMBOL T\_STRING T\_SYMBOL | T\_AN\_ORIENTATION T\_EQUAL T\_SYMBOL  
T\_STRING T\_SYMBOL T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL ;

relative\_layout\_optional\_attributes: T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING  
T\_SYMBOL ;

element: text\_view { printf("TextView parsed.\n"); }  
| image\_view { printf("ImageView parsed.\n"); }  
| button { printf("Button parsed.\n"); }  
| radio\_group { printf("RadioGroup parsed.\n"); }  
| progress\_bar { printf("ProgressBar parsed.\n"); }  
| radio\_button  
| relative\_layout  
| linear\_layout ;

relative\_element\_list: relative\_element\_list element | element | %empty{};

linear\_element\_list: element | linear\_element\_list element;

text\_view: T\_TEXTVIEW text\_view\_attributes T\_END\_SYMBOL;

text\_view\_attributes: attribute text\_view\_standart\_attributes  
text\_view\_optional\_attributes

| attribute text\_view\_optional\_attributes text\_view\_standart\_attributes

| attribute text\_view\_standart\_attributes;

text\_view\_standart\_attributes: T\_AN\_TEXT T\_EQUAL T\_SYMBOL T\_STRING  
T\_SYMBOL ;

text\_view\_optional\_attributes: T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL  
| T\_AN\_TEXT\_COLOR T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL

| T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL T\_AN\_TEXT\_COLOR T\_EQUAL  
T\_SYMBOL T\_STRING T\_SYMBOL

| T\_AN\_TEXT\_COLOR T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL T\_AN\_ID T\_EQUAL  
T\_SYMBOL T\_STRING T\_SYMBOL ;

image\_view: T\_IMAGEVIEW image\_view\_attributes T\_END\_SYMBOL;

image\_view\_attributes: attribute image\_view\_standart\_attributes  
image\_view\_optional\_attributes | attribute image\_view\_standart\_attributes;

image\_view\_standart\_attributes: T\_AN\_SRC T\_EQUAL T\_SYMBOL T\_STRING  
T\_SYMBOL ;

image\_view\_optional\_attributes: T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING  
T\_SYMBOL | T\_AN\_PADDING T\_EQUAL T\_SYMBOL T\_NUMBER T\_SYMBOL

```
|T_AN_ID T_EQUAL T_SYMBOL T_STRING T_SYMBOL T_AN_PADDING T_EQUAL
T_SYMBOL T_NUMBER T_SYMBOL

|T_AN_PADDING T_EQUAL T_SYMBOL T_NUMBER T_SYMBOL T_AN_ID T_EQUAL
T_SYMBOL T_STRING T_SYMBOL ;
```

```
button: T_BUTTON button_attributes T_END_SYMBOL;
```

```
button_attributes: attribute button_standart_attributes button_optional_attributes
|attribute button_standart_attributes;
```

```
button_standart_attributes: T_AN_TEXT T_EQUAL T_SYMBOL T_STRING T_SYMBOL
;
```

```
button_optional_attributes: T_AN_ID T_EQUAL T_SYMBOL T_STRING T_SYMBOL |
T_AN_PADDING T_EQUAL T_SYMBOL T_NUMBER T_SYMBOL

|T_AN_ID T_EQUAL T_SYMBOL T_STRING T_SYMBOL T_AN_PADDING T_EQUAL
T_SYMBOL T_NUMBER T_SYMBOL

|T_AN_PADDING T_EQUAL T_SYMBOL T_NUMBER T_SYMBOL T_AN_ID T_EQUAL
T_SYMBOL T_STRING T_SYMBOL ;
```

```
radio_group: T_RADIOGROUP radio_group_attributes T_BIG radio_buttons
T_END_SYMBOL | T_RADIOGROUP radio_group_attributes T_BIG radio_buttons
T_RADIOGROUP_END
```

```
radio_group_attributes: attribute radio_group_standart_attributes
radio_group_optional_attributes | attribute radio_group_standart_attributes;
```

```
radio_group_standart_attributes: T_AN_RB T_EQUAL T_SYMBOL T_NUMBER  
{tmp2=atoi(yytext);} T_SYMBOL ;
```

```
radio_group_optional_attributes: T_AN_ID T_EQUAL T_SYMBOL T_STRING  
T_SYMBOL | T_AN_CHECKED_BUTTON T_EQUAL T_SYMBOL  
T_STRING{strcpy(button,yytext);} T_SYMBOL  
  
| T_AN_ID T_EQUAL T_SYMBOL T_STRING T_SYMBOL T_AN_CHECKED_BUTTON  
T_EQUAL T_SYMBOL T_STRING{strcpy(button,yytext);} T_SYMBOL  
  
// | T_AN_CHECKED_BUTTON T_EQUAL T_SYMBOL T_STRING  
{strcpy(button,yytext);} T_SYMBOL T_AN_ID T_EQUAL T_SYMBOL T_STRING  
T_SYMBOL
```

```
radio_buttons: T_RADIOBUTTON radio_button | T_RADIOBUTTON radio_button  
radio_buttons
```

```
{  
if(flag==0 && button[0]!='\0')  
{ yyerror("Invalid checkedButton value\n");  
exit(1);  
  
}
```

```
if(tmp1!=tmp2)  
{  
yyerror("Invalid RadioButtonNumber value\n");  
exit(1);  
  
}  
};
```

radio\_button:

radio\_button\_attributes T\_END\_SYMBOL {tmp1++;};

radio\_button\_attributes: attribute radio\_button\_standart\_attributes  
radio\_button\_optional\_attributes

| attribute radio\_button\_optional\_attributes radio\_button\_standart\_attributes

| attribute radio\_button\_standart\_attributes;

radio\_button\_standart\_attributes: T\_AN\_TEXT T\_EQUAL T\_SYMBOL T\_STRING  
T\_SYMBOL ;

radio\_button\_optional\_attributes: T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING

{strcpy(id,yytext);

if(strcmp(id,button)==0)

flag=1;

} T\_SYMBOL ;

progress\_bar: T\_PROGRESSBAR progress\_bar\_attributes T\_END\_SYMBOL;

progress\_bar\_attributes: attribute progress\_bar\_optional\_attributes | attribute;

progress\_bar\_optional\_attributes:

T\_AN\_ID T\_EQUAL T\_SYMBOL T\_STRING T\_SYMBOL T\_AN\_MAX T\_EQUAL  
T\_SYMBOL T\_NUMBER {tnum1=atoi(yytext);} T\_SYMBOL T\_AN\_PROGRESS T\_EQUAL  
T\_SYMBOL T\_NUMBER { tnum2=atoi(yytext);} T\_SYMBOL

{

if (tnum1 >= tnum2) {

printf("");

} else {

```

        yyerror("Invalid progress value\n");
        exit(1);
    }

}

|T_AN_MAX T_EQUAL T_SYMBOL T_NUMBER {tnum1=atoi(yytext);} T_SYMBOL
T_AN_PROGRESS T_EQUAL T_SYMBOL T_NUMBER { tnum2=atoi(yytext);}
T_SYMBOL
{
    if (tnum1 >= tnum2) {
        printf("");
    } else {
        yyerror("Invalid progress value\n");
        exit(1);
    }

}

|T_AN_PROGRESS T_EQUAL T_SYMBOL T_NUMBER { tnum2=atoi(yytext);}
T_SYMBOL T_AN_MAX T_EQUAL T_SYMBOL T_NUMBER {tnum1=atoi(yytext);}
T_SYMBOL

{
    if (tnum1 >= tnum2) {
        printf("");
    } else {
        yyerror("Invalid progress value\n");
        exit(1);
    }

}

```



```
|T_AN_ID T_EQUAL T_SYMBOL T_STRING T_SYMBOL T_AN_PROGRESS T_EQUAL  
T_SYMBOL T_NUMBER { tnum2=atoi(yytext);} T_SYMBOL T_AN_MAX T_EQUAL  
T_SYMBOL T_NUMBER {tnum1=atoi(yytext);} T_SYMBOL
```

```
{  
    if (tnum1 >= tnum2) {  
        printf("");  
    } else {  
        yyerror("Invalid progress value\n");  
        exit(1);  
    }  
  
};
```

```
attribute_value: T_STRING | T_NUMBER ;
```

```
exp: T_EQUAL T_SYMBOL attribute_value T_SYMBOL ;
```

```
%%
```

```
/*ΜΕΡΟΣ 3ο: ΕΚΤΕΛΟΥΜΕ ΤΗΝ MAIN */
```

```
int main ( int argc, char **argv )
```

```
{
```

```
    yyin = fopen( argv[1], "r" );
```

```
yyparse ();  
  
return 0;  
}
```

## SCREENSHOTS ΕΚΤΕΛΕΣΗΣ ΠΡΟΓΡΑΜΜΑΤΟΣ

### ΑΠΟΔΕΚΤΗ ΕΙΣΟΔΟΣ:

```
<LinearLayout  
    android:layout_width="598"  
    android:layout_height="35"  
    android:orientation="vertical">
```

```
<TextView  
    android:layout_width="20"  
    android:layout_height="match_parent"  
    android:text="Dummy text"  
    android:id="TV1"  
/>
```

```
<RadioGroup  
    android:layout_width="30"  
    android:layout_height="wrap_content"  
    android:radius="2"  
    android:checkedButton="RB1">
```

```
<RadioButton  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"
```

```
android:id="RB1"  
android:text="Option 1"/>
```

```
<RadioButton  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:id="RB2"  
    android:text="Option 2"/>  
</RadioGroup>
```

```
<ProgressBar  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:id="LH44"  
    android:max="21"  
    android:progress="20"  
/>
```

```
<!--This is a comment , ignore me!-->
```


```
<RelativeLayout  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content">
```

```
<ImageView  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:src="image_name"  
    android:padding="50"/>
```

</RelativeLayout>

</LinearLayout>

### SCREENSHOT ΕΚΤΕΛΕΣΗΣ:

A screenshot of a terminal window with a dark background. The window title bar shows a file icon and the path "/home". The prompt is "Σίμος@LAPTOP-MNA9IKKI /home". The user enters "\$ ./a.exe xml.txt". The program outputs: "TextView parsed.", "RadioGroup parsed.", "ProgressBar parsed.", "Comment ignored.", "ImageView parsed.", "RelativeLayout parsed.", "LinearLayout parsed.", followed by "Parsed Successfully!💧". The prompt returns to "\$".

```
Σίμος@LAPTOP-MNA9IKKI /home
$ ./a.exe xml.txt
TextView parsed.
RadioGroup parsed.
ProgressBar parsed.
Comment ignored.
ImageView parsed.
RelativeLayout parsed.
LinearLayout parsed.

Parsed Successfully!💧
Σίμος@LAPTOP-MNA9IKKI /home
$
```

## ΕΡΩΤΗΜΑ 2 (25%)

### ΑΠΟΡΡΙΠΤΙΚΗ ΕΙΣΟΔΟΣ ΓΙΑ ΤΟ ΕΡΩΤΗΜΑ 2b:

<LinearLayout

android:layout\_width="ΑΠΟΡΡΙΠΤΙΚΗ ΕΙΣΟΔΟΣ"

android:layout\_height="35"

android:orientation="vertical">

```
<TextView  
    android:layout_width="20"  
    android:layout_height="match_parent"  
    android:text="Dummy text"  
    android:id="TV1"  
>
```

```
<RadioGroup  
    android:layout_width="30"  
    android:layout_height="wrap_content"  
    android:rbutton="2"  
    android:checkedButton="RB1">
```

```
<RadioButton  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:id="RB1"  
    android:text="Option 1"/>
```

```
<RadioButton  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:id="RB2"  
    android:text="Option 2"/>  
</RadioGroup>
```

```
<ProgressBar  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"
```

```
    android:id="@+id/LH44"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:padding="50dp"
    android:progress="20"
    android:src="@drawable/image_name"
    android:text="This is a comment , ignore me!"
    android:textSize="21sp"
    android:visibility="invisible"
    android:width="21dp"/>
<!--This is a comment , ignore me!-->

<RelativeLayout
    android:layout_width="wrap_content"
    android:layout_height="wrap_content">

    <ImageView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:src="@drawable/image_name"
        android:padding="50dp"/>

</RelativeLayout>
</LinearLayout>
```

**SCREENSHOT ΕΚΤΕΛΕΣΗΣ:**

```
/home  
Σίμος@LAPTOP-MNA9IKKI /home  
$ ./a.exe xml.txt  
[ERROR - LINE 2] syntax error, unexpected string  
Σίμος@LAPTOP-MNA9IKKI /home  
$
```

### ΑΠΟΡΡΙΠΤΙΚΗ ΕΙΣΟΔΟΣ ΓΙΑ ΤΟ ΕΡΩΤΗΜΑ 2c:

<LinearLayout

android:layout\_width="50"

android:layout\_height="35"

android:orientation="vertical">

<TextView

android:layout\_width="20"

android:layout\_height="match\_parent"

android:text="Dummy text"

android:id="TV1"

/>

<RadioGroup

android:layout\_width="30"

android:layout\_height="wrap\_content"

android:radius="2"

android:checkedButton="RB1">

```
<RadioButton  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:id="@+id/RB1"  
    android:text="Option 1"/>
```

```
<RadioButton  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content"  
    android:id="@+id/RB2"  
    android:text="Option 2"/>  
</RadioGroup>
```

```
<ProgressBar  
    android:layout_width="match_parent"  
    android:layout_height="wrap_content"  
    android:id="@+id/LH44"  
    android:max="21"  
    android:progress="20"  
/>
```

```
<!--This is a comment , ignore me!-->
```

```
<RelativeLayout  
    android:layout_width="wrap_content"  
    android:layout_height="wrap_content">
```

```
<ImageView  
    android:layout_width="wrap_content"
```



android:layout\_height="wrap\_content"


android:src="image\_name"

android:padding="-5"/>

</RelativeLayout>

</LinearLayout>

### SCREENSHOT ΕΚΤΕΛΕΣΗΣ:



```
/home  
Σίμος@LAPTOP-MNA9IKKI /home  
$ ./a.exe xml.txt  
TextView parsed.  
RadioGroup parsed.  
ProgressBar parsed.  
Comment ignored.  
[ERROR - LINE 62] syntax error, unexpected negative number  
umber  
  
Σίμος@LAPTOP-MNA9IKKI /home  
$
```

### ΑΠΟΡΡΙΠΤΙΚΗ ΕΙΣΟΔΟΣ ΓΙΑ ΤΟ ΕΡΩΤΗΜΑ 2d:

<LinearLayout

android:layout\_width="50"

android:layout\_height="35"

android:orientation="vertical">

<TextView

android:layout\_width="20"

android:layout\_height="match\_parent"

```
    android:text="Dummy text"
```

```
    android:id="TV1"
```

```
</>
```

```
<RadioGroup
```

```
    android:layout_width="30"
```

```
    android:layout_height="wrap_content"
```

```
    android:rbutton="2"
```

```
    android:checkedButton="INVALID STRING">
```

```
<RadioButton
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="RB1"
```

```
    android:text="Option 1"/>
```

```
<RadioButton
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="RB2"
```

```
    android:text="Option 2"/>
```

```
</RadioGroup>
```

```
<ProgressBar
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="LH44"
```

```
    android:max="21"
```

```
    android:progress="20"
```

/>

<!--This is a comment , ignore me!-->

<RelativeLayout

android:layout\_width="wrap\_content"

android:layout\_height="wrap\_content">

<ImageView

android:layout\_width="wrap\_content"

android:layout\_height="wrap\_content"


android:src="image\_name"

android:padding="5"/>

</RelativeLayout>

</LinearLayout>

### SCREENSHOT ΕΚΤΕΛΕΣΗΣ:



```
/home  
Σίμος@LAPTOP-MNA9IKKI /home  
$ ./a.exe xml.txt  
TextView parsed.  
[ERROR - LINE 36] Invalid checkedButton value  
  
Σίμος@LAPTOP-MNA9IKKI /home  
$
```

## ΑΠΟΡΡΙΠΤΙΚΗ ΕΙΣΟΔΟΣ ΓΙΑ ΤΟ ΕΡΩΤΗΜΑ 2e:

```
<LinearLayout
```

```
    android:layout_width="50"
```

```
    android:layout_height="35"
```

```
    android:orientation="vertical">
```

```
<TextView
```

```
    android:layout_width="20"
```

```
    android:layout_height="match_parent"
```

```
    android:text="Dummy text"
```

```
    android:id="TV1"
```

```
<RadioGroup
```

```
    android:layout_width="30"
```

```
    android:layout_height="wrap_content"
```

```
    android:radius="2"
```

```
    android:checkedButton="RB1">
```

```
<RadioButton
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="RB1"
```

```
    android:text="Option 1"/>
```

```
<RadioButton
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="RB2"
```

```
        android:text="Option 2"/>
    </RadioGroup>

    <ProgressBar
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:id="LH44"
        android:max="21"
        android:progress="22"
    />

    <!--This is a comment , ignore me!-->

    <RelativeLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content">

        <ImageView
            android:layout_width="wrap_content"
            android:layout_height="wrap_content"
            android:src="image_name"
            android:padding="5"/>

        </RelativeLayout>
    </LinearLayout>
```

**SCREENSHOT ΕΚΤΕΛΕΣΗΣ:**

```
/home  
Σίμος@LAPTOP-MNA9IKKI /home  
$ ./a.exe xml.txt  
TextView parsed.  
RadioGroup parsed.  
[ERROR - LINE 43] Invalid progress value  
  
Σίμος@LAPTOP-MNA9IKKI /home  
$
```

## ΕΡΩΤΗΜΑ 3 (15%)

<LinearLayout

android:layout\_width="50"

android:layout\_height="35"

android:orientation="vertical">

<TextView

android:layout\_width="20"

android:layout\_height="match\_parent"

android:text="Dummy text"

android:id="TV1"

/>

<RadioGroup

android:layout\_width="30"

android:layout\_height="wrap\_content"

android:rbutton="3"

```
android:checkedButton="RB1">
```

```
<RadioButton
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="@+id/RB1"
```

```
    android:text="Option 1"/>
```

```
<RadioButton
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="@+id/RB2"
```

```
    android:text="Option 2"/>
```

```
</RadioGroup>
```

```
<ProgressBar
```

```
    android:layout_width="match_parent"
```

```
    android:layout_height="wrap_content"
```

```
    android:id="@+id/LH44"
```

```
    android:max="21"
```

```
    android:progress="20"
```

```
/>
```

```
<!--This is a comment , ignore me!-->
```

```
<RelativeLayout
```

```
    android:layout_width="wrap_content"
```

```
    android:layout_height="wrap_content">
```


```
<ImageView
```

```
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:src="image_name"
android:padding="5"/>
```

```
</RelativeLayout>
```

```
</LinearLayout>
```

### SCREENSHOT ΕΚΤΕΛΕΣΗΣ:



```
/home
Σίμος@LAPTOP-MNA9IKKI /home
$ ./a.exe xml.txt
TextView parsed.
[ERROR - LINE 36] Invalid RadioButtonNumber value

Σίμος@LAPTOP-MNA9IKKI /home
$
```