

IMS DATA PLATFORM

SQL Server Agent Jobs — Technical Reference

Server: AZ-SHARED-INV-S | SQL Server 16.0.4265.3
Document version 1.0

Main Menu

Jump directly to any section of this document:

1	Overview Databases hosted on AZ-SHARED-INV-S and their purpose.	p. 6
2	Job Pipeline Architecture The MI0 → MI1 → MI2 staged load pipeline and current Agent job activity.	p. 6
3	IMS_STAGING Table Specifications Column-level specifications for every staging table, grouped by functional area.	p. 8
4	MI0 Jobs — Staging Load Step-by-step breakdown of each MI0 job that loads data into IMS_STAGING.	p. 27
5	IMS_DB01 Table Specifications Column-level specifications for every operational table, grouped by functional area.	p. 30
6	MI1 Jobs — Operational Update Step-by-step breakdown of each MI1 job that updates IMS_DB01 from staging.	p. 66
7	MI2 Jobs — Downstream Updates Monthly, weekly and daily roll-up and pullback jobs downstream of MI1, plus the Slim4 SSIS refresh.	p. 69
8	MI4 Jobs — Reporting & Housekeeping Report-extraction SSIS packages and routine table housekeeping.	p. 87
9	MI99 Jobs — Maintenance Instance-level maintenance tasks such as log-file shrinkage.	p. 90
10	Summary A concise recap of the end-to-end data platform pipeline.	p. 91

Table of Contents

Main Menu.....	2
Table of Contents.....	3
1. Overview.....	6
1.1 Databases on AZ-SHARED-INV-S.....	6
2. Job Pipeline Architecture.....	6
2.1 Agent Job Activity Snapshot.....	7
3. IMS_STAGING Table Specifications.....	8
3.1 Branch hierarchy (BR_).....	8
BR_BRANCH.....	8
BR_BRANCH_HIER_LINK.....	9
BR_CLUSTER.....	10
BR_DIVISION.....	10
BR_REGION.....	10
3.2 Commercial file (CF_).....	11
CF_BRAND.....	11
CF_COMMERCIAL_SYSTEM.....	11
CF_CUSTOMER.....	12
CF_DATE.....	13
CF_MAJOR_PRODUCT_GROUP.....	14
CF_PERSON.....	14
CF_PROD_GROUP_HIER_LINK.....	15
CF_PRODUCT.....	15
CF_PRODUCT_ACTV.....	16
CF_PRODUCT_GROUP.....	17
CF_PRODUCT_HIST.....	18
CF_SUB_PRODUCT_GROUP.....	19
CF_SUPPLIER.....	19
CF_TIME.....	20
CF_USERID.....	20
3.3 Purchasing cycle (PC_).....	21
PC_GOODS_RECEIVED.....	21
PC_PURCHASE_ORDERS.....	22
3.4 Sales cycle (SL_).....	23
SL_LOST_SALES.....	23
SL_SALES_HISTORY.....	24
3.5 Stock movement (STK_).....	26
STK_STOCK_MOVEMENT.....	26
4. MIO Jobs — Staging Load.....	27
MIO_BR_TABLES_DOWNLOAD_TO_STAGING_FROM_DW.....	27
MIO_CF_TABLES_DOWNLOAD_TO_STAGING_FROM_DW.....	27
MIO_PC_TABLES_DOWNLOAD_TO_STAGING_FROM_DW.....	28
MIO_SL_TABLES_DOWNLOAD_TO_STAGING_FROM_DW.....	29
5. IMS_DB01 Table Specifications.....	30
5.1 Branch hierarchy (GBR_).....	30
GBR_BRANCH_ACTV.....	30
GBR_BRANCH_HIER_LINK_ACTV.....	31

GBR_CLUSTER_ACTV.....	31
GBR_DIVISION_ACTV.....	31
GBR_REGION_ACTV.....	32
5.2 Commercial file (GCF_).....	32
GCF_BRAND_ACTV.....	32
GCF_COMMSYSTEM_ACTV.....	33
GCF_CUSTOMER_ACTV.....	33
GCF_CUSTOMER_HIST.....	35
GCF_DATE_CALENDAR_ACTV.....	36
GCF_MAJOR_PG_ACTV.....	37
GCF_PERSON_ACTV.....	38
GCF_PG_ACTV.....	38
GCF_PG_HIER_LINK_ACTV.....	38
GCF_PROD_GROUP_HIER_LINK_ACTV.....	39
GCF_PRODUCT_ACTV.....	39
GCF_PRODUCT_HIST.....	40
GCF_SUB_PG_ACTV.....	40
GCF_SUPPLIER_ACTV.....	41
GCF_SUPPLIER_HIST.....	42
GCF_TIME_ACTV.....	42
GCF_USERID_ACTV.....	43
5.3 Purchasing cycle (GPC_).....	43
GPC_GOODS_RECEIVED_ACTV.....	43
GPC_PURCHASE_ORDERS_ACTV.....	44
GPC_PURCHASE_ORDERS_DL.....	45
GPC_PURCHASE_ORDERS_HIST.....	46
5.4 Sales cycle (GSL_).....	47
GSL_LOST_SALES_ACTV.....	47
GSL_SALES_ACTV.....	48
GSL_SALES_MNTH_SYSCODE_BRCODE.....	50
GSL_SALES_MNTH_SYSCODE_BRCODE_CUSTNO.....	52
GSL_SALES_MNTH_SYSCODE_BRCODE_PNO.....	53
GSL_SALES_MNTH_SYSCODE_BRCODE_PNO_CUSTNO.....	54
GSL_SALES_MNTH_SYSCODE_PNO.....	56
GSL_SALES_MNTH_SYSCODE_PNO_CUSTNO.....	57
GSL_SALES_WEEKLY.....	58
GSL_SALES_WEEKLY_ACTV.....	59
5.5 Stock movement (GSTK_).....	59
GSTK_STOCK_MOVEMENT_ACTV.....	59
5.6 Master reference data (MSTR_).....	60
MSTR_BRANCH_LIST.....	60
MSTR_DAILY_STOCK.....	60
MSTR_MINSTER_LOCATION.....	61
MSTR_MINSTER_PRODUCT.....	61
MSTR_MONTHLY_STOCK.....	62
MSTR_MOT_PRODUCTS.....	63
MSTR_PRODUCT.....	63
MSTR_PRODUCT_COST.....	64

MSTR_PRODUCT_NDC.....	64
MSTR_STOCK_AVAILABILITY.....	66
MSTR_SUPPLIER_MAILING_LIST.....	66
6. MI1 Jobs — Operational Update.....	66
MI1_BR_TABLES_UPDATE.....	66
MI1_CF_TABLES_UPDATE.....	67
MI1_PC_TABLES_UPDATE.....	68
MI1_SL_TABLES_UPDATE.....	68
7. MI2 Jobs — Downstream Updates.....	69
MI2_MONTHLY_SALES_UPDATE.....	69
MI2_MONTHLY_STOCK_UPDATE.....	69
MI2_WEEKLY_SALES_UPDATE.....	70
MI2_WEEKLY_PULLBACK_UPDATE.....	70
MI2_DAILY_TABLE_UPDATE.....	71
MI2_UK_SLIM4_DAILY_UPDATE.....	71
MI2_DAILY_FULL_STOCK_AND_PROFILE_LOAD (Stock Profiling Job).....	86
8. MI4 Jobs — Reporting & Housekeeping.....	87
MI4_NDC_POTENTIAL_ORDER_DETAILS_REP.....	87
MI4_MONTHLY_REPORTS.....	88
MI4_DAILY_REPORTS.....	88
MI4_DAILY_TABLE_CLEARANCE.....	89
MI4_UK_SLIM4_SUPPLIER_FORECAST.....	90
9. MI99 Jobs — Maintenance.....	90
MI99_WEEKLY_LOG_MAINTENANCE.....	90
10. Summary.....	91

1. Overview

This document describes the SQL Server database landscape and the SQL Server Agent job pipeline that populates and refreshes the IMS_DB01 operational database on the AZ-SHARED-INV-S SQL Server instance. It covers the databases hosted on the instance, the staged data-load architecture (MI0 → MI1 → MI2), and a step-by-step breakdown of every Agent job involved.

1.1 Databases on AZ-SHARED-INV-S

The instance hosts the following user databases, in addition to the System Databases and Database Snapshots folders:

Database	Purpose
DMART_INVENTORY	Data mart
IMS_CATALOGUE	Reference / catalogue data
IMS_DB01	Core operational database (update target)
IMS_INV	Inventory database
IMS_LOGIN	Authentication / login database
IMS_REPORTING	Reporting database
IMS_SLIM4	Slim4 integration database
IMS_STAGING	Staging area for inbound data warehouse extracts
IMS_TMP	Temporary/working database
SSISDB	SSIS catalog (Integration Services packages)

Figure: Object Explorer — databases on AZ-SHARED-INV-S



2. Job Pipeline Architecture

Data flows through the platform in three stages, run in sequence by SQL Server Agent:

MI0 — Download: extracts data from the data warehouse (DW) into IMS_STAGING.

MI1 — Update: moves data from IMS_STAGING into the operational database, IMS_DB01.

MI2 — Monthly Sales Update: a monthly downstream job chained after the MI1 sales-load (MI1_SL_TABLES_UPDATE) job.

Each MI0 job's final step calls its corresponding MI1 job directly, chaining the download and update stages together.

2.1 Agent Job Activity Snapshot

Current status of the core jobs, as observed in SQL Server Agent Job Activity Monitor:

Job Name	Enabled	Status	Last Run Outcome	Last Run	Next Run
MI0_BR_TABLES_DOWNLOAD_TO_STAGING_FROM_DW	Yes	Idle	Succeeded	26/08/2026 03:00	27/08/2026 03:00
MI0_CF_TABLES_DOWNLOAD_TO_STAGING_FROM_DW	Yes	Idle	Succeeded	26/08/2026 03:05	27/08/2026 03:05
MI0_PC_TABLES_DOWNLOAD_TO_STAGING_FROM_DW	Yes	Idle	Succeeded	26/08/2026 03:25	27/08/2026 03:25
MI0_SL_TABLES_DOWNLOAD_TO_STAGING_FROM_DW	Yes	Idle	Succeeded	26/08/2026 04:30	27/08/2026 04:30
MI1_BR_TABLES_UPDATE	Yes	Idle	Succeeded	26/08/2026 03:00	Not scheduled
MI1_CF_TABLES_UPDATE	Yes	Idle	Succeeded	26/08/2026 03:13	Not scheduled
MI1_PC_TABLES_UPDATE	Yes	Idle	Succeeded	26/08/2026 03:33	Not scheduled
MI1_SL_TABLES_UPDATE	Yes	Idle	Succeeded	26/08/2026 05:19	Not scheduled

Figure: SQL Server Agent Job Activity Monitor

Agent Job Activity:										
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	Category	Runnable	Scheduled	C...	
MI0_BR_TABLES_DOWNLOAD_TO STAGING_FROM_DW	yes	Idle	Succeeded	26/08/2026 03:00:00	27/08/2026 03:00:00	[Uncat...	yes	yes	0.	
MI0_CF_TABLES_DOWNLOAD_TO STAGING_FROM_DW	yes	Idle	Succeeded	26/08/2026 03:05:00	27/08/2026 03:05:00	[Uncat...	yes	yes	0.	
MI0_PC_TABLES_DOWNLOAD_TO STAGING_FROM_DW	yes	Idle	Succeeded	26/08/2026 03:25:00	27/08/2026 03:25:00	[Uncat...	yes	yes	0.	
MI0_SL_TABLES_DOWNLOAD_TO STAGING_FROM_DW	yes	Idle	Succeeded	26/08/2026 04:30:00	27/08/2026 04:30:00	[Uncat...	yes	yes	0.	
MI1_BR_TABLES_UPDATE	yes	Idle	Succeeded	26/08/2026 03:00:05	not scheduled	[Uncat...	yes	yes	0.	
MI1_CF_TABLES_UPDATE	yes	Idle	Succeeded	26/08/2026 03:13:11	not scheduled	[Uncat...	yes	yes	0.	
MI1_PC_TABLES_UPDATE	yes	Idle	Succeeded	26/08/2026 03:33:21	not scheduled	[Uncat...	yes	yes	0.	
MI1_SL_TABLES_UPDATE	yes	Idle	Succeeded	26/08/2026 05:19:22	not scheduled	[Uncat...	yes	yes	0.	

3. IMS_STAGING Table Specifications

This section documents the column-level structure of every table in the IMS_STAGING database, as sourced from INFORMATION_SCHEMA.COLUMNS. Tables are grouped by functional area and correspond to the MIO staging-load jobs described in Section 4.

3.1 Branch hierarchy (BR_)

BR_BRANCH

49 columns.

#	Column Name	Data Type	Nullable
1	BRCH_SID	int	No
2	BRCH_CURR_SID	int	Yes
3	BRCH_TTSTATUS	char(1)	Yes
4	BRCH_TTSTART_TS	datetime	No
5	BRCH_TTEND_TS	datetime	No
6	BRCH_CODE	varchar(255)	No
7	BRCH_NAME	varchar(255)	Yes
8	BRCH_STATUS	varchar(255)	No
9	BRCH_CSM	varchar(150)	Yes
10	BRCH_HUB_IND	smallint	Yes
11	BRCH_FLOOR_AREA	int	Yes
12	BRCH_SIZE_CATEGORY	varchar(255)	Yes
13	BRCH_LEASE_EXPIRY_DATE	datetime	Yes
14	BRCH_LEASE_BREAK_DATE	datetime	Yes
15	BRCH_INITIATIVE	varchar(100)	Yes
16	BRCH_MANAGER	varchar(100)	Yes
17	BRCH_SERVICED_BY	varchar(255)	Yes
18	BRCH_COST_CENTRE	varchar(255)	Yes
19	BRCH_ADDR_LINE1	varchar(255)	Yes
20	BRCH_ADDR_LINE2	varchar(255)	Yes
21	BRCH_ADDR_LINE3	varchar(255)	Yes
22	BRCH_POSTCODE	varchar(255)	Yes
23	BRCH_OPEN_DATE	datetime	Yes
24	BRCH_CLOSE_DATE	datetime	Yes
25	BRCH_EMAIL	varchar(255)	Yes
26	BRCH_TELEPHONE	varchar(255)	Yes
27	BRCH_BSC	varchar(255)	Yes

#	Column Name	Data Type	Nullable
28	BRCH_LONGITUDE	float	Yes
29	BRCH_LATITUDE	float	Yes
30	BRCH_WEEK_HOURS	int	Yes
31	BRCH_SAT_HOURS	int	Yes
32	BRCH_SUN_HOURS	int	Yes
33	BRCH_WEB_URL	varchar(255)	Yes
34	BRCH_RPM	varchar(255)	Yes
35	BRCH_GE_SPECIALIST	varchar(255)	Yes
36	BRCH_TV_SPECIALIST	varchar(255)	Yes
37	BRCH_GRID_REFERENCE	varchar(255)	Yes
38	BRCH_X_EASTING	varchar(255)	Yes
39	BRCH_Y_NORTHING	varchar(255)	Yes
40	BRCH_OPERATION_MAN	varchar(255)	Yes
41	BRCH_OPERATIONAL_SUPP	varchar(255)	Yes
42	BRCH_BDM	varchar(255)	Yes
43	BRCH_CREATED	datetime	Yes
44	BRCH_MODIFIED	datetime	Yes
45	PERS_SID_CREATED_BY	varchar(255)	Yes
46	PERS_SID_MODIFIED_BY	varchar(255)	Yes
47	TECH_SOURCE_BPID	bigint	Yes
48	BRCH_ADDR_LINE4	varchar(255)	Yes
49	BRCH_ADDR_LINE5	varchar(255)	Yes

BR_BRANCH_HIER_LINK

9 columns.

#	Column Name	Data Type	Nullable
1	BRCHL_SID	int	No
2	BRCHL_CURR_SID	int	Yes
3	BRCHL_TTSTATUS	char(1)	No
4	BRCHL_TTSTART_TS	datetime	No
5	BRCHL_TTEND_TS	datetime	No
6	BRCH_SID	int	Yes
7	CLSTR_SID	int	Yes
8	REGN_SID	int	Yes
9	DVSN_SID	int	Yes

BR_CLUSTER

12 columns.

#	Column Name	Data Type	Nullable
1	CLSTR_SID	int	No
2	CLSTR_CURR_SID	int	Yes
3	CLSTR_TTSTATUS	char(1)	No
4	CLSTR_TTSTART_TS	datetime	No
5	CLSTR_TTEND_TS	datetime	No
6	CLSTR_CODE	varchar(255)	No
7	CLSTR_NAME	varchar(255)	Yes
8	CLSTR_DIRECTOR	varchar(255)	Yes
9	CLSTR_CREATED	datetime	Yes
10	CLSTR_MODIFIED	datetime	Yes
11	PERS_SID_CREATED_BY	varchar(255)	Yes
12	PERS_SID_MODIFIED_BY	varchar(255)	Yes

BR_DIVISION

12 columns.

#	Column Name	Data Type	Nullable
1	DVSN_SID	int	No
2	DVSN_CURR_SID	int	Yes
3	DVSN_TTSTATUS	char(1)	No
4	DVSN_TTSTART_TS	datetime	No
5	DVSN_TTEND_TS	datetime	No
6	DVSN_CODE	varchar(255)	No
7	DVSN_NAME	varchar(255)	Yes
8	DVSN_DIRECTOR	varchar(255)	Yes
9	DVSN_CREATED	datetime	Yes
10	DVSN_MODIFIED	datetime	Yes
11	PERS_SID_CREATED_BY	varchar(255)	Yes
12	PERS_SID_MODIFIED_BY	varchar(255)	Yes

BR_REGION

12 columns.

#	Column Name	Data Type	Nullable
1	REGN_SID	int	No

#	Column Name	Data Type	Nullable
2	REGN_CURR_SID	int	Yes
3	REGN_TTSTATUS	char(1)	No
4	REGN_TTSTART_TS	datetime	No
5	REGN_TTEND_TS	datetime	No
6	REGN_CODE	varchar(255)	No
7	REGN_NAME	varchar(255)	Yes
8	REGN_DIRECTOR	varchar(255)	Yes
9	REGN_CREATED	date	Yes
10	REGN_MODIFIED	date	Yes
11	PERS_SID_CREATED_BY	varchar(255)	Yes
12	PERS_SID_MODIFIED_BY	varchar(255)	Yes

3.2 Commercial file (CF_)

CF_BRAND

8 columns.

#	Column Name	Data Type	Nullable
1	BRND_SID	int	No
2	BRND_CURR_SID	int	Yes
3	BRND_TTSTATUS	char(1)	No
4	BRND_TTSTART_TS	datetime	No
5	BRND_TTEND_TS	datetime	No
6	BRND_CODE	varchar(255)	Yes
7	BRND_DESC	varchar(255)	Yes
8	BRND_TYPE	varchar(255)	Yes

CF_COMMERCIAL_SYSTEM

6 columns.

#	Column Name	Data Type	Nullable
1	COMS_SID	int	No
2	COMS_CURR_SID	int	Yes
3	COMS_TTSTATUS	char(1)	No
4	COMS_TTSTART_TS	datetime	No
5	COMS_TTEND_TS	datetime	No
6	COMS_CODE	varchar(255)	No

CF_CUSTOMER

57 columns.

#	Column Name	Data Type	Nullable
1	CUST_SID	int	No
2	CUST_CURR_SID	int	Yes
3	CUST_TTSTATUS	char(1)	No
4	CUST_TTSTART_TS	datetime	No
5	CUST_TTEND_TS	datetime	No
6	CUST_CODE	varchar(255)	No
7	NACCT_CODE	varchar(60)	Yes
8	CUST_COMPANY_NAME	varchar(255)	Yes
9	CUST_ADDR_LINE1	varchar(255)	Yes
10	CUST_ADDR_LINE2	varchar(255)	Yes
11	CUST_ADDR_LINE3	varchar(255)	Yes
12	CUST_ADDR_LINE4	varchar(255)	Yes
13	CUST_ADDR_LINE5	varchar(255)	Yes
14	CUST_POSTCODE	varchar(255)	Yes
15	CNTRY_CODE	varchar(255)	Yes
16	CUST_EMAIL	varchar(255)	Yes
17	CUST_TELEPHONE	varchar(255)	Yes
18	CUST_TELEPHONE_ACCTS	varchar(255)	Yes
19	CUST_FAX_ACCTS	varchar(255)	Yes
20	CUST_TELEPHONE_SALES	varchar(255)	Yes
21	CUST_FAX_SALES	varchar(255)	Yes
22	CUST_SALES_CONTACT	varchar(255)	Yes
23	CUST_ACCTS_CONTACT	varchar(255)	Yes
24	CUST_PTYPE	varchar(50)	No
25	CUST_LTYPE	varchar(50)	No
26	BRCH_ID_OWNING	int	Yes
27	CUST_STATEMENT_ACCOUNT	varchar(255)	Yes
28	CUST_TERMS_AS	varchar(50)	Yes
29	CUST_SPECIAL_TERMS	varchar(255)	Yes
30	CUST_OLD_ACCT_NUMBER	varchar(255)	Yes
31	CUST_TRADE_CLUB_CODE	varchar(255)	Yes
32	CUST_SERVSURE_ACCT_NUMBER	varchar(255)	Yes
33	CUST_EXTERNAL_REF_NUMBER	varchar(255)	Yes

#	Column Name	Data Type	Nullable
34	CUST_ATTACK_TERMS_IND	char(1)	Yes
35	CUST_CREDIT_LIMIT	decimal(12,2)	No
36	CUST_SURCHARGE_CODE	varchar(50)	Yes
37	STPS_CODE	varchar(50)	Yes
38	CUST_PREVENT_STOP_FLAG	char(1)	Yes
39	SEGM_CODE	varchar(50)	Yes
40	CUST_POTENTIAL_VALUE	decimal	Yes
41	CUST_POTENTIAL_DAILY_AVG_VALUE	decimal	Yes
42	CUST_BUDGET_VALUE	decimal	Yes
43	CUST_BUDGET_DAILY_AVG_VALUE	decimal	Yes
44	CUST_BALANCE_VALUE	decimal(12,2)	Yes
45	AGED_CODE	varchar(50)	Yes
46	SLVL_CODE	varchar(50)	Yes
47	CUST_SLA	int	Yes
48	CUST_NATIONAL_ACCT_CODE	varchar(255)	Yes
49	CUST_SALE_RESTRICT_CUSTOMER	varchar(255)	Yes
50	CUST_RAMPS	varchar(255)	Yes
51	CUST_MOT_STATION_ID	varchar(255)	Yes
52	CUST_MOT_STATION_FLAG	char(1)	Yes
53	CUST_STATEMENT_FREQ_FLAG	char(1)	Yes
54	CUST_INVOICE_FREQ_FLAG	char(1)	Yes
55	PAYT_CODE	varchar(50)	Yes
56	DTE_SID_CREATED	int	Yes
57	DTE_SID_MODIFIED	int	Yes

CF_DATE

28 columns.

#	Column Name	Data Type	Nullable
1	DTE_SID	int	Yes
2	DTE_DATE	datetime	Yes
3	DTE_DOW_NUMBER	int	Yes
4	DTE_DOW_ABBR	varchar(255)	Yes
5	DTE_DOW_NAME	varchar(255)	Yes
6	DTE_DOM_NUMBER	int	Yes
7	DTE_HOLIDAY_IND	char(1)	Yes

#	Column Name	Data Type	Nullable
8	DTE_FIRST_OF_THE_MONTH	date	Yes
9	DTE_WEEKEND_IND	char(1)	Yes
10	DTE_LEAP_YEAR_IND	char(1)	Yes
11	DTE_WEEK_NUMBER	int	Yes
12	DTE_MONTH_NUMBER	int	Yes
13	DTE_MONTH_NAME	varchar(255)	Yes
14	DTE_MONTH_ABBR	varchar(255)	Yes
15	DTE_QUARTER	int	Yes
16	DTE_YEAR	int	Yes
17	DTE_FIN_WEEK_START	date	Yes
18	DTE_FIN_WEEK_END	date	Yes
19	DTE_FIN_DATE_MONTH_START	date	Yes
20	DTE_FIN_DATE_MONTH_END	date	Yes
21	DTE_FIN_PERIOD_START	date	Yes
22	DTE_FIN_PERIOD_END	date	Yes
23	DTE_FIN_QUARTER_START	date	Yes
24	DTE_FIN_QUARTER_END	date	Yes
25	DTE_FIN_YEAR_START	date	Yes
26	DTE_FIN_YEAR_END	date	Yes
27	DTE_BUDGET_PERIOD	int	Yes
28	DTE_WORKING_DAY	decimal	Yes

CF_MAJOR_PRODUCT_GROUP

6 columns.

#	Column Name	Data Type	Nullable
1	MPRGP_SID	int	Yes
2	MPRGP_TTSTATUS	char(1)	Yes
3	MPRGP_TTSTART_TS	datetime	No
4	MPRGP_TTEND_TS	datetime	No
5	MPRGP_CODE	varchar(255)	Yes
6	MPRGP_DESC	varchar(255)	Yes

CF_PERSON

13 columns.

#	Column Name	Data Type	Nullable
1	PERS_SID	int	No
2	PERS_CURR_SID	int	Yes
3	PERS_TTSTATUS	char(1)	No
4	PERS_TTSTART_TS	datetime	No
5	PERS_TTEND_TS	datetime	No
6	PERS_EMPLOYEE_ID	varchar(256)	No
7	PERS_EMPLOYEE_TYPE	varchar(256)	No
8	PERS_JOB_TITLE	varchar(256)	Yes
9	PERS_FIRSTNAME	varchar(255)	No
10	PERS_SURNAME	varchar(255)	No
11	PERS_EMAIL	varchar(255)	Yes
12	BRCH_SID	int	Yes
13	BRCHL_SID	int	Yes

CF_PROD_GROUP_HIER_LINK

10 columns.

#	Column Name	Data Type	Nullable
1	PGHL_SID	int	No
2	PGHL_CURR_SID	int	Yes
3	PGHL_TTSTATUS	char(1)	No
4	PGHL_TTSTART_TS	datetime	No
5	PGHL_TTEND_TS	datetime	No
6	PROD_SID	int	No
7	MPRGP_SID	int	No
8	PRGP_SID	int	No
9	SPRGP_SID	int	No
10	TECH_SOURCE_BPID	int	Yes

CF_PRODUCT

31 columns.

#	Column Name	Data Type	Nullable
1	PROD_SID	int	No
2	PROD_CURR_SID	int	Yes
3	PROD_TTSTATUS	char(1)	No
4	PROD_TTSTART_TS	datetime	No

#	Column Name	Data Type	Nullable
5	PROD_TTEND_TS	datetime	No
6	PROD_SKU	varchar(60)	No
7	PROD_DESC	varchar(255)	Yes
8	PROD_LINE_CODE	varchar(10)	No
9	PROD_LINE_PART	varchar(60)	No
10	BRND_SID	int	Yes
11	INVT_CODE	int	Yes
12	PROD_WARRANTY_PERIOD	smallint	Yes
13	PROD_IMAGE_URL	varchar(255)	Yes
14	PROD_SKU_SUPERSEDED	varchar(60)	Yes
15	DTE_SID_SUPERSEDED	int	Yes
16	DTE_SID_FIRST_STOCKED	int	Yes
17	DTE_SID_PRODUCT_CREATED	int	Yes
18	PROD_VEHICLE_MAKER_CODE	varchar(60)	Yes
19	PROD_PER_CAR_QTY	smallint	Yes
20	PROD_ACTIVE_IND	bit	Yes
21	PCOND_CODE	varchar(10)	No
22	PROD_BSC_CODE	varchar(60)	Yes
23	PROD_CLASS_CODE	varchar(60)	Yes
24	A2Z_CODE	varchar(60)	Yes
25	SUPP_SID_PRIME	int	Yes
26	SUPP_SID_SELLING	int	Yes
27	SUPP_SID_PRIME_NDC	int	Yes
28	SUPP_SID_SELLING_NDC	int	Yes
29	PROD_SURCHARGE_OUT	decimal(10,2)	Yes
30	PROD_NPD_PERC_SS	decimal(10,4)	Yes
31	PROD_NPD_PERC_NDC	decimal(10,4)	Yes

CF_PRODUCT_ACTV

31 columns.

#	Column Name	Data Type	Nullable
1	PROD_SID	int	No
2	PROD_CURR_SID	int	Yes
3	PROD_TTSTATUS	char(1)	No
4	PROD_TTSTART_TS	datetime	No

#	Column Name	Data Type	Nullable
5	PROD_TTEND_TS	datetime	No
6	PROD_SKU	varchar(60)	No
7	PROD_DESC	varchar(255)	Yes
8	PROD_LINE_CODE	varchar(10)	No
9	PROD_LINE_PART	varchar(60)	No
10	BRND_SID	int	Yes
11	INVT_CODE	int	Yes
12	PROD_WARRANTY_PERIOD	smallint	Yes
13	PROD_IMAGE_URL	varchar(255)	Yes
14	PROD_SKU_SUPERSEDED	varchar(60)	Yes
15	DTE_SID_SUPERSEDED	int	Yes
16	DTE_SID_FIRST_STOCKED	int	Yes
17	DTE_SID_PRODUCT_CREATED	int	Yes
18	PROD_VEHICLE_MAKER_CODE	varchar(60)	Yes
19	PROD_PER_CAR_QTY	smallint	Yes
20	PROD_ACTIVE_IND	bit	Yes
21	PCOND_CODE	varchar(10)	No
22	PROD_BSC_CODE	varchar(60)	Yes
23	PROD_CLASS_CODE	varchar(60)	Yes
24	A2Z_CODE	varchar(60)	Yes
25	SUPP_SID_PRIME	int	Yes
26	SUPP_SID_SELLING	int	Yes
27	SUPP_SID_PRIME_NDC	int	Yes
28	SUPP_SID_SELLING_NDC	int	Yes
29	PROD_SURCHARGE_OUT	decimal(10,2)	Yes
30	PROD_NPD_PERC_SS	decimal(10,4)	Yes
31	PROD_NPD_PERC_NDC	decimal(10,4)	Yes

CF_PRODUCT_GROUP

7 columns.

#	Column Name	Data Type	Nullable
1	PRGP_SID	int	No
2	PRGP_CURR_SID	int	Yes
3	PRGP_TTSTATUS	char(1)	No
4	PRGP_TTSTART_TS	datetime	No

#	Column Name	Data Type	Nullable
5	PRGP_TTEND_TS	datetime	No
6	PRGP_CODE	varchar(255)	No
7	PRGP_DESC	varchar(255)	Yes

CF_PRODUCT_HIST

31 columns.

#	Column Name	Data Type	Nullable
1	PROD_SID	int	No
2	PROD_CURR_SID	int	Yes
3	PROD_TTSTATUS	char(1)	No
4	PROD_TTSTART_TS	datetime	No
5	PROD_TTEND_TS	datetime	No
6	PROD_SKU	varchar(60)	No
7	PROD_DESC	varchar(255)	Yes
8	PROD_LINE_CODE	varchar(10)	No
9	PROD_LINE_PART	varchar(60)	No
10	BRND_SID	int	Yes
11	INVT_CODE	int	Yes
12	PROD_WARRANTY_PERIOD	smallint	Yes
13	PROD_IMAGE_URL	varchar(255)	Yes
14	PROD_SKU_SUPERSEDED	varchar(60)	Yes
15	DTE_SID_SUPERSEDED	int	Yes
16	DTE_SID_FIRST_STOCKED	int	Yes
17	DTE_SID_PRODUCT_CREATED	int	Yes
18	PROD_VEHICLE_MAKER_CODE	varchar(60)	Yes
19	PROD_PER_CAR_QTY	smallint	Yes
20	PROD_ACTIVE_IND	bit	Yes
21	PCOND_CODE	varchar(10)	No
22	PROD_BSC_CODE	varchar(60)	Yes
23	PROD_CLASS_CODE	varchar(60)	Yes
24	A2Z_CODE	varchar(60)	Yes
25	SUPP_SID_PRIME	int	Yes
26	SUPP_SID_SELLING	int	Yes
27	SUPP_SID_PRIME_NDC	int	Yes
28	SUPP_SID_SELLING_NDC	int	Yes

#	Column Name	Data Type	Nullable
29	PROD_SURCHARGE_OUT	decimal(10,2)	Yes
30	PROD_NPD_PERC_SS	decimal(10,4)	Yes
31	PROD_NPD_PERC_NDC	decimal(10,4)	Yes

CF_SUB_PRODUCT_GROUP

7 columns.

#	Column Name	Data Type	Nullable
1	SPRGP_SID	int	No
2	SPRGP_CURR_SID	int	Yes
3	SPRGP_TTSTATUS	char(1)	No
4	SPRGP_TTSTART_TS	datetime	No
5	SPRGP_TTEND_TS	datetime	No
6	SPRGP_CODE	varchar(255)	No
7	SPRGP_DESC	varchar(255)	Yes

CF_SUPPLIER

27 columns.

#	Column Name	Data Type	Nullable
1	SUPP_SID	int	No
2	SUPP_CURR_SID	int	Yes
3	SUPP_TTSTATUS	char(1)	No
4	SUPP_TTSTART_TS	datetime	No
5	SUPP_TTEND_TS	datetime	No
6	SUPP_CODE	varchar(255)	Yes
7	SUPP_TYPE	varchar(255)	Yes
8	SUPP_NAME	varchar(255)	Yes
9	SUPP_ADDR_LINE1	varchar(255)	Yes
10	SUPP_ADDR_LINE2	varchar(255)	Yes
11	SUPP_ADDR_LINE3	varchar(255)	Yes
12	SUPP_ADDR_LINE4	varchar(255)	Yes
13	SUPP_ADDR_LINE5	varchar(255)	Yes
14	SUPP_POSTCODE	varchar(255)	Yes
15	SUPP_TELEPHONE	varchar(255)	Yes
16	SUPP_TELEPHONE_ACCTS	varchar(255)	Yes
17	SUPP_EMAIL	varchar(255)	Yes

#	Column Name	Data Type	Nullable
18	SUPP_EMAIL_REP	varchar(255)	Yes
19	SUPP_EMAIL_ORDERING	varchar(255)	Yes
20	SUPP_EMAIL_ACCTS	varchar(255)	Yes
21	SUPP_MIN_BOX_QTY	int	Yes
22	SUPP_MIN_PURCHASE_VALUE	decimal	Yes
23	SUPP_CREDIT_LIMIT	decimal	Yes
24	PRCE_CODE	varchar(10)	Yes
25	SUPP_ACTIVE_IND	tinyint	Yes
26	VAT_CODE	varchar(10)	Yes
27	CRNCY_CODE	varchar(10)	Yes

CF_TIME

8 columns.

#	Column Name	Data Type	Nullable
1	TIME_SID	int	No
2	TIME_TIME	char(4)	Yes
3	TIME_HOUR	int	Yes
4	TIME_MINUTE	int	Yes
5	TIME_HOUR_MINUTE	char(5)	Yes
6	TIME_HOUR_MINUTE_12	char(5)	Yes
7	TIME_AM_PM_IND	char(2)	Yes
8	TIME_QUARTER_IND	char(2)	Yes

CF_USERID

8 columns.

#	Column Name	Data Type	Nullable
1	UID_SID	int	No
2	UID_CURR_SID	int	Yes
3	UID_TTSTATUS	char(1)	No
4	UID_TTSTART_TS	datetime	No
5	UID_TTEND_TS	datetime	No
6	PERS_SID	int	Yes
7	UID_USERID	varchar(255)	Yes
8	UID_USERID_TYPE	char(1)	Yes

3.3 Purchasing cycle (PC_)

PC_GOODS_RECEIVED

32 columns.

#	Column Name	Data Type	Nullable
1	GRN_DATETIME	datetime	No
2	COMS_SID	int	No
3	BRCH_SID	int	No
4	BRCHL_SID	int	No
5	PROD_SID	int	Yes
6	PGHL_SID	int	Yes
7	SUPP_SID	int	Yes
8	GRN_DOCUMENT	varchar(10)	No
9	GRN_DOCUMENT_SEQ	int	No
10	GRN_TYPE	char(1)	Yes
11	GRN_ORDER_NUMBER	varchar(30)	Yes
12	GRN_DOCUMENT_PREDEL	varchar(10)	Yes
13	PORD_DOCUMENT	varchar(20)	Yes
14	DTE_SID_PORD	int	Yes
15	TIME_SID_PORD	int	Yes
16	GRN_QTY	decimal(19,4)	No
17	GRN_QTY_BOOKED	decimal(19,4)	No
18	GRN_QTY_CLOSING	decimal(19,4)	No
19	GRN_QTY_DELIVERED	decimal(19,4)	No
20	GRN_QTY_ACKNOWLEDGED	decimal(19,4)	Yes
21	GRN_UNIT_COST	decimal(19,4)	No
22	GRN_NPP_COST	decimal(19,4)	Yes
23	GRN_TRANSFER_COST	decimal(19,4)	No
24	GRN_CLOSING_COST	decimal(19,4)	No
25	GRN_PORD_COST	decimal(19,4)	No
26	GRN_TOTAL_COST	decimal(19,4)	No
27	VAT_CODE	int	Yes
28	GRN_ORIGIN_CODE	varchar(50)	Yes
29	GRN_SURCHARGE_FLAG	char(1)	Yes
30	DTE_SID_REQUIRED	int	Yes
31	UID_SID	int	Yes
32	UID_SID_PORD	int	Yes

PC_PURCHASE_ORDERS

39 columns.

#	Column Name	Data Type	Nullable
1	PO_DATETIME	datetime	No
2	COMS_SID	int	No
3	BRCH_SID	int	No
4	BRCHL_SID	int	No
5	PROD_SID	int	No
6	PGHL_SID	int	No
7	SUPP_SID	int	No
8	BRCH_SID_RECEIVING	int	Yes
9	BRCHL_SID_RECEIVING	int	Yes
10	PORD_DOCUMENT	varchar(255)	No
11	PORD_DOCUMENT_SEQ	int	No
12	PORD_TYPE	varchar(255)	No
13	PORD_DOCUMENT_IBT	varchar(255)	Yes
14	PORD_ORDER_NUMBER	varchar(255)	Yes
15	PORD_BACK_ORDER_NUMBER	varchar(255)	Yes
16	PORD_QTY	int	No
17	PORD_QTY_OUTSTANDING	int	No
18	PORD_QTY_ACKNOWLEDGED	int	No
19	PORD_UNIT_COST	decimal(10,2)	Yes
20	PORD_NPP_COST	decimal(10,2)	No
21	PORD_TOTAL_COST	decimal(10,2)	Yes
22	VAT_CODE	varchar(255)	Yes
23	PORD_ORIGIN_CODE	varchar(255)	Yes
24	PORD_SURCHARGE_FLAG	varchar(255)	Yes
25	PORD_DEL_NAME	varchar(255)	Yes
26	PORD_DEL_ADDR_LINE1	varchar(255)	Yes
27	PORD_DEL_ADDR_LINE2	varchar(255)	Yes
28	PORD_DEL_ADDR_LINE3	varchar(255)	Yes
29	PORD_DEL_ADDR_LINE4	varchar(255)	Yes
30	PORD_DEL_ADDR_LINE5	varchar(255)	Yes
31	PORD_DEL_POSTCODE	varchar(255)	Yes
32	DTE_SID_DUE	int	Yes
33	TIME_SID_DUE	int	Yes

#	Column Name	Data Type	Nullable
34	DTE_SID_REQUIRED	int	Yes
35	TIME_SID_REQUIRED	int	Yes
36	DTE_SID_ACKNOWLEDGED	int	Yes
37	TIME_SID_ACKNOWLEDGED	int	Yes
38	PERS_SID	int	Yes
39	TECH_SOURCE	varchar(5)	Yes

3.4 Sales cycle (SL_)

SL_LOST_SALES

31 columns.

#	Column Name	Data Type	Nullable
1	LOST_DATETIME	datetime	No
2	BRCH_SID	int	No
3	PROD_SID	int	No
4	PGHL_SID	int	No
5	CUST_SID	int	No
6	PERS_SID	int	No
7	VEH_SID	bigint	Yes
8	VEH_VRM	varchar(50)	Yes
9	RESN_CODE	varchar(20)	Yes
10	LOST_QTY	int	Yes
11	LOST_STOCK_LOCAL_QTY	int	Yes
12	LOST_STOCK_HUB_QTY	int	Yes
13	LOST_STOCK_NDC_QTY	int	Yes
14	LOST_STOCK_COMPANY_QTY	int	Yes
15	LOST_COMMENT	text(2147483647)	Yes
16	LOST_STATUS_ID	smallint	Yes
17	LOST_STATUS_DESC	varchar(255)	Yes
18	LOST_SUBMISSION_ID	varchar(20)	Yes
19	LOST_SOURCE	varchar(50)	Yes
20	NOTFND_SKU	varchar(50)	Yes
21	LOST_VEHICLE_MAKE	varchar(255)	Yes
22	LOST_VEHICLE_MODEL	varchar(255)	Yes
23	LOST_VEHICLE_MANUFACTURE_DATE	date	Yes
24	LOST_VEHICLE_VRM	varchar(255)	Yes

#	Column Name	Data Type	Nullable
25	LOST_ENGINE_CODE	varchar(255)	Yes
26	LOST_ENGINE_SIZE	varchar(255)	Yes
27	LOST_FUEL	varchar(255)	Yes
28	LOST_TRANSMISSION	varchar(255)	Yes
29	LOST_NUMBER_OF_DOORS	varchar(255)	Yes
30	LOST_MOT_EXPIRY_DATE	varchar(255)	Yes
31	LOST_TECDOC_KTYPE	varchar(255)	Yes

SL_SALES_HISTORY

64 columns.

#	Column Name	Data Type	Nullable
1	SALE_DATETIME	datetime	Yes
2	COMS_SID	int	No
3	BRCH_SID	int	Yes
4	UID_SID	int	Yes
5	CUST_SID	int	Yes
6	SALE_DOCUMENT	varchar(60)	No
7	SALE_DOCUMENT_SEQ	smallint	No
8	SALE_ORDER_NUMBER	varchar(60)	Yes
9	PROD_LINE_PART	varchar(60)	No
10	PROD_SID	int	No
11	PGHL_SID	int	No
12	INVT_CODE	smallint	No
13	SALE_TYPE	char(1)	No
14	SALE_ORIGINAL_INVOICE_DOCUMENT	varchar(60)	Yes
15	SALE_ORIGINAL_INVOICE_SEQ	smallint	Yes
16	SALE_ORIGIN_CODE	varchar(60)	Yes
17	SALE_QUANTITY	int	No
18	SALE_STOCK_OUT_IND	char(1)	Yes
19	SALE_UNIT_PRICE	decimal(19,2)	No
20	SALE_COST_PRICE	decimal(19,2)	No
21	RESN_CODE_CREDIT	varchar(10)	Yes
22	SALE_BCP	decimal(19,2)	Yes
23	SALE_BCP_ORIGINAL	decimal(19,2)	Yes
24	SALE_BCP_INCL_SURCHARGE	decimal(19,2)	Yes

#	Column Name	Data Type	Nullable
25	SALE_BCP_GROSS_PROFIT	decimal(19,2)	Yes
26	SALE_BCP_REPORTABLE_PROFIT	decimal(19,2)	Yes
27	SALE_GROSS_REVENUE	decimal(19,2)	Yes
28	SALE_TPA_REBATE	decimal(19,2)	Yes
29	SALE_NPD_PERC_SS	decimal(10,4)	Yes
30	SALE_NPD_PERC_NDC	decimal(10,4)	Yes
31	SALE_IBT_REBATE_INBOUND	decimal(19,2)	Yes
32	SALE_IBT_REBATE_OUTBOUND	decimal(19,2)	Yes
33	SALE_NETT_COST	decimal(19,2)	No
34	SALE_NETT_COST_POST_IBT_REBATE	decimal(19,2)	Yes
35	SALE_AVERAGE_COST	decimal(19,2)	Yes
36	SALE_GROSS_PROFIT	decimal(19,2)	No
37	SALE_GROSS_PROFIT_INCL_REBATE	decimal(19,2)	Yes
38	SALE_ITEM_REVENUE_PRE_DISCOUNT	decimal(19,2)	No
39	SALE_ITEM_REVENUE	decimal(19,2)	No
40	SALE_REPORTABLE_REVENUE	decimal(19,2)	Yes
41	SALE_REPORTABLE_REVENUE_POST_IBT_REBATE	decimal(19,2)	Yes
42	SALE_NETT_PROFIT	decimal(19,2)	Yes
43	SALE_REVENUE_GENERATING_IND	varchar(1)	No
44	SALE_OVERSTRIKE_IND	varchar(1)	No
45	SALE_OVERSTRIKE_VALUE	decimal(19,2)	No
46	SALE_HANDLING_CHARGE	decimal(19,2)	No
47	SALE_SCREEN_PRICE	decimal(19,2)	No
48	SALE_SURCHARGE_QUANTITY	decimal(19,2)	Yes
49	SALE_SURCHARGE_VALUE	decimal(19,2)	Yes
50	SALE_LANDED_COST	decimal(19,2)	Yes
51	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
52	FCOST_CODE_ZERO_COST	varchar(10)	Yes
53	FCOST_CODE_SURCHARGE	varchar(10)	Yes
54	SALE_VEH_VRM	varchar(50)	Yes
55	SALE_DISCOUNT_PERC	decimal(19,2)	Yes
56	SALE_DISCOUNT_VALUE	decimal(19,2)	Yes
57	SALE_DISCOUNT_FLAG	char(1)	Yes
58	SALE_WEB_ORDER_NUMBER	varchar(60)	Yes
59	PORD_DOCUMENT	varchar(20)	Yes
60	PORD_QUANTITY	int	Yes

#	Column Name	Data Type	Nullable
61	PORD_SUPP_CODE	varchar(20)	Yes
62	SALE_PROMO_CODE	varchar(25)	Yes
63	BORD_DOCUMENT	varchar(20)	Yes
64	SALE_PICK_NOTE	varchar(20)	Yes

3.5 Stock movement (STK_)

STK_STOCK_MOVEMENT

28 columns.

#	Column Name	Data Type	Nullable
1	STK_DATETIME	datetime	No
2	DSET_SID	int	No
3	DTE_SID	int	No
4	TIME_SID	int	No
5	COMS_SID	int	No
6	BRCH_SID	int	No
7	BRCHL_SID	int	No
8	PROD_SID	int	Yes
9	PGHL_SID	int	Yes
10	CUST_SID	int	Yes
11	SUPP_SID	int	Yes
12	SMOV_DOCUMENT	varchar(255)	No
13	SMOV_DOCUMENT_SEQ	int	No
14	SMOV_ORDER_NUMBER	varchar(255)	Yes
15	TRAN_CODE	varchar(255)	No
16	SMOV_QTY	bigint	No
17	SMOV_CURR_QTY	bigint	No
18	SMOV_CLOSING_QTY	bigint	No
19	SMOV_UNIT_PRICE	decimal(10,2)	No
20	SMOV_OPENING_COST	decimal(10,2)	No
21	SMOV_TRANSFER_COST	decimal(10,2)	No
22	SMOV_CLOSING_COST	decimal(10,2)	No
23	RESN_CODE	varchar(255)	Yes
24	SMOV_INVENTORY_REF	varchar(255)	Yes
25	PERS_SID	int	Yes
26	TECH_SOURCE_BPID	bigint	Yes

#	Column Name	Data Type	Nullable
27	TECH_SOURCE	varchar(5)	Yes
28	SMOV_DATETIME	datetime	Yes

4. MIO Jobs — Staging Load

MIO jobs run stored procedures that load data into the IMS_STAGING database. The final step in each job executes the paired MI1 update job so that staging and operational tables are refreshed in one chain.

MIO_BR_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Loads branch-hierarchy reference data into staging, then triggers the MI1 branch update job.

Step	Name	Type	On Success	On Failure
1	S_BR_BRANCH_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_BR_BRANCH_HIER_LINK_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
3	S_BR_CLUSTER_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
4	S_BR_DIVISION_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
5	S_BR_REGION_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
6	EXEC MI1_BR_TABLES_UPDATE	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MIO_BR_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Job Properties - MIO_BR_TABLES_DOWNLOAD_TO STAGING_FROM_DW

Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Job step list:

Step	Name	Type	On Success	On Failure
1	S_BR_BRANCH_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_BR_BRANCH_HIER_LINK_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	S_BR_CLUSTER_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
4	S_BR_DIVISION_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
5	S_BR_REGION_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
6	EXEC MI1_BR_TABLES_UPDATE	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MIO_CF_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Loads the commercial-file (product, customer, supplier and related dimension) tables into staging, then triggers the MI1 commercial-file update job.

Step	Name	Type	On Success	On Failure
1	CF_PRODUCT	T-SQL script	Go to the next step	Quit the job reporting failure
2	CF_CUSTOMER	T-SQL script	Go to the next step	Quit the job

Step	Name	Type	On Success	On Failure
				reporting failure
3	CF_SUPPLIER	T-SQL script	Go to the next step	Quit the job reporting failure
4	CF_SUB_PRODUCT_GROUP	T-SQL script	Go to the next step	Quit the job reporting failure
5	CF_PRODUCT_GROUP	T-SQL script	Go to the next step	Quit the job reporting failure
6	CF_MAJOR_PRODUCT_GROUP	T-SQL script	Go to the next step	Quit the job reporting failure
7	CF_DATE	T-SQL script	Go to the next step	Quit the job reporting failure
8	CF_BRAND	T-SQL script	Go to the next step	Quit the job reporting failure
9	CF_PROD_GROUP_HIER_LINK	T-SQL script	Go to the next step	Quit the job reporting failure
10	CF_TIME	T-SQL script	Go to the next step	Quit the job reporting failure
11	CF_PERSON	T-SQL script	Go to the next step	Quit the job reporting failure
12	S_CF_COMMERCIAL_SYSTEM	T-SQL script	Go to the next step	Quit the job reporting failure
13	CF_USERID	T-SQL script	Go to the next step	Quit the job reporting failure
14	EXEC MI1_CF_TABLES_UPDATE	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI0_CF_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Step	Name	Type	On Success	On Failure
1	CF_PRODUCT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	CF_CUSTOMER	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	CF_SUPPLIER	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
4	CF_SUB_PRODUCT_GROUP	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
5	CF_PRODUCT_GROUP	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
6	CF_MAJOR_PRODUCT_GROUP	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
7	CF_DATE	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
8	CF_BRAND	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
9	CF_PROD_GROUP_HIER_LINK	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
10	CF_TIME	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
11	CF_PERSON	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
12	S_CF_COMMERCIAL_SYSTEM	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
13	CF_USERID	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
14	EXEC MI1_CF_TABLES_UPDATE	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI0_PC_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Loads purchasing-cycle data (purchase orders and goods received) into staging, then triggers the MI1 purchasing update job.

Step	Name	Type	On Success	On Failure
1	PC_PURCHASE_ORDERS	T-SQL script	Go to the next step	Quit the job reporting failure
2	PC_GOODS_RECEIVED	T-SQL script	Go to the next step	Quit the job reporting failure
3	EXEC MI1_PC_TABLES_UPDATE	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI0_PC_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Step	Name	Type	On Success	On Failure
1	PC_PURCHASE_ORDERS	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	PC_GOODS_RECEIVED	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	EXEC MI1_PC_TABLES_UPDATE	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI0_SL_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Loads sales-cycle data (lost sales, sales history and stock movement) into staging, then triggers the MI1 sales update job.

Step	Name	Type	On Success	On Failure
1	SL_LOST_SALES_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
2	SL_SALES_HISTORY_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
3	S_STK_STOCK_MOVEMENT_LOAD	T-SQL script	Go to the next step	Quit the job reporting failure
4	EXEC MI1_SL_TABLES_UPDATE	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI0_SL_TABLES_DOWNLOAD_TO_STAGING_FROM_DW

Step	Name	Type	On Success	On Failure
1	SL_LOST_SALES_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	SL_SALES_HISTORY_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	S_STK_STOCK_MOVEMENT_LOAD	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
4	EXEC MI1_SL_TABLES_UPDATE	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

5. IMS_DB01 Table Specifications

This section documents the column-level structure of every table in the IMS_DB01 operational database, as sourced from INFORMATION_SCHEMA.COLUMNS. Tables are grouped by functional area and correspond to the MI1 update jobs described in Section 6.

5.1 Branch hierarchy (GBR_)

GBR_BRANCH_ACTV

27 columns.

#	Column Name	Data Type	Nullable
1	BRNO	int	No
2	BRNAME	varchar(200)	Yes
3	BRCODE	varchar(10)	No
4	BRSIZE	varchar(255)	Yes
5	RGNCODE	varchar(10)	Yes
6	RGNNAME	varchar(100)	Yes
7	RSDNAME	varchar(100)	Yes
8	DVNCODE	varchar(10)	Yes
9	DVNNAME	varchar(100)	Yes
10	DVNDIR	varchar(100)	Yes
11	RDCNO	varchar(10)	Yes
12	RDCNAME	varchar(200)	Yes
13	RDC_FLAG	int	Yes
14	RMBRANCH	bit	Yes
15	BRTYPE	varchar(40)	Yes
16	BRBSC	varchar(20)	Yes
17	EXHAUSTS	varchar(20)	Yes
18	TYRES_FLG	varchar(20)	Yes
19	BARRELS_FLG	varchar(20)	Yes
20	DRIVE_FLG	varchar(20)	Yes
21	BROPEN	bit	Yes
22	GREENFIELD6M	bit	Yes
23	GREENFIELD12M	bit	Yes
24	OPENDATE	date	Yes
25	CLOSEDATE	date	Yes
26	MONTHSOPEN	int	Yes
27	ISNEWBRANCH	bit	Yes

GBR_BRANCH_HIER_LINK_ACTV

9 columns.

#	Column Name	Data Type	Nullable
1	BRCHL_SID	int	No
2	BRCHL_CURR_SID	int	Yes
3	BRCHL_TTSTATUS	char(1)	No
4	BRCHL_TTSTART_TS	datetime	No
5	BRCHL_TTEND_TS	datetime	No
6	BRCH_SID	int	Yes
7	CLSTR_SID	int	Yes
8	REGN_SID	int	Yes
9	DVSN_SID	int	Yes

GBR_CLUSTER_ACTV

12 columns.

#	Column Name	Data Type	Nullable
1	CLSID	int	No
2	CLCURR_SID	int	Yes
3	CLTTSTATUS	char(1)	No
4	CLTTSTART_TS	date	No
5	CLTTEND_TS	date	No
6	CLCODE	varchar(255)	No
7	CLNAME	varchar(255)	Yes
8	CLDIRECTOR	varchar(255)	Yes
9	CLCREATED	date	Yes
10	CLMODIFIED	date	Yes
11	CLPERS_SID_CREATED_BY	date	Yes
12	CLPERS_SID_MODIFIED_BY	varchar(255)	Yes

GBR_DIVISION_ACTV

12 columns.

#	Column Name	Data Type	Nullable
1	DVSIID	int	No
2	DVCURR_SID	int	Yes
3	DVTTSTATUS	char(1)	No
4	DVTTSTART_TS	date	No

#	Column Name	Data Type	Nullable
5	DVTTEND_TS	date	No
6	DVCODE	varchar(255)	No
7	DVNAME	varchar(255)	Yes
8	DVDIRECTOR	varchar(255)	Yes
9	DVCREATED	date	Yes
10	DVMODIFIED	date	Yes
11	DVPERS_SID_CREATED_BY	date	Yes
12	DVPERS_SID_MODIFIED_BY	varchar(255)	Yes

GBR_REGION_ACTV

12 columns.

#	Column Name	Data Type	Nullable
1	RGSID	int	No
2	RGCURR_SID	int	Yes
3	RGTTSTATUS	char(1)	No
4	RGTTSTART_TS	date	No
5	RGTTEND_TS	date	No
6	RGCODE	varchar(255)	No
7	RGNAME	varchar(255)	Yes
8	RGDIRECTOR	varchar(255)	Yes
9	RGCREATED	date	Yes
10	RGMODIFIED	date	Yes
11	RGPERS_SID_CREATED_BY	date	Yes
12	RGPERS_SID_MODIFIED_BY	varchar(255)	Yes

5.2 Commercial file (GCF_)**GCF_BRAND_ACTV**

8 columns.

#	Column Name	Data Type	Nullable
1	BDSID	int	No
2	BDCURR_SID	int	Yes
3	BDTTSTATUS	char(1)	No
4	BDTTSTART_TS	date	No
5	BDTTEND_TS	date	No
6	BDCODE	varchar(255)	Yes

#	Column Name	Data Type	Nullable
7	BDESC	varchar(255)	Yes
8	BDTYPE	varchar(255)	Yes

GCF_COMMSYSTEM_ACTV

6 columns.

#	Column Name	Data Type	Nullable
1	CMSID	int	No
2	CMCURR_SID	int	Yes
3	CMTTSTATUS	char(1)	No
4	CMTTSTART_TS	date	No
5	CMTTEND_TS	date	No
6	CMCODE	varchar(255)	No

GCF_CUSTOMER_ACTV

57 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	CUSID	int	No
4	CUCURR_SID	int	Yes
5	CUTTSTATUS	char(1)	No
6	CUCODE	varchar(255)	No
7	CUNACCT_CODE	varchar(60)	Yes
8	CUCOMPANY_NAME	varchar(255)	Yes
9	CUADDR_LINE1	varchar(255)	Yes
10	CUADDR_LINE2	varchar(255)	Yes
11	CUADDR_LINE3	varchar(255)	Yes
12	CUADDR_LINE4	varchar(255)	Yes
13	CUADDR_LINE5	varchar(255)	Yes
14	CUPOSTCODE	varchar(255)	Yes
15	CNTRY_CODE	varchar(255)	Yes
16	CUEMAIL	varchar(255)	Yes
17	CUTELEPHONE	varchar(255)	Yes
18	CUTELEPHONE_ACCTS	varchar(255)	Yes
19	CUFAX_ACCTS	varchar(255)	Yes

#	Column Name	Data Type	Nullable
20	CUTELEPHONE_SALES	varchar(255)	Yes
21	CUFAX_SALES	varchar(255)	Yes
22	CUSALES_CONTACT	varchar(255)	Yes
23	CUACCTS_CONTACT	varchar(255)	Yes
24	CUPTYPE	varchar(50)	No
25	CULTYPE	varchar(50)	No
26	CUBRCH_ID_OWNING	int	Yes
27	CUSTATEMENT_ACCOUNT	varchar(255)	Yes
28	CUTERMS_AS	varchar(50)	Yes
29	CUSPECIAL_TERMS	varchar(255)	Yes
30	CUOLD_ACCT_NUMBER	varchar(255)	Yes
31	CUTRADE_CLUB_CODE	varchar(255)	Yes
32	CUSERVSURE_ACCT_NUMBER	varchar(255)	Yes
33	CUEXTERNAL_REF_NUMBER	varchar(255)	Yes
34	CUATTACK_TERMS_IND	char(1)	Yes
35	CUCREDIT_LIMIT	decimal(12,2)	No
36	CUSURCHARGE_CODE	varchar(50)	Yes
37	CUSTPS_CODE	varchar(50)	Yes
38	CUPREVENT_STOP_FLAG	char(1)	Yes
39	CUSEGM_CODE	varchar(50)	Yes
40	CUPOTENTIAL_VALUE	decimal	Yes
41	CUPOTENTIAL_DAILY_AVG_VALUE	decimal	Yes
42	CUBUDGET_VALUE	decimal	Yes
43	CUBUDGET_DAILY_AVG_VALUE	decimal	Yes
44	CUBALANCE_VALUE	decimal(12,2)	Yes
45	CUAGED_CODE	varchar(50)	Yes
46	CUSLVL_CODE	varchar(50)	Yes
47	CUSLA	int	Yes
48	CUNATIONAL_ACCT_CODE	varchar(255)	Yes
49	CUSALE_RESTRICT_CUSTOMER	varchar(255)	Yes
50	CURAMPS	varchar(255)	Yes
51	CUMOT_STATION_ID	varchar(255)	Yes
52	CUMOT_STATION_FLAG	char(1)	Yes
53	CUSTATEMENT_FREQ_FLAG	char(1)	Yes
54	CUINVOICE_FREQ_FLAG	char(1)	Yes
55	CUPAYT_CODE	varchar(50)	Yes

#	Column Name	Data Type	Nullable
56	CUDTE_SID_CREATED	int	Yes
57	CUDTE_SID_MODIFIED	int	Yes

GCF_CUSTOMER_HIST

57 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	CUSID	int	No
4	CUCURR_SID	int	Yes
5	CUTTSTATUS	char(1)	No
6	CUCODE	varchar(255)	No
7	CUNACCT_CODE	varchar(60)	Yes
8	CUCOMPANY_NAME	varchar(255)	Yes
9	CUADDR_LINE1	varchar(255)	Yes
10	CUADDR_LINE2	varchar(255)	Yes
11	CUADDR_LINE3	varchar(255)	Yes
12	CUADDR_LINE4	varchar(255)	Yes
13	CUADDR_LINE5	varchar(255)	Yes
14	CUPOSTCODE	varchar(255)	Yes
15	CNTRY_CODE	varchar(255)	Yes
16	CUEMAIL	varchar(255)	Yes
17	CUTELEPHONE	varchar(255)	Yes
18	CUTELEPHONE_ACCTS	varchar(255)	Yes
19	CUFAX_ACCTS	varchar(255)	Yes
20	CUTELEPHONE_SALES	varchar(255)	Yes
21	CUFAX_SALES	varchar(255)	Yes
22	CUSALES_CONTACT	varchar(255)	Yes
23	CUACCTS_CONTACT	varchar(255)	Yes
24	CUPTYPE	varchar(50)	No
25	CULTYPE	varchar(50)	No
26	CUBRCH_ID_OWNING	int	Yes
27	CUSTATEMENT_ACCOUNT	varchar(255)	Yes
28	CUTERMS_AS	varchar(50)	Yes
29	CUSPECIAL_TERMS	varchar(255)	Yes

#	Column Name	Data Type	Nullable
30	CUOLD_ACCT_NUMBER	varchar(255)	Yes
31	CUTRADE_CLUB_CODE	varchar(255)	Yes
32	CUSERVSURE_ACCT_NUMBER	varchar(255)	Yes
33	CUEXTERNAL_REF_NUMBER	varchar(255)	Yes
34	CUATTACK_TERMS_IND	char(1)	Yes
35	CUCREDIT_LIMIT	decimal(12,2)	No
36	CUSURCHARGE_CODE	varchar(50)	Yes
37	CUSTPS_CODE	varchar(50)	Yes
38	CUPREVENT_STOP_FLAG	char(1)	Yes
39	CUSEGM_CODE	varchar(50)	Yes
40	CUPOTENTIAL_VALUE	decimal	Yes
41	CUPOTENTIAL_DAILY_AVG_VALUE	decimal	Yes
42	CUBUDGET_VALUE	decimal	Yes
43	CUBUDGET_DAILY_AVG_VALUE	decimal	Yes
44	CUBALANCE_VALUE	decimal(12,2)	Yes
45	CUAGED_CODE	varchar(50)	Yes
46	CUSLVL_CODE	varchar(50)	Yes
47	CUSLA	int	Yes
48	CUNATIONAL_ACCT_CODE	varchar(255)	Yes
49	CUSALE_RESTRICT_CUSTOMER	varchar(255)	Yes
50	CURAMPS	varchar(255)	Yes
51	CUMOT_STATION_ID	varchar(255)	Yes
52	CUMOT_STATION_FLAG	char(1)	Yes
53	CUSTATEMENT_FREQ_FLAG	char(1)	Yes
54	CUINVOICE_FREQ_FLAG	char(1)	Yes
55	CUPAYT_CODE	varchar(50)	Yes
56	CUDTE_SID_CREATED	int	Yes
57	CUDTE_SID_MODIFIED	int	Yes

GCF_DATE_CALENDAR_ACTV

28 columns.

#	Column Name	Data Type	Nullable
1	DTSID	int	Yes
2	DTDATE	datetime	Yes
3	DTDOW_NUMBER	int	Yes

#	Column Name	Data Type	Nullable
4	DTDOW_ABBR	varchar(255)	Yes
5	DTDOW_NAME	varchar(255)	Yes
6	DTDOM_NUMBER	int	Yes
7	DTHOLIDAY_IND	char(1)	Yes
8	DTFIRST_OF_THE_MONTH	date	Yes
9	DTWEEKEND_IND	char(1)	Yes
10	DTLEAP_YEAR_IND	char(1)	Yes
11	DTWEEK_NUMBER	int	Yes
12	DTMONTH_NUMBER	int	Yes
13	DTMONTH_NAME	varchar(255)	Yes
14	DTMONTH_ABBR	varchar(255)	Yes
15	DTQUARTER	int	Yes
16	DTYEAR	int	Yes
17	DTFIN_WEEK_START	date	Yes
18	DTFIN_WEEK_END	date	Yes
19	DTFIN_DATE_MONTH_START	date	Yes
20	DTFIN_DATE_MONTH_END	date	Yes
21	DTFIN_PERIOD_START	date	Yes
22	DTFIN_PERIOD_END	date	Yes
23	DTFIN_QUARTER_START	date	Yes
24	DTFIN_QUARTER_END	date	Yes
25	DTFIN_YEAR_START	date	Yes
26	DTFIN_YEAR_END	date	Yes
27	DTBUDGET_PERIOD	int	Yes
28	DTWORKING_DAY	decimal	Yes

GCF_MAJOR_PG_ACTV

6 columns.

#	Column Name	Data Type	Nullable
1	MPGSID	int	Yes
2	MPGTTSTATUS	char(1)	Yes
3	MPGTTSTART_TS	date	No
4	MPGTTEND_TS	date	No
5	MPGCODE	varchar(255)	Yes
6	MPGDESC	varchar(255)	Yes

GCF_PERSON_ACTV

13 columns.

#	Column Name	Data Type	Nullable
1	PERS_SID	int	No
2	PERS_CURR_SID	int	Yes
3	PERS_TTSTATUS	char(1)	No
4	PERS_TTSTART_TS	date	No
5	PERS_TTEND_TS	date	No
6	PERS_EMPLOYEE_ID	varchar(256)	No
7	PERS_EMPLOYEE_TYPE	varchar(256)	No
8	PERS_JOB_TITLE	varchar(256)	Yes
9	PERS_FIRSTNAME	varchar(255)	No
10	PERS_SURNAME	varchar(255)	No
11	PERS_EMAIL	varchar(255)	Yes
12	BRCH_SID	int	Yes
13	BRCHL_SID	int	Yes

GCF_PG_ACTV

7 columns.

#	Column Name	Data Type	Nullable
1	GP_SID	int	No
2	GP_CURR_SID	int	Yes
3	GP_TTSTATUS	char(1)	No
4	GP_TTSTART_TS	datetime	No
5	GP_TTEND_TS	datetime	No
6	GP_CODE	varchar(255)	No
7	GP_DESC	varchar(255)	Yes

GCF_PG_HIER_LINK_ACTV

9 columns.

#	Column Name	Data Type	Nullable
1	PGHL_SID	int	No
2	PGHL_CURR_SID	int	Yes
3	PGHL_TTSTATUS	char(1)	No
4	PGHL_TTSTART_TS	datetime	No
5	PGHL_TTEND_TS	datetime	No

#	Column Name	Data Type	Nullable
6	PROD_SID	int	No
7	MPRGP_SID	int	No
8	PRGP_SID	int	No
9	SPRGP_SID	int	No

GCF_PROD_GROUP_HIER_LINK_ACTV

9 columns.

#	Column Name	Data Type	Nullable
1	PGHL_SID	int	No
2	PGHL_CURR_SID	int	Yes
3	PGHL_TTSTATUS	char(1)	No
4	PGHL_TTSTART_TS	datetime	No
5	PGHL_TTEND_TS	datetime	No
6	PROD_SID	int	No
7	MPRGP_SID	int	No
8	PRGP_SID	int	No
9	SPRGP_SID	int	No

GCF_PRODUCT_ACTV

20 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	PNO	varchar(37)	No
4	PG	varchar(10)	Yes
5	CIND	varchar(2)	Yes
6	SUPERTO	varchar(37)	Yes
7	RNGE	varchar(10)	Yes
8	DESC1	varchar(60)	Yes
9	SSUPP	varchar(10)	Yes
10	PSUPP	varchar(10)	Yes
11	CLASS	varchar(4)	Yes
12	BRAND	varchar(50)	Yes
13	SUBRANGE	varchar(50)	Yes
14	BSCCODE	varchar(50)	Yes

#	Column Name	Data Type	Nullable
15	VEHICLE_MAKER_CODE	varchar(50)	Yes
16	PERCAR	int	Yes
17	LINECODE	varchar(5)	Yes
18	PARTCODE	varchar(37)	Yes
19	A2Z_CODE	varchar(60)	Yes
20	PNOACTV	varchar(37)	Yes

GCF_PRODUCT_HIST

19 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	PNO	varchar(37)	No
4	PG	varchar(10)	Yes
5	CIND	varchar(2)	Yes
6	SUPERTO	varchar(37)	Yes
7	RNGE	varchar(10)	Yes
8	DESC1	varchar(60)	Yes
9	SSUPP	varchar(10)	Yes
10	PSUPP	varchar(10)	Yes
11	CLASS	varchar(4)	Yes
12	BRAND	varchar(50)	Yes
13	SUBRANGE	varchar(50)	Yes
14	BSCCODE	varchar(50)	Yes
15	VEHICLE_MAKER_CODE	varchar(50)	Yes
16	PERCAR	int	Yes
17	LINECODE	varchar(5)	Yes
18	PARTCODE	varchar(37)	Yes
19	A2Z_CODE	varchar(60)	Yes

GCF_SUB_PG_ACTV

7 columns.

#	Column Name	Data Type	Nullable
1	SGP_SID	int	No
2	SGP_CURR_SID	int	Yes

#	Column Name	Data Type	Nullable
3	SGP_TTSTATUS	char(1)	No
4	SGP_TTSTART_TS	datetime	No
5	SGP_TTEND_TS	datetime	No
6	SGP_CODE	varchar(255)	No
7	SGP_DESC	varchar(255)	Yes

GCF_SUPPLIER_ACTV

27 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	SR_SID	int	No
4	SR_CURR_SID	int	Yes
5	SR_TTSTATUS	char(1)	No
6	SR_CODE	varchar(255)	Yes
7	SR_TYPE	varchar(255)	Yes
8	SR_NAME	varchar(255)	Yes
9	SR_ADDR_LINE1	varchar(255)	Yes
10	SR_ADDR_LINE2	varchar(255)	Yes
11	SR_ADDR_LINE3	varchar(255)	Yes
12	SR_ADDR_LINE4	varchar(255)	Yes
13	SR_ADDR_LINE5	varchar(255)	Yes
14	SR_POSTCODE	varchar(255)	Yes
15	SR_TELEPHONE	varchar(255)	Yes
16	SR_TELEPHONE_ACCTS	varchar(255)	Yes
17	SR_EMAIL	varchar(255)	Yes
18	SR_EMAIL_REP	varchar(255)	Yes
19	SR_EMAIL_ORDERING	varchar(255)	Yes
20	SR_EMAIL_ACCTS	varchar(255)	Yes
21	SR_MIN_BOX_QTY	int	Yes
22	SR_MIN_PURCHASE_VALUE	decimal	Yes
23	SR_CREDIT_LIMIT	decimal	Yes
24	PRCE_CODE	varchar(10)	Yes
25	SR_ACTIVE_IND	tinyint	Yes
26	VAT_CODE	varchar(10)	Yes

#	Column Name	Data Type	Nullable
27	CRNCY_CODE	varchar(10)	Yes

GCF_SUPPLIER_HIST

27 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	SR_SID	int	No
4	SR_CURR_SID	int	Yes
5	SR_TTSTATUS	char(1)	No
6	SR_CODE	varchar(255)	Yes
7	SR_TYPE	varchar(255)	Yes
8	SR_NAME	varchar(255)	Yes
9	SR_ADDR_LINE1	varchar(255)	Yes
10	SR_ADDR_LINE2	varchar(255)	Yes
11	SR_ADDR_LINE3	varchar(255)	Yes
12	SR_ADDR_LINE4	varchar(255)	Yes
13	SR_ADDR_LINE5	varchar(255)	Yes
14	SR_POSTCODE	varchar(255)	Yes
15	SR_TELEPHONE	varchar(255)	Yes
16	SR_TELEPHONE_ACCTS	varchar(255)	Yes
17	SR_EMAIL	varchar(255)	Yes
18	SR_EMAIL_REP	varchar(255)	Yes
19	SR_EMAIL_ORDERING	varchar(255)	Yes
20	SR_EMAIL_ACCTS	varchar(255)	Yes
21	SR_MIN_BOX_QTY	int	Yes
22	SR_MIN_PURCHASE_VALUE	decimal	Yes
23	SR_CREDIT_LIMIT	decimal	Yes
24	PRCE_CODE	varchar(10)	Yes
25	SR_ACTIVE_IND	tinyint	Yes
26	VAT_CODE	varchar(10)	Yes
27	CRNCY_CODE	varchar(10)	Yes

GCF_TIME_ACTV

8 columns.

#	Column Name	Data Type	Nullable
1	TSID	int	No
2	TTIME	char(4)	Yes
3	THOUR	int	Yes
4	TMINUTE	int	Yes
5	THOUR_MINUTE	char(5)	Yes
6	THOUR_MINUTE_12	char(5)	Yes
7	TAM_PM_IND	char(2)	Yes
8	TQUARTER_IND	char(2)	Yes

GCF_USERID_ACTV

8 columns.

#	Column Name	Data Type	Nullable
1	USID	int	No
2	UCURR_SID	int	Yes
3	UTTSTATUS	char(1)	No
4	UTTSTART_TS	datetime	No
5	UTTEND_TS	datetime	No
6	PERS_SID	int	Yes
7	UUSERID	varchar(255)	Yes
8	UUSERID_TYPE	char(1)	Yes

5.3 Purchasing cycle (GPC_)**GPC_GOODS_RECEIVED_ACTV**

34 columns.

#	Column Name	Data Type	Nullable
1	GRN_DATETIME	datetime	No
2	SYSCODE	varchar(8)	No
3	BRID	varchar(255)	Yes
4	BRCODE	varchar(4)	Yes
5	BRNAME	varchar(255)	Yes
6	PNO	varchar(60)	Yes
7	DESC1	varchar(255)	Yes
8	PGHL_SID	int	Yes
9	SR	varchar(255)	Yes
10	SRNAME	varchar(255)	Yes

#	Column Name	Data Type	Nullable
11	GRN_DOC	varchar(10)	No
12	GRN_DOC_SEQ	int	No
13	GRN_TYPE	char(1)	Yes
14	GRN_ORDNUM	varchar(30)	Yes
15	GRN_DOC_PREDEL	varchar(10)	Yes
16	PO_DOC	varchar(20)	Yes
17	PO_DATETIME	datetime	Yes
18	GRN_QTY	decimal(19,4)	No
19	GRN_QTY_BOOKED	decimal(19,4)	No
20	GRN_QTY_CLOSING	decimal(19,4)	No
21	GRN_QTY_DELIVERED	decimal(19,4)	No
22	GRN_QTY_INTRANSIT	decimal(19,4)	Yes
23	GRN_UNIT_COST	decimal(19,4)	No
24	GRN_NPP_COST	decimal(19,4)	Yes
25	GRN_TRANSFER_COST	decimal(19,4)	No
26	GRN_CLOSING_COST	decimal(19,4)	No
27	GRN_PORD_COST	decimal(19,4)	No
28	GRN_TOTAL_COST	decimal(19,4)	No
29	VAT_CODE	int	Yes
30	GRN_ORIG_CODE	varchar(50)	Yes
31	GRN_SUR_FLAG	char(1)	Yes
32	REQDATE	varchar(10)	Yes
33	GRN_UID	varchar(255)	Yes
34	GRN_PORD_UID	varchar(255)	Yes

GPC_PURCHASE_ORDERS_ACTV

33 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	PO_DATETIME	datetime	Yes
4	SYSCODE	varchar(8)	No
5	SR	varchar(255)	Yes
6	SRNAME	varchar(255)	Yes
7	PNO	varchar(60)	Yes

#	Column Name	Data Type	Nullable
8	DESC1	varchar(255)	Yes
9	PG	varchar(255)	Yes
10	PGCODE	varchar(255)	Yes
11	BRID	varchar(255)	Yes
12	BRCODE	varchar(4)	Yes
13	BRNAME	varchar(255)	Yes
14	PO_DOC	varchar(255)	No
15	PO_DOC_SEQ	int	No
16	PO_TYPE	varchar(255)	No
17	PO_DOC_IBT	varchar(255)	Yes
18	PO_BACKORDER_NUM	varchar(255)	Yes
19	PO_QTY	int	No
20	PO_QTY_OUTSTANDING	int	No
21	PO_QTY_INTRANSIT	int	No
22	PO_UNIT_COST	decimal(10,2)	Yes
23	PO_NPP_COST	decimal(10,2)	No
24	PO_TOTAL_COST	decimal(10,2)	Yes
25	VAT_CODE	varchar(255)	Yes
26	PO_ORIG_CODE	varchar(255)	Yes
27	PO_SUR_FLAG	varchar(255)	Yes
28	PO_DELIV_POSTCODE	varchar(255)	Yes
29	DUE_DATETIME	datetime	Yes
30	REQUIRED_DATETIME	datetime	Yes
31	ACKNOWLEDGED_DATETIME	datetime	Yes
32	PERS_NAME	varchar(511)	Yes
33	PO_STATUS	varchar(500)	Yes

GPC_PURCHASE_ORDERS_DL

30 columns.

#	Column Name	Data Type	Nullable
1	PO_DATETIME	datetime	Yes
2	SYSCODE	varchar(8)	No
3	SR	varchar(255)	Yes
4	SRNAME	varchar(255)	Yes
5	PNO	varchar(60)	Yes

#	Column Name	Data Type	Nullable
6	DESC1	varchar(255)	Yes
7	PG	varchar(255)	Yes
8	PGCODE	varchar(255)	Yes
9	BRID	varchar(255)	Yes
10	BRCODE	varchar(4)	Yes
11	BRNAME	varchar(255)	Yes
12	PO_DOC	varchar(255)	No
13	PO_DOC_SEQ	int	No
14	PO_TYPE	varchar(255)	No
15	PO_DOC_IBT	varchar(255)	Yes
16	PO_BACKORDER_NUM	varchar(255)	Yes
17	PO_QTY	int	No
18	PO_QTY_OUTSTANDING	int	No
19	PO_QTY_INTRANSIT	int	No
20	PO_UNIT_COST	decimal(10,2)	Yes
21	PO_NPP_COST	decimal(10,2)	No
22	PO_TOTAL_COST	decimal(10,2)	Yes
23	VAT_CODE	varchar(255)	Yes
24	PO_ORIG_CODE	varchar(255)	Yes
25	PO_SUR_FLAG	varchar(255)	Yes
26	PO_DELIV_POSTCODE	varchar(255)	Yes
27	DUE_DATETIME	datetime	Yes
28	REQUIRED_DATETIME	datetime	Yes
29	ACKNOWLEDGED_DATETIME	datetime	Yes
30	PERS_NAME	varchar(511)	Yes

GPC_PURCHASE_ORDERS_HIST

33 columns.

#	Column Name	Data Type	Nullable
1	FMDT	datetime	No
2	TODT	datetime	No
3	PO_DATETIME	datetime	Yes
4	SYS CODE	varchar(8)	No
5	SR	varchar(255)	Yes
6	SRNAME	varchar(255)	Yes

#	Column Name	Data Type	Nullable
7	PNO	varchar(60)	Yes
8	DESC1	varchar(255)	Yes
9	PG	varchar(255)	Yes
10	PGCODE	varchar(255)	Yes
11	BRID	varchar(255)	Yes
12	BRCODE	varchar(4)	Yes
13	BRNAME	varchar(255)	Yes
14	PO_DOC	varchar(255)	No
15	PO_DOC_SEQ	int	No
16	PO_TYPE	varchar(255)	No
17	PO_DOC_IBT	varchar(255)	Yes
18	PO_BACKORDER_NUM	varchar(255)	Yes
19	PO_QTY	int	No
20	PO_QTY_OUTSTANDING	int	No
21	PO_QTY_INTRANSIT	int	No
22	PO_UNIT_COST	decimal(10,2)	Yes
23	PO_NPP_COST	decimal(10,2)	No
24	PO_TOTAL_COST	decimal(10,2)	Yes
25	VAT_CODE	varchar(255)	Yes
26	PO_ORIG_CODE	varchar(255)	Yes
27	PO_SUR_FLAG	varchar(255)	Yes
28	PO_DELIV_POSTCODE	varchar(255)	Yes
29	DUE_DATETIME	datetime	Yes
30	REQUIRED_DATETIME	datetime	Yes
31	ACKNOWLEDGED_DATETIME	datetime	Yes
32	PERS_NAME	varchar(511)	Yes
33	PO_STATUS	varchar(500)	Yes

5.4 Sales cycle (GSL_)

GSL_LOST_SALES_ACTV

32 columns.

#	Column Name	Data Type	Nullable
1	LS_DATETIME	datetime	No
2	BRID	varchar(255)	Yes
3	BRCODE	varchar(4)	Yes

#	Column Name	Data Type	Nullable
4	PNO	varchar(60)	Yes
5	PG	varchar(255)	Yes
6	PGCODE	varchar(255)	Yes
7	CUSTNO	varchar(255)	Yes
8	PERS_NAME	varchar(511)	Yes
9	LS_VEH_VRM	varchar(50)	Yes
10	LS_RESN_CODE	varchar(20)	Yes
11	LS_QTY	int	Yes
12	LS_STOCK_LOCAL_QTY	int	Yes
13	LS_STOCK_HUB_QTY	int	Yes
14	LS_STOCK_NDC_QTY	int	Yes
15	LS_STOCK_COMPANY_QTY	int	Yes
16	LS_COMMENT	text(2147483647)	Yes
17	LS_STATUS_ID	int	Yes
18	LS_STATUS_DESC	varchar(255)	Yes
19	LS_SUBMISSION_ID	varchar(20)	Yes
20	LS_SOURCE	varchar(50)	Yes
21	LS_NOTFND_SKU	varchar(50)	Yes
22	LS_VEHICLE_MAKE	varchar(255)	Yes
23	LS_VEHICLE_MODEL	varchar(255)	Yes
24	LS_VEHICLE_MANUFACTURE_DATE	date	Yes
25	LS_VEHICLE_VRM	varchar(255)	Yes
26	LS_ENGINE_CODE	varchar(255)	Yes
27	LS_ENGINE_SIZE	varchar(255)	Yes
28	LS_FUEL	varchar(255)	Yes
29	LS_TRANSMISSION	varchar(255)	Yes
30	LS_NUMBER_OF_DOORS	varchar(255)	Yes
31	LS_MOT_EXPIRY_DATE	varchar(255)	Yes
32	LS_TECDOC_KTYPE	varchar(255)	Yes

GSL_SALES_ACTV

65 columns.

#	Column Name	Data Type	Nullable
1	SL_DATETIME	datetime	Yes
2	SYSCODE	varchar(8)	No

#	Column Name	Data Type	Nullable
3	BRCH_SID	int	Yes
4	BRID	varchar(255)	Yes
5	BRCODE	varchar(4)	Yes
6	PNO	varchar(60)	No
7	CUSTNO	varchar(255)	Yes
8	SL_DOC	varchar(60)	No
9	SL_DOCSEQ	smallint	No
10	SL_ORDNUM	varchar(60)	Yes
11	PGHL_SID	int	Yes
12	USERID	varchar(255)	Yes
13	INVT_CODE	smallint	No
14	SL_TYPE	char(1)	No
15	SL_OIVDOC	varchar(60)	Yes
16	SL_OIVSEQ	smallint	Yes
17	SL_ORIGCODE	varchar(60)	Yes
18	SL_QTY	int	No
19	SL_STK_OUTIND	char(1)	Yes
20	SL_UNITPRC	decimal(19,2)	No
21	SL_COSTPRC	decimal(19,2)	No
22	CR_REASON_CODE	varchar(10)	Yes
23	SL_BCP	decimal(19,2)	Yes
24	SL_BCP_ORIG	decimal(19,2)	Yes
25	SL_BCP_INCL_SURCHARGE	decimal(19,2)	Yes
26	SL_BCP_GROSS_PROFIT	decimal(19,2)	Yes
27	SL_BCP_REP_PROFIT	decimal(19,2)	Yes
28	SL_GROSS_REVENUE	decimal(19,2)	Yes
29	SL_TPA_REBATE	decimal(19,2)	Yes
30	SL_NPD_PERC_SS	decimal(10,4)	Yes
31	SL_NPD_PERC_NDC	decimal(10,4)	Yes
32	SL_IBT_REBINB	decimal(19,2)	Yes
33	SL_IBT_REBOUTB	decimal(19,2)	Yes
34	SL_NETTCOST	decimal(19,2)	No
35	SL_NETTCOST_POST_IBT_REBATE	decimal(19,2)	Yes
36	SL_AVGCOST	decimal(19,2)	Yes
37	SL_GROSS_PROFIT	decimal(19,2)	No
38	SL_GROSS_PROFIT_INCL_REBATE	decimal(19,2)	Yes

#	Column Name	Data Type	Nullable
39	SL_ITEM_REVENUE_PRE_DISC	decimal(19,2)	No
40	SL_ITEM_REVENUE	decimal(19,2)	No
41	SL_REP_REVENUE	decimal(19,2)	Yes
42	SL_REP_REVENUE_POST_IBT_REBATE	decimal(19,2)	Yes
43	SL_NETT_PROFIT	decimal(19,2)	Yes
44	SL_REVENUE_GEN_IND	varchar(1)	No
45	SL_OVERSTRIKE_IND	varchar(1)	No
46	SL_OVERSTRIKE_VALUE	decimal(19,2)	No
47	SL_HANDLING_CHARGE	decimal(19,2)	No
48	SL_SCREEN_PRICE	decimal(19,2)	No
49	SL_SURQTY	decimal(19,2)	Yes
50	SL_SURVALUE	decimal(19,2)	Yes
51	SL_LANDED_COST	decimal(19,2)	Yes
52	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
53	FCOST_CODE_ZERO_COST	varchar(10)	Yes
54	FCOST_CODE_SURCHARGE	varchar(10)	Yes
55	SL_VEH_VRM	varchar(50)	Yes
56	SALE_DISCOUNT_PERC	decimal(19,2)	Yes
57	SALE_DISCOUNT_VALUE	decimal(19,2)	Yes
58	SALE_DISCOUNT_FLAG	char(1)	Yes
59	SALE_WEB_ORDER_NUMBER	varchar(60)	Yes
60	PORD_DOCUMENT	varchar(20)	Yes
61	PORD_QUANTITY	int	Yes
62	PORD_SUPP_CODE	varchar(20)	Yes
63	SL_PROMO_CODE	varchar(25)	Yes
64	BORD_DOCUMENT	varchar(20)	Yes
65	SL_PICK_NOTE	varchar(20)	Yes

GSL_SALES_MNTH_SYSCODE_BRCODE

43 columns.

#	Column Name	Data Type	Nullable
1	MNTH	varchar(7)	Yes
2	SYS CODE	varchar(8)	No
3	BRID	varchar(255)	Yes
4	BRCODE	varchar(4)	Yes

#	Column Name	Data Type	Nullable
5	INVT_CODE	smallint	No
6	SL_TYPE	char(1)	No
7	SL_STK_OUTIND	char(1)	Yes
8	SL_QTY	int	Yes
9	SL_UNITPRC	decimal(38,2)	Yes
10	SL_COSTPRC	decimal(38,2)	Yes
11	CR_REASON_CODE	varchar(10)	Yes
12	SL_BCP	decimal(38,2)	Yes
13	SL_BCP_ORIG	decimal(38,2)	Yes
14	SL_BCP_INCL_SURCHARGE	decimal(38,2)	Yes
15	SL_BCP_GROSS_PROFIT	decimal(38,2)	Yes
16	SL_BCP_REP_PROFIT	decimal(38,2)	Yes
17	SL_GROSS_REVENUE	decimal(38,2)	Yes
18	SL_TPA_REBATE	decimal(38,2)	Yes
19	SL_NPD_PERC_SS	decimal(38,4)	Yes
20	SL_NPD_PERC_NDC	decimal(38,4)	Yes
21	SL_IBT_REBINB	decimal(38,2)	Yes
22	SL_IBT_REBOUTB	decimal(38,2)	Yes
23	SL_NETTCOST	decimal(38,2)	Yes
24	SL_NETTCOST_POST_IBT_REBATE	decimal(38,2)	Yes
25	SL_AVGCOST	decimal(38,2)	Yes
26	SL_GROSS_PROFIT	decimal(38,2)	Yes
27	SL_GROSS_PROFIT_INCL_REBATE	decimal(38,2)	Yes
28	SL_ITEM_REVENUE_PRE_DISC	decimal(38,2)	Yes
29	SL_ITEM_REVENUE	decimal(38,2)	Yes
30	SL_REP_REVENUE	decimal(38,2)	Yes
31	SL_REP_REVENUE_POST_IBT_REBATE	decimal(38,2)	Yes
32	SL_NETT_PROFIT	decimal(38,2)	Yes
33	SL_REVENUE_GEN_IND	varchar(1)	No
34	SL_OVERSTRIKE_IND	varchar(1)	No
35	SL_OVERSTRIKE_VALUE	decimal(38,2)	Yes
36	SL_HANDLING_CHARGE	decimal(38,2)	Yes
37	SL_SCREEN_PRICE	decimal(38,2)	Yes
38	SL_SURQTY	decimal(38,2)	Yes
39	SL_SURVALUE	decimal(38,2)	Yes
40	SL_LANDED_COST	decimal(38,2)	Yes

#	Column Name	Data Type	Nullable
41	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
42	FCOST_CODE_ZERO_COST	varchar(10)	Yes
43	FCOST_CODE_SURCHARGE	varchar(10)	Yes

GSL_SALES_MNTH_SYSCODE_BRCODE_CUSTNO

44 columns.

#	Column Name	Data Type	Nullable
1	MNTH	varchar(7)	Yes
2	SYSCODE	varchar(8)	No
3	BRID	varchar(255)	Yes
4	BRCODE	varchar(4)	Yes
5	CUSTNO	varchar(255)	Yes
6	INVT_CODE	smallint	No
7	SL_TYPE	char(1)	No
8	SL_STK_OUTIND	char(1)	Yes
9	SL_QTY	int	Yes
10	SL_UNITPRC	decimal(38,2)	Yes
11	SL_COSTPRC	decimal(38,2)	Yes
12	CR_REASON_CODE	varchar(10)	Yes
13	SL_BCP	decimal(38,2)	Yes
14	SL_BCP_ORIG	decimal(38,2)	Yes
15	SL_BCP_INCL_SURCHARGE	decimal(38,2)	Yes
16	SL_BCP_GROSS_PROFIT	decimal(38,2)	Yes
17	SL_BCP_REP_PROFIT	decimal(38,2)	Yes
18	SL_GROSS_REVENUE	decimal(38,2)	Yes
19	SL_TPA_REBATE	decimal(38,2)	Yes
20	SL_NPD_PERC_SS	decimal(38,4)	Yes
21	SL_NPD_PERC_NDC	decimal(38,4)	Yes
22	SL_IBT_REBINB	decimal(38,2)	Yes
23	SL_IBT_REBOUTB	decimal(38,2)	Yes
24	SL_NETTCOST	decimal(38,2)	Yes
25	SL_NETTCOST_POST_IBT_REBATE	decimal(38,2)	Yes
26	SL_AVGCOST	decimal(38,2)	Yes
27	SL_GROSS_PROFIT	decimal(38,2)	Yes
28	SL_GROSS_PROFIT_INCL_REBATE	decimal(38,2)	Yes

#	Column Name	Data Type	Nullable
29	SL_ITEM_REVENUE_PRE_DISC	decimal(38,2)	Yes
30	SL_ITEM_REVENUE	decimal(38,2)	Yes
31	SL_REP_REVENUE	decimal(38,2)	Yes
32	SL_REP_REVENUE_POST_IBT_REBATE	decimal(38,2)	Yes
33	SL_NETT_PROFIT	decimal(38,2)	Yes
34	SL_REVENUE_GEN_IND	varchar(1)	No
35	SL_OVERSTRIKE_IND	varchar(1)	No
36	SL_OVERSTRIKE_VALUE	decimal(38,2)	Yes
37	SL_HANDLING_CHARGE	decimal(38,2)	Yes
38	SL_SCREEN_PRICE	decimal(38,2)	Yes
39	SL_SURQTY	decimal(38,2)	Yes
40	SL_SURVALUE	decimal(38,2)	Yes
41	SL_LANDED_COST	decimal(38,2)	Yes
42	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
43	FCOST_CODE_ZERO_COST	varchar(10)	Yes
44	FCOST_CODE_SURCHARGE	varchar(10)	Yes

GSL_SALES_MNTH_SYSCODE_BRCODE_PNO

44 columns.

#	Column Name	Data Type	Nullable
1	MNTH	varchar(7)	Yes
2	SYSCODE	varchar(8)	No
3	BRID	varchar(255)	Yes
4	BRCODE	varchar(4)	Yes
5	PNO	varchar(60)	No
6	INVT_CODE	smallint	No
7	SL_TYPE	char(1)	No
8	SL_STK_OUTIND	char(1)	Yes
9	SL_QTY	int	Yes
10	SL_UNITPRC	decimal(38,2)	Yes
11	SL_COSTPRC	decimal(38,2)	Yes
12	CR_REASON_CODE	varchar(10)	Yes
13	SL_BCP	decimal(38,2)	Yes
14	SL_BCP_ORIG	decimal(38,2)	Yes
15	SL_BCP_INCL_SURCHARGE	decimal(38,2)	Yes

#	Column Name	Data Type	Nullable
16	SL_BCP_GROSS_PROFIT	decimal(38,2)	Yes
17	SL_BCP_REP_PROFIT	decimal(38,2)	Yes
18	SL_GROSS_REVENUE	decimal(38,2)	Yes
19	SL_TPA_REBATE	decimal(38,2)	Yes
20	SL_NPD_PERC_SS	decimal(38,4)	Yes
21	SL_NPD_PERC_NDC	decimal(38,4)	Yes
22	SL_IBT_REBINB	decimal(38,2)	Yes
23	SL_IBT_REBOUTB	decimal(38,2)	Yes
24	SL_NETTCOST	decimal(38,2)	Yes
25	SL_NETTCOST_POST_IBT_REBATE	decimal(38,2)	Yes
26	SL_AVGCOST	decimal(38,2)	Yes
27	SL_GROSS_PROFIT	decimal(38,2)	Yes
28	SL_GROSS_PROFIT_INCL_REBATE	decimal(38,2)	Yes
29	SL_ITEM_REVENUE_PRE_DISC	decimal(38,2)	Yes
30	SL_ITEM_REVENUE	decimal(38,2)	Yes
31	SL_REP_REVENUE	decimal(38,2)	Yes
32	SL_REP_REVENUE_POST_IBT_REBATE	decimal(38,2)	Yes
33	SL_NETT_PROFIT	decimal(38,2)	Yes
34	SL_REVENUE_GEN_IND	varchar(1)	No
35	SL_OVERSTRIKE_IND	varchar(1)	No
36	SL_OVERSTRIKE_VALUE	decimal(38,2)	Yes
37	SL_HANDLING_CHARGE	decimal(38,2)	Yes
38	SL_SCREEN_PRICE	decimal(38,2)	Yes
39	SL_SURQTY	decimal(38,2)	Yes
40	SL_SURVALUE	decimal(38,2)	Yes
41	SL_LANDED_COST	decimal(38,2)	Yes
42	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
43	FCOST_CODE_ZERO_COST	varchar(10)	Yes
44	FCOST_CODE_SURCHARGE	varchar(10)	Yes

GSL_SALES_MNTH_SYSCODE_BRCODE_PNO_CUSTNO

45 columns.

#	Column Name	Data Type	Nullable
1	MNTH	varchar(7)	Yes
2	SYSCODE	varchar(8)	No

#	Column Name	Data Type	Nullable
3	BRID	varchar(255)	Yes
4	BRCODE	varchar(4)	Yes
5	PNO	varchar(60)	No
6	CUSTNO	varchar(255)	Yes
7	INVT_CODE	smallint	No
8	SL_TYPE	char(1)	No
9	SL_STK_OUTIND	char(1)	Yes
10	SL_QTY	int	Yes
11	SL_UNITPRC	decimal(38,2)	Yes
12	SL_COSTPRC	decimal(38,2)	Yes
13	CR_REASON_CODE	varchar(10)	Yes
14	SL_BCP	decimal(38,2)	Yes
15	SL_BCP_ORIG	decimal(38,2)	Yes
16	SL_BCP_INCL_SURCHARGE	decimal(38,2)	Yes
17	SL_BCP_GROSS_PROFIT	decimal(38,2)	Yes
18	SL_BCP_REP_PROFIT	decimal(38,2)	Yes
19	SL_GROSS_REVENUE	decimal(38,2)	Yes
20	SL_TPA_REBATE	decimal(38,2)	Yes
21	SL_NPD_PERC_SS	decimal(38,4)	Yes
22	SL_NPD_PERC_NDC	decimal(38,4)	Yes
23	SL_IBT_REBINB	decimal(38,2)	Yes
24	SL_IBT_REBOUTB	decimal(38,2)	Yes
25	SL_NETTCOST	decimal(38,2)	Yes
26	SL_NETTCOST_POST_IBT_REBATE	decimal(38,2)	Yes
27	SL_AVGCOST	decimal(38,2)	Yes
28	SL_GROSS_PROFIT	decimal(38,2)	Yes
29	SL_GROSS_PROFIT_INCL_REBATE	decimal(38,2)	Yes
30	SL_ITEM_REVENUE_PRE_DISC	decimal(38,2)	Yes
31	SL_ITEM_REVENUE	decimal(38,2)	Yes
32	SL_REP_REVENUE	decimal(38,2)	Yes
33	SL_REP_REVENUE_POST_IBT_REBATE	decimal(38,2)	Yes
34	SL_NETT_PROFIT	decimal(38,2)	Yes
35	SL_REVENUE_GEN_IND	varchar(1)	No
36	SL_OVERSTRIKE_IND	varchar(1)	No
37	SL_OVERSTRIKE_VALUE	decimal(38,2)	Yes
38	SL_HANDLING_CHARGE	decimal(38,2)	Yes

#	Column Name	Data Type	Nullable
39	SL_SCREEN_PRICE	decimal(38,2)	Yes
40	SL_SURQTY	decimal(38,2)	Yes
41	SL_SURVALUE	decimal(38,2)	Yes
42	SL_LANDED_COST	decimal(38,2)	Yes
43	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
44	FCOST_CODE_ZERO_COST	varchar(10)	Yes
45	FCOST_CODE_SURCHARGE	varchar(10)	Yes

GSL_SALES_MNTH_SYSCODE_PNO

42 columns.

#	Column Name	Data Type	Nullable
1	MNTH	varchar(7)	Yes
2	SYSCODE	varchar(8)	No
3	PNO	varchar(60)	No
4	INVT_CODE	smallint	No
5	SL_TYPE	char(1)	No
6	SL_STK_OUTIND	char(1)	Yes
7	SL_QTY	int	Yes
8	SL_UNITPRC	decimal(38,2)	Yes
9	SL_COSTPRC	decimal(38,2)	Yes
10	CR_REASON_CODE	varchar(10)	Yes
11	SL_BCP	decimal(38,2)	Yes
12	SL_BCP_ORIG	decimal(38,2)	Yes
13	SL_BCP_INCL_SURCHARGE	decimal(38,2)	Yes
14	SL_BCP_GROSS_PROFIT	decimal(38,2)	Yes
15	SL_BCP_REP_PROFIT	decimal(38,2)	Yes
16	SL_GROSS_REVENUE	decimal(38,2)	Yes
17	SL_TPA_REBATE	decimal(38,2)	Yes
18	SL_NPD_PERC_SS	decimal(38,4)	Yes
19	SL_NPD_PERC_NDC	decimal(38,4)	Yes
20	SL_IBT_REBINB	decimal(38,2)	Yes
21	SL_IBT_REBOUTB	decimal(38,2)	Yes
22	SL_NETTCOST	decimal(38,2)	Yes
23	SL_NETTCOST_POST_IBT_REBATE	decimal(38,2)	Yes
24	SL_AVGCOST	decimal(38,2)	Yes

#	Column Name	Data Type	Nullable
25	SL_GROSS_PROFIT	decimal(38,2)	Yes
26	SL_GROSS_PROFIT_INCL_REBATE	decimal(38,2)	Yes
27	SL_ITEM_REVENUE_PRE_DISC	decimal(38,2)	Yes
28	SL_ITEM_REVENUE	decimal(38,2)	Yes
29	SL_REP_REVENUE	decimal(38,2)	Yes
30	SL_REP_REVENUE_POST_IBT_REBATE	decimal(38,2)	Yes
31	SL_NETT_PROFIT	decimal(38,2)	Yes
32	SL_REVENUE_GEN_IND	varchar(1)	No
33	SL_OVERSTRIKE_IND	varchar(1)	No
34	SL_OVERSTRIKE_VALUE	decimal(38,2)	Yes
35	SL_HANDLING_CHARGE	decimal(38,2)	Yes
36	SL_SCREEN_PRICE	decimal(38,2)	Yes
37	SL_SURQTY	decimal(38,2)	Yes
38	SL_SURVALUE	decimal(38,2)	Yes
39	SL_LANDED_COST	decimal(38,2)	Yes
40	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
41	FCOST_CODE_ZERO_COST	varchar(10)	Yes
42	FCOST_CODE_SURCHARGE	varchar(10)	Yes

GSL_SALES_MNTH_SYSCODE_PNO_CUSTNO

43 columns.

#	Column Name	Data Type	Nullable
1	MNTH	varchar(7)	Yes
2	SYSCODE	varchar(8)	No
3	PNO	varchar(60)	No
4	CUSTNO	varchar(255)	Yes
5	INVT_CODE	smallint	No
6	SL_TYPE	char(1)	No
7	SL_STK_OUTIND	char(1)	Yes
8	SL_QTY	int	Yes
9	SL_UNITPRC	decimal(38,2)	Yes
10	SL_COSTPRC	decimal(38,2)	Yes
11	CR_REASON_CODE	varchar(10)	Yes
12	SL_BCP	decimal(38,2)	Yes
13	SL_BCP_ORIG	decimal(38,2)	Yes

#	Column Name	Data Type	Nullable
14	SL_BCP_INCL_SURCHARGE	decimal(38,2)	Yes
15	SL_BCP_GROSS_PROFIT	decimal(38,2)	Yes
16	SL_BCP_REP_PROFIT	decimal(38,2)	Yes
17	SL_GROSS_REVENUE	decimal(38,2)	Yes
18	SL_TPA_REBATE	decimal(38,2)	Yes
19	SL_NPD_PERC_SS	decimal(38,4)	Yes
20	SL_NPD_PERC_NDC	decimal(38,4)	Yes
21	SL_IBT_REBINB	decimal(38,2)	Yes
22	SL_IBT_REBOUTB	decimal(38,2)	Yes
23	SL_NETTCOST	decimal(38,2)	Yes
24	SL_NETTCOST_POST_IBT_REBATE	decimal(38,2)	Yes
25	SL_AVGCOST	decimal(38,2)	Yes
26	SL_GROSS_PROFIT	decimal(38,2)	Yes
27	SL_GROSS_PROFIT_INCL_REBATE	decimal(38,2)	Yes
28	SL_ITEM_REVENUE_PRE_DISC	decimal(38,2)	Yes
29	SL_ITEM_REVENUE	decimal(38,2)	Yes
30	SL_REP_REVENUE	decimal(38,2)	Yes
31	SL_REP_REVENUE_POST_IBT_REBATE	decimal(38,2)	Yes
32	SL_NETT_PROFIT	decimal(38,2)	Yes
33	SL_REVENUE_GEN_IND	varchar(1)	No
34	SL_OVERSTRIKE_IND	varchar(1)	No
35	SL_OVERSTRIKE_VALUE	decimal(38,2)	Yes
36	SL_HANDLING_CHARGE	decimal(38,2)	Yes
37	SL_SCREEN_PRICE	decimal(38,2)	Yes
38	SL_SURQTY	decimal(38,2)	Yes
39	SL_SURVALUE	decimal(38,2)	Yes
40	SL_LANDED_COST	decimal(38,2)	Yes
41	FCOST_CODE_ZERO_SALES	varchar(10)	Yes
42	FCOST_CODE_ZERO_COST	varchar(10)	Yes
43	FCOST_CODE_SURCHARGE	varchar(10)	Yes

GSL_SALES_WEEKLY

5 columns.

#	Column Name	Data Type	Nullable
1	SYSCODE	varchar(8)	No

#	Column Name	Data Type	Nullable
2	BRID	varchar(255)	No
3	PNO	varchar(60)	No
4	WEEK_START	date	No
5	ORDQTY	decimal(18,2)	No

GSL_SALES_WEEKLY_ACTV

5 columns.

#	Column Name	Data Type	Nullable
1	SYSCODE	varchar(8)	No
2	BRID	varchar(255)	No
3	PNO	varchar(60)	No
4	WEEK_START	date	No
5	ORDQTY	decimal(18,2)	No

5.5 Stock movement (GSTK_)**GSTK_STOCK_MOVEMENT_ACTV**

23 columns.

#	Column Name	Data Type	Nullable
1	STK_DATETIME	datetime	No
2	SYSCODE	varchar(8)	No
3	BRID	varchar(255)	No
4	BRCODE	varchar(4)	Yes
5	PNO	varchar(60)	Yes
6	PGHL_SID	int	Yes
7	CUSTNO	varchar(255)	Yes
8	SR	varchar(255)	Yes
9	SMOV_DOC	varchar(255)	No
10	SMOV_DOCSEQ	int	No
11	SMOV_ORDNUM	varchar(255)	Yes
12	TRAN_CODE	varchar(255)	No
13	SMOV_QTY	bigint	No
14	SMOV_CURR_QTY	bigint	No
15	SMOV_CLOSING_QTY	bigint	No
16	SMOV_UNIT_PRICE	decimal(10,2)	No

#	Column Name	Data Type	Nullable
17	SMOV_OPENING_COST	decimal(10,2)	No
18	SMOV_TRANSFER_COST	decimal(10,2)	No
19	SMOV_CLOSING_COST	decimal(10,2)	No
20	RESN_CODE	varchar(255)	Yes
21	SMOV_INVENTORY_REF	varchar(255)	Yes
22	PERS_NAME	varchar(255)	Yes
23	SMOV_DATETIME	datetime	Yes

5.6 Master reference data (MSTR_)

MSTR_BRANCH_LIST

19 columns.

#	Column Name	Data Type	Nullable
1	BRNO	int	No
2	BRNAME	varchar(200)	Yes
3	BRCODE	varchar(10)	No
4	DVNNAME	varchar(200)	Yes
5	RSMNAME	varchar(200)	Yes
6	RDCNO	varchar(10)	Yes
7	RDCNAME	varchar(200)	Yes
8	RDC_FLAG	int	Yes
9	RMBRANCH	bit	Yes
10	BRTYPE	varchar(40)	Yes
11	BRBSC	varchar(20)	Yes
12	EXHAUSTS	varchar(20)	Yes
13	TYRES_FLG	varchar(20)	Yes
14	BARRELS_FLG	varchar(20)	Yes
15	DRIVE_FLG	varchar(20)	Yes
16	BROPEN	bit	Yes
17	GREENFIELD	bit	Yes
18	OPENDATE	date	Yes
19	CLOSEDATE	date	Yes

MSTR_DAILY_STOCK

15 columns.

#	Column Name	Data Type	Nullable
1	LOCATION	int	No
2	ACTVPART	varchar(100)	No
3	CURRENTMIN	decimal(18,4)	Yes
4	CURRENTMAX	decimal(18,4)	Yes
5	FREE	decimal(18,4)	Yes
6	PREVMIN	decimal(18,4)	Yes
7	PREVMAX	decimal(18,4)	Yes
8	FIRSTSTOCKED	datetime	Yes
9	PREVDATETIME	datetime	Yes
10	LASTMOVED	datetime	Yes
11	LASTSTAKE	varchar(8)	Yes
12	FREEZE	varchar(1)	Yes
13	MINMAXINITS	varchar(6)	Yes
14	AVG	decimal(18,4)	Yes
15	BRANCHBOXQTY	decimal(18,4)	Yes

MSTR_MINSTER_LOCATION

12 columns.

#	Column Name	Data Type	Nullable
1	ProductCode	nvarchar(30)	No
2	IsPrimaryPickLocation	bit	No
3	IsLocked	bit	No
4	LocationType	int	No
5	EnumName	nvarchar(100)	Yes
6	MaxLocationQuantity	int	Yes
7	ReplenishmentTrigger	int	Yes
8	SeparateStockAtGr	int	Yes
9	LocationCode	nvarchar(20)	Yes
10	Primary	nvarchar(20)	Yes
11	Available	int	No
12	Predel	int	No

MSTR_MINSTER_PRODUCT

25 columns.

#	Column Name	Data Type	Nullable
1	ProductID	int	No
2	ProductCode	nvarchar(30)	No
3	Description	nvarchar(100)	No
4	IsTemporary	bit	No
5	IsAerosol	bit	No
6	BestBeforeDateRequired	bit	No
7	AcceptableLife	int	Yes
8	MinimumShelfLifeToCustomer	int	Yes
9	HazardCodeID	int	Yes
10	CatCodeID	int	Yes
11	CommodityCodeID	int	Yes
12	CountryOfOriginID	int	Yes
13	Status	int	No
14	LocationClassificationID	int	Yes
15	SeparateStockAtGr	int	Yes
16	ReplenishmentTrigger	int	Yes
17	MaxLocationQuantity	int	Yes
18	LocationCode	nvarchar(20)	Yes
19	Height	decimal(18,2)	No
20	Width	decimal(18,2)	No
21	Depth	decimal(18,2)	No
22	GrossWeight	decimal(18,2)	No
23	IsStockedUnit	bit	No
24	LastUpdated	datetime	No
25	Barcode	nvarchar(50)	No

MSTR_MONTHLY_STOCK

8 columns.

#	Column Name	Data Type	Nullable
1	DT	date	No
2	BRANCH	varchar(100)	No
3	PNO	varchar(100)	No
4	FREESTK	decimal(18,4)	Yes
5	MINSTK	decimal(18,4)	Yes
6	MAXSTK	decimal(18,4)	Yes

#	Column Name	Data Type	Nullable
7	STOCKED	int	Yes
8	RANGED	int	Yes

MSTR_MOT_PRODUCTS

3 columns.

#	Column Name	Data Type	Nullable
1	Part	varchar(100)	No
2	SubRange	varchar(20)	Yes
3	MOTPart	varchar(20)	Yes

MSTR_PRODUCT

39 columns.

#	Column Name	Data Type	Nullable
1	Part	varchar(37)	No
2	PG	varchar(10)	Yes
3	Cind	varchar(2)	Yes
4	Superto	varchar(37)	Yes
5	Rnge	varchar(10)	Yes
6	OldAlts	varchar(10)	Yes
7	Descr	varchar(60)	Yes
8	SSupp	varchar(10)	Yes
9	PSupp	varchar(10)	Yes
10	Class	varchar(4)	Yes
11	Word0	varchar(37)	Yes
12	Word1	varchar(20)	Yes
13	Word2	varchar(20)	Yes
14	Word3	varchar(20)	Yes
15	Word4	varchar(40)	Yes
16	Word5	varchar(40)	Yes
17	Psort	varchar(255)	Yes
18	SCode	varchar(25)	Yes
19	Code1	varchar(50)	Yes
20	A45	varchar(255)	Yes
21	A46	varchar(255)	Yes
22	A47	varchar(255)	Yes

#	Column Name	Data Type	Nullable
23	A48	varchar(255)	Yes
24	A49	varchar(255)	Yes
25	A50	varchar(255)	Yes
26	Code2	varchar(50)	Yes
27	Code3	varchar(50)	Yes
28	Code4	varchar(50)	Yes
29	Code5	varchar(50)	Yes
30	Code6	varchar(50)	Yes
31	Code7	varchar(50)	Yes
32	Code8	varchar(50)	Yes
33	Code9	varchar(50)	Yes
34	Code10	varchar(50)	Yes
35	PerCar	int	Yes
36	NewPartDate	varchar(8)	Yes
37	LineCode	varchar(5)	Yes
38	PartCode	varchar(37)	Yes
39	SubLineCode	varchar(5)	Yes

MSTR_PRODUCT_COST

12 columns.

#	Column Name	Data Type	Nullable
1	Part	varchar(50)	No
2	Supplier	varchar(50)	Yes
3	SupplierPN	varchar(50)	Yes
4	NPP	decimal(18,2)	Yes
5	NPD	decimal(18,2)	Yes
6	STG	decimal(18,2)	Yes
7	Unit	decimal(18,2)	Yes
8	RRP	decimal(18,2)	Yes
9	Core	decimal(18,2)	Yes
10	BoxQty	decimal(18,2)	Yes
11	MinOrder	decimal(18,2)	Yes
12	Updated	varchar(50)	Yes

MSTR_PRODUCT_NDC

39 columns.

#	Column Name	Data Type	Nullable
1	Part	varchar(37)	No
2	PG	varchar(10)	Yes
3	Cind	varchar(2)	Yes
4	Superto	varchar(37)	Yes
5	Rnge	varchar(10)	Yes
6	OldAlts	varchar(10)	Yes
7	Descr	varchar(60)	Yes
8	SSupp	varchar(10)	Yes
9	PSupp	varchar(10)	Yes
10	Class	varchar(4)	Yes
11	Word0	varchar(37)	Yes
12	Word1	varchar(20)	Yes
13	Word2	varchar(20)	Yes
14	Word3	varchar(20)	Yes
15	Word4	varchar(40)	Yes
16	Word5	varchar(40)	Yes
17	Psort	varchar(255)	Yes
18	SCode	varchar(25)	Yes
19	Code1	varchar(50)	Yes
20	A45	varchar(255)	Yes
21	A46	varchar(255)	Yes
22	A47	varchar(255)	Yes
23	A48	varchar(255)	Yes
24	A49	varchar(255)	Yes
25	A50	varchar(255)	Yes
26	Code2	varchar(50)	Yes
27	Code3	varchar(50)	Yes
28	Code4	varchar(50)	Yes
29	Code5	varchar(50)	Yes
30	Code6	varchar(50)	Yes
31	Code7	varchar(50)	Yes
32	Code8	varchar(50)	Yes
33	Code9	varchar(50)	Yes
34	Code10	varchar(50)	Yes
35	PerCar	int	Yes
36	NewPartDate	varchar(8)	Yes

#	Column Name	Data Type	Nullable
37	LineCode	varchar(5)	Yes
38	PartCode	varchar(37)	Yes
39	SubLineCode	varchar(5)	Yes

MSTR_STOCK_AVAILABILITY

7 columns.

#	Column Name	Data Type	Nullable
1	SystemType	varchar(45)	Yes
2	Part	varchar(50)	No
3	Branch	varchar(10)	No
4	FreeQty	decimal(19,4)	No
5	MinStk	decimal(19,4)	Yes
6	MaxStk	decimal(19,4)	Yes
7	StkDATE	datetime	No

MSTR_SUPPLIER_MAILING_LIST

7 columns.

#	Column Name	Data Type	Nullable
1	SRCODE	varchar(1000)	No
2	SRNAME	varchar(8000)	Yes
3	ISACTIVE	char(1)	Yes
4	EMAILTO	varchar(8000)	Yes
5	EMAILCC	varchar(8000)	Yes
6	EMAILBCC	varchar(8000)	Yes
7	LASTSENTDT	datetime	Yes

6. MI1 Jobs — Operational Update

MI1 jobs run stored procedures that move data from IMS_STAGING into the IMS_DB01 operational database. MI1_SL_TABLES_UPDATE additionally chains into the monthly MI2 sales job on success.

MI1_BR_TABLES_UPDATE

Updates branch-hierarchy tables (branch, cluster, division, region and hierarchy links) in IMS_DB01 from IMS_STAGING.

Step	Name	Type	On Success	On Failure
1	S_GBR_BRANCH_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure

Step	Name	Type	On Success	On Failure
2	S_GBR_CLUSTER_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
3	S_GBR_DIVISION_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
4	S_GBR_REGION_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
5	S_GBR_BRANCH_HIER_LINK_UPDT	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI1_BR_TABLES_UPDATE

Job Properties - MI1_BR_TABLES_UPDATE

Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Job step list:

Step	Name	Type	On Success	On Failure
1	S_GBR_BRANCH_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_GBR_CLUSTER_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	S_GBR_DIVISION_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
4	S_GBR_REGION_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
5	S_GBR_BRANCH_HIER_LINK_UPDT	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI1_CF_TABLES_UPDATE

Updates the commercial-file dimension tables (brand, commercial system, customer, date, product hierarchy, person, supplier, time, user) in IMS_DB01 from IMS_STAGING.

Step	Name	Type	On Success	On Failure
1	S_GCF_BRAND_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_GCF_COMMERCIAL_SYSTEM_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
3	S_GCF_CUSTOMER_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
4	S_GCF_DATE_CALENDAR_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
5	S_GCF_MAJOR_PRODUCT_GROUP_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
6	S_GCF_PERSON_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
7	S_GCF_PRODUCT_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
8	S_GCF_PROD_GROUP_HIER_LINK_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
9	S_GCF_PROD_GROUP_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
10	S_GCF_SUB_PRODUCT_GROUP_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure

Step	Name	Type	On Success	On Failure
11	S_GCF_SUPPLIER_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
12	S_GCF_TIME_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
13	S_GCF_USERID_UPDT	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI1_CF_TABLES_UPDATE

Job Properties - MI1_CF_TABLES_UPDATE

Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Job step list:

Step	Name	Type	On Success	On Failure
1	S_GCF_BRAND_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_GCF_COMMERCIAL_SYSTEM_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	S_GCF_CUSTOMER_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
4	S_GCF_DATE_CALENDAR_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
5	S_GCF_MAJOR_PRODUCT_GROUP_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
6	S_GCF_PERSON_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
7	S_GCF_PRODUCT_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
8	S_GCF_PROD_GROUP_HIER_LINK_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
9	S_GCF_PROD_GROUP_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
10	S_GCF_SUB_PRODUCT_GROUP_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
11	S_GCF_SUPPLIER_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
12	S_GCF_TIME_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
13	S_GCF_USERID_UPDT	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

Connection

MI1_PC_TABLES_UPDATE

Updates purchasing-cycle tables (purchase orders, goods received) in IMS_DB01 from IMS_STAGING.

Step	Name	Type	On Success	On Failure
1	S_GPC_PURCHASE_ORDERS_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_GPC_GOODS_RECEIVED_UPDT	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI1_PC_TABLES_UPDATE

Job Properties - MI1_PC_TABLES_UPDATE

Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Job step list:

Step	Name	Type	On Success	On Failure
1	S_GPC_PURCHASE_ORDERS_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_GPC_GOODS_RECEIVED_UPDT	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI1_SL_TABLES_UPDATE

Updates sales-cycle tables (lost sales, sales, stock movement) in IMS_DB01 from IMS_STAGING, then triggers the MI2 monthly sales update job on success.

Step	Name	Type	On Success	On Failure
1	S_GSL_LOST_SALES_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_GSL_SALES_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
3	S_GSTK_STOCK_MOVEMENT_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
4	EXEC MI2_MONTHLY_SALES_UPDATE	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI1_SL_TABLES_UPDATE

Step	Name	Type	On Success	On Failure
1	S_GSL_LOST_SALES_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_GSL_SALES_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	S_GSTK_STOCK_MOVEMENT_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
4	EXEC MI2_MONTHLY_SALES_UPDATE	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

7. MI2 Jobs — Downstream Updates

MI2 jobs run downstream of the MI1 update jobs, performing periodic roll-ups, inventory pullback processing, and daily master-table refreshes. Most MI2 jobs run on their own schedule rather than being chained; MI2_MONTHLY_SALES_UPDATE is the exception, chained from MI1_SL_TABLES_UPDATE. This section also covers MI1_UK_SLIM4_DAILY_UPDATE, an SSIS package job that refreshes demand-planning tables in the separate IMS_SLIM4 database from a daily Slim4 CSV export, and MI2_DAILY_FULL_STOCK_AND_PROFILE_LOAD, a stock-profiling job that is currently suspended.

MI2_MONTHLY_SALES_UPDATE

Performs the monthly roll-up update of sales figures. Chained from MI1_SL_TABLES_UPDATE on success.

Step	Name	Type	On Success	On Failure
1	S_GSL_SALES_MONTHLY_UPDT	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI2_MONTHLY_SALES_UPDATE

Step	Name	Type	On Success	On Failure
1	S_GSL_SALES_MONTHLY_UPDT	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI2_MONTHLY_STOCK_UPDATE

Performs the monthly roll-up update of stock figures in the master tables.

Step	Name	Type	On Success	On Failure
1	S_MSTR_MONTHLY_STOCK_UPDT	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI2_MONTHLY_STOCK_UPDATE

MI2 job - Monthly Stock Update Job

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI2_MONTHLY_STOCK_UPDATE	yes	Idle	Succeeded	01/08/2026 10:00:00	01/09/2026 10:00:00	

Job step list:				
Step	Name	Type	On Success	On Failure
1	S_MSTR_MONTHLY_STOCK_UPDT	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI2_WEEKLY_SALES_UPDATE

Performs the weekly refresh of the inventory master tables, then rolls up sales figures for the week.

Step	Name	Type	On Success	On Failure
1	S_INV_MSTR_WEEKLY_UPDATE	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_GSL_SALES_WEEKLY_UPDT	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI2_WEEKLY_SALES_UPDATE

MI2 job - Weekly Sales Update Job

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI2_WEEKLY_SALES_UPDATE	yes	Idle	Succeeded	23/08/2026 18:00:00	30/08/2026 18:00:00	

Job Properties - MI2_WEEKLY_SALES_UPDATE				
Select a page Script Help General Steps Schedules Alerts Notifications Targets				
Job step list:				
Step	Name	Type	On Success	On Failure
1	S_INV_MSTR_WEEKLY_UPDATE	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_GSL_SALES_WEEKLY_UPDT	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI2_WEEKLY_PULLBACK_UPDATE

A weekly SSIS package that identifies stock requiring pullback or NDC action, builds a daily stock cleanse extract, emails it out, and then deletes the pullback file. The single job step (Load_Data) runs the SSIS package end to end.

Figure: SQL Server Agent job activity and step properties — MI2_WEEKLY_PULLBACK_UPDATE

MI2 job - Weekly Pullback Update Job

Agent Job Activity:

Name	Enabled	Status	Last Run Outcome	Last Run	Next Run
MI2_WEEKLY_PULLBACK_UPDATE	yes	Idle	Succeeded	23/08/2026 05:45:00	27/08/2026 17:45:00

Job Properties - MI2_WEEKLY_PULLBACK_UPDATE


Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Job step list:

Step	Name	Type	On Success	On Failure
1	Load_Data	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

SSIS Package



MI2_DAILY_TABLE_UPDATE

Performs the daily refresh of master reference data and daily stock tables.

Step	Name	Type	On Success	On Failure
1	S_MSTR_DAILY_UPDATE	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_MSTR_DAILY_STOCK_UPDATE	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI2_DAILY_TABLE_UPDATE

MI2 job - Daily Table Update Job

Agent Job Activity:

Name	Enabled	Status	Last Run Outcome	Last Run	Next Run
MI2_DAILY_TABLE_UPDATE	yes	Idle	Succeeded	27/08/2026 05:15:00	27/08/2026 17:15:00

Job Properties - MI2_DAILY_TABLE_UPDATE

Select a page: General, Steps, Schedules, Alerts, Notifications, Targets

Script Help

Job step list:

Step	Name	Type	On Success	On Failure
1	S_MSTR_DAILY_UPDATE	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_MSTR_DAILY_STOCK_UPDATE	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI2_UK_SLIM4_DAILY_UPDATE

Refreshes four tables in the IMS_SLIM4 database from Slim4 demand-planning data. Unlike the other MI1 jobs, this job runs a single SQL Server Integration Services (SSIS) package step rather than a chain of T-SQL


scripts. The package pulls a CSV export from the Slim4 server over SFTP, truncates the target tables, and reloads each one in sequence.

Step Name	SLIM4_TABLES_UPDATE
Step Type	SQL Server Integration Services Package
Run As	SRVINVPROXY
Package Source	SSIS Catalog
Server	AZ-SHARED-INV-S
Package Path	\\SSISDB\\Inventory\\Daily_Update\\MI1_UK_SLIM4_UPDATE.dtsx


Figure: Agent Job Activity and job step properties — MI1_UK_SLIM4_DAILY_UPDATE

Slim4 process updating 4 tables within the below SSIS package.

Data comes from Slim4 server as a csv file and updating below tables in IMS_SLIM4 database on IMS server.



Name	Enabled	Status	Last Run Outcome	Last Run	Next Run
MI1_UK_SLIM4_DAILY_UPDATE	yes	Idle	Succeeded	27/08/2026 05:30:00	28/08/2026 05:30:00




SSIS Control Flow

The package first pulls the Slim4 CSV export over SFTP, truncates the four target tables, and then loads each table in sequence: SLM_ARTICLE, SLM_PURCHASE_FORECAST, SLM_ADDUSER_DEFINED_FIELDS, and finally SLM_PRIORITY_LIST.

Figure: SSIS control flow — MI1_UK_SLIM4_UPDATE.dtsx

SSIS task




IMS_SLIM4 Table Specifications

The IMS_SLIM4 database contains six tables in total; this job loads the four listed below. Column specifications are sourced from INFORMATION_SCHEMA.COLUMNS.

Figure: Tables in the IMS_SLIM4 database

Slim4 Tables in IMS:



SLM_ARTICLE

325 columns.

#	Column Name	Data Type	Nullable
1	articleCode	varchar(85)	Yes
2	warehouse	varchar(20)	Yes
3	code	varchar(40)	Yes
4	description	varchar(100)	Yes
5	seasonalIndicator	int	Yes
6	InitialisedIndicator	int	Yes
7	demandClass	int	Yes
8	runCode	int	Yes
9	nonStocked	int	Yes

#	Column Name	Data Type	Nullable
10	parameterCode	varchar(20)	Yes
11	seasonalCode	varchar(85)	Yes
12	trendCode	varchar(85)	Yes
13	forecastException	int	Yes
14	inventoryException	int	Yes
15	seasonalStatus	int	Yes
16	newDemandClass	int	Yes
17	groupCode1	varchar(255)	Yes
18	groupCode2	varchar(255)	Yes
19	groupCode3	varchar(255)	Yes
20	groupCode4	varchar(255)	Yes
21	groupCode5	varchar(255)	Yes
22	groupCode6	varchar(255)	Yes
23	numberOfDemands	int	Yes
24	monthDeleteCount	int	Yes
25	trackingSignal	decimal(15,2)	Yes
26	forecastError	decimal(15,2)	Yes
27	averageDemand	decimal(15,2)	Yes
28	averageDemandLumpy	decimal(15,2)	Yes
29	standardDeviation	decimal(15,2)	Yes
30	trend	decimal(15,2)	Yes
31	correlationCoefficient	decimal(15,2)	Yes
32	demandPoints	int	Yes
33	demand0	int	Yes
34	demand1	int	Yes
35	demand2	int	Yes
36	demand3	int	Yes
37	demand4	int	Yes
38	demand5	int	Yes
39	demand6	int	Yes
40	demand7	int	Yes
41	demand8	int	Yes
42	demand9	int	Yes
43	demand10	int	Yes
44	demand11	int	Yes
45	demand12	int	Yes

#	Column Name	Data Type	Nullable
46	demand13	int	Yes
47	demand14	int	Yes
48	demand15	int	Yes
49	demand16	int	Yes
50	demand17	int	Yes
51	demand18	int	Yes
52	demand19	int	Yes
53	demand20	int	Yes
54	demand21	int	Yes
55	demand22	int	Yes
56	demand23	int	Yes
57	constrainedSD	decimal(15,2)	Yes
58	leadTime	decimal(15,6)	Yes
59	reviewTime	decimal(15,6)	Yes
60	targetServiceLevel	decimal(15,2)	Yes
61	bufferConstant	int	Yes
62	bufferStock	int	Yes
63	orderLevel	int	Yes
64	orderQuantity	int	Yes
65	roundedOrderQuantity	int	Yes
66	minimumOrderQuantity	int	Yes
67	incrementalOrderQuantity	int	Yes
68	stockOnHand	int	Yes
69	stockOnOrder	int	Yes
70	backOrders	int	Yes
71	primarySupplier	varchar(60)	Yes
72	primarySupplierName	varchar(100)	Yes
73	forecast1	decimal(15,2)	Yes
74	forecast2	decimal(15,2)	Yes
75	forecast3	decimal(15,2)	Yes
76	forecast4	decimal(15,2)	Yes
77	forecast5	decimal(15,2)	Yes
78	forecast6	decimal(15,2)	Yes
79	forecast7	decimal(15,2)	Yes
80	forecast8	decimal(15,2)	Yes
81	forecast9	decimal(15,2)	Yes

#	Column Name	Data Type	Nullable
82	forecast10	decimal(15,2)	Yes
83	forecast11	decimal(15,2)	Yes
84	forecast12	decimal(15,2)	Yes
85	lastPromotion	int	Yes
86	lastPromotionType	varchar(4)	Yes
87	seasonalRatio	decimal(15,4)	Yes
88	unitPrice	decimal(15,4)	Yes
89	salesPrice	decimal(15,4)	Yes
90	stockOnOrderBy1	int	Yes
91	stockOnOrderBy2	int	Yes
92	stockOnOrderBy3	int	Yes
93	stockOnOrderBy4	int	Yes
94	stockOnOrderBy5	int	Yes
95	stockOnOrderBy6	int	Yes
96	stockOnOrderByDate1	varchar(10)	Yes
97	stockOnOrderByDate2	varchar(10)	Yes
98	stockOnOrderByDate3	varchar(10)	Yes
99	stockOnOrderByDate4	varchar(10)	Yes
100	stockOnOrderByDate5	varchar(10)	Yes
101	stockOnOrderByDate6	varchar(10)	Yes
102	lastForecastUpdate	varchar(10)	Yes
103	successivecount	int	Yes
104	numberOfHits	int	Yes
105	holdFlag	int	Yes
106	confirmedException	int	Yes
107	proposedPromotionException	int	Yes
108	promotionException	int	Yes
109	keepAddingPromoForecast	int	Yes
110	demandSoFarThisMonth	int	Yes
111	insuranceInventory	int	Yes
112	overwriteBufferStock	int	Yes
113	insInvDataSet	varchar(10)	Yes
114	articleExtra1	decimal(15,2)	Yes
115	articleExtra2	int	Yes
116	articleExtra3	decimal(15,2)	Yes
117	resultantBufferStock	int	Yes

#	Column Name	Data Type	Nullable
118	supplierCode	varchar(255)	Yes
119	criterium1	decimal(38,15)	Yes
120	criterium2	decimal(38,15)	Yes
121	criterium3	decimal(38,15)	Yes
122	criterium4	decimal(38,15)	Yes
123	lockForUpdate	int	Yes
124	calcDifference	int	Yes
125	actualToOrder	int	Yes
126	minimalCoverRate	decimal(15,2)	Yes
127	figuresAggregated	int	Yes
128	outOfSync	decimal(15,2)	Yes
129	averageThreshold	decimal(15,2)	Yes
130	yearlyDemandSetting	int	Yes
131	uD1	varchar(255)	Yes
132	uD2	varchar(255)	Yes
133	uD3	varchar(255)	Yes
134	uD4	varchar(255)	Yes
135	uD5	varchar(255)	Yes
136	uD6	varchar(255)	Yes
137	uD7	varchar(255)	Yes
138	uD8	varchar(255)	Yes
139	uD9	varchar(255)	Yes
140	uD10	varchar(255)	Yes
141	uD11	varchar(255)	Yes
142	uD12	varchar(255)	Yes
143	uD13	varchar(255)	Yes
144	uD14	varchar(255)	Yes
145	uD15	varchar(255)	Yes
146	forecastStartWeek	int	Yes
147	currentOrderLines	int	Yes
148	supplierReliabilitySetting	int	Yes
149	supplierReliability	decimal(15,6)	Yes
150	moveOutLevel	decimal(15,2)	Yes
151	moveOutValue	decimal(15,2)	Yes
152	lastSalesMonth	int	Yes
153	useBufferStock	int	Yes

#	Column Name	Data Type	Nullable
154	lastPurchaseWeek	int	Yes
155	holidayCalendar	varchar(255)	Yes
156	orderHolidaySetting	decimal(15,2)	Yes
157	deliveryHolidayMultiplier	decimal(15,2)	Yes
158	uD16	varchar(85)	Yes
159	previousWeekOrderLines	int	Yes
160	previousWeekDemand	int	Yes
161	economicOrderQuantity	int	Yes
162	supplierMinOrderQuantity	int	Yes
163	abcClass	varchar(2)	Yes
164	abcClassSales	varchar(1)	Yes
165	abcClassCriterion	varchar(1)	Yes
166	abcClassStock	varchar(1)	Yes
167	abcClassImport	varchar(2)	Yes
168	plcPercentToCopy	decimal(15,2)	Yes
169	originalFCCP	decimal(15,2)	Yes
170	coAddition	int	Yes
171	lastSalesWeek	varchar(6)	Yes
172	firstHit	int	Yes
173	placeNextHit	decimal(15,2)	Yes
174	fCExcFlag	int	Yes
175	reviewedDate	varchar(8)	Yes
176	reviewedBy	varchar(100)	Yes
177	lifeCycleStatus	int	Yes
178	dayWeighting	decimal(15,4)	Yes
179	supplierIncOrderQuantity	int	Yes
180	unit1	int	Yes
181	unit2	int	Yes
182	unit3	int	Yes
183	unit4	int	Yes
184	unit5	int	Yes
185	unit6	int	Yes
186	holdingCost	decimal(15,4)	Yes
187	orderCost	decimal(15,4)	Yes
188	eoqSales	int	Yes
189	eoqLimitSetting	int	Yes

#	Column Name	Data Type	Nullable
190	eoqMargin	decimal(15,4)	Yes
191	eoqUpperLimit	int	Yes
192	eoqLowerLimit	int	Yes
193	eoqCalculated	int	Yes
194	eoqResult	int	Yes
195	ioqResult	int	Yes
196	extendedLeadTime	decimal(15,6)	Yes
197	lostSales	decimal(15,2)	Yes
198	lostSalesQty	int	Yes
199	creationDate	varchar(10)	Yes
200	interfaceIndicator	int	Yes
201	insuranceInventoryEndWeek	varchar(6)	Yes
202	orderLevelUC	int	Yes
203	useOrderLevelUC	int	Yes
204	articleNote	int	Yes
205	minOrder	int	Yes
206	maxOrder	int	Yes
207	relevantWeeks	int	Yes
208	deflectionWeeklyAverage	decimal(15,4)	Yes
209	lastWeekAdjustment	varchar(6)	Yes
210	weekAdjusters	int	Yes
211	adjustmentCoverPeriod	int	Yes
212	coverDate	varchar(10)	Yes
213	coverSetting	int	Yes
214	coverTime	decimal(15,6)	Yes
215	zeroStockOnHandThisMonth	int	Yes
216	positiveStockOnHandThisMonth	int	Yes
217	detectOutOfStock	int	Yes
218	buyingPrice	decimal(15,4)	Yes
219	actualBuyingPrice	decimal(15,4)	Yes
220	minimumSellingQuantity	int	Yes
221	incrementalSellingQuantity	int	Yes
222	stockRuleResult	int	Yes
223	customFilter	varchar(255)	Yes
224	dayWeightingNow	decimal(15,2)	Yes
225	orderAdviceDate	varchar(10)	Yes

#	Column Name	Data Type	Nullable
226	urgentDate	varchar(10)	Yes
227	supplierLeadTime	decimal(15,6)	Yes
228	calculatedLeadTime	decimal(15,6)	Yes
229	useCalculatedLeadTime	int	Yes
230	customerGroupId	varchar(25)	Yes
231	customerGroupName	varchar(150)	Yes
232	articleType	int	Yes
233	purchaseContractNumber	varchar(100)	Yes
234	replenishmentScheduleId	varchar(60)	Yes
235	confirmedExtraOnDay	int	Yes
236	networkImbalance	int	Yes
237	enablePFCSettingsInTime	int	Yes
238	smoothFactor	decimal(15,2)	Yes
239	calculatedLTDeviation	decimal(15,6)	Yes
240	useCalculatedLTDeviation	int	Yes
241	interfacedInsuranceInv	int	Yes
242	interfacedInsuranceInvType	int	Yes
243	confirmedDemands	int	Yes
244	enableInsInvInTime	int	Yes
245	frozenConfirmedPeriod	int	Yes
246	supplyLimProfileId	varchar(100)	Yes
247	forecast13	decimal(15,2)	Yes
248	forecast14	decimal(15,2)	Yes
249	forecast15	decimal(15,2)	Yes
250	forecast16	decimal(15,2)	Yes
251	forecast17	decimal(15,2)	Yes
252	forecast18	decimal(15,2)	Yes
253	forecast19	decimal(15,2)	Yes
254	forecast20	decimal(15,2)	Yes
255	forecast21	decimal(15,2)	Yes
256	forecast22	decimal(15,2)	Yes
257	forecast23	decimal(15,2)	Yes
258	forecast24	decimal(15,2)	Yes
259	forecast25	decimal(15,2)	Yes
260	forecast26	decimal(15,2)	Yes
261	forecast27	decimal(15,2)	Yes

#	Column Name	Data Type	Nullable
262	forecast28	decimal(15,2)	Yes
263	forecast29	decimal(15,2)	Yes
264	forecast30	decimal(15,2)	Yes
265	forecast31	decimal(15,2)	Yes
266	forecast32	decimal(15,2)	Yes
267	forecast33	decimal(15,2)	Yes
268	forecast34	decimal(15,2)	Yes
269	forecast35	decimal(15,2)	Yes
270	forecast36	decimal(15,2)	Yes
271	barCode	varchar(20)	Yes
272	articleStatus	varchar(100)	Yes
273	supplierArticleCode	varchar(65)	Yes
274	inboundGuaranteedShelfLife	decimal(15,6)	Yes
275	outboundGuaranteedShelfLife	decimal(15,6)	Yes
276	netShelfLife	decimal(15,6)	Yes
277	fefoPercentage	decimal(15,2)	Yes
278	enableWasteCalculation	int	Yes
279	expWasteTotal	int	Yes
280	expWasteInCover	int	Yes
281	customersLastMonth	int	Yes
282	flyerShaveLevel	int	Yes
283	deliveryDate	varchar(10)	Yes
284	appliedEqProfileId	varchar(100)	Yes
285	splitType	int	Yes
286	criterium5	decimal(38,15)	Yes
287	criterium6	decimal(38,15)	Yes
288	criterium7	decimal(38,15)	Yes
289	criterium8	decimal(38,15)	Yes
290	totalConfirmedDemand	decimal	Yes
291	productionResource	varchar(65)	Yes
292	productionResourceName	varchar(100)	Yes
293	currentPromotionForecast	decimal(15,2)	Yes
294	customDemandPlanning	decimal(15,2)	Yes
295	useCustomerForecast	int	Yes
296	decoupledLeadTime	decimal(15,6)	Yes
297	dayWeightingWA	decimal(15,4)	Yes

#	Column Name	Data Type	Nullable
298	dayWeightingNowWA	decimal(15,4)	Yes
299	maxWaste	decimal(15,2)	Yes
300	maxWasteBufferStock	int	Yes
301	maximumOrderQuantity	int	Yes
302	movePOToDate	varchar(10)	Yes
303	pfBufferStock	int	Yes
304	wasteServiceLevel	decimal(15,2)	Yes
305	returnWarehouse	varchar(20)	Yes
306	alternativeForecastId	varchar(100)	Yes
307	introductionDays	int	Yes
308	actualDemandSoFar	int	Yes
309	maxStockOnHand	int	Yes
310	maxStockCorrection	int	Yes
311	previousAverageDemand	decimal(15,2)	Yes
312	previousTrend	decimal(15,2)	Yes
313	previousStandardDeviation	decimal(15,2)	Yes
314	simulatedBufferStock	int	Yes
315	useMLForecast	int	Yes
316	balanceSetting	int	Yes
317	fillPriority	int	Yes
318	reductionPriority	int	Yes
319	forecastRoundingBias	decimal(15,2)	Yes
320	shelfLifeDateBasedOn	int	Yes
321	supplyLimitationsException	int	Yes
322	availableFromDate	varchar(10)	Yes
323	extSupplyLeadTime	decimal(15,6)	Yes
324	stockBuildActive	int	Yes
325	proposedLifeCycleStatus	int	Yes

SLM_PURCHASE_FORECAST

20 columns.

#	Column Name	Data Type	Nullable
1	pfCode	varchar(85)	Yes
2	weekNumber	int	Yes
3	onHand	int	Yes
4	forecast	int	Yes

#	Column Name	Data Type	Nullable
5	onOrder	int	Yes
6	purchaseForecast	int	Yes
7	weekEndInv	int	Yes
8	arrivalDate	varchar(10)	Yes
9	orderWeek	int	Yes
10	orderDate	varchar(10)	Yes
11	toOrder	int	Yes
12	pfSequence	decimal(15,1)	Yes
13	Confirmed	int	Yes
14	COAddition	int	Yes
15	orderDateOG	varchar(10)	Yes
16	PurchaseForecastOG	int	Yes
17	adjustment	int	Yes
18	dayNumber	int	Yes
19	dailyPFCDDate	varchar(10)	Yes
20	waste	int	Yes

SLM_ADDUSER_DEFINED_FIELDS

101 columns.

#	Column Name	Data Type	Nullable
1	articleCode	varchar(85)	Yes
2	aUDField1	varchar(255)	Yes
3	aUDField2	varchar(255)	Yes
4	aUDField3	varchar(255)	Yes
5	aUDField4	varchar(255)	Yes
6	aUDField5	varchar(255)	Yes
7	aUDField6	varchar(255)	Yes
8	aUDField7	varchar(255)	Yes
9	aUDField8	varchar(255)	Yes
10	aUDField9	varchar(255)	Yes
11	aUDField10	varchar(255)	Yes
12	aUDField11	int	Yes
13	aUDField12	int	Yes
14	aUDField13	varchar(255)	Yes
15	aUDField14	varchar(255)	Yes
16	aUDField15	int	Yes

#	Column Name	Data Type	Nullable
17	aUDField16	int	Yes
18	aUDField17	varchar(255)	Yes
19	aUDField18	varchar(255)	Yes
20	aUDField19	int	Yes
21	aUDField20	int	Yes
22	aUDField21	int	Yes
23	aUDField22	int	Yes
24	aUDField23	varchar(254)	Yes
25	aUDField24	int	Yes
26	aUDField25	varchar(254)	Yes
27	aUDField26	varchar(255)	Yes
28	aUDField27	int	Yes
29	aUDField28	int	Yes
30	aUDField29	int	Yes
31	aUDField30	int	Yes
32	aUDField31	int	Yes
33	aUDField32	int	Yes
34	aUDField33	int	Yes
35	aUDField34	int	Yes
36	aUDField35	int	Yes
37	aUDField36	int	Yes
38	aUDField37	varchar(255)	Yes
39	aUDField38	varchar(255)	Yes
40	aUDField39	varchar(255)	Yes
41	aUDField40	varchar(255)	Yes
42	aUDField41	varchar(255)	Yes
43	aUDField42	varchar(255)	Yes
44	aUDField43	varchar(255)	Yes
45	aUDField44	varchar(255)	Yes
46	aUDField45	varchar(255)	Yes
47	aUDField46	varchar(255)	Yes
48	aUDField47	varchar(255)	Yes
49	aUDField48	varchar(255)	Yes
50	aUDField49	varchar(255)	Yes
51	aUDField50	varchar(255)	Yes
52	aUDField51	varchar(255)	Yes

#	Column Name	Data Type	Nullable
53	aUDField52	varchar(255)	Yes
54	aUDField53	varchar(255)	Yes
55	aUDField54	varchar(255)	Yes
56	aUDField55	varchar(255)	Yes
57	aUDField56	varchar(255)	Yes
58	aUDField57	varchar(255)	Yes
59	aUDField58	varchar(255)	Yes
60	aUDField59	varchar(255)	Yes
61	aUDField60	varchar(255)	Yes
62	aUDField61	varchar(255)	Yes
63	aUDField62	varchar(255)	Yes
64	aUDField63	varchar(255)	Yes
65	aUDField64	varchar(255)	Yes
66	aUDField65	varchar(255)	Yes
67	aUDField66	varchar(255)	Yes
68	aUDField67	varchar(255)	Yes
69	aUDField68	varchar(255)	Yes
70	aUDField69	varchar(255)	Yes
71	aUDField70	varchar(255)	Yes
72	aUDField71	int	Yes
73	aUDField72	int	Yes
74	aUDField73	varchar(255)	Yes
75	aUDField74	int	Yes
76	aUDField75	varchar(255)	Yes
77	aUDField76	int	Yes
78	aUDField77	int	Yes
79	aUDField78	int	Yes
80	aUDField79	int	Yes
81	aUDField80	int	Yes
82	aUDField81	int	Yes
83	aUDField82	int	Yes
84	aUDField83	varchar(255)	Yes
85	aUDField84	varchar(255)	Yes
86	aUDField85	varchar(255)	Yes
87	aUDField86	varchar(255)	Yes
88	aUDField87	int	Yes

#	Column Name	Data Type	Nullable
89	aUDField88	varchar(255)	Yes
90	aUDField89	varchar(255)	Yes
91	aUDField90	varchar(255)	Yes
92	aUDField91	varchar(255)	Yes
93	aUDField92	int	Yes
94	aUDField93	int	Yes
95	aUDField94	int	Yes
96	aUDField95	int	Yes
97	aUDField96	int	Yes
98	aUDField97	varchar(255)	Yes
99	aUDField98	varchar(255)	Yes
100	aUDField99	varchar(255)	Yes
101	aUDField100	varchar(255)	Yes

SLM_PRIORITY_LIST

13 columns.

#	Column Name	Data Type	Nullable
1	Part	varchar(100)	No
2	Supplier	varchar(100)	Yes
3	SupplierName	varchar(100)	Yes
4	ABCClass	varchar(100)	Yes
5	InventoryException	int	Yes
6	AverageDemandLumpy	decimal(15,2)	Yes
7	StockOnHand	int	Yes
8	BranchExcess	int	Yes
9	TotalOnOrder	int	Yes
10	PullBackPriorityItems	varchar(255)	Yes
11	BranchExcessFlag	varchar(255)	Yes
12	StockOutDays	int	Yes
13	Updt	datetime	Yes

MI2_DAILY_FULL_STOCK_AND_PROFILE_LOAD (Stock Profiling Job)

Intended to update inventory profile and profile-history tables, then run an SSIS package to finalise the profile. Currently this job has been suspended until the profiling program has been built properly — the job is disabled and its last run failed.

Status: Suspended — Enabled = No

Step	Name	Type	On Success	On Failure
1	S_INV_PROFILE_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
2	S_INV_PROFILE_HISTORY_UPDT	T-SQL script	Go to the next step	Quit the job reporting failure
3	MI1_FINAL_PROFILE	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job activity — MI2_DAILY_FULL_STOCK_AND_PROFILE_LOAD

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI2_DAILY_FULL_STOCK_AND_PROFILE_LOAD	no	Idle	Failed	18/08/2026 16:00:00	19/08/2026 16:00:00	

Figure: SQL Server Agent job step list — MI2_DAILY_FULL_STOCK_AND_PROFILE_LOAD

Job step list:				
Step	Name	Type	On Success	On Failure
1	S_INV_PROFILE_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	S_INV_PROFILE_HISTORY_UPDT	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
3	MI1_FINAL_PROFILE	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

8. MI4 Jobs — Reporting & Housekeeping

MI4 jobs generate reporting extracts and perform routine housekeeping. Several steps run as SSIS packages that build a file, email it to the relevant users, and clean up afterwards.

MI4_NDC_POTENTIAL_ORDER_DETAILS_REP

Populates a staging table of NDC potential order details via T-SQL, then runs an SSIS package that exports the data to CSV, emails it, and drops the report table.

Step	Name	Type	On Success	On Failure
1	S_NDC_POTENTIAL_ORDER_DETAILS	T-SQL script	Go to the next step	Quit the job reporting failure
2	NDC_POTENTIAL_ORDER_DETAILS_REP	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure


Figure: SQL Server Agent job step list — MI4_NDC_POTENTIAL_ORDER_DETAILS_REP

MI4 Job – NDC Potential Order Report

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI4_NDC_POTENTIAL_ORDER_DETAILS_REP	yes	Idle	Succeeded	26/08/2026 21:00:00	27/08/2026 21:00:00	

Job step list:				
Step	Name	Type	On Success	On Failure
1	S_NDC_POTENTIAL_ORDER_DETAILS	Transact-SQL script (T-SQL)	Go to the next step	Quit the job reporting failure
2	NDC_POTENTIAL_ORDER_DETAILS_REP	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

SSIS package



MI4_MONTHLY_REPORTS

A single-step monthly SSIS package that produces the branch IBT/NDC/SPO check report.

Step	Name	Type	On Success	On Failure
1	RPT_BR_IBT_NDC_SPO_CHECK	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI4_MONTHLY_REPORTS

MI4 job - Monthly Reports Job

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI4_MONTHLY_REPORTS	yes	Idle	Succeeded	01/08/2026 09:00:00	01/09/2026 09:00:00	

Job Properties - MI4_MONTHLY_REPORTS

select a page

- General
- Steps
- Schedules
- Alerts
- Notifications
- Targets

Script

Job step list:				
Step	Name	Type	On Success	On Failure
1	RPT_BR_IBT_NDC_SPO_CHECK	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

MI4_DAILY_REPORTS

Runs four report-extraction SSIS packages in sequence, each sending a flat file to the relevant users: inventory levelling, brand GEQ, NDC BSC3-8 and free-more-than-10, and BSC-C.

Step	Name	Type	On Success	On Failure
1	MI4_RPT_INV_LEVELING	SQL Server Integration Services Package	Go to the next step	Quit the job reporting failure

Step	Name	Type	On Success	On Failure
2	MI4_RPT_BRAND_GEQ	SQL Server Integration Services Package	Go to the next step	Quit the job reporting failure
3	MI4_RPT_NDC_BSC3TO8_AND_FREE_MORE_THAN10	SQL Server Integration Services Package	Go to the next step	Quit the job reporting failure
4	MI4_RPT_BSC_C	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI4_DAILY_REPORTS

MI4 job - Daily Reports Job

Running 4 reports extraction and sending flat files to the relevant users.

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI4_DAILY_REPORTS	yes	Idle	Succeeded	26/08/2026 16:58:32	27/08/2026 09:15:00	

Job step list:				
Step	Name	Type	On Success	On Failure
1	MI4_RPT_INV_LEVELING	SQL Server Integration Services Package	Go to the next step	Quit the job reporting failure
2	MI4_RPT_BRAND_GEQ	SQL Server Integration Services Package	Go to the next step	Quit the job reporting failure
3	MI4_RPT_NDC_BSC3TO8_AND_FREE_MORE_THAN10	SQL Server Integration Services Package	Go to the next step	Quit the job reporting failure
4	MI4_RPT_BSC_C	SQL Server Integration Services Package	Quit the job reporting success	Quit the job reporting failure

MI4_DAILY_TABLE_CLEARANCE

Loops through all databases on the instance and deletes any table whose name starts with ZZZ_.

Step	Name	Type	On Success	On Failure
1	S_MSTR_DROP_TEMPORARY_TABLES	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI4_DAILY_TABLE_CLEARANCE

MI4 Job – Daily Table Clearance

Within a loop going through all databases as delete all tables starting with ZZZ_

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI4_DAILY_TABLE_CLEARANCE	yes	Idle	Succeeded	26/08/2026 23:00:00	27/08/2026 23:00:00	

Job step list:				
Step	Name	Type	On Success	On Failure
1	S_MSTR_DROP_TEMPORARY_TABLES	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

MI4_UK_SLIM4_SUPPLIER_FORECAST

Runs the stored procedure S_RPT_PURCHASE_FORECAST_TO_SUPPLIERS on the IMS_SLIM4 database and sends a separate file to each supplier, on a monthly basis.

Step	Name	Type	On Success	On Failure
1	S_RPT_PURCHASE_FORECAST_TO_SUPPLIERS	T-SQL script	Quit the job reporting success	Quit the job reporting failure

Figure: SQL Server Agent job step list — MI4_UK_SLIM4_SUPPLIER_FORECAST

Mi4 Job – Supplier Forecast Job

Running stored procedure S_RPT_PURCHASE_FORECAST_TO_SUPPLIERS on IMS_SLIM4 database and sending separate files for each suppliers monthly basis.

Agent Job Activity:						
Name ▾	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI4_UK_SLIM4_SUPPLIER_FORECAST	yes	Idle	Canceled	28/08/2026 10:03:26	14/09/2026 06:00:00	

Job step list:				
Step	Name	Type	On Success	On Failure
1	S_RPT_PURCHASE_FORECAST_TO_SUPPLIERS	Transact-SQL script (T-SQL)	Quit the job reporting success	Quit the job reporting failure

9. MI99 Jobs — Maintenance

MI99 jobs are internal maintenance tasks, separate from the data pipeline, that keep the SQL Server instance itself healthy.

MI99_WEEKLY_LOG_MAINTENANCE

Shrinks the transaction log file in the IMS_TMP database on a weekly schedule. This job is expected to be extended with a more comprehensive script covering log clearance for all databases on the instance.

Step Name	Daily_LogMaintenance
Step Type	T-SQL script
Database	IMS_TMP
Command	DBCC SHRINKFILE (N'IMS_TMP_log', 1024);

Figure: SQL Server Agent job activity and step properties — MI99_WEEKLY_LOG_MAINTENANCE

MI99 Job – Weekly Log Maintenance job

Shrink Log file in IMS_TMP database. This job will be extended with better script for all database log clearance.

Agent Job Activity:						
Name	Enabled	Status	Last Run Outcome	Last Run	Next Run	
MI99_WEEKLY_LOG_MAINTENANCE	yes	Idle	Succeeded	23/08/2026 15:00:00	30/08/2026 15:00:00	

Job Step Properties - Daily_LogMaintenance

Select a page: General, Advanced

Script Help

Step name: Daily_LogMaintenance

Type: Transact-SQL script (T-SQL)

Run as:

Database: IMS_TMP

Command: DBCC SHRINKFILE (N'IMS_TMP_log', 1024);

10. Summary

The IMS data platform on AZ-SHARED-INV-S refreshes IMS_DB01 through a three-tier Agent job chain: MI0 jobs pull data from the data warehouse into IMS_STAGING; MI1 jobs push that staged data into the operational tables in IMS_DB01; and MI2 jobs perform periodic (monthly, weekly and daily) roll-ups and pullback processing once the relevant MI1 update completes. MI4 jobs handle reporting extracts and housekeeping, and MI99 jobs perform routine SQL Server maintenance such as log-file shrinkage. Most jobs use Transact-SQL script steps and are configured to quit and report failure immediately if any step does not succeed; several MI2 and MI4 jobs instead run SSIS packages that build files, email them out, and clean up afterwards. A separate MI1 job, MI1_UK_SLIM4_DAILY_UPDATE, runs an SSIS package to refresh demand-planning tables in the IMS_SLIM4 database from a daily Slim4 CSV export.

This document was generated from SQL Server Management Studio screenshots captured on the AZ-SHARED-INV-S instance. Server and job names are internal identifiers; no personal data is included.