NAME: Sai Sathvik Gullipalli
SRN: PES2UG24CS430
Section: G


SE LAB 1

Scenario 56: Peer Skill Exchange & Mentorship Network

Requirements Table

Req ID	Type	Description	Priority	Acceptance Criteria	Rationale
FR-001	Functional	The system shall allow an authenticated member to create and update a profile containing skills they can teach, skills they want to learn, experience level, availability, and preferred mode of interaction.	High	Pass: After saving, all entered profile fields are displayed correctly when the profile is reopened. Fail: Any required field is lost, altered, or not saved.	Provides the information required for skill discovery and matching.
FR-002	Functional	The system shall allow members to search for other members using skill, experience level, availability, and preferred interaction mode as filters.	High	Pass: For a prepared test set, every returned profile satisfies all selected filters and relevant matching profiles are shown. Fail: A returned profile violates a selected filter or eligible matches are omitted.	Enables members to quickly find suitable mentors or learning partners.
FR-003	Functional	The system shall allow a member to send a mentorship request to another member, and allow the recipient to accept or reject that request.	High	Pass: A sent request appears to the recipient with Pending status; accepting changes it to Accepted and rejecting changes it to Rejected for both users. Fail: Status is inconsistent or the recipient cannot respond.	Creates a controlled consent-based mentorship relationship.
FR-004	Functional	The system shall support the mentoring-session lifecycle for accepted mentorships: schedule a session, record its completion, allow each participant to submit one rating and feedback entry after completion, and update the rated member's reputation score.	High	Pass: An accepted pair can schedule a session; after it is marked Completed, each participant can submit one rating/feedback entry and the recipient's reputation score is recalculated. Fail: Scheduling is allowed before acceptance, duplicate ratings are accepted, or reputation is not updated.	Supports mentoring activity tracking and maintains trustworthy reputation information.
FR-005	Functional	The system shall allow a member to create a skill-learning group and invite other registered members to join it.	Medium	Pass: The creator can create a group, send invitations to selected members, and invited members can view the invitation. Fail: The group is not created or invitations are not associated with the selected members.	Supports collaborative learning beyond one-to-one mentorship.
NFR-001	Nonfunctional	The system shall return filtered member-search results within 2 seconds for at least 95% of requests when tested with up to 10,000 member profiles and 100 concurrent search requests.	High	Pass: Load-test logs show a 95th-percentile response time of 2.0 seconds or less under the stated load. Fail: The 95th percentile exceeds 2.0 seconds.	Keeps skill discovery responsive during normal and peak usage.
NFR-002	Nonfunctional	The system shall enforce authenticated and authorized access so that only the relevant users can change mentorship requests, schedule sessions, submit session ratings, or manage group invitations.	High	Pass: All unauthorized attempts in the access-control test suite are denied, and only completed-session participants can submit ratings. Fail: Any unauthorized action is permitted.	Protects user data and prevents manipulation of mentorship, rating, and group records.

UML Use-Case Diagram



Use-Case Flow Specification - Send Mentorship Request

Use Case ID: UC-03
Use Case Name: Send Mentorship Request
Primary Actor: Learner
Supporting Actors: Mentor

Preconditions

1. The learner is authenticated in the platform.
2. The learner has an active profile with at least one skill they want to learn.
3. The mentor has an active profile and can receive mentorship requests.
4. The selected mentor is visible in the search/member directory.
5. There is no duplicate pending mentorship request for the same mentor and skill.

Postconditions

1. The mentorship request is stored with its current status.
2. The mentor is notified of the request.
3. If accepted, an active mentorship relationship is created and session scheduling is enabled for both members.
4. If rejected, the request is closed and the learner is notified.

Main Success Scenario

1. The learner selects Search Members.
2. The system displays filters for skill, experience level, availability, and preferred interaction mode.
3. The learner enters the required filters.
4. The system displays matching member profiles.
5. The learner opens the profile of a suitable mentor.
6. The learner selects Send Mentorship Request.
7. The system asks the learner to select the skill and optionally enter a short request message.
8. The learner submits the request.
9. The system verifies that no duplicate pending request exists for the same mentor and skill.
10. The system creates the mentorship request with Pending status.
11. The system sends a notification to the mentor.
12. The mentor opens the request and reviews the learner's profile, skill, and message.
13. The mentor accepts the request.
14. The system changes the request status to Accepted and enables Schedule Session for both members.
15. The system notifies the learner that the request was accepted.
16. The use case ends successfully.

Alternate Flow - Mentorship Request Rejected

13a. Mentor rejects the request

1. The mentor selects Reject instead of Accept.
2. The system changes the request status to Rejected.
3. The system keeps session scheduling disabled for this request.
4. The system notifies the learner that the request was rejected.
5. The use case ends.

Alternate Flow - Duplicate Pending Request

9a. A pending request already exists

1. The system detects an existing Pending or Accepted mentorship request for the same mentor and skill.
2. The system prevents creation of a duplicate request.
3. The system displays the existing request and its current status to the learner.
4. The learner may return to search results or open the existing mentorship request.
5. The use case ends without creating a new request.