

TM-002: SESSION 2a FULL SCRIPT — DESENSITIZE + HEAL + CREATE NEW IMAGES

TM-002 (T.M., 22, 69% Emotional) | TRAUMA-001 | CSP Pro Bono | 90 min | THERAPIST ONLY — DO NOT DISTRIBUTE

SESSION 2A OVERVIEW

Session 2a follows Lisa Machenberg's wound-identification and desensitization model. The arc: check in → collect deferred SMART baselines → identify the primary wound → harvest target emotions and a positive memory → formal Emotional induction → deepening → staircase → safe space → desensitize the wound from adult perspective → create new images using the client's own words → gentle count out → EFT reinforcement + homework. No regression. Adult perspective only. New safe environment. Record Steps 4–11.

STEP	FOCUS	MINUTES	KEY ACTION
1	Check-In + SMART Baselines	10	Rapport, homework review, collect 6 baselines (1–10)
2	Primary Wound Identification	10	Lisa's 3 wounds: abandonment, betrayal, shame. Client identifies.
3	Target Emotion + Sensory Memory Harvest	5	2 positive words, 1 positive memory (full sensory), breathing anchor
4	Recording Notice	1	START RECORDING
5	Formal Emotional Induction	8	Inferential arm-raising, misdirection, PHS
6	Deepening	5	Reactional x2, progressive relaxation, grounding
7	Staircase (20 steps)	3	Well-lit, handrails, sunlit open space at bottom, PHS
8	Safe Space Construction	5	Build or revisit room, ideomotor confirm
9	Desensitize — Process the Primary Wound	15	Adult views younger self through window. Agency re-parenting. Wound-specific intention.
10	Create — New Images + Desired State	10	Client's target emotions, breathing anchor in trance, trigger reframe, post-hypnotic suggestion
11	Count Out	5	PHS seal, gentle 0–5, debrief. STOP RECORDING.
12	EFT Reinforcement + Homework	10	One EFT round, homework (5 items), 988 reminder

SESSION-WIDE CLINICAL RULES:

- Emotional lane throughout: permissive, imagery-rich. "You may notice," "allow," "at your own pace." No direct commands.
- No regression. Adult perspective ALWAYS. New safe environment.
- If abreaction: deepen trance, guide to safe space, grounding language. Do NOT count out abruptly.
- Permission language: "with your consent," "only as comfortable."
- Exit signal: right index finger raise = immediate pause/stop.
- Agency language for re-parenting: client discovers what to say, not therapist.
- No negatives in suggestions (Lisa): "I am safe" not "I am not afraid."
- Record from Step 4 through Step 11.
- Evidence-based safeguards: memories in trance may be symbolic, not factual. Do not confirm or dismiss uncertain material.
- Do not interpret images or feelings as literal memories. Approach uncertain material without confirmation or dismissal.
- If client meets PTSD criteria, refer to CPT/PE/EMDR specialist. Hypnotherapy complements, does not replace evidence-based trauma treatment.

STEP 1: CHECK-IN + SMART BASELINES (10 MIN)

Warm-Up (2–3 min)

T.M., welcome back. Good to see you again. How has your week been since we last met?

[Let him talk. 2–3 minutes of genuine conversation. Observe his energy, posture, eye contact compared to Session 1. Is he more relaxed? More guarded? Any shift in baseline demeanor? Match his energy. Be direct but warm. Do not rush into clinical mode.]

Good. Before we get into what we are doing tonight, I want to check in on the things we talked about last time. I gave you a few things to practice during the week.

Homework Review

First, the breathing. The deep breathing we did at the end of our session. Did you have a chance to practice that at all this week?

[Listen for frequency, context, and whether he found it useful. If he did not practice: "That is completely okay. Life gets busy. No judgment here. We will revisit it today." Do NOT interpret missed homework as sabotage (evidence-based safeguard). Ask: "What made the practice difficult?" His answer reveals barriers, not resistance.]

And the tapping? The EFT we did together? Did you try any of that on your own?

[If yes, ask what he tapped on. Did he use the phrases from Session 1 or create his own? If no, normalize it. EFT is unfamiliar and can feel awkward to do alone. We will do it together again at the end of tonight's session.]

Last one. We talked about you building a room in your mind. A space that feels safe. A space that is completely yours. Did you visit that at all this week? Even briefly?

IF HE PRACTICED: "Good. What did it look like? Tell me about it." Note every detail. You will reference this room exactly in Step 8.

IF HE DID NOT PRACTICE: "That is perfectly fine. We are going to build it together tonight during the relaxation portion. You will have the full experience."

And did any positive experiences come to mind this week? Moments where you felt good, or at ease, or something went well? Even small ones.

[He was asked in Session 1 to email examples of positive experiences and imagery. If he sent them, reference them. If not, let him share now. These become raw material for Step 3 and Step 10. Do not force it. Even one small positive moment is enough.]

SMART Baselines (deferred from Session 1)

Now I need to collect some baseline numbers. These are the same six areas we talked about last time. I am going to ask you to rate each one on a scale of one to ten, where one is the lowest and ten is the highest. There are no right or wrong answers. Just how you feel right now, today, in this moment. These numbers give us a starting point so we can measure your progress over time.

First one. Self-esteem. On a scale of one to ten, where one is "I feel no value in who I am" and ten is "I feel confident and worthy in who I am," where are you right now?

[RECORD: Self-esteem ___/10. Write down his exact number.]

Second. Assertiveness. One is "I cannot speak up for myself or set boundaries at all" and ten is "I comfortably express my needs and set boundaries." Where are you?

[RECORD: Assertiveness ___/10.]

Third. Anxiety. One is "my anxiety completely runs the show, I feel it constantly" and ten is "I feel calm and in control, anxiety rarely affects my decisions." Where are you today?

[RECORD: Anxiety ___/10. Note: this scale is INVERTED from typical anxiety scales. 10 = low anxiety, high calm. Make sure client understands the direction.]

Fourth. Trust. One is "I cannot trust anyone close to me, my guard is always up" and ten is "I feel open and safe with the people I choose to let in." Where are you?

[RECORD: Trust ___/10.]

Fifth. Comfort in your own skin. One is "I feel deeply uncomfortable being me" and ten is "I feel at ease, comfortable, and at home in who I am." Where are you?

[RECORD: Comfort ___/10.]

Last one. The influence of the past on your present. One is "my past controls everything I feel and do right now" and ten is "I am aware of my past but it does not run my life." Where are you?

[RECORD: Past influence ___/10.]

Thank you. Those numbers are just for us. They give us a map. We will check in on them periodically so you can see what is shifting.

Checkpoint: all 6 SMART baselines recorded. These are SUBJECTIVE self-report (HMI instructor rule). Do not promise biometric outcomes. Use these exact scales at the start of every 2nd session to track trajectory.

STEP 2: PRIMARY WOUND IDENTIFICATION — LISA'S METHOD (10 MIN)

T.M., I want to share something with you before we go into the deeper work tonight. There are three primary wounds that tend to sit underneath everything else. These are not diagnoses. They are patterns. Most people who carry unresolved experiences from childhood can relate to one of them more than the others. Sometimes two. Sometimes all three to different degrees.

I am going to describe each one, and I want you to just listen. Do not analyze. Do not try to pick the right answer. Just notice which one lands. Which one your body reacts to. Which one feels most true.

Wound 1: Abandonment

The first one is abandonment. This is the feeling that the people who were supposed to keep you safe could not be present. They were not there in the way you needed them to be. And the message that gets encoded is: "I was not important enough for them to stay. I was not worth being present for." It does not mean they literally left. It means the care, the attention, the protection that should have been there was missing. And you felt alone in moments when you should not have been alone.

Wound 2: Betrayal

The second one is betrayal. This is the feeling that the people who were supposed to keep you safe hurt you instead. Through their words, their actions, their choices. They were supposed to be the ones who protected you, and instead they became the source of the pain. Hitting. Yelling. Intimidating. Sacrificing your safety for their needs. The message that gets encoded is: "The people closest to me are dangerous. If they can hurt me, anyone can."

Wound 3: Shame

The third one is shame. This is the feeling that you were not who your parents or family wanted you to be. You were not the right kind of kid. Not tough enough, not quiet enough, not smart enough, not the right way. And the message that gets encoded is: "There is something fundamentally wrong with who I am. I arrived broken." It does not have to be something they said directly. It can be in how they looked at you, what they praised in others, what they criticized in you.

Identification

Take a moment. Which of those three feels most true for you? Which one lands the hardest? There is no wrong answer. And it can be more than one.

[PAUSE. Give him genuine time. Do not fill the silence. Watch his face, his body. Where does tension appear? Which description made him shift in his seat, clench his jaw, look away, or get quiet? His body already answered before his words do.]

[RECORD which wound(s) he identifies. Clinical expectation based on intake: likely BETRAYAL (family hurt him, mother was a source of harm) + ABANDONMENT (felt abandoned, alone, not protected). Possibly SHAME (not comfortable in own skin). Do NOT lead him. Let him choose. His answer determines the wound-specific language in Steps 9 and 10.]

Thank you for being honest about that. That takes courage to name.

IF HE IDENTIFIES ONE WOUND: "Good. That is clear. We are going to work with that tonight."
IF HE IDENTIFIES TWO: "Both of those make sense given what you have shared. Which one feels like the deeper one? The one underneath the other? We will start there tonight. We will address the second one in a future session."
IF HE IDENTIFIES ALL THREE: "That is not uncommon. When the core experience was significant, all three can be present. Which one is loudest right now? Which one runs the most of your daily life? We will start there."
IF HE IS UNSURE: "That is okay. Sometimes the body knows before the mind does. Let me ask it differently. When you think about what happened to you as a child, what is the first feeling that comes up? Is it being alone? Being hurt? Or being rejected for who you are?"

Checkpoint: primary wound identified and recorded. This becomes the anchor for all wound-specific language in Steps 9 and 10. Do not proceed without a clear primary wound.

STEP 3: TARGET EMOTION + SENSORY MEMORY HARVEST (5 MIN)

Harvest Target Emotions

Now I want to shift gears for a moment. I want to talk about where you are going, not where you have been.
T.M., how do you wish you felt right now? If you could snap your fingers and feel something different — give me two words. Positive ones. Not what you want to stop feeling. What you want to start feeling. Two words.

NO NEGATIVES ALLOWED. If he says "not anxious," redirect immediately: "I hear you. But what would you feel INSTEAD of anxiety? What is the positive version? If anxiety disappeared, what takes its place?" If he says "less afraid," redirect: "What would courage feel like? What is the word for that?" Keep redirecting until you get two clean positive words. Lisa's rule: the 8-year-old brain cannot process negatives. "Don't be anxious" creates a picture of anxiety. Give it positive images only.

[RECORD the two target words. Examples: "safe" and "confident." "Loved" and "joyful." "Free" and "strong." "Calm" and "worthy." These become the therapeutic material for the breathing anchor and all suggestions in trance. Use HIS exact words. Do not substitute your preferred language.]

Good. Those are your words. We are going to use them tonight.

Harvest Sensory Memory

Now tell me about a time you felt that first word — **[his word 1]**. Even if it was a small moment. A teeny tiny moment. It does not have to be a grand memory. It can be five seconds of feeling **[word 1]**. Who was there? What did you see? What did you hear? What did you feel in your body?

[Get FULL sensory details. Visual: what did the scene look like? Auditory: what sounds were present? Kinesthetic: what did he feel physically? Where in his body? Olfactory/gustatory if applicable. The more specific, the more powerful the anchor. If he struggles: "Think about a time with your sister. Or your friends from childhood. Or a moment outdoors, maybe hiking. When did you feel even a little bit of [word 1]?" Let him find it. Do not provide the memory.]

Install Breathing Anchor (conscious state)

Good. Now here is what we are going to do with that. This is simple but it is powerful.

Take a breath in. A full breath. And as you breathe in, say to yourself: "I am **[word 1]** and I am **[word 2]** and I like it."

Say it out loud with me. Breathe in. "I am **[word 1]** and I am **[word 2]** and I like it."

[Do this together. Breathe with him. Say it with him. Model it.]

Good. Again. Breathe in. "I am **[word 1]** and I am **[word 2]** and I like it."

One more time. Breathe in. "I am **[word 1]** and I am **[word 2]** and I like it."

Three times. Three breaths. Each one is creating a neuropathway. Neurons that fire together wire together. You just started wiring a new pattern.

When we do this again later tonight, in a deeper state, it will be even more powerful. But the seed is planted right now.

Checkpoint: 2 target words recorded. 1 positive sensory memory recorded (full detail). Breathing anchor practiced 3x in conscious state. These become the core therapeutic material for Steps 9 and 10.

STEP 4: RECORDING NOTICE (1 MIN)

T.M., we are about to move into the relaxation and therapeutic portion of our session. I am going to start recording now. The recording will capture the relaxation and therapeutic portions only — not our conversation beforehand. You signed the recording consent in advance, and I want to confirm: you are comfortable with me recording this portion?

[Wait for verbal confirmation. If he hesitates: "The recording is entirely optional. It is for your benefit — you can listen to it between sessions for reinforcement. But if you would rather not be recorded, that is completely fine." If he declines, proceed without recording. Note in post-session checklist.]

Good. I am starting the recording now.

START RECORDING. Everything from this point through Step 11 (count out) is recorded. Steps 1–3 (check-in, wound ID, target emotions) and Step 12 (EFT + homework) are NOT recorded.

This is a hypnotherapy session recording for T.M. You can listen to this recording between our sessions. Each time you listen, the positive suggestions will go deeper. Find a quiet, comfortable place. Do not listen while driving or operating machinery. When you are ready, close your eyes, settle in, and allow yourself to follow my voice.

STEP 5: FORMAL EMOTIONAL INDUCTION — INFERENCEAL ARM-RAISING (8 MIN)

[69% Emotional. Full inferenceal arm-raising induction. Permissive language throughout. No direct commands. "You may notice," "allow," "at your own pace." Misdirection: light hand vs heavy hand. Do NOT say "your arm WILL rise." Say "you may notice a lightness beginning to develop."]

EXIT SIGNAL: Before beginning, remind: "If at any point you want to pause or stop, simply raise your right index finger. No questions asked. You are always in control."

Pre-Induction Frame

Before we begin, a reminder. If at any point during this process you want to pause or stop, raise your right index finger. That is your signal. I will stop immediately. No questions asked. You are always in control of this experience.

Now, I would like you to get comfortable. Adjust anything you need to adjust. Your position, your pillows, your blanket. Take a moment to settle in. Good. When you are ready, allow your eyes to close. There is no rush. Whenever it feels right.

[Wait for eyes to close naturally. Do not say "close your eyes." Emotional lane: let it happen. If eyes remain open after 15 seconds: "You can allow those eyelids to grow heavy. They may want to close on their own."]

Breathing Lead-In

Good. Now take a deep breath in through your nose. Fill your lungs. Hold it for just a moment. And release it slowly through your mouth. Let that breath carry any tension out of your body.

And again. Breathe in. Slowly. Deeply. Hold. And release. Each exhale allowing you to settle a little deeper into wherever you are sitting.

And one more. Breathe in. Hold. And as you release this time, allow your shoulders to drop. Allow your jaw to soften. Allow the muscles around your eyes to relax.

Good. Now let your breathing return to its own natural rhythm. You do not need to control it. Just let it happen. And with each breath, you may notice that your body is already beginning to relax on its own. Without effort. Without trying. Just allowing.

Arm-Raising Induction (Inferential / Emotional Lane)

Now I would like you to bring your attention to your hands. Both hands resting wherever they are. And I would like you to notice something interesting.

As you pay attention to your left hand, you may begin to notice a sensation developing. It might be a tingling. It might be a warmth. It might be a lightness. As if the hand is becoming lighter. As if the bones inside the hand are becoming hollow. As if the muscles are filling with helium. And you may notice — or you may not, and that is perfectly fine — that the left hand wants to begin to lift. Slowly. Gently. As if something is pulling it upward. A string, perhaps. Or a balloon tied to the wrist. Something light. Something effortless.

And at the same time, bring your attention to your right hand. And notice something different happening there. The right hand may feel heavier. As if it is sinking into the surface beneath it. As if someone placed a warm, heavy blanket over that hand. Each finger feels solid. Grounded. Connected to the surface. The right hand wants to stay down. Comfortable. Secure.

So you have two different sensations developing at the same time. One hand growing lighter. Wanting to rise. And one hand growing heavier. Wanting to stay. And both are correct. Both are your body responding to what your mind is creating.

[Watch the left hand. Any micro-movement — a twitch, a finger lifting, the hand tilting — is the response. Reinforce whatever you see: "That is right. You can notice that beginning to happen." If no movement after 30 seconds: "And it does not matter how quickly or slowly this develops. Some people notice it right away. Others feel it more as a subtle sensation first. Whatever is happening for you is exactly right."]

And as the left hand continues to lighten, you may notice it beginning to rise. Just slightly at first. A millimeter. Then a centimeter. The wrist lifting. The forearm following. There is no effort in this. It is happening on its own. Your subconscious mind is creating this movement. Not your conscious effort. And each millimeter that hand rises, you go deeper into relaxation.

And as the hand continues to rise, I wonder something. I wonder if the hand is being drawn toward the head. Or if the head is being drawn toward the hand. It does not matter which one. What matters is that they are moving toward each other. And when the hand touches the head, or the head touches the hand, you will settle into a deep, comfortable state of relaxation. Deeper than you have been before. Safe. Supported. At your own pace.

[If the hand is rising: let it continue. Do not rush. Let the subconscious drive the movement. If the hand touches the face or head: "That is right. Perfect. And as the hand makes contact, allow yourself to settle even deeper. Deeper than before. Safe and comfortable." If the hand does not rise: transition smoothly. "And whether the hand has moved or not, you may have already noticed how deeply relaxed you have become just from paying attention to those sensations. That relaxation is the goal. And you are already there."]

Good. And as you settle into this state, allow the hand to return to a comfortable resting position. There is no rush. Let it float back down. And as it settles, you settle even deeper.

PHS — Post-Hypnotic Suggestion (first installation)

And now I am going to give your subconscious mind an important instruction. Each and every time I suggest the words Deep Sleep to you, for the purpose of hypnosis and with your permission, you will allow yourself to enter this state of deep relaxation safely and comfortably, at your own pace, quickly, calmly, and deeply, and the body and mind will settle. Each time faster. Each time deeper. Each time more comfortable. Because your mind now knows what this state feels like. And it can return here easily. Deep Sleep.

5–0 Count Deepener

And now I am going to count from five down to zero. With each number, you will go deeper. Not because I am making you. Because your subconscious is allowing it. Each number is an invitation. You accept it at your own pace.

Five. Settling in. Comfortable. Safe.

Four. Deeper now. The outside world growing quieter. The sounds around you becoming softer, more distant. The only thing that matters is my voice and your own inner experience.

Three. Halfway down. Your body is heavy and warm. Your mind is clear and calm. There is nothing you need to do. Nothing you need to fix. Just be here.

Two. Almost there. So deep now. So comfortable. So safe.

One. Deeper still. Allow yourself to let go just a little more.

Zero. Deep Sleep. All the way down. Fully relaxed. Fully safe. Fully supported. You are here. And everything is exactly as it should be.

Checkpoint: formal Emotional induction complete. PHS installed ("Deep Sleep" + safety language). 5–0 count deepener done. Client in trance. Proceed to deepening.

STEP 6: DEEPENING (5 MIN)

Reactional Deepening (x2, trauma-limited)

And in a moment, I am going to raise your relaxation even deeper. I am going to count to three, and on three, I am going to say the words Deep Sleep. And when I do, you will go ten times deeper than you are right now. Not because I am forcing it. Because your subconscious already knows the way. Ready?

One. Two. Three. Deep Sleep. Ten times deeper. That is right. Let it happen. Allow it. Safe and comfortable.

[Observe for physical deepening signs: body sinking, facial muscles smoothing, slowed breathing, rapid eye movement under lids. If visible: you are tracking well. If not: continue. The deepening is still occurring even without visible markers.]

Good. And one more time. Even deeper. One. Two. Three. Deep Sleep. Another ten times deeper. One hundred times deeper than when we started. And that is perfectly comfortable. Perfectly safe. The deeper you go, the safer you feel. The deeper you go, the more your subconscious opens to positive change.

Progressive Relaxation (full body scan, delta-paced, Emotional lane)

Now I would like you to bring your attention to the very top of your head. The crown. And you may notice a warm, gentle wave of relaxation beginning there. Like warm water being poured slowly over the top of your head. And as it flows, it relaxes everything it touches.

That warm wave flows down across your forehead. Smoothing every line. Every crease. The muscles around your eyes relax. Your eyelids grow even heavier. So heavy they do not want to open. And that is perfectly fine. Let them rest.

The warmth flows down your face. Your cheeks soften. Your jaw releases. If your teeth were clenched, they part slightly. Your lips relax. Your tongue settles against the bottom of your mouth. Every muscle in your face is loose and comfortable.

The wave flows down your neck. The muscles on either side of your neck — the ones that carry so much tension — they soften. They release. Your head feels heavy and supported.

Down across your shoulders. Those shoulders that have been carrying weight for years. Weight that was never yours to carry. Allow them to drop. Allow the burden to melt off. You do not have to hold it right now. Let it go.

The warmth flows down both arms. Through your upper arms. Your elbows. Your forearms. Into your wrists. Your hands. Your fingers. All the way to the tips. Warm. Heavy. Relaxed.

Now the wave moves down through your chest. Your heart is beating its own steady rhythm. You do not have to think about it. It knows what to do. Allow the muscles around your chest to soften. Allow each breath to be effortless.

Down through your stomach. Your core. The part of you that tightens when you feel unsafe. Allow it to soften now. You are safe here. There is nothing to brace for. Let it relax.

The warmth flows down through your hips. Your thighs. Your knees. Your calves. Down into your ankles, your feet, your toes. Every muscle. Every fiber. From the crown of your head to the tips of your toes. Completely. Deeply. Safely relaxed.

Pay no attention to any outside sounds except my voice. Any sound you hear — a car, a door, a creak in the house — will only help you go deeper. Only my voice matters. You are safe. You are supported. You are exactly where you need to be.

Checkpoint: deepening complete. Reactional x2 + full progressive relaxation. Grounding language embedded. Client deep in trance. Proceed to staircase.

STEP 7: STAIRCASE — 20 STEPS DOWN (3 MIN)

Now, in your mind, I would like you to see yourself standing at the top of a staircase. This staircase is well built. Solid. Sturdy. There are handrails on both sides. It is well lit. You can see every step clearly. There is nothing uncertain about this staircase. It is safe, and it is leading you to a beautiful, peaceful place.

There are twenty steps. And with each step you take, you will go deeper into relaxation. Deeper into comfort. Deeper into safety. I am going to count the steps for you.

Twenty. First step. Easy. Solid.

Nineteen. A little deeper.

Eighteen. Your body settling with each step.

Seventeen. Twice as deep as before. Let yourself sink into it.

Sixteen. Comfortable. Supported.

Fifteen. Halfway down the first section. Everything is calm.

Fourteen. Deeper still.

Thirteen. So relaxed now.

Twelve. Twice as deep again. The deeper you go, the better you feel.

Eleven. Almost to the bottom.

Ten. Halfway. You can see the destination now. A warm, sunlit space at the bottom. Open. Spacious. No walls closing in. Just light and warmth and peace.

Nine. Drawn toward that light.

Eight. Deeper.

Seven. Twice as deep once more. Three times deeper than the top. So comfortable.

Six. Almost there.

Five. You can feel the warmth from that sunlit space.

Four. Three more steps.

Three. Deeper. Safer. Calmer.

Two. One more step.

One. The last step. And you step off into that open, sunlit space. Warm. Bright. Safe. No walls. No ceiling bearing down. Just openness. Just light. Just peace.

Deep Sleep. Even deeper now. All the way down. You are exactly where you need to be. For the purpose of hypnosis and with your permission, your body and mind are settled. Safe. Comfortable. Ready.

Checkpoint: staircase complete (20 steps, "twice as deep" at 17, 12, 7). Sunlit open destination. PHS reinforced at bottom. Proceed to safe space.

STEP 8: SAFE SPACE CONSTRUCTION (5 MIN)

IF HE PRACTICED visiting the room (from Step 1 check-in): Use the REVISIT script below.

IF HE DID NOT PRACTICE or this is the first build: Use the FULL BUILD script below.

REVISIT (if practiced)

Now, from this sunlit space, I would like you to find your room. The room you built. The room you visited during the week. It is here. It has been waiting for you. Walk toward it. Find the entrance. And step inside.

Is it still the way you left it? Has anything changed? Take a moment to look around. Notice the details. The colors. The textures. The light. The sounds. The smells. Everything you put there is still there.

This room is yours. You built it. You decide what enters and what stays outside. Nothing comes in without your permission.

When you feel settled in your room, when you feel safe and comfortable there, let a small nod happen. Just a small movement of your head.

[Wait for the ideomotor nod. Do not rush. If no nod after 20 seconds: "Take your time. There is no rush. When you feel ready, that nod will come on its own." If still no nod: proceed. The response may be too subtle to see on camera.]

FULL BUILD (if not practiced)

Now I would like you to build a room. A room that exists only in your mind. This room is not from your past. It is not a room you have been in before. It is completely new. Completely yours. You are the architect.

Start with the space itself. How big is this room? Is it large and open? Or is it smaller, more intimate? What shape is it? What are the walls made of? Wood? Stone? Glass? Something else? You decide.

[Pause 5–7 seconds between each prompt. Let the subconscious build. Emotional lane: do not describe the room FOR him. Let him create it.]

What color are the walls? What does the floor feel like under your feet? Is it warm wood? Soft carpet? Cool stone? You decide.

What is the light like in this room? Is there a window? More than one? What do you see when you look through the window? A garden? Mountains? Water? Sky? Something else? Whatever feels most peaceful to you.

Is there furniture? A chair that is perfectly comfortable? A soft place to sit or lie down? Put whatever you need in here. This is your design.

Now bring in the sounds. What do you hear in this room? Is it quiet? Is there music? Water? Wind? Birds? Whatever sound makes you feel most at peace.

And the smell. What does this room smell like? Fresh air? A fireplace? The ocean? A candle? Something from a good memory? Let the scent fill the space.

And the temperature. Is it warm? Cool? Just right? Your body is comfortable here. Completely comfortable.

This room is yours. You built it. You decide what enters and what stays outside. Nothing comes in without your permission. No person, no memory, no feeling enters this room unless you allow it. This is the safest place in the world. Because you made it.

When you feel settled in your room, when you feel safe and comfortable there, let a small nod happen. Just a small movement of your head.

[Wait for the ideomotor nod. Same guidance as above.]

Checkpoint: safe space established (built or revisited). Ideomotor confirm received (or assumed). Client has a secure base. All sensory channels engaged. Proceed to desensitization.

STEP 9: DESENSITIZE — PROCESS THE PRIMARY WOUND (15 MIN)

MOST IMPORTANT SECTION OF THE SESSION. All wound-specific language below branches based on what he identified in Step 2. This is NOT regression. The adult views the younger self from safety. New environment. The client discovers what to say. The therapist does not script the re-parenting words — the client's subconscious provides them. Use agency language. Do NOT interpret images as factual memories. Do NOT confirm or dismiss uncertain material. If abreaction occurs: deepen trance, return to safe space, grounding language. Do NOT count out abruptly.

View the Younger Self (from safety)

Now, from your safe space, I would like you to notice something. Somewhere in this room — perhaps there is a window, or a screen, or a picture frame on the wall — something that allows you to look out. Not stepping into the past. Not going back to any memory. But viewing from here. From this safe place. From your adult self.

And through that window, or on that screen, you can see a version of yourself at a younger age. You are not going to him. He is not coming to you. You are simply observing. From safety. From the strength of who you are today.

What do you notice about that younger version of you? How old does he look?

[PAUSE. Long pause. 10–15 seconds. Let the subconscious provide the image. Do not suggest an age. Do not suggest clothing, setting, or emotion. Let him see whatever arises. The subconscious will present what needs to be addressed. If he reports an age: note it. If he reports a setting: note it. If he reports an emotion: note it. All data. Do not interpret.]

What is he feeling? Can you tell?

[PAUSE again. Let him observe. If he becomes emotional: that is appropriate. Let the emotion flow. Do not redirect. Do not soothe it away. Emotion is the vehicle of processing. Gently: "That is okay. Let yourself feel what is coming up. You are safe here. You are watching from your safe room. Nothing can reach you here unless you allow it."]

Acknowledge the Child's Experience

That younger version of you did the best he could with what he had. He was a child. He did not have the resources, the knowledge, or the power to change what was happening around him. What happened was not his fault. He did not cause it. He did not deserve it. He survived it. And that took more strength than anyone gave him credit for.

IF ABREACTION: Do not count out. Deepen: "Deep Sleep. Deeper now. You are safe. You are in your room. Nothing from the past can reach you here. Breathe. I am right here with you. Take your time." Guide attention back to the safe space. Ground with sensory details: "Feel the floor under your feet. Feel the temperature of the room. Hear the sounds you put there. You are here. You are safe." Only proceed when he has stabilized.

Wound-Specific Processing

IF PRIMARY WOUND = ABANDONMENT:

The people who should have been there were not there in the way you needed. That was their limitation. Not your worth. Their inability to show up was about who they were, not about who you were. You were always worth staying for. You were always worth being present for. You were always enough to warrant care and attention and protection. The absence was theirs, not yours.

IF PRIMARY WOUND = BETRAYAL:

The people who should have protected you chose to hurt instead. That was their failure. Not yours. You did not invite it. You did not earn it. You did not deserve it. You deserved safety. You always did. From the very first day. What they did was a reflection of who they were, not of who you are. Their choices belong to them. Your worth belongs to you. And it was never diminished by what they did.

IF PRIMARY WOUND = SHAME:

You were exactly who you were supposed to be. There was nothing wrong with who you arrived as. You were not the wrong kind of child. You were not too much or too little of anything. The rejection you felt was their limitation, not your deficiency. You did not need to be different. You needed to be seen for who you actually were. And who you actually were was always enough.

[If TWO wounds were identified, deliver both blocks above, one after the other. Lead with the primary (the "deeper" one he identified). Pause between them.]

Client Discovers the Re-Parenting Words

Now, from your safe adult perspective, looking through that window at that younger version of yourself — what would you want to say to him? What does he need to hear?

[PAUSE. Long pause. 15–20 seconds. This is the most important pause in the session. The client's subconscious will provide the words. Do NOT fill the silence. Do NOT suggest words. The therapeutic power is in HIM discovering what the younger self needs to hear. Agency language: the client speaks, not the therapist.]

IF HE STRUGGLES or says "I don't know": Do not fill in for him. Gently redirect:

"Take your time. There is no rush. There is no right answer. What would you want a caring adult to say to a child in that situation? What did that child need to hear that no one said?"

IF HE STILL STRUGGLES: "It does not have to be words. It can be a feeling you want to send him. Safety. Warmth. Protection. Just let it flow from where you are to where he is."

That younger version can hear you now. From where you are, from your adult strength, your words are reaching him. He has been waiting to hear this. And now he is receiving it.

[If the client speaks aloud, let him. If he is silent, let the internal process happen. Both are valid. Do not interrupt the process. This is memory reconsolidation: new experience being filed alongside old patterns.]

Ideomotor Confirm

When you feel that the younger version of you has received what he needed — when something in you feels like it has shifted, even slightly — let a nod happen. Just a small movement. Take your time.

[Wait for the nod. This may take 30–60 seconds. Let it happen. If no nod after 60 seconds: "That is okay. This is deep work. The shift may be happening in ways that do not show outwardly. We can continue when you are ready." Proceed after 90 seconds maximum.]

Wound-Specific Hypnotic Intention (Lisa's Method)

IF PRIMARY WOUND = ABANDONMENT:

And now, from this place of safety, from this place of strength, a new commitment forms in your subconscious mind. From this moment forward, you will never abandon yourself. You will listen to your body. You will honor your needs. You will give yourself what was not given before. When you feel alone, you will reach inward and find your own presence there. Steady. Strong. Reliable. You will never leave yourself behind again.

IF PRIMARY WOUND = BETRAYAL:

And now, from this place of safety, from this place of strength, a new commitment forms in your subconscious mind. From this moment forward, you will never betray yourself. You will protect yourself. You will honor your boundaries. You will not put yourself in situations that compromise your safety or your dignity. When someone crosses a line, you will notice it. You will name it. And you will choose what happens next. Your protection is in your own hands now. And those hands are strong.

IF PRIMARY WOUND = SHAME:

And now, from this place of safety, from this place of strength, a new commitment forms in your subconscious mind. From this moment forward, you will speak to yourself with the same kindness you would offer your closest friend. You will watch your inner language. When the old critical voice appears — the one that says you are not enough, that something is wrong with you — you will notice it. You will recognize it as an old recording. And you will replace it with the truth: you are enough. You always were. You will replace judgment with compassion. Every single time.

Checkpoint: wound identified, younger self viewed from safety, client's own re-parenting words delivered, wound-specific hypnotic intention installed. Ideomotor confirm received. Core desensitization complete. Proceed to new images.

STEP 10: CREATE — NEW IMAGES + DESIRED STATE (10 MIN)

[Lisa's method: use the client's OWN target emotions and memory from Step 3. His words. His memory. His images. Do not impose your imagery. The subconscious trusts its own material more than anyone else's.]

Reactivate Target Emotions in Trance

Now, still in your safe space, I want you to feel something. I want you to feel what it feels like to be **[his target word 1]**.

Remember that moment you described earlier. **[Reference his specific memory from Step 3 — the person, the place, the sensory details he provided. Use his exact words.]** See it. See it clearly. The colors. The light. The faces. Hear the sounds that were there. And feel what you felt in that moment. Let that feeling fill your body. Starting in your chest, spreading outward. Through your arms. Your legs. Your fingers. Your toes. Let it fill every cell.

[PAUSE 10 seconds. Let the memory and feeling develop fully in trance. This is much more powerful than the conscious-state anchor in Step 3. The subconscious is fully open. The neuropathway being created here will be deeper and stronger.]

Breathing Anchor in Trance (3x)

Good. Now breathe in. A full, deep breath. And as you breathe in, say to yourself: "I am **[word 1]** and I am **[word 2]** and I like it."

Hold that breath for a moment. Hold the feeling. And release.

Again. Breathe in. "I am **[word 1]** and I am **[word 2]** and I like it." Hold. And release.

One more time. Breathe in. "I am **[word 1]** and I am **[word 2]** and I like it." Hold. And release.

Three breaths. Three times the neuropathway fires. Each time it fires, it gets stronger. Neurons that fire together wire together. And these neurons just wired together in a deep state of relaxation. Which means this pattern is being encoded at a deeper level than anything you can do with your conscious mind alone. This is your new default. And it will grow stronger every day.

Future Pace — Tomorrow

Now I want you to picture yourself tomorrow. Just an ordinary day. Walking through your day. And notice something different. Your shoulders are back. Your heart is open. You are breathing in the best of your adult self. Not guarded. Not braced. Not scanning for threats. Just present. Just here. Walking through your day with something new inside you.

The same triggers may appear. A loud voice. A tense moment. A situation that used to send you into the old pattern — the freeze, the fear, the guard going up. But something is different now.

Trigger-Behavior Reframe (Lisa's Method)

When the old trigger appears — when someone raises their voice, or a situation reminds you of the past, or your body starts to tighten in the old familiar way — instead of the old reaction, you notice something new. A gap. A space between the trigger and your response. A pause that was not there before.

In that gap, you choose. Shoulders back. Heart open. Breathe. "I am **[word 1]** and I am **[word 2]**." And the old pattern does not run. It tries. But you are faster now. You have a new path. And the new path is stronger.

Same trigger. New response. Superior result.

Each day, that gap gets wider. Each day, the new response gets faster. Each day, the old pattern gets weaker. Not because you are fighting it. Because you are outgrowing it. The old pattern was built by a child who had no other options. You are not that child anymore. You have options now. You have choices. You have strength. And you have a new way to respond.

Post-Hypnotic Suggestions

Between now and our next session, you will notice moments of unexpected calm. Moments where the volume on the hypervigilance is lower than before. Moments where you feel lighter than usual. Where something that would have rattled you barely registers. Notice them. Do not dismiss them as coincidence. Each one is proof. Each one is evidence that something inside you has shifted. And each time you notice, the shift deepens.

You will also notice your dreams. In the early morning hours, your subconscious will do its own work. It will vent. It will process. It will clear out what no longer serves you. You may have vivid dreams. You may have unusual dreams. That is your subconscious housecleaning. Each dream clears space. Each dream makes room for the new patterns to settle in. You do not need to analyze them. Just notice them. And let them do their work.

And the breathing anchor is always with you. Any moment. Any place. One breath. "I am **[word 1]** and I am **[word 2]** and I like it." And the state returns. Because it is wired now. It is yours.

Checkpoint: target emotions reactivated in trance. Breathing anchor installed 3x in deep state. Future pace delivered. Trigger-behavior reframe installed. Post-hypnotic suggestions (unexpected calm, venting dreams, breathing anchor) delivered. Proceed to count out.

STEP 11: COUNT OUT — GENTLE, GROUNDING (5 MIN)

PHS Seal

And now, before we begin to return, I want to seal in everything that happened here today. Every positive suggestion. Every new pattern. Every word you spoke to your younger self. Every breath of "I am **[word 1]** and I am **[word 2]**." All of it is sealed into your subconscious mind. Protected. Permanent. Growing stronger with each passing day.

Zero. Close the door to the subconscious. Seal in every positive suggestion. Every new pathway. Every moment of healing that happened here today. And block all negatives. Anything that does not serve your growth, anything that does not support your well-being, stays outside that door. Only the positive enters. Only the positive remains.

Gentle 0–5 Count Out (with body awareness grounding)

And now I am going to bring you back. Gently. Slowly. At your own pace. I am going to count from one to five. With each number, you will become more aware of your body, more aware of your surroundings, more alert, more refreshed. There is no rush. Take your time coming back. One. Begin to feel your body. Feel the surface you are sitting on. The weight of your body pressing down. Your feet on the floor. Feel the temperature of the room. You are becoming aware of your physical self again.

Two. A little more aware now. Your fingers may begin to move. Your toes may begin to wiggle. Sensation returning to your extremities. You may want to stretch. Allow it.

Three. Halfway back. You are feeling refreshed. Rested. Like you have had a deep, restorative sleep. Clear-headed. Calm. Whatever you processed today is settled. Whatever you released is gone. Whatever you created is planted. And growing.

Four. Almost there. Becoming more alert. More present. Hearing the sounds around you. Feeling the light beyond your eyelids. Your body feels good. Your mind feels clear. You are carrying something new with you. Something lighter. Something stronger.

Five. Eyes open. Wide awake. Fully alert. Fully present. Feeling better than you did when we started. Take a moment. Blink. Look around. Orient yourself. You are here. You are safe. Welcome back.

STOP RECORDING.

Debrief

Take a moment. There is no rush. How do you feel?

[Give him time. Do not prompt with specific emotions. Let him describe his experience in his own words. Note: what does he notice first? Physical sensations? Emotional shift? Cognitive changes? The order of his report tells you what processed most deeply.]

What did you notice? What stood out to you during that experience?

[Listen for: what image appeared of the younger self (age, setting, emotion). What he said to the younger self. Whether the breathing anchor felt different in trance vs conscious. Whether the room felt different. Any surprising images or feelings. Record ALL of this for clinical notes. Do not interpret or evaluate. Just receive and note.]

Did anything shift? Even something small?

[If he reports a shift: "Good. That is your subconscious doing its work. Trust it." If he reports nothing obvious: "That is okay. Sometimes the shift happens after the session. Over the next few days, you may notice subtle changes. Let them come." Do not express disappointment or push for a response.]

Checkpoint: count out complete. PHS sealed. Client alert and oriented. Debrief collected. Recording stopped. Proceed to EFT reinforcement.

STEP 12: EFT REINFORCEMENT + HOMEWORK (10 MIN)

EFT Tapping — One Full Round

Before we wrap up, I want us to do one round of tapping together. Same thing we did last time, but this time we are going to link the old feeling to the new one. Ready?

We start at the karate chop point. Side of the hand. Tap with me.

SETUP STATEMENT (adapt to the wound he identified):
IF ABANDONMENT: "Even though I used to feel abandoned, and even though part of me still carries that, I choose to feel [his word 1] and [his word 2] now. I accept myself completely."
IF BETRAYAL: "Even though I used to feel betrayed, and even though part of me still carries that, I choose to feel [his word 1] and [his word 2] now. I accept myself completely."
IF SHAME: "Even though I used to feel ashamed of who I am, and even though part of me still carries that, I choose to feel [his word 1] and [his word 2] now. I accept myself completely."

Say it with me three times while tapping the karate chop point.

[Tap together. Say the setup statement three times. Match his pace. Do not rush through this.]

Good. Now we go through the points. Each point, say the new affirmation with me.

Eyebrow point. Tap. "I am **[word 1]** and I am **[word 2]**."

Side of the eye. Tap. "I choose **[word 1]** and **[word 2]** now."

Under the eye. Tap. "The old pattern is losing its power."

Under the nose. Tap. "I am **[word 1]** and I am **[word 2]** and I like it."

Chin. Tap. "I am building new pathways."

Collarbone. Tap. "Same trigger. New response. Superior result."

Under the arm. Tap. "I am **[word 1]** and I am **[word 2]**."

Top of the head. Tap. "I choose this. I am choosing this right now."

Good. Take a breath. How does that feel compared to when we started?

[Note any shift in his self-report. Compare to the SMART baselines from Step 1 if relevant. The EFT round bridges the subconscious work (trance) with the conscious mind (tapping). This reinforces the new pattern at both levels.]

Practice the Breathing Anchor

Let us practice the anchor one more time in your normal, waking state. One breath. Say it with me.

Breathe in. "I am [word 1] and I am [word 2] and I like it."

Good. You have now done this in your conscious state, in a deep trance state, and while tapping. Three different modes. Three different neural pathways. That anchor is well built. Use it.

Homework (5 items)

Here is what I want you to practice between now and our next session. Five things.

One. Listen to the session recording at least once before we meet again. Find a quiet place. Sit or lie down. Let yourself follow along. Each time you listen, the suggestions go deeper. You do not need to concentrate hard. Just let it play and let your subconscious do the work.

Two. Practice the breathing anchor every day. "I am [word 1] and I am [word 2] and I like it." In the morning. Before bed. Anytime during the day when you think of it. One breath. One sentence. That is all it takes.

Three. When you feel triggered — when you feel the old pattern starting up, the tightness, the guard, the hypervigilance — tap. You know the points. Eyebrow, side of the eye, under the eye, under the nose, chin, collarbone, under the arm, top of the head. And use the new affirmation: "I am [word 1] and I am [word 2]." You do not need to be in a special place. You can tap lightly, even with one hand, and no one will notice.

Four. Notice the gap. The gap between the trigger and your response. It is growing. Each day it gets a little wider. When you notice it, acknowledge it. Say to yourself: "There it is. The gap. I see it." That recognition strengthens it.

Five. Continue noticing your self-talk. How do you talk to yourself inside your head? What does the inner voice say? You do not need to change it yet. Just notice it. Awareness is the first step.

Can you do those five things?

[Wait for verbal confirmation. If he pushes back on any item: adapt. If listening to the recording feels hard: "Even once is enough. Even five minutes of it." If tapping feels awkward: "Try it once when no one is around. Just to see how it feels." Meet him where he is. Do not assign homework that becomes a source of failure.]

Schedule Session 2b

For our next session, I would like to schedule it within one to two weeks. This gives you time to practice, to let the subconscious do its work, and to notice the changes. But not so much time that we lose momentum. What works for you?

[Schedule Session 2b. Note date and time. Session 2b will build on tonight's work: reinforce the safe space, deepen the wound processing, and begin more specific behavioral work (trust, assertiveness, boundaries). The foundation laid tonight makes all of that possible.]

Safety Reminder

Last thing, and I say this every time because it matters. If between now and our next session anything comes up that feels overwhelming — if a memory surfaces, if the emotions feel too intense, if something from tonight's session brings up material you were not expecting — you have options.

First, use the breathing anchor. One breath. "I am [word 1] and I am [word 2] and I like it." Ground yourself.

Second, reach out to me. You have my email. I will respond within 24 hours.

Third, if it is ever urgent — if you are in crisis or if you are having thoughts of harming yourself — call or text 988. That is the Suicide and Crisis Lifeline. Available 24 hours a day, 7 days a week. You are not alone in this process. There is always someone available.

Thank you for trusting me with this, T.M. What you did tonight was real work. You showed up. You went deep. And something shifted. I will see you at our next session.

POST-SESSION THERAPIST CHECKLIST

COMPLETE ALL OF THESE IMMEDIATELY AFTER CLIENT DISCONNECTS (while memory is fresh):

#	TASK	DONE
---	------	------

1	Complete SOAP notes (Subjective, Objective, Assessment, Plan). Include verbatim client quotes for key moments.	[]
2	Record all 6 SMART baselines: Self-esteem ___/10, Assertiveness ___/10, Anxiety ___/10, Trust ___/10, Comfort ___/10, Past influence ___/10.	[]
3	Record primary wound identified: Abandonment / Betrayal / Shame (circle all that apply). Note which was PRIMARY.	[]
4	Record target emotion words: Word 1 = _____, Word 2 = _____.	[]
5	Record positive memory details: who was there, where, what he saw/heard/felt. Verbatim if possible.	[]
6	Record younger self details: age reported ___, setting/emotion described, what client said to younger self (verbatim).	[]
7	Record ideomotor responses: nod at safe space? Nod after re-parenting? Finger during induction? Arm movement?	[]
8	Record debrief responses: first thing he noticed, shifts reported, anything surprising.	[]
9	Note safe room description (new details or changes from S1). Reference verbatim in future sessions.	[]
10	Record induction response quality: arm movement (yes/no/partial), trance depth (estimated), responsiveness to suggestions.	[]
11	If abreaction occurred: document trigger, duration, intervention used, outcome. Determine if stabilization session needed before proceeding.	[]
12	Update TM-002.json: SMART baselines, wound, target words, session data, SOAP.	[]
13	Save and send session recording to client (if recorded). Include listening instructions.	[]
14	Log CCH hours to HMI (CSP compliance). Date, duration (90 min), session number, initials only.	[]
15	Session 2b focus decision: If wound processing was incomplete, repeat/deepen in 2b. If processing was complete, advance to trust/assertiveness/boundaries work. If abreaction occurred, add stabilization session.	[]
16	Reflection: What went well? What would you adjust? What surprised you? Did the Emotional lane language land? Any delivery adjustments needed?	[]