

TM-002: SESSION 2b FULL SCRIPT — RETRIGGER + REWIRE + ANCHOR + REINFORCE

TM-002 (T.M., 22, 69% Emotional) | TRAUMA-001 | CSP Pro Bono | THERAPIST ONLY — DO NOT DISTRIBUTE

SESSION 2B OVERVIEW

Session 2b is the SECOND HALF of the Session 2 arc. Session 2a covered: desensitization, healing, safe space construction, younger-self encounter from adult perspective, wound identification, target emotion harvesting, positive imagery anchoring, and PHS installation (Deep Sleep). Session 2b takes the new images and emotions created in 2a and WIRES them to the client's specific triggers, installs grounding anchors, and reinforces with EFT in trance. This is the behavioral change session.

Prerequisites from Session 2a (reference — do not rebuild)

ELEMENT	FROM 2A	USED IN 2B
Primary wound	One of: abandonment / betrayal / shame (T.M. identified which)	Steps 5, 7, 8
Target emotions	Client's 2 positive words (e.g., "loved" + "joyful")	Steps 5, 6, 8, 9
Positive sensory memory	A specific experience where he felt those emotions	Steps 5, 6
Safe space	Client-designed room, verified in trance	Steps 4, 5
New images	"I am [word 1] and I am [word 2] and I like it"	Steps 5, 6, 8, 9
PHS (Deep Sleep)	Installed and verified	Steps 3, 4, 5, 7

PLACEHOLDERS: Throughout this script, **[word 1]** and **[word 2]** refer to the client's chosen target emotions from Session 2a. **[primary wound]** refers to the wound he identified as most resonant (abandonment, betrayal, or shame). **[trigger]** refers to the specific trigger he identifies in Step 5. Replace these with T.M.'s actual words during the session. Do NOT paraphrase his language — use his exact words back to him.

CLINICAL RULES (entire session):

- EMOTIONAL LANE ONLY: permissive, imagery-rich, inferential. No direct commands. "You may notice..." not "You will feel..."
- NO REGRESSION. Adult perspective always. We visit the past briefly to identify triggers, then rewire in present tense.
- NO NEGATIVES in suggestions (Lisa). 8-year-old brain cannot process "don't be anxious." Give positive images only.
- If abreaction: deepen trance, guide to safe space, do NOT count out abruptly.
- EXIT SIGNAL: right index finger. If he raises it, pause, check in, offer to continue or stop.
- AGENCY LANGUAGE throughout: he chooses, he decides, he practices. Therapist does not declare safety or wholeness.
- Memories in trance may be symbolic, not factual. Do not interpret or confirm as literal events.
- RECORD from Step 2 through Step 10. The recording is the client's between-session tool.

Session 2b Timeline (60-90 min)

STEP	FOCUS	TIME	CUMULATIVE
1	Check-In + Review	10 min	10 min
2	Recording Notice	1 min	11 min
3	Induction via PHS	3 min	14 min
4	Deepening to Safe Space	5 min	19 min
5	Retrigger + Rewire (systematic desensitization)	20 min	39 min
6	Grounding Anchor Installation	10 min	49 min
7	Wound-Specific PHS Reinforcement	5 min	54 min
8	EFT Integration in Trance	10 min	64 min
9	Post-Hypnotic Suggestions	5 min	69 min
10	Count Out + PHS Verify	5 min	74 min
11	SMART Re-Check + Homework + Close	10 min	84 min

STEP 1: CHECK-IN + REVIEW (10 MIN)

T.M., welcome back. How are you doing today?

[Let him answer. Read his energy: is he calmer than last time? More guarded? Eager? Tired? His state tells you how 2a landed. 2-3 minutes of genuine check-in before clinical content.]

Good. Before we get into today's work, I want to check in on a few things from Session 2a.

Recording check

First — did you get a chance to listen to the Session 2a recording since we last met?

IF YES: "Good. What did you notice when you listened? Anything that stood out? Any part that felt particularly strong or that you wanted to hear again?"

IF NO: "That is completely fine. Life gets busy. I would encourage you to listen to it at least once before we meet again. The recording is a tool — each time you listen, the suggestions go deeper. No pressure on timing."

IF PARTIAL: "That counts. Even a few minutes reinforces the work. What did you notice in the part you heard?"

Breathing anchor check

Second — did you practice the breathing anchor? The one we installed in 2a — I am [word 1] and I am [word 2] and I like it?

IF YES: "Excellent. When did you use it? What happened? Did you notice it getting easier or stronger with practice?"

IF NO: "No problem. We will practice it again today and reinstall it with even more reinforcement. Sometimes it takes a session or two for the practice to feel natural."

IF TRIED BUT STRUGGLED: "That is useful information. Tell me what happened when you tried. Did the words feel right? Did your body respond? Sometimes the anchor just needs more repetition to lock in, and that is exactly what today is for."

Gap awareness check

Third — have you noticed any gap between trigger and response since 2a? Any moments where something happened that used to cause an automatic reaction, and this time there was a pause? Even a fraction of a second?

IF YES: "That is significant. That gap is the space where choice lives. Before our work, the trigger went straight to the response with no space in between. Now there is a gap. And today, we are going to make that gap wider and fill it with something better."

IF NO / UNSURE: "That is okay. Sometimes the changes are subtle at first. You might not notice them consciously until we measure them. Other times, the shift happens after the reinforcement session we are doing today. Either way, you are exactly where you need to be."

Dream check

Have you had any vivid dreams since 2a? Anything unusual in your sleep?

IF YES (vivid dreams): "Good. Vivid dreams after a session like 2a are common and they are actually a positive sign. Your subconscious is processing. It is sorting through material and filing things in a new way. You do not need to analyze the content — just let them happen. If they feel intense, use the breathing anchor before bed."

IF YES (disturbing): "Thank you for telling me. The venting dreams can be intense. That is your subconscious moving old material out. Think of it as cleaning house. It can feel disorganized while it is happening, but the result is a cleaner space. If they become overwhelming, reach out to me. We can adjust."

IF NO: "That is fine too. Processing looks different for everyone. Some people dream, some notice shifts in their waking state. Both are valid."

Review and bridge to today's session

Let me briefly review what we accomplished in 2a, because today builds directly on it.

In Session 2a, we identified the primary wound that has been driving the patterns you described in our first session — the anxiety, the hypervigilance, the difficulty with trust. We identified that wound as [primary wound].

We harvested two feelings that represent how you actually want to feel: [word 1] and [word 2]. We found a real memory where you genuinely felt those feelings. We breathed them in. We anchored them. And we created a new affirmation: I am [word 1] and I am [word 2] and I like it.

We built your safe space — the room that belongs only to you. We processed the wound from your adult perspective. And we installed the PHS — the Deep Sleep response.

Does that sound right? Anything you want to add or correct?

[Let him confirm or clarify. If he corrects anything, update your notes. His account of 2a is more important than yours — it tells you what his subconscious retained.]

Good. Today we go further. We are going to take the new feelings we created in 2a and wire them directly to the specific situations that used to trigger the old response. By the end of today, the same trigger will produce a different result.

We are also going to install a physical grounding anchor that you can use anywhere — in the car, in class, at a family gathering — that brings back everything we build today in an instant. And we are going to reinforce it all with EFT tapping while you are in trance, which is one of the most

powerful ways to lock in the new patterns.

How does that sound? Any questions before we begin?

[Address any questions. Check expectations (Melton): "What are you hoping will happen today?" His answer tells you where to emphasize. If he says "I want the anxiety to stop," redirect: "We are going to give you a different response to the situations that used to cause the anxiety. Instead of the old automatic reaction, you will have a choice." Reframe toward positive images, not absence of negatives.]

STEP 2: RECORDING NOTICE (1 MIN)

START RECORDING NOW. Do not forget. Session 1 recording was missed. This recording is the client's primary between-session tool.

T.M., I am going to start the recording now. Everything from this point through the end of today's trance work will be on the recording so you can listen to it between sessions. The more you listen, the deeper the suggestions go.

I am recording from this point.

[Confirm recording is active. Check audio levels. This is not optional — the recording is homework.]

STEP 3: INDUCTION VIA PHS RE-ENTRY (3 MIN)

[PHS was installed in Session 2a. This should be significantly faster than the original induction. TIME the response. The speed of re-entry is a data point: faster = deeper conditioning, stronger PHS hold. Note the time for comparison.]

T.M., go ahead and find a comfortable position. Feet flat on the floor if you are sitting. Hands resting on your thighs. Let your body settle.

Take a deep breath in through your nose... hold it for a moment... and exhale slowly through your mouth. Good.

One more. Deep breath in... hold... and let it go. Let your shoulders drop. Let your jaw soften.

Now. Raise your right hand in front of you. Palm facing you. Look at your middle finger.

Focus on that finger. And as you focus, you may begin to notice the other fingers starting to separate. Slightly. Gently. All on their own.

And as those fingers separate, your hand begins to move toward your face. Slowly. At its own pace. There is no rush. Just allow it to happen.

[Watch for the arm catalepsy. Emotional lane: do NOT command the hand to move. Suggest it. "You may notice..." "It may begin to..." Let the subconscious do the work. If the hand moves slowly, that is fine. If it moves quickly, even better — it means PHS is holding strong.]

That is right. The hand continues to move. Closer and closer. And when that hand touches your face —

Deep Sleep.

Let everything go. Sinking down. Deeper. Comfortable. Safe.

TIME CHECK: Record PHS re-entry time: __min __sec. Compare to S2a original induction time. Expected: significantly faster.

And going deeper now. With every breath, deeper. With every heartbeat, more comfortable. More relaxed. More present in this moment.

Each and every time I say the words Deep Sleep, you will go to this level or deeper, quickly, calmly, and deeply. Your body relaxes. Your mind becomes focused. And you feel safe. For the purpose of hypnosis. With your permission.

PHS repetition (seal)

Deep Sleep. Going deeper now. Twice as deep as before. Comfortable. Safe. Ready for the work we are here to do.

STEP 4: DEEPENING TO SAFE SPACE (5 MIN)

Quick 5-0 count

In a moment I am going to count from five down to zero. With each number, you go deeper. Twice as deep with each count. And when I reach zero, you will be in the deepest, most comfortable, most focused state you have experienced yet.

Five... letting go a little more.

Four... deeper now. The outside world fades. The only thing that matters is this moment, this process, and the sound of my voice.

Three... halfway down. Your body knows how to do this. It remembers from 2a. It knows the path. Let it take you there.

Two... almost there. So comfortable. So present.

One... one more step.

Zero. All the way down. Deep. Focused. Safe. Ready.

Return to safe space

And now, T.M., I would like you to return to your safe space. The room you built in Session 2a. The room that belongs only to you. No one else can enter it. No one else knows what it looks like. It is yours.

You are there now. Standing in the doorway. And as you step inside, notice the colors. What colors do you see? Notice the temperature. Is it warm? Cool? Just right?

Notice the sounds. What do you hear in this space? Maybe it is quiet. Maybe there is something soft and distant. Whatever it is, it belongs here.

Notice how the floor feels under your feet. The textures around you. The light.

And most importantly, notice the feeling. The feeling of safety. The feeling that in this space, nothing from the outside world can reach you. Here, you are completely and entirely safe.

You are here. You are safe. You are ready for the next level of work.

[If his safe space details differ from what you recorded in 2a, go with HIS version. His subconscious may have updated the room. That is good — it means he is making it more his own.]

PHS repetition

Deep Sleep. Even deeper now. In your safe space. Grounded. Protected. Focused.

Each and every time I say the words Deep Sleep, you will go to this level or deeper, quickly, calmly, and deeply. Your body relaxes completely. For the purpose of hypnosis. With your permission.

STEP 5: RETRIGGER + REWIRE — SYSTEMATIC DESENSITIZATION (20 MIN)

THIS IS THE CORE THERAPEUTIC SECTION. Lisa's method: same trigger, new healthier behavior, superior result. Four phases. Do not rush. Watch for ideomotor signals throughout. If abreaction occurs at any point: deepen trance, return to safe space, stabilize before continuing. Do NOT count out abruptly.

Phase 1: Identify the trigger clearly

T.M., from your safe space — from this place of complete safety — I want you to think about a specific situation where the old pattern used to run. A moment where the anxiety took over. Where the hypervigilance kicked in. Where the trust shut down. Where the guard went up automatically, before you even had a chance to choose.

It could be a moment when someone raised their voice. Or a situation where you needed to let someone close and the wall went up instead. Or a time when someone's behavior reminded you of what happened when you were younger.

What is the trigger that feels most present for you right now? The one that still has the most charge? You can nod when you have it, or you can tell me what it is.

[Pause. Give him time. Do not fill the silence. This must come from him. His known trigger is men yelling — he may identify that. He may also identify trust situations, vulnerability moments, or something new that surfaced since 2a. Whatever he identifies, USE THAT. His subconscious is telling you what needs to be rewired first.]

IF HE VERBALIZES: Reflect it back in his exact words. "Good. So the trigger is [his words]. That is the one we are going to work with today."
IF HE NODS BUT DOES NOT VERBALIZE: "Good. You have it. You do not need to say it out loud. Your subconscious knows exactly what it is, and that is enough for this work."
IF HE STRUGGLES: "Take your time. It might be a person, a situation, a sound, a tone of voice, a look, a feeling in a specific place. Whatever comes up first — that is the right one. There is no wrong answer."

Good. You have the trigger.

Phase 2: View the trigger from safe space (distance)

Now, from your safe space, I want you to imagine a window. A large window on the far wall of your room. Through that window, at a distance — far away, like watching a movie screen across a field — you can see that situation playing out.

It is happening far away. You are safe here, in your room. The window is thick. No sound comes through unless you allow it. The situation cannot reach you. It is just an image, far away, observed from the safety of your space.

As you watch from this distance, notice what the old response feels like. Where does it show up in your body? Is it in your shoulders? Your chest? Your stomach? Your jaw? Maybe your hands? Just notice it. You do not need to change it. Just observe.

[Pause. Let him locate the physical sensation. Emotional lane clients tend to feel things somatically — stomach, chest, throat. His answer tells you where the trauma is stored in his body.]

Good. You found it. That sensation — that tightness or heaviness or heat or whatever it feels like for you — that is the old response. It was installed a long time ago, when you were very young. And at the time, it did its job. It kept you alert. It kept you ready. It kept you safe in a situation that was genuinely not safe.

So right now, from this distance, I want you to acknowledge it. Not fight it. Not push it away. Just acknowledge it: that response kept me safe once. It did its job. Thank you. And now I have something better.

When you can feel that acknowledgment, let a nod happen.

[Wait for ideomotor nod. Do not proceed until you see it. The acknowledgment of the old pattern is the bridge to installing the new one. Without gratitude for the old pattern, the subconscious will resist replacing it.]

Phase 3: Introduce the new response (Lisa's method)

[Lisa's core method: same trigger, new healthier behavior, superior result. The client does not avoid the trigger. The client ENTERS the trigger with a different response. The adult self brings shoulders back, heart open, breathes in the positive emotions. The result is different because the response is different.]

Good. Now I want you to picture something different. I want you to picture yourself IN that situation. Not watching from a distance this time. You are there.

But this time, you bring the best of your adult self. You bring everything you have learned. Everything you have survived. Everything that makes you who you are right now, at 22.

Shoulders back. Heart open. Feet on the ground.

Breathe in: I am [word 1] and I am [word 2] and I like it.

The trigger happens. It is right there in front of you. The situation you identified. And instead of the freeze, instead of the fear, instead of the guard slamming shut — you feel something else.

You feel the gap. That space between the trigger and the response. A space that used to be invisible. It was so fast — trigger, reaction — that it felt like they were the same thing. But they are not the same thing. There is a gap. And in that gap, you have a choice.

In that gap, you choose [word 1]. You choose [word 2]. You choose the response of the adult who is present, who is aware, who is standing in his own strength.

How does that feel? Different from before? Let a nod happen when you can feel the difference.

[Wait for ideomotor nod. This is the critical moment. If the nod comes easily, he is tracking. If it takes time, be patient. If no nod comes, return to safe space, deepen, and try again. Do not force it.]

Good. You felt the difference. That is the new response. That is what we are installing today.

Phase 4: Repeat with increasing intensity (3 rounds)

THREE ROUNDS. Each round brings the trigger closer and the new response stronger. Watch for signs of distress — rapid breathing, facial tension, body shifting. If abreaction: "Deep Sleep, deeper now, return to your safe space, you are safe." Stabilize before continuing.

Round 1: Trigger at a distance, new response

We are going to practice this three times. Each time, the trigger gets closer and your new response gets stronger.

Round one. The trigger is at a distance. Across the room. You can see it. You can feel the echo of the old response trying to start. And you breathe. Shoulders back. Heart open. I am [word 1] and I am [word 2] and I like it.

The old response fades. The new response takes its place. You are calm. You are present. You are choosing.

Good. That was round one. Let a nod happen when you feel it settle.

[Wait for nod. Note his breathing pattern. If it is steady, proceed. If elevated, add: "Take a breath. You are in your safe space. You are in control of this process."]

Round 2: Trigger closer, new response stronger

Round two. This time, the trigger is closer. Louder. More present. You can feel more of it. The details are sharper. The sounds are clearer. The old response tries harder to activate.

And your new response is also stronger. Because you have practiced it now. Your body remembers what it felt like ten seconds ago — the calm, the choice, the [word 1] and [word 2]. That memory is right there, available to you.

Shoulders back. Heart open. Breathe in the best of your adult self.

I am [word 1] and I am [word 2] and I like it.

The trigger is close. And you are steady. The old pattern tries to run, and it finds a different circuit. A new pathway. A pathway that leads to [word 1] and [word 2] instead of fear and freeze.

Good. Round two complete. Nod when you feel it settle.

[Wait for nod. His response time and quality tells you how deep the rewiring is going. Faster nod = stronger installation.]

Round 3: Trigger fully present, new response dominant

Round three. This is the full intensity round. The trigger is right here. Right next to you. It is as real as it gets. The volume is all the way up. The details are vivid. Everything your old brain used to react to — it is all present.

And you are standing in it. Shoulders back. Heart open. Both feet on the ground. Breathing.

I am [word 1] and I am [word 2] and I like it.

The trigger is happening right next to you. And the old pattern does not run. The new pattern runs instead. The gap is wide. The choice is clear. You choose [word 1]. You choose [word 2]. You choose the response of someone who has done the work, who knows who he is, who is standing in his own strength.

And the result is different. Not because the trigger changed. The trigger is the same. But YOU are different. Your response is different. And a different response creates a different result. A superior result.

Same trigger. New healthier response. Superior result.

Let that sink in. Feel the truth of it in your body. Let a nod happen when you know — when your subconscious knows — that the new response is installed and will activate automatically in your real life.

[Wait for ideomotor nod. This is the most important nod of the session. Do not proceed without it. If it does not come, do another round. "Let's practice one more time. There is no rush. Your subconscious installs at its own pace."]

Good. Three rounds. The new pattern is installed. Same trigger, new response, superior result.

PHS repetition (seal the rewiring)

Deep Sleep. Going deeper now. Sealing in everything we just did. The new response is yours. It belongs to you. It activates automatically. For the purpose of hypnosis. With your permission. Quickly, calmly, and deeply.

STEP 6: GROUNDING ANCHOR INSTALLATION (10 MIN)

[Triple-fire installation. Three repetitions lock the physical anchor (thumb + index finger) to the emotional state. Each repetition deepens the association. By fire 3, the anchor should trigger the entire state automatically. This is a portable tool — he can use it anywhere, anytime, without anyone knowing.]

T.M., in a moment I am going to install an anchor. A physical anchor that you can use anywhere in your daily life. It is simple, invisible, and powerful.

Take your left hand and press your thumb and index finger together. Gently. Just enough to feel the pressure. Feel the contact between those two fingers.

[Pause. Confirm he has done it — watch for the finger movement on camera.]

Good. That physical sensation is now going to be linked to everything you feel in this moment. The safety of your room. The calm in your body. The new response we just installed. [Word 1] and [word 2]. All of it — compressed into that single point of contact between your thumb and your finger.

Fire 1

Press now. Hold it. Feel the pressure. And as you hold, feel the safety flowing into that connection. Your safe space. The colors. The temperature. The peace. Five seconds. Four. Three. Two. One. Release.

Good. That was fire one. The link is forming.

Fire 2

Press again. Thumb and index finger. And this time, the connection deepens. As you hold, feel the new response flowing in. Shoulders back. Heart open. I am [word 1] and I am [word 2] and I like it. The gap between trigger and response. The choice. The calm. Five seconds. Four. Three. Two. One. Release.

Good. Fire two. The connection is getting stronger. Your body is learning this.

Fire 3

One more time. Press. Thumb and index finger together. And this time, as you press, take a deep breath in through your nose. Fill your lungs with [word 1] and [word 2].

I am [word 1] and I am [word 2] and I like it.

Hold that breath. Hold the press. Feel everything we have built flowing into that single point. Three. Two. One.

Exhale slowly through your mouth. And as you exhale, all tension drains out. All residual stress. All remaining echoes of the old pattern. They leave your body with the breath. Release the fingers.

Good. Fire three. The anchor is installed.

Anchor test

This anchor works anywhere, T.M. In the car. In a classroom. In a meeting. At a family gathering. On the phone. No one knows you are doing it. Press, breathe, and the calm returns. The safety returns. The new response activates. It is yours. It is portable. It is always available to you.

When you know that this anchor is real and that it will work for you in your daily life, let a nod happen.

[Wait for ideomotor nod. The nod confirms subconscious acceptance of the anchor. Without it, the anchor may be conscious-only and will not hold under pressure.]

Good.

PHS repetition

Deep Sleep. Deeper now. Sealing in the anchor. Thumb and index finger. One breath. The calm returns. Quickly, calmly, and deeply. For the purpose of hypnosis. With your permission.

STEP 7: WOUND-SPECIFIC PHS REINFORCEMENT (5 MIN)

[Standard PHS plus wound-specific addition based on the primary wound identified in 2a. Only deliver the branch that matches his wound. The wound-specific PHS adds a layer of self-directed healing to the standard conditioning.]

T.M., I am going to reinforce the PHS now with suggestions specific to the work we have done today and in 2a.

Each and every time I say the words Deep Sleep, or any time you say the words Deep Sleep to yourself, or any time you listen to this recording and hear the words Deep Sleep, you will go to this level or deeper. Quickly. Calmly. Deeply. Your body relaxes. Your mind becomes focused. You feel safe. For the purpose of hypnosis. With your permission.

And each and every time you enter this state, the suggestions we have installed grow stronger. Not weaker. Stronger. By the day. By the hour. By the minute.

The new response we installed today grows stronger. The gap between trigger and response grows wider. The anchor in your fingers grows more powerful. Every repetition, every practice, every time you listen to this recording — stronger.

IF PRIMARY WOUND = ABANDONMENT:

And each and every time, T.M., you will choose to honor your own needs. You will listen to your body. You will pay attention to what you need — rest, connection, space, nourishment — and you will give yourself permission to meet those needs. You will practice treating yourself as someone worth staying for. Because you are. And you can choose, every day, to never abandon yourself.

IF PRIMARY WOUND = BETRAYAL:

And each and every time, T.M., you will choose to protect yourself. You will honor your boundaries. When something feels wrong, you will listen to that signal. You will evaluate each person's behavior and decide what trust is appropriate. You will practice treating your instincts as valuable information, not as threats to manage. You can choose, every day, to never betray yourself.

IF PRIMARY WOUND = SHAME:

And each and every time, T.M., you will notice how you speak to yourself. When the old critical voice appears — the voice that says you are not enough, the voice that judges before it understands — you will catch it. And you will replace it with the voice of your best friend. The voice that says: it is okay. Take a breath. You are figuring this out. You are doing fine. You can choose, every day, to speak to yourself with kindness instead of judgment.

[Deliver ONLY the branch that matches his identified primary wound. If he identified a blend (e.g., betrayal + abandonment), deliver the one he said was most resonant first, then add a brief version of the second.]

These suggestions grow stronger by the day, by the hour, by the minute. They are installed. They are active. They are yours.

STEP 8: EFT INTEGRATION IN TRANCE (10 MIN)

[This is unique: EFT tapping WHILE in trance state. This combines kinesthetic activation (tapping on acupressure points) with subconscious access (trance). The result is deeper integration than either technique alone. T.M. responded well to EFT in Session 1 — this is a natural extension. He stays in trance throughout. Guide him through the tapping points verbally. Two full rounds for reinforcement.]

EFT + TRANCE: Client remains in trance with eyes closed. Guide tapping by naming each point. He taps at his own pace. Do NOT rush the points. Let each affirmation land. Watch for emotional releases — tears, deep breaths, sighs. These are positive processing signals.

T.M., I am going to ask you to do something now that combines two powerful techniques. You are going to tap along with me while remaining in this deeply relaxed state. The tapping will reinforce everything we have installed today.

You do not need to open your eyes. Just follow my voice. I will name each point, and you tap gently with two fingers. Stay relaxed. Stay in trance. The tapping happens in the body while the suggestions go directly to the subconscious.

Ready? Good.

EFT Round 1

Start with the side of your hand. The karate chop point. Tap gently with two fingers of your other hand.

Even though I used to feel the old response when the trigger happened — even though that pattern ran automatically for years — I now choose to feel [word 1] and [word 2]. I deeply and completely accept myself.

Even though my younger self learned to protect himself in the only way he knew how, I honor that protection and I now choose a different way. I deeply and completely accept myself.

Even though the old pattern felt like the only option, I now have a better option. I deeply and completely accept myself.

[Three setup statements on the karate chop point. Then move through the tapping points.]

Now move to the beginning of your eyebrow. The inner corner, right above your nose. Tap gently.

I release the old pattern. It served me once. It is complete.

Side of the eye now. The bone at the outer corner.

It served me once. It protected me when I needed protection. And it is no longer needed.

Under the eye. The bone right below your eye.

I choose [word 1] instead. I choose to feel [word 1] in my body, in my chest, in my bones.

Under the nose. Right above your upper lip.

I choose [word 2] instead. I choose to carry [word 2] with me into every situation.

The chin point. The crease between your lower lip and your chin.

Same trigger. The trigger has not changed. The world has not changed. But I have changed.

Collarbone. The soft spot right below your collarbone, near the center.

New response. Shoulders back. Heart open. I choose.

Under the arm. About four inches below the armpit.

Superior result. A different response creates a different outcome. A better outcome.

Top of the head. Right on the crown.

I am [word 1] and I am [word 2] and I like it.

Take a deep breath in... and exhale slowly. Feel the shift. Let your hands rest.

[Pause. Let the round settle. Watch for any emotional processing — deep breaths, tears, sighing. All positive signs. Give him 10-15 seconds of silence.]

EFT Round 2 (reinforcement)

One more round. This round goes deeper. The words land harder. The body integrates faster. Ready?

Side of the hand. Karate chop point.

I accept who I was. I accept who I am. I accept who I am becoming. I deeply and completely accept myself.

Eyebrow.

The old pattern is released. It is leaving my body now. Leaving my shoulders, my chest, my stomach, my jaw.

Side of the eye.

I am replacing it with something better. Something I chose. Something that is mine.

Under the eye.

[Word 1] lives in me now. It is not something I have to reach for. It is already here.

Under the nose.

[Word 2] lives in me now. It is part of who I am. It has always been part of who I am.

Chin.

The gap between trigger and response is wide. I have time. I have choice. I have power.

Collarbone.

My anchor is real. Thumb and finger. One breath. The calm returns.

Under the arm.

I am safe. Not because the world is safe, but because I have what I need to take care of myself.

Top of the head.

I am [word 1] and I am [word 2] and I like it. And it grows stronger every day.

Take a deep breath in... hold it... and let it go. Let your hands rest. Feel the shift.

Two rounds. The new pattern is wiring in. The tapping reinforced every suggestion. Your body received it. Your subconscious received it. It is installed.

[Give him 15-20 seconds of silence. Let the integration happen. Do not fill the silence. The pause is part of the work.]

STEP 9: POST-HYPNOTIC SUGGESTIONS (5 MIN)

[These are the behavioral change instructions that operate between sessions. Framed as automatic, positive, and observable. No negatives. Each suggestion is a POSITIVE IMAGE of what will happen, not the absence of something unwanted. Lisa's rule: tell the 8-year-old brain what TO do, never what to stop doing.]

T.M., between now and our next session, the following will happen. These are not things you need to force or remember consciously. They will happen on their own, because your subconscious has been programmed to run the new patterns.

Gap growth

The gap between trigger and response continues to grow wider every day. Each time you encounter a situation that used to trigger the old pattern, the gap is a little wider than the last time. More space. More time to choose. More room for [word 1] and [word 2] to show up before the old response can activate.

Anchor strengthening

Each time you use the anchor — thumb and finger, one breath — the calm returns faster. The connection between that physical sensation and your safe space, your new response, your target emotions — it gets stronger with every use. Like a muscle that gets stronger with practice, your anchor gets more powerful every time you fire it.

Venting dreams

Your dreams continue to process and clear. In your early morning dreams — the ones just before waking — your subconscious vents out what no longer serves you. Old images, old feelings, old patterns that are being replaced. You will remember these dreams. They may be vivid. They may be unusual. That is proof the work is active. You do not need to analyze them. Just let them happen. They are part of the healing.

Self-talk improvement

You notice yourself talking to yourself more kindly. When the old critical voice appears — the voice from the past, the voice that was never really yours — you catch it sooner. Each day, you catch it faster. And when you catch it, you replace it with the voice of your best friend. The voice that says: it is okay. Take a breath. You are doing fine. You are figuring this out. And I am proud of you.

Moments of unexpected calm

Moments of unexpected calm appear more frequently in your daily life. Moments where you notice: I am okay right now. I am actually okay. These moments may surprise you. They may come in ordinary situations — walking to class, making dinner, sitting in your car. And each time you notice one of those moments, it strengthens the new pattern. The noticing is part of the healing.

Presence

You find yourself naturally becoming more present. When your mind drifts to the past — to old stories, old pain, old patterns — you notice it sooner. And you gently bring yourself back. Back to the present moment. Back to your feet on the ground. Back to your breath. Back to now. Because now is where [word 1] and [word 2] live. Now is where you are safe.

All of these suggestions are active. They grow stronger by the day, by the hour, by the minute. They are installed. They are running. And they are yours.

STEP 10: COUNT OUT + PHS VERIFY (5 MIN)

PHS seal

T.M., in a moment I am going to count you back up to full waking awareness. Before I do, I want to seal in everything we have done today.

Each and every time I say the words Deep Sleep, or any time you say those words to yourself, or any time you hear them on this recording, you will go to this level or deeper. Quickly. Calmly. Deeply. Safely and comfortably. Your body relaxes. Your mind becomes focused. And every positive suggestion we have installed is reinforced. For the purpose of hypnosis. With your permission.

These suggestions are sealed now. They are part of you. They grow stronger every day.

Zero seal

Zero — I am closing the door now. Closing the door to your safe space. Every positive suggestion is sealed inside with you. Every tool we installed — the new response, the anchor, the EFT, the affirmation — all sealed. And anything negative, any doubt, any echo of the old pattern — it stays outside the door. It cannot get in. The door is closed. The door is locked. Only positive suggestions pass through.

Gentle count out (0-5)

Now I am going to count from zero to five. With each number, you come back toward full waking awareness. Gently. At your own pace. There is no rush. You bring everything with you.

Zero... beginning to return. Feeling the chair beneath you. The weight of your body. Gravity pulling you gently back into the room.

One... awareness starting to return. Feeling your fingers. Your toes. The temperature of the air on your skin.

Two... a little more now. Sounds in the room becoming clearer. The surface beneath your hands. Your body starting to wake up, but gently, comfortably, at its own pace.

Three... halfway back. Beginning to feel the energy returning. A sense of lightness. A sense of calm. You may notice how good your body feels right now. How quiet your mind is. That is the new normal.

Four... almost there. Take a breath. Feel it fill your lungs. Feel the energy returning. Eyes still closed, but when I say five, you will open your eyes and be fully awake, fully alert, feeling better than you have felt in a long time.

Five — eyes open. Wide awake. Fully alert. Feeling calm, clear, and refreshed.

STOP RECORDING.

[Give him a moment. Do not rush into talking. Let him orient. Smile. Wait for him to make eye contact. Some clients take 30-60 seconds to fully return after deep trance work.]

Welcome back. Take your time. There is no rush.

PHS verify: finger-spread test

PHS VERIFICATION TEST: This tests whether the PHS (Deep Sleep) is properly installed and strengthening over time. Compare this response time to the S2a induction time and the S2b re-entry time. Each should be faster than the last.

T.M., I want to do one quick test before we debrief. Same thing we did at the end of 2a.

Raise your right hand. Palm facing you. Look at your middle finger. Focus on it. Notice the fingers starting to separate... the hand beginning to move toward your face...

Deep Sleep.

TIME CHECK: PHS verify time: ___min ___sec. Compare to: S2a induction ___min ___sec, S2b re-entry ___min ___sec. Expected trend: each one faster.

[He should go under quickly. If the PHS verify is faster than the S2b re-entry, the conditioning is strengthening — excellent sign. If it is slower, that is still fine — he just did deep emotional work and the conscious mind may be more active post-session.]

Good. Deep Sleep. Resting there for a moment. Everything sealed. Everything reinforced.

Gentle count out from verify

And now, one more time, I am going to count you back up. Zero to five. Gently. Bringing everything with you.

Zero... one... two... feeling the energy return... three... four... and five — eyes open. Wide awake. Fully alert.

Good. Welcome back again.

Quick debrief (3 questions)

Three quick questions while it is fresh.

First — how do you feel right now? Just one or two words.

[Record his exact words. These are data points for tracking progress across sessions.]

Second — was there anything specific that stood out during the session? A moment that felt particularly strong or different?

[Record his answer. The moment he identifies tells you what his subconscious prioritized.]

Third — on a scale of 1 to 10, how deep would you say you went today? Where 1 is fully awake and 10 is the deepest you can imagine.

RECORD: Self-reported depth: ___/10. Compare to S2a depth: ___/10. Expected: same or deeper.

STEP 11: SMART RE-CHECK + HOMEWORK + CLOSE (10 MIN)

SMART goal re-measurement

[Re-measure ALL 6 SMART baselines. These should have been first collected at the start of Session 2a (deferred from S1). Compare the numbers. Even small shifts (0.5-1 point) are clinically meaningful after one trance session. Do NOT lead or suggest the numbers should be different. Just ask and record.]

T.M., I want to re-measure the six areas we tracked at the beginning of Session 2a. Same scale, 1 to 10. Just tell me where you are right now, in this moment. Do not think about where you "should" be. Just where you are.

MEASURE	S2A BASELINE	POST-S2B	CHANGE
Self-esteem (confident in own worth)	___/10	___/10	

Assertiveness (comfortable setting boundaries)	___/10	___/10
Anxiety level (1 = severe, 10 = minimal)	___/10	___/10
Trust in close relationships (open, less guarded)	___/10	___/10
Comfort in own skin (at ease being self)	___/10	___/10
Letting go of past (past acknowledged, not controlling)	___/10	___/10

Good. How do those numbers compare to where we started?

[Let him reflect. If numbers moved, acknowledge it without overstating: "That is movement. That is real." If numbers did not move, normalize: "Sometimes the shift shows up over the next few days rather than immediately. The subconscious works on its own timeline." Do NOT express disappointment or surprise either way.]

EFT practice (conscious round)

Before we wrap up, I want us to do one conscious round of EFT together. This is so you can practice it on your own between sessions. You did it in trance — now let us do it with your eyes open so you have the muscle memory.

Side of the hand. Tap with me. "Even though the old pattern still tries to run sometimes, I choose [word 1] and [word 2]. I deeply and completely accept myself."

Eyebrow. "I am releasing what no longer serves me."

Side of the eye. "I am replacing it with something I chose."

Under the eye. "I choose [word 1]."

Under the nose. "I choose [word 2]."

Chin. "Same trigger, new response."

Collarbone. "Superior result."

Under the arm. "I am safe because I have what I need."

Top of the head. "I am [word 1] and I am [word 2] and I like it."

Deep breath. Good. That is how you do it on your own. Any time a trigger fires and you have a moment — even 60 seconds — run through those points with the affirmation. It works.

Homework assignment

Here is your homework between now and Session 3. Six things. None of them are hard, but all of them matter.

One — listen to the Session 2b recording at least once. More is better. Each time you listen, the suggestions go deeper. Find a quiet time — before bed is ideal. Do not listen while driving.

Two — practice the anchor daily. At least once a day. Thumb and finger, one breath, I am [word 1] and I am [word 2]. Morning is a good time. Before a stressful situation is an even better time. The more you practice when you are calm, the stronger it will be when you need it.

Three — when you notice a trigger fire, use EFT. Tap through the points with your new affirmation. Even one round makes a difference. You can do it discreetly — even just the finger points under a table if you are in public.

Four — notice the gap. The gap between trigger and response. It is growing. You may not always catch it in the moment, but afterward, you might think: that was different. That used to hit harder. When you notice it, take a second to acknowledge it. The noticing makes it stronger.

Five — self-talk watch continues. When you catch the old critical voice, replace it with the best-friend voice. It is okay. Take a breath. You are figuring this out. The more you catch it, the faster you will catch it next time.

Six — practice being present. When you notice yourself ruminating about the past or worrying about the future, bring yourself back to the present moment. Feel your feet on the ground. Feel your breath. Feel the temperature of the air on your skin. You are here. You are now. This is where [word 1] and [word 2] live.

[Check for understanding: "Do those six make sense? Any questions?" Adjust as needed. The homework should feel manageable, not overwhelming. If he seems overwhelmed, prioritize: "If you only do two things, listen to the recording and practice the anchor. Those are the biggest levers."]

Session 3 scheduling

Let us schedule Session 3. Session 3 is going to focus on self-esteem and confidence deepening. We will take the foundation we built in 2a and 2b and start building upward — how you see yourself, how you carry yourself, how you show up in the world. It is the next layer.

What day and time works for you?

[Schedule within 1-2 weeks. Momentum matters. If he cannot do the next week, 2 weeks maximum. Record the date/time.]

Crisis resource + close

Last thing. Same reminder as last time, because it is important. If between now and Session 3 anything comes up that feels overwhelming — a memory surfaces, the emotions feel too intense, you feel like you need support right away — you have three options.

First, use the anchor. Thumb and finger, one breath. Go to your safe space. That is your first line.

Second, reach out to me. You have my email. I will respond within 24 hours.

Third, if it is ever urgent, if you are in crisis or if you are having thoughts of harming yourself, call or text 988. That is the Suicide and Crisis Lifeline. Available 24 hours a day, 7 days a week. You are not alone in this process. There is always someone available.

T.M., thank you for trusting this process. The work you did today was significant. You identified a specific trigger. You rewired the response. You installed an anchor. You reinforced it with EFT. The new patterns are installed. They will grow stronger every day.

I will see you at Session 3.

POST-SESSION THERAPIST CHECKLIST

COMPLETE ALL IMMEDIATELY AFTER CLIENT DISCONNECTS:

#	TASK	DONE
1	Complete SOAP notes. Include: trigger identified, wound confirmed, target emotions used, client's verbatim responses to check-in questions, ideomotor responses at each checkpoint, any abreaction or emotional processing observed.	[]
2	Record PHS times: S2b re-entry __min __sec, S2b verify __min __sec. Compare to S2a times. Note trend.	[]
3	Record self-reported depth: __/10. Compare to S2a: __/10.	[]
4	Record SMART goal measurements (all 6). Calculate change from S2a baselines. Note direction of change.	[]
5	Record the specific trigger he identified in Step 5, Phase 1. Record his exact words.	[]
6	Record which wound branch was delivered in Step 7 (abandonment / betrayal / shame).	[]
7	Record any emotional processing observed during EFT in trance (tears, deep breaths, sighing, facial expression changes).	[]
8	Record his check-in responses: recording listened (Y/N), anchor practiced (Y/N), gap noticed (Y/N), dreams (Y/N, description).	[]
9	Record debrief answers: how he feels (his words), standout moment (his words), depth (number).	[]
10	Note any deviations from script and clinical rationale for the deviation.	[]
11	Update TM-002.json: add session 2b data (date, duration, techniques, SOAP, SMART measurements, PHS times).	[]
12	Send recording to client (Zoom cloud or manual upload).	[]
13	Log CCH hours to HMI (CSP compliance). Record: date, duration, session number, client initials T.M.	[]
14	Prepare S3 outline: self-esteem + confidence deepening. Reference S2b anchor + trigger rewiring as foundation. Plan any additional trigger desensitization if needed.	[]
15	If any red flags emerged (crisis indicators, dissociation, severe abreaction, PTSD criteria): document and consult supervisor BEFORE scheduling S3.	[]
16	Reflection: What went well? What would you adjust? How did EFT-in-trance land compared to S1 EFT? Was the rewiring complete or does the trigger need additional rounds in S3?	[]