

Material Safety Data Sheet

PRODUCT: Fused Silica

(1) CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

SUPPLIED BY:

NATIPROL LIANYUNGANG CORPORATION

BUILDING 1-F, BIZ ZONE, ZHENXING LVYUAN ,

NO.68 YINGZHOU ROAD, LIANYUNGANG,JIANGSU, CHINA

EMERGENCY PHONE: 0086-518-85838272

REVISED: 4/08/2017

(2) COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION/ CAS REG NO.	APPROX. WGT. %	ACGIH TLV		OSHA PEL	
		TWA	STEL	TWA	STEL
UNITS					
-----	-----	-----	-----	-----	-----
FUSED SILICA					
60676-86-0	ca 100 PPH	0.1	NE	0.1	NE
MG/M3					

(3) HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW:

Avoid breathing dust.

PRODUCT INFORMATION:

INHALATION:

Causes moderate respiratory irritation.

INGESTION:

None expected.

SKIN CONTACT:

Can dry skin.

EYE CONTACT:

May cause eye irritation through mechanical abrasion.

MEDICAL CONDITIONS AGGRAVATED: Pulmonary disorders.

CHRONIC EFFECTS/CARCINOGENICITY:

Silicosis has been associated with an increased risk of lung cancer.

Crystalline silica should be considered a possible human carcinogen

based on this association. Fused silica has not been identified as a carcinogen.

(4) FIRST AID MEASURES**INHALATION:**

If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.

INGESTION: No emergency care anticipated.

SKIN: Wash with soap and water.

EYES:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.

(5) FIRE FIGHTING MEASURES

FLASH POINT:	None
METHOD:	Not specified
FLAMMABLE LIMITS IN AIR - LOWER (%):	Not applicable
FLAMMABLE LIMITS IN AIR - UPPER (%):	Not applicable
IGNITION TEMP:	None
EXTINGUISHING MEDIA:	All standard firefighting media
SPECIAL FIREFIGHTING PROCEDURES:	None known
SENSITIVITY TO MECHANICAL IMPACT (Y/N):	No
SENSITIVITY TO STATIC DISCHARGE:	Sensitivity to static discharge

is not expected.

(6) ACCIDENTAL RELEASE MEASURES

ACTION TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

Sweep or gather up material and place in proper container for disposal or recovery.

(7) HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

No special precautions required.

(8) EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: No specific engineering controls normally

required.

VENTILATION: General room ventilation is normally adequate.

RESPIRATORY PROTECTION: Use approved NIOSH respiratory protection if

TLV exceeded or over exposure is likely.

EYE AND FACE PROTECTION: Safety glasses

PROTECTIVE GLOVES: None known.

OTHER PROTECTIVE EQUIPMENT: None known.

9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT:	2230 C (4045 F)
MELTING POINT:	1710 C (3110 F)
SPECIFIC GRAVITY (WATER=1):	2.65
VAPOR PRESSURE (20 C) (MM HG):	N/A
VAPOR DENSITY (AIR=1):	N/A
% VOLATILE BY VOLUME:	None
EVAP. RATE (BUTYL ACETATE=1):	N/A
SOLUBILITY IN WATER (20 C):	Insoluble
SOLUBILITY IN ORGANIC SOLVENT (STATE SOLVENT):	Unknown

PHYSICAL STATE:	Solid
COLOR	Colorless
APPEARANCE:	Clear tubing/rod or crucible
ODOR:	None
ODOR THRESHOLD (PPM):	
PH:	

(10) STABILITY AND REACTIVITY

STABILITY:	Stable
HAZARDOUS POLYMERIZATION:	Will not occur
HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS:	None known
INCOMPATIBILITY (MATERIALS TO AVOID):	Hydrofluoric acid
CONDITIONS TO AVOID:	Grinding, sawing, sanding, abrading
	or otherwise dispersing in air.
	Fused silica can convert to crystalline silica if held at high temperatures for extended periods of time.

(11) TOXICOLOGICAL INFORMATION

FUSED SILICA 60676-86-0	
ACUTE INHALATION LC50 (MG/L):	Unknown
ACUTE ORAL LD50 (MG/KG):	Unknown
AMES TEST:	Unknown

PRODUCT INFORMATION:

(12) ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION:	No data at this time.
CHEMICAL FATE INFORMATION:	No data at this time.

(13) DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Disposal should be made in accordance with federal, state and local regulations.

EPA HAZARDOUS WASTE CLASSIFICATION: Not Classified

(14) TRANSPORT INFORMATION

DOT SHIPPING NAME: None
DOT HAZARD CLASS: None
DOT LABEL(S): None
UN/NA NUMBER: None
PLACARDS: None
IATA: None

(15) REGULATORY INFORMATION

SARA SECTION 302: None Found
SARA (311, 312) HAZARD CLASS: None
SARA (313) CHEMICALS: None
WHMIS HAZARD CLASS D2B TOXIC MATERIALS
HAZARD RATING SYSTEMS
HMIS: FLAMMABILITY 0 , REACTIVITY 0 ,
HEALTH 1
NFPA: FLAMMABILITY 0 , REACTIVITY 0 ,
HEALTH 1
TSCA: All ingredients in this product
comply with the TSCA Inventory requirements.
EINECS: All ingredients in this product
comply with the EINECS Inventory requirements.
CANADIAN DOMESTIC SUBSTANCES LIST: All of the ingredients in this product are included in the Canadian DSL.

CANADIAN NON-DOMESTIC SUBSTANCES LIST:

CANADIAN NPRI CHEMICALS: **None**

(16) OTHER INFORMATION

ADDITIONAL INFORMATION:

C	= ceiling limit	NEGL	= negligible	EST	= estimated
NF	= none found	NA	= not applicable	UNK	= unknown
NE	= none established	REC	= recommended	ND	= none
	determined				
V	= recommended by vendor	TS	= trade secret	SKN	= skin
R	= recommended	MST	= mist		

LABELING INFORMATION:

DATE PRINTED: 4/08/2017

OTHER OCCUPATIONAL EXPOSURE LIMITS (NON-U.S.)

Other established occupational exposure limits where known are shown below.

FUSED SILICA

60676-86-0	U.K. Occupational Exposure Standard:	0.1 mg/m3 TWA
	Mexican Occupational Exposure Limit:	0.1 mg/m3 TWA
	German Exposure Limit:	TRGS 900 - 0.3 mg/m3 (MAK)

***** END OF MSDS *****

NOTICE: Information herein is given in good faith, but no warranty, expressed or implied, is made. This material is intended for industrial use only.