

## SKILL(WEEK-2) DSEDBD SEC-10

2520090046

G.SHIVANI

### 1. Create Table

```
1 • CREATE DATABASE IF NOT EXISTS school_db;
2 • USE school_db;
3 • CREATE TABLE student_marks (
4   roll_no INT PRIMARY KEY,
5   name VARCHAR(50),
6   subject VARCHAR(50),
7   marks DECIMAL(5,2)
8 );
9
```

| Output        |          |                                                                                                  |                                                |
|---------------|----------|--------------------------------------------------------------------------------------------------|------------------------------------------------|
| Action Output |          |                                                                                                  |                                                |
| #             | Time     | Action                                                                                           | Message                                        |
| 47            | 11:38:27 | COMMIT                                                                                           | 0 row(s) affected                              |
| 48            | 11:39:04 | SET autocommit = 1                                                                               | 0 row(s) affected                              |
| 49            | 14:30:16 | USE school_db                                                                                    | Error Code: 1049. Unknown database 'school_db' |
| 50            | 14:30:21 | CREATE DATABASE IF NOT EXISTS school_db                                                          | 1 row(s) affected                              |
| 51            | 14:30:21 | USE school_db                                                                                    | 0 row(s) affected                              |
| 52            | 14:30:51 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m... | 0 row(s) affected                              |

### 2. Insert Initial Data

```
9 • INSERT INTO student_marks (roll_no, name, subject, marks) VALUES
10 (1, 'Ravi', 'Math', 85.50),
11 (2, 'Sita', 'Math', 92.75),
12 (3, 'Anil', 'Math', 78.40),
13 (4, 'Priya', 'Math', 88.90),
14 (5, 'Vijay', 'Math', 80.25),
15 (6, 'Subbusir', 'aws', 98.50),
16 (7, 'dwaraka', 'dbms', 95.75),
17 (8, 'ranjani', 'english', 97.40),
18 (9, 'kavithaman', 'aws1', 99.90),
19 (10, 'seetha', 'azure', 82.25);
20
```

| Output        |          |                                                                                                                      |                                                          |
|---------------|----------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| Action Output |          |                                                                                                                      |                                                          |
| #             | Time     | Action                                                                                                               | Message                                                  |
| 48            | 11:39:04 | SET autocommit = 1                                                                                                   | 0 row(s) affected                                        |
| 49            | 14:30:16 | USE school_db                                                                                                        | Error Code: 1049. Unknown database 'school_db'           |
| 50            | 14:30:21 | CREATE DATABASE IF NOT EXISTS school_db                                                                              | 1 row(s) affected                                        |
| 51            | 14:30:21 | USE school_db                                                                                                        | 0 row(s) affected                                        |
| 52            | 14:30:51 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m...                     | 0 row(s) affected                                        |
| 53            | 14:31:56 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', ... | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 |

### 3. Simple Selection

20 • `SELECT * FROM student_marks;`

| roll_no | name     | subject | marks |
|---------|----------|---------|-------|
| 1       | Ravi     | Math    | 85.50 |
| 2       | Sita     | Math    | 92.75 |
| 3       | Anil     | Math    | 78.40 |
| 4       | Priya    | Math    | 88.90 |
| 5       | Vijay    | Math    | 80.25 |
| 6       | subbusir | aws     | 98.50 |
| 7       | dwaraka  | dbms    | 95.75 |

udent\_marks 1 x

Output

| #  | Time     | Action                                                                                                               | Message                                                  | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 49 | 14:30:16 | USE school_db                                                                                                        | Error Code: 1049. Unknown database 'school_db'           | 0.000 sec             |
| 50 | 14:30:21 | CREATE DATABASE IF NOT EXISTS school_db                                                                              | 1 row(s) affected                                        | 0.016 sec             |
| 51 | 14:30:21 | USE school_db                                                                                                        | 0 row(s) affected                                        | 0.015 sec             |
| 52 | 14:30:51 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m...                     | 0 row(s) affected                                        | 0.016 sec             |
| 53 | 14:31:56 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', ... | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 | 0.000 sec             |
| 54 | 14:33:03 | SELECT * FROM student_marks LIMIT 0, 1000                                                                            | 10 row(s) returned                                       | 0.000 sec / 0.000 sec |

#### 4. Total Student Count

21 • `SELECT COUNT(*) AS total_students FROM student_marks;`

| total_students |
|----------------|
| 10             |

Result 2 x

Output

| #  | Time     | Action                                                                                                               | Message                                                  | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 50 | 14:30:21 | CREATE DATABASE IF NOT EXISTS school_db                                                                              | 1 row(s) affected                                        | 0.016 sec             |
| 51 | 14:30:21 | USE school_db                                                                                                        | 0 row(s) affected                                        | 0.015 sec             |
| 52 | 14:30:51 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m...                     | 0 row(s) affected                                        | 0.016 sec             |
| 53 | 14:31:56 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', ... | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 | 0.000 sec             |
| 54 | 14:33:03 | SELECT * FROM student_marks LIMIT 0, 1000                                                                            | 10 row(s) returned                                       | 0.000 sec / 0.000 sec |
| 55 | 14:33:54 | SELECT COUNT(*) AS total_students FROM student_marks LIMIT 0, 1000                                                   | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |

#### 5. Sum of All Marks

22 • `SELECT SUM(marks) FROM student_marks;`

| SUM(marks) |
|------------|
| 899.60     |

Result 3 x

Output

| #  | Time     | Action                                                                                                               | Message                                                  |
|----|----------|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 51 | 14:30:21 | USE school_db                                                                                                        | 0 row(s) affected                                        |
| 52 | 14:30:51 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m...                     | 0 row(s) affected                                        |
| 53 | 14:31:56 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', ... | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 |
| 54 | 14:33:03 | SELECT * FROM student_marks LIMIT 0, 1000                                                                            | 10 row(s) returned                                       |
| 55 | 14:33:54 | SELECT COUNT(*) AS total_students FROM student_marks LIMIT 0, 1000                                                   | 1 row(s) returned                                        |
| 56 | 14:34:39 | SELECT SUM(marks) FROM student_marks LIMIT 0, 1000                                                                   | 1 row(s) returned                                        |

#### 6. Average of Marks

23 • `SELECT AVG(marks) FROM student_marks;`

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: [IS](#)

|   | AVG(marks) |
|---|------------|
| ▶ | 89.960000  |

Result 4 x [Read Only](#)

Output

Action Output

| #  | Time     | Action                                                                                                             | Message                                                  | Duration / Fetch      |
|----|----------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 52 | 14:30:51 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m...                   | 0 row(s) affected                                        | 0.016 sec             |
| 53 | 14:31:56 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math'... | 10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0 | 0.000 sec             |
| 54 | 14:33:03 | SELECT * FROM student_marks LIMIT 0, 1000                                                                          | 10 row(s) returned                                       | 0.000 sec / 0.000 sec |
| 55 | 14:33:54 | SELECT COUNT(*) AS total_students FROM student_marks LIMIT 0, 1000                                                 | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 56 | 14:34:39 | SELECT SUM(marks) FROM student_marks LIMIT 0, 1000                                                                 | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 57 | 14:35:46 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000                                                                 | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |

## 7. Highest Marks

24 • `SELECT MAX(marks) FROM student_marks;`

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: [IS](#)

|   | MAX(marks) |
|---|------------|
| ▶ | 99.90      |

Result 6 x [Read Only](#)

Output

Action Output

| #  | Time     | Action                                                             | Message            | Duration / Fetch      |
|----|----------|--------------------------------------------------------------------|--------------------|-----------------------|
| 54 | 14:33:03 | SELECT * FROM student_marks LIMIT 0, 1000                          | 10 row(s) returned | 0.000 sec / 0.000 sec |
| 55 | 14:33:54 | SELECT COUNT(*) AS total_students FROM student_marks LIMIT 0, 1000 | 1 row(s) returned  | 0.000 sec / 0.000 sec |
| 56 | 14:34:39 | SELECT SUM(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned  | 0.000 sec / 0.000 sec |
| 57 | 14:35:46 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned  | 0.000 sec / 0.000 sec |
| 58 | 14:36:39 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned  | 0.000 sec / 0.000 sec |
| 59 | 14:36:42 | SELECT MAX(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned  | 0.000 sec / 0.000 sec |

## 8. Lowest Marks

25 • `SELECT MIN(marks) FROM student_marks;`

Result Grid | Filter Rows: | Export: | Wrap Cell Contents: [IS](#)

|   | MIN(marks) |
|---|------------|
| ▶ | 78.40      |

Result 7 x [Read Only](#)

Output

Action Output

| #  | Time     | Action                                                             | Message           | Duration / Fetch      |
|----|----------|--------------------------------------------------------------------|-------------------|-----------------------|
| 55 | 14:33:54 | SELECT COUNT(*) AS total_students FROM student_marks LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 56 | 14:34:39 | SELECT SUM(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 57 | 14:35:46 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 58 | 14:36:39 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 59 | 14:36:42 | SELECT MAX(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 60 | 14:37:40 | SELECT MIN(marks) FROM student_marks LIMIT 0, 1000                 | 1 row(s) returned | 0.000 sec / 0.000 sec |

## 9. Filter Marks Above 85

26 • `SELECT * FROM student_marks WHERE marks > 85;`

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Contents: [IS](#)

|   | roll_no | name       | subject | marks |
|---|---------|------------|---------|-------|
| ▶ | 1       | Ravi       | Math    | 85.50 |
|   | 2       | Sita       | Math    | 92.75 |
|   | 4       | Priya      | Math    | 88.90 |
|   | 6       | subbusir   | aws     | 98.50 |
|   | 7       | dwaraka    | dbms    | 95.75 |
|   | 8       | ranjani    | english | 97.40 |
|   | 9       | kavithamam | aws1    | 99.90 |

student\_marks 8 x [Apply](#) [Revert](#)

Output

Action Output

| #  | Time     | Action                                                     | Message           | Duration / Fetch      |
|----|----------|------------------------------------------------------------|-------------------|-----------------------|
| 56 | 14:34:39 | SELECT SUM(marks) FROM student_marks LIMIT 0, 1000         | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 57 | 14:35:46 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000         | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 58 | 14:36:39 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000         | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 59 | 14:36:42 | SELECT MAX(marks) FROM student_marks LIMIT 0, 1000         | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 60 | 14:37:40 | SELECT MIN(marks) FROM student_marks LIMIT 0, 1000         | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 61 | 14:38:13 | SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 1000 | 7 row(s) returned | 0.000 sec / 0.000 sec |

## 10. Filter Marks 90 or Above

27 • `SELECT * FROM student_marks WHERE marks >= 90;`

| roll_no | name       | subject | marks |
|---------|------------|---------|-------|
| 2       | Sita       | Math    | 92.75 |
| 6       | subbusir   | avis    | 98.50 |
| 7       | dwaraka    | dbms    | 95.75 |
| 8       | ranjani    | english | 97.40 |
| 9       | kavithamam | aws1    | 99.90 |

student\_marks 10 x

Output

| #  | Time     | Action                                                      | Message           | Duration / Fetch      |
|----|----------|-------------------------------------------------------------|-------------------|-----------------------|
| 58 | 14:36:39 | SELECT AVG(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 59 | 14:36:42 | SELECT MAX(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 60 | 14:37:40 | SELECT MIN(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 61 | 14:38:13 | SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 1000  | 7 row(s) returned | 0.000 sec / 0.000 sec |
| 62 | 14:38:43 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |

## 11. Filter Marks Below 80

28 • `SELECT * FROM student_marks WHERE marks < 80;`

| roll_no | name | subject | marks |
|---------|------|---------|-------|
| 3       | Anil | Math    | 78.40 |

student\_marks 11 x

Output

| #  | Time     | Action                                                      | Message           | Duration / Fetch      |
|----|----------|-------------------------------------------------------------|-------------------|-----------------------|
| 59 | 14:36:42 | SELECT MAX(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 60 | 14:37:40 | SELECT MIN(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 61 | 14:38:13 | SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 1000  | 7 row(s) returned | 0.000 sec / 0.000 sec |
| 62 | 14:38:43 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 64 | 14:40:13 | SELECT * FROM student_marks WHERE marks < 80 LIMIT 0, 1000  | 1 row(s) returned | 0.000 sec / 0.000 sec |

## 12. Filter Marks in Range 80 to 90

29 • `SELECT * FROM student_marks WHERE marks BETWEEN 80 AND 90;`

| roll_no | name | subject | marks |
|---------|------|---------|-------|
| 3       | Anil | Math    | 78.40 |

student\_marks 11 x

Output

| #  | Time     | Action                                                      | Message           | Duration / Fetch      |
|----|----------|-------------------------------------------------------------|-------------------|-----------------------|
| 59 | 14:36:42 | SELECT MAX(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 60 | 14:37:40 | SELECT MIN(marks) FROM student_marks LIMIT 0, 1000          | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 61 | 14:38:13 | SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 1000  | 7 row(s) returned | 0.000 sec / 0.000 sec |
| 62 | 14:38:43 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000 | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 64 | 14:40:13 | SELECT * FROM student_marks WHERE marks < 80 LIMIT 0, 1000  | 1 row(s) returned | 0.000 sec / 0.000 sec |

## 13. Filter Name Starting with P

30 • `SELECT * FROM student_marks WHERE name LIKE 'P%';`

| roll_no | name  | subject | marks |
|---------|-------|---------|-------|
| 4       | Priya | Math    | 88.90 |

student\_marks 12 x

Output

| #  | Time     | Action                                                          | Message           | Duration / Fetch      |
|----|----------|-----------------------------------------------------------------|-------------------|-----------------------|
| 60 | 14:37:40 | SELECT MIN(marks) FROM student_marks LIMIT 0, 1000              | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 61 | 14:38:13 | SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 1000      | 7 row(s) returned | 0.000 sec / 0.000 sec |
| 62 | 14:38:43 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000     | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000     | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 64 | 14:40:13 | SELECT * FROM student_marks WHERE marks < 80 LIMIT 0, 1000      | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 65 | 14:52:27 | SELECT * FROM student_marks WHERE name LIKE 'P%'; LIMIT 0, 1000 | 1 row(s) returned | 0.000 sec / 0.000 sec |

## 14. Filter Specific Names

31 • `SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay');`  
 32

| roll_no | name  | subject | marks |
|---------|-------|---------|-------|
| 1       | Ravi  | Math    | 85.50 |
| 2       | Sita  | Math    | 92.75 |
| 5       | Vijay | Math    | 80.25 |
| TOTAL   |       |         |       |

student\_marks 13 x

| #  | Time     | Action                                                                            | Message           | Duration / Fetch      |
|----|----------|-----------------------------------------------------------------------------------|-------------------|-----------------------|
| 61 | 14:38:13 | SELECT * FROM student_marks WHERE marks > 85 LIMIT 0, 1000                        | 7 row(s) returned | 0.000 sec / 0.000 sec |
| 62 | 14:38:43 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000                       | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000                       | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 64 | 14:40:13 | SELECT * FROM student_marks WHERE marks < 80 LIMIT 0, 1000                        | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 65 | 14:52:27 | SELECT * FROM student_marks WHERE name LIKE 'P%'; LIMIT 0, 1000                   | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 66 | 14:56:38 | SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 1000 | 3 row(s) returned | 0.000 sec / 0.000 sec |

## 15. Filter with Combined Conditions

32 • `SELECT * FROM student_marks WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%');`

| roll_no | name  | subject | marks |
|---------|-------|---------|-------|
| 1       | Ravi  | Math    | 85.50 |
| 2       | Sita  | Math    | 92.75 |
| 4       | Priya | Math    | 88.90 |
| TOTAL   |       |         |       |

student\_marks 14 x

| #  | Time     | Action                                                                                               | Message           | Duration / Fetch      |
|----|----------|------------------------------------------------------------------------------------------------------|-------------------|-----------------------|
| 62 | 14:38:43 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000                                          | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000                                          | 5 row(s) returned | 0.000 sec / 0.000 sec |
| 64 | 14:40:13 | SELECT * FROM student_marks WHERE marks < 80 LIMIT 0, 1000                                           | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 65 | 14:52:27 | SELECT * FROM student_marks WHERE name LIKE 'P%'; LIMIT 0, 1000                                      | 1 row(s) returned | 0.000 sec / 0.000 sec |
| 66 | 14:56:38 | SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 1000                    | 3 row(s) returned | 0.000 sec / 0.000 sec |
| 67 | 15:24:02 | SELECT * FROM student_marks WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%'); LIMIT 0, 1000 | 3 row(s) returned | 0.000 sec / 0.000 sec |

## 16. Update Single Record Marks

33 • `UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3;`  
 34

| #  | Time     | Action                                                                                               | Message                                                  | Duration / Fetch      |
|----|----------|------------------------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 63 | 14:38:57 | SELECT * FROM student_marks WHERE marks >= 90 LIMIT 0, 1000                                          | 5 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 64 | 14:40:13 | SELECT * FROM student_marks WHERE marks < 80 LIMIT 0, 1000                                           | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 65 | 14:52:27 | SELECT * FROM student_marks WHERE name LIKE 'P%'; LIMIT 0, 1000                                      | 1 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 66 | 14:56:38 | SELECT * FROM student_marks WHERE name IN ('Ravi', 'Sita', 'Vijay') LIMIT 0, 1000                    | 3 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 67 | 15:24:02 | SELECT * FROM student_marks WHERE marks > 85 AND (subject = 'Math' OR name LIKE 'P%'); LIMIT 0, 1000 | 3 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 68 | 15:24:56 | UPDATE student_marks SET marks = 90.00 WHERE roll_no = 3                                             | 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0 | 0.000 sec             |

## 17. Conditional Subject Update

34 • `UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80;`

| #  | Time     | Action                                                              | Message                                                                                                        | Duration / Fetch |
|----|----------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------|
| 77 | 15:35:53 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses ... | 0.000 sec        |
| 78 | 15:41:26 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses ... | 0.000 sec        |
| 79 | 15:41:27 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses ... | 0.000 sec        |
| 80 | 15:41:38 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                                                                              | 0.000 sec        |
| 81 | 15:41:42 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                                                                              | 0.000 sec        |
| 82 | 15:41:47 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0                                                       | 0.000 sec        |

## 18. Delete Single Record

35 • `DELETE FROM student_marks WHERE roll_no = 5;`

| #  | Time     | Action                                                              | Message                                                                                                        | Duration / Fetch |
|----|----------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------|
| 78 | 15:41:26 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses ... | 0.000 sec        |
| 79 | 15:41:27 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses ... | 0.000 sec        |
| 80 | 15:41:38 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                                                                              | 0.000 sec        |
| 81 | 15:41:42 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                                                                              | 0.000 sec        |
| 82 | 15:41:47 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0                                                       | 0.000 sec        |
| 83 | 15:42:39 | DELETE FROM student_marks WHERE roll_no = 5                         | 1 row(s) affected                                                                                              | 0.016 sec        |

## 19. Conditional Bulk Delete

|    |                                              |
|----|----------------------------------------------|
| 35 | DELETE FROM student_marks WHERE roll_no = 5; |
| 36 | DELETE FROM student_marks WHERE marks < 75;  |

  

| #  | Time     | Action                                                              | Message                                                                                                        | Duration / Fetch |
|----|----------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|------------------|
| 79 | 15:41:27 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | Error Code: 1175. You are using safe update mode and you tried to update a table without a WHERE that uses ... | 0.000 sec        |
| 80 | 15:41:38 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                                                                              | 0.000 sec        |
| 81 | 15:41:42 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                                                                              | 0.000 sec        |
| 82 | 15:41:47 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0                                                       | 0.000 sec        |
| 83 | 15:42:39 | DELETE FROM student_marks WHERE roll_no = 5                         | 1 row(s) affected                                                                                              | 0.016 sec        |
| 84 | 15:43:14 | DELETE FROM student_marks WHERE marks < 75                          | 0 row(s) affected                                                                                              | 0.000 sec        |

## 20. Sort by Marks Ascending

|    |                                                 |
|----|-------------------------------------------------|
| 37 | SELECT * FROM student_marks ORDER BY marks ASC; |
|----|-------------------------------------------------|

  

| roll_no | name    | subject | marks |
|---------|---------|---------|-------|
| 10      | seetha  | azure   | 82.25 |
| 1       | Ravi    | Math    | 85.50 |
| 4       | Priya   | Math    | 88.90 |
| 3       | Anil    | Math    | 90.00 |
| 2       | Sita    | Math    | 92.75 |
| 7       | dwaraka | dbms    | 95.75 |
| 8       | ranjani | english | 97.40 |

  

| #  | Time     | Action                                                              | Message                                                  | Duration / Fetch      |
|----|----------|---------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 80 | 15:41:38 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                        | 0.000 sec             |
| 81 | 15:41:42 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                        | 0.000 sec             |
| 82 | 15:41:47 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0 | 0.000 sec             |
| 83 | 15:42:39 | DELETE FROM student_marks WHERE roll_no = 5                         | 1 row(s) affected                                        | 0.016 sec             |
| 84 | 15:43:14 | DELETE FROM student_marks WHERE marks < 75                          | 0 row(s) affected                                        | 0.000 sec             |
| 85 | 15:44:02 | SELECT * FROM student_marks ORDER BY marks ASC LIMIT 0, 1000        | 9 row(s) returned                                        | 0.000 sec / 0.000 sec |

## 21. Sort by Marks Descending

|    |                                                  |
|----|--------------------------------------------------|
| 38 | SELECT * FROM student_marks ORDER BY marks DESC; |
|----|--------------------------------------------------|

  

| roll_no | name       | subject | marks |
|---------|------------|---------|-------|
| 9       | kavithamam | aws1    | 99.90 |
| 6       | subbusir   | aws     | 98.50 |
| 8       | ranjani    | english | 97.40 |
| 7       | dwaraka    | dbms    | 95.75 |
| 2       | Sita       | Math    | 92.75 |
| 3       | Anil       | Math    | 90.00 |
| 4       | Priya      | Math    | 88.90 |

  

| #  | Time     | Action                                                              | Message                                                  | Duration / Fetch      |
|----|----------|---------------------------------------------------------------------|----------------------------------------------------------|-----------------------|
| 81 | 15:41:42 | SET SQL_SAFE_UPDATES = 0                                            | 0 row(s) affected                                        | 0.000 sec             |
| 82 | 15:41:47 | UPDATE student_marks SET subject = 'Remedial Math' WHERE marks < 80 | 0 row(s) affected Rows matched: 0 Changed: 0 Warnings: 0 | 0.000 sec             |
| 83 | 15:42:39 | DELETE FROM student_marks WHERE roll_no = 5                         | 1 row(s) affected                                        | 0.016 sec             |
| 84 | 15:43:14 | DELETE FROM student_marks WHERE marks < 75                          | 0 row(s) affected                                        | 0.000 sec             |
| 85 | 15:44:02 | SELECT * FROM student_marks ORDER BY marks ASC LIMIT 0, 1000        | 9 row(s) returned                                        | 0.000 sec / 0.000 sec |
| 86 | 15:45:28 | SELECT * FROM student_marks ORDER BY marks DESC LIMIT 0, 1000       | 9 row(s) returned                                        | 0.000 sec / 0.000 sec |

## 22. Sort by Name Alphabetically

|    |                                                |
|----|------------------------------------------------|
| 39 | SELECT * FROM student_marks ORDER BY name ASC; |
|----|------------------------------------------------|

  

| roll_no | name       | subject | marks |
|---------|------------|---------|-------|
| 3       | Anil       | Math    | 90.00 |
| 7       | dwaraka    | dbms    | 95.75 |
| 9       | kavithamam | aws1    | 99.90 |
| 4       | Priya      | Math    | 88.90 |
| 8       | ranjani    | english | 97.40 |
| 1       | Ravi       | Math    | 85.50 |
| 10      | seetha     | azure   | 82.25 |

  

| # | Time     | Action                                                                                                                  | Message                                                                                                          | Duration / Fetch      |
|---|----------|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|-----------------------|
| 2 | 12:03:07 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                                             | Error Code: 1046. No database selected Select the default DB to be used by double-clicking its name in the SC... | 0.000 sec             |
| 3 | 12:03:14 | CREATE DATABASE IF NOT EXISTS school_db                                                                                 | 1 row(s) affected, 1 warning(s): 1007 Can't create database 'school_db'; database exists                         | 0.016 sec             |
| 4 | 12:03:14 | USE school_db                                                                                                           | 0 row(s) affected                                                                                                | 0.000 sec             |
| 5 | 12:03:14 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), m...                        | Error Code: 1050. Table 'student_marks' already exists                                                           | 0.000 sec             |
| 6 | 12:03:21 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES ('1', 'Ravi', 'Math', 85.50), ('2', 'Sta', 'Math', ... | Error Code: 1062. Duplicate entry '1' for key 'student_marks PRIMARY'                                            | 0.015 sec             |
| 7 | 12:03:34 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                                             | 9 row(s) returned                                                                                                | 0.000 sec / 0.000 sec |

## 23. Sort by Name Reverse Alphabetically



40 • `SELECT * FROM student_marks ORDER BY name DESC;`

| roll_no | name       | subject | marks |
|---------|------------|---------|-------|
| 6       | subbusir   | aws     | 98.50 |
| 2       | Sita       | Math    | 92.75 |
| 10      | seetha     | azure   | 82.25 |
| 1       | Ravi       | Math    | 85.50 |
| 8       | ranjani    | english | 97.40 |
| 4       | Priya      | Math    | 88.90 |
| 9       | kavithamam | aws1    | 99.90 |

student\_marks 2 x

Output

| # | Time     | Action                                                                                                                                                                                                                                                   | Message                                                                                  | Duration / Fetch      |
|---|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------------|
| 3 | 12:03:14 | CREATE DATABASE IF NOT EXISTS school_db                                                                                                                                                                                                                  | 1 row(s) affected. 1 warning(s): 1007 Can't create database 'school_db'; database exists | 0.016 sec             |
| 4 | 12:03:14 | USE school_db                                                                                                                                                                                                                                            | 0 row(s) affected                                                                        | 0.000 sec             |
| 5 | 12:03:14 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2))                                                                                                                                          | Error Code: 1050. Table 'student_marks' already exists                                   | 0.000 sec             |
| 6 | 12:03:21 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (10, 'seetha', 'azure', 82.25), (8, 'ranjani', 'english', 97.40), (4, 'Priya', 'Math', 88.90), (9, 'kavithamam', 'aws1', 99.90) | Error Code: 1062. Duplicate entry '1' for key 'student_marks PRIMARY'                    | 0.015 sec             |
| 7 | 12:03:34 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                                                                                                                                                                              | 9 row(s) returned                                                                        | 0.000 sec / 0.000 sec |
| 8 | 12:05:59 | SELECT * FROM student_marks ORDER BY name DESC LIMIT 0, 1000                                                                                                                                                                                             | 9 row(s) returned                                                                        | 0.000 sec / 0.000 sec |

## 24. Total Marks Grouped By Subject

41 • `SELECT subject, SUM(marks) AS total_marks FROM student_marks GROUP BY subject;`

| subject | total_marks |
|---------|-------------|
| Math    | 357.15      |
| aws     | 98.50       |
| dbms    | 95.75       |
| english | 97.40       |
| aws1    | 99.90       |
| azure   | 82.25       |

Export recordset to an external file

Result 3 x

Output

| # | Time     | Action                                                                                                                                                                                                                                                   | Message                                                               | Duration / Fetch      |
|---|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------|
| 4 | 12:03:14 | USE school_db                                                                                                                                                                                                                                            | 0 row(s) affected                                                     | 0.000 sec             |
| 5 | 12:03:14 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2))                                                                                                                                          | Error Code: 1050. Table 'student_marks' already exists                | 0.000 sec             |
| 6 | 12:03:21 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (10, 'seetha', 'azure', 82.25), (8, 'ranjani', 'english', 97.40), (4, 'Priya', 'Math', 88.90), (9, 'kavithamam', 'aws1', 99.90) | Error Code: 1062. Duplicate entry '1' for key 'student_marks PRIMARY' | 0.015 sec             |
| 7 | 12:03:34 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                                                                                                                                                                              | 9 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 8 | 12:05:59 | SELECT * FROM student_marks ORDER BY name DESC LIMIT 0, 1000                                                                                                                                                                                             | 9 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 9 | 12:07:56 | SELECT subject, SUM(marks) AS total_marks FROM student_marks GROUP BY subject LIMIT 0, 1000                                                                                                                                                              | 6 row(s) returned                                                     | 0.000 sec / 0.000 sec |

## 25. Average Marks Grouped by Subject

42 • `SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject;`

| subject | avg_marks |
|---------|-----------|
| Math    | 89.287500 |
| aws     | 98.500000 |
| dbms    | 95.750000 |
| english | 97.400000 |
| aws1    | 99.900000 |
| azure   | 82.250000 |

Result 4 x

Output

| #  | Time     | Action                                                                                                                                                                                                                                                   | Message                                                               | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------|
| 5  | 12:03:14 | CREATE TABLE student_marks (roll_no INT PRIMARY KEY, name VARCHAR(50), subject VARCHAR(50), marks DECIMAL(5,2))                                                                                                                                          | Error Code: 1050. Table 'student_marks' already exists                | 0.000 sec             |
| 6  | 12:03:21 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (10, 'seetha', 'azure', 82.25), (8, 'ranjani', 'english', 97.40), (4, 'Priya', 'Math', 88.90), (9, 'kavithamam', 'aws1', 99.90) | Error Code: 1062. Duplicate entry '1' for key 'student_marks PRIMARY' | 0.015 sec             |
| 7  | 12:03:34 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                                                                                                                                                                              | 9 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 8  | 12:05:59 | SELECT * FROM student_marks ORDER BY name DESC LIMIT 0, 1000                                                                                                                                                                                             | 9 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 9  | 12:07:56 | SELECT subject, SUM(marks) AS total_marks FROM student_marks GROUP BY subject LIMIT 0, 1000                                                                                                                                                              | 6 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 10 | 12:08:40 | SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject LIMIT 0, 1000                                                                                                                                                                | 6 row(s) returned                                                     | 0.000 sec / 0.000 sec |

## 26. Student Count Grouped by Subject

43 • `SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject;`

| subject | num_students |
|---------|--------------|
| Math    | 4            |
| aws     | 1            |
| dbms    | 1            |
| english | 1            |
| aws1    | 1            |
| azure   | 1            |

Result 5 x

Output

| #  | Time     | Action                                                                                                                                                                                                                                                   | Message                                                               | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-----------------------|
| 6  | 12:03:21 | INSERT INTO student_marks (roll_no, name, subject, marks) VALUES (1, 'Ravi', 'Math', 85.50), (2, 'Sita', 'Math', 92.75), (10, 'seetha', 'azure', 82.25), (8, 'ranjani', 'english', 97.40), (4, 'Priya', 'Math', 88.90), (9, 'kavithamam', 'aws1', 99.90) | Error Code: 1062. Duplicate entry '1' for key 'student_marks PRIMARY' | 0.015 sec             |
| 7  | 12:03:34 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                                                                                                                                                                              | 9 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 8  | 12:05:59 | SELECT * FROM student_marks ORDER BY name DESC LIMIT 0, 1000                                                                                                                                                                                             | 9 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 9  | 12:07:56 | SELECT subject, SUM(marks) AS total_marks FROM student_marks GROUP BY subject LIMIT 0, 1000                                                                                                                                                              | 6 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 10 | 12:08:40 | SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject LIMIT 0, 1000                                                                                                                                                                | 6 row(s) returned                                                     | 0.000 sec / 0.000 sec |
| 11 | 12:09:12 | SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject LIMIT 0, 1000                                                                                                                                                               | 6 row(s) returned                                                     | 0.000 sec / 0.000 sec |

## 27. Filter Groups by Average Marks

```

45 FROM student_marks
46 GROUP BY subject
47 HAVING AVG(marks) > 98;

```

| subject | avg_marks |
|---------|-----------|
| aws     | 98.500000 |
| dbms    | 95.750000 |
| english | 97.400000 |
| aws1    | 99.900000 |

Result 6 x Read Only

Output

| #  | Time     | Action                                                                                             | Message           | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------|-------------------|-----------------------|
| 7  | 12:03:34 | SELECT * FROM student_marks ORDER BY name ASC LIMIT 0, 1000                                        | 9 row(s) returned | 0.000 sec / 0.000 sec |
| 8  | 12:05:59 | SELECT * FROM student_marks ORDER BY name DESC LIMIT 0, 1000                                       | 9 row(s) returned | 0.000 sec / 0.000 sec |
| 9  | 12:07:56 | SELECT subject, SUM(marks) AS total_marks FROM student_marks GROUP BY subject LIMIT 0, 1000        | 6 row(s) returned | 0.000 sec / 0.000 sec |
| 10 | 12:08:40 | SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject LIMIT 0, 1000          | 6 row(s) returned | 0.000 sec / 0.000 sec |
| 11 | 12:09:12 | SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject LIMIT 0, 1000         | 6 row(s) returned | 0.000 sec / 0.000 sec |
| 12 | 12:10:13 | SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject HAVING AVG(marks) > 98 | 4 row(s) returned | 0.000 sec / 0.000 sec |

## 28. Filter Groups by Student Count

```

48 SELECT subject, COUNT(*) AS num_students
49 FROM student_marks
50 GROUP BY subject
51 HAVING COUNT(*) > 1;

```

| subject | num_students |
|---------|--------------|
| Math    | 4            |

Result 7 x Read Only

Output

| #  | Time     | Action                                                                                             | Message                                                                                                        | Duration / Fetch      |
|----|----------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|-----------------------|
| 10 | 12:08:40 | SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject LIMIT 0, 1000          | 6 row(s) returned                                                                                              | 0.000 sec / 0.000 sec |
| 11 | 12:09:12 | SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject LIMIT 0, 1000         | 6 row(s) returned                                                                                              | 0.000 sec / 0.000 sec |
| 12 | 12:10:13 | SELECT subject, AVG(marks) AS avg_marks FROM student_marks GROUP BY subject HAVING AVG(marks) > 98 | 4 row(s) returned                                                                                              | 0.000 sec / 0.000 sec |
| 13 | 12:11:24 | SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject HAVING COUNT(*) > 1   | Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL ser... | 0.000 sec             |
| 14 | 12:11:33 | SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject HAVING COUNT(*) > 1   | Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL ser... | 0.000 sec             |
| 15 | 12:13:11 | SELECT subject, COUNT(*) AS num_students FROM student_marks GROUP BY subject HAVING COUNT(*) > 1   | 1 row(s) returned                                                                                              | 0.000 sec / 0.000 sec |