

Agentic Efficiency Report

awesome-copilot · branch main · github import · scan SCN-2026-01-01-0002

57

Wasteful

Weighted efficiency verdict

What we found

Overall efficiency score	57 / 100
Verdict	Wasteful
Files discovered	2,215
Files parsed	1,445
Files skipped	55
Tokens analysed	3,738,313
Estimated monthly token waste	1,024,198,200
Estimated monthly credit waste	10,241.98 credits
Estimated monthly dollar waste	\$5,735.51
Savings range (low / high)	\$4,588.41 - \$6,882.61
Duplicate clusters found	4
Oversized context files	0
Overlapping agent groups	10
Review stages inferred	14
Agent-like files detected	1,500

Category scores

Category	Score	Weight	Penalty	What this means
Redundancy	47/100	25%	-53	4 groups of near-identical files and 48 repeated instruction blocks were found.
Token bloat	100/100	25%	-0	0 context or memory files are over 8,000 tokens.
Review overhead	30/100	20%	-70	14 review or approval steps were inferred from your instructions.
Agent sprawl	20/100	20%	-80	1500 agent-style files were found (228 agent roles, 1081 skills).
Architecture inefficiency	100/100	10%	-0	5 service directories against 0 hand written source files.

Top 5 waste drivers, in plain language

1. 14 separate review or approval steps were found

Your instructions describe many checks before work is accepted. Each extra check means another pass over the same material, which costs time and money.

Review overhead · 528,677,500 tokens/month · 5,286.77 credits · \$2,960.59

2. 1500 agent-style files is more than this repo needs

There are many separate agent, skill and prompt files. Each one adds instructions that have to be loaded and kept in sync. Fewer, clearer files cost less and break less often.

Agent sprawl · 430,627,200 tokens/month · 4,306.27 credits · \$2,411.51

3. 191 orchestration files create extra hand-offs

There are many files describing how work moves between agents. Every hand-off adds instructions that must be loaded and kept in step with the others.

Review overhead · 57,017,000 tokens/month · 570.17 credits · \$319.30

4. 8 files are near copies of each other

These files say almost the same thing. Every time your agents run, the same words get sent to the model more than once. Keeping one source of truth removes the repeat cost.
Redundancy · 1,603,000 tokens/month · 16.03 credits · \$8.98

5. 1081 skill files, and some repeat each other

Skill files are meant to be small and specific. When there are many of them and they repeat, the model reads the same guidance several times.
Agent sprawl · 1,543,300 tokens/month · 15.43 credits · \$8.64

Savings assumptions and formulas

- `estimated_tokens = ceil(character_count / 4)`
- Report credits: 1 credit = 100,000 tokens.
- Vendor billing: \$1.00 = 100 vendor credits; 1 vendor credit = 2,500 input tokens or 500 output tokens (output costs 5x input).
- Derived rates: \$4.00 per 1M input tokens, \$20.00 per 1M output tokens.
- Waste is assumed to be 90% input tokens and 10% output tokens.
- Each agent asset is assumed to be loaded 200 times per month.
- Aggregate savings show a +/-20% range.
- Similarity uses normalised text so whitespace-only and case-only changes are ignored.
- Files under 200 characters are excluded from duplicate detection.
- Scoring runs in two tiers. Tier 1 is the seven specified penalty rules with their hard caps. Tier 2 is severity scaling: for each category we measure the share of the monthly agent context budget that the category wastes, and deduct proportionally up to that category's tier 2 cap, with a category that wastes 50% or more of the budget taking the full deduction. Without tier 2 the capped rules alone could never produce a score below about 72, so the Wasteful and Critical bands would be unreachable. Both tiers are itemised in the score ledger.
- Monthly agent context budget for this repository = 747,662,600 tokens (3,738,313 agent asset tokens x 200 runs per month).

Setting	Value
Tokens per report credit	100,000
Vendor credits per dollar	100.0
Input tokens per vendor credit	2,500
Output tokens per vendor credit	500
\$ per 1M input tokens	\$4.00
\$ per 1M output tokens	\$20.00
Agent runs per month	200
Output token share of waste	10%
Aggregate variance	+/-20%
Rates last refreshed	never
Rates source	Product owner supplied defaults (not yet refreshed)

How the score was calculated

Penalty rule	Hits	Points each	Cap	Applied	Category
Near-duplicate agent/context file pair (similarity >= 0.80)	17	5	32	-32	redundancy
Repeated instruction block >= 150 chars in 3+ files	48	4	20	-20	redundancy
Context or memory file over 8,000 tokens	0	6	24	-0	token_bloat
Agent-like files above 12	1,488	2	20	-20	agent_sprawl
Review/approval stages above 4	10	5	15	-15	review_overhead
Microservice mismatch (>= 8 service dirs and < 120 source files)	0	12	12	-0	architecture_inefficiency
Monolith mismatch (1 service and >= 10 overlapping agent roles)	0	10	10	-0	architecture_inefficiency

Penalty rule	Hits	Points each	Cap	Applied	Category
Severity scaling - share of the monthly agent context budget wasted by duplication	1	0	60	-1	redundancy
Severity scaling - share of the monthly agent context budget wasted by oversized files	0	0	60	-0	token_bloat
Severity scaling - share of the monthly agent context budget wasted on review loops	78	0	55	-55	review_overhead
Severity scaling - share of the monthly agent context budget wasted on extra agents	58	0	60	-60	agent_sprawl
Severity scaling - share of the monthly agent context budget lost to the architecture	0	0	50	-0	architecture_inefficiency

Findings (56 issues)

Issue	Severity	Category	Title	Impacted files	Tokens /mo	Credits/mo	\$/mo
ISS-2026-07-29-0054	critical	review_overhead	14 separate review or approval steps were found	AGENTS.md, agents/Thinking-Beast-Mode.agent.md, agents/accessibility.agent.md, agents/aem-frontend-specialist.agent.md (+16 more)	528,677,500	5,286.77	\$2,960.59
ISS-2026-07-29-0053	critical	agent_sprawl	1500 agent-style files is more than this repo needs	AGENTS.md, agents/CSHarpExpert.agent.md, agents/Thinking-Beast-Mode.agent.md, agents/Ultimate-Transparent-Thinking-Beast-Mode.agent.md (+21 more)	430,627,200	4,306.27	\$2,411.51
ISS-2026-07-29-0056	critical	review_overhead	191 orchestration files create extra hand-offs	docs/README.instruction.s.md, instructions/a11y.instructions.md, instructions/agent-safety.instructions.md, instructions/agent-skills.instructions.md (+16 more)	57,017,000	570.17	\$319.30
ISS-2026-07-29-0001	high	redundancy	8 files are near copies of each other	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	1,603,000	16.03	\$8.98
ISS-2026-07-29-0055	high	agent_sprawl	1081 skill files, and some repeat each other	skills/appinsights-instrumentation/LICENSE.txt, skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-profiles.md (+16 more)	1,543,300	15.43	\$8.64
ISS-2026-07-29-0005	high	redundancy	The same instruction block is pasted into 14 files	agents/gem-browser-tester.agent.md, agents/gem-code-simplifier.agent.md, agents/gem-critic.agent.md, agents/gem-debugger.agent.md (+10 more)	1,404,000	14.04	\$7.86
ISS-2026-07-29-0002	medium	redundancy	3 files are near copies of each other	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	556,800	5.57	\$3.12
ISS-2026-07-29-0003	medium	redundancy	7 files are near copies of each other	skills/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md (+3 more)	458,400	4.58	\$2.57
ISS-2026-07-29-0006	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	113,400	1.13	\$0.64

Issue	Severity	Category	Title	Impacted files	Tokens /mo	Credits/mo	\$/mo
ISS-2026-07-29-0004	low	redundancy	3 files are near copies of each other	skills/appinsights-instrumentation/LICENSE.txt, skills/azure-resource-visualizer/LICENSE.txt, skills/azure-role-selector/LICENSE.txt	108,000	1.08	\$0.60
ISS-2026-07-29-0016	low	redundancy	The same instruction block is pasted into 7 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+3 more)	91,200	0.91	\$0.51
ISS-2026-07-29-0007	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	88,200	0.88	\$0.49
ISS-2026-07-29-0017	low	redundancy	The same instruction block is pasted into 7 files	skills/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md (+3 more)	87,600	0.88	\$0.49
ISS-2026-07-29-0023	low	redundancy	The same instruction block is pasted into 5 files	skills/appinsights-instrumentation/LICENSE.txt, skills/azure-resource-visualizer/LICENSE.txt, skills/azure-role-selector/LICENSE.txt, skills/pdfkit-server/references/third-party-materials.md (+1 more)	86,400	0.86	\$0.48
ISS-2026-07-29-0018	low	redundancy	The same instruction block is pasted into 7 files	skills/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md (+3 more)	81,600	0.82	\$0.46
ISS-2026-07-29-0008	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	79,800	0.80	\$0.45
ISS-2026-07-29-0009	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	77,000	0.77	\$0.43

Issue	Severity	Category	Title	Impacted files	Tokens /mo	Credits/mo	\$/mo
ISS-2026-07-29-0019	low	redundancy	The same instruction block is pasted into 7 files	skills/arize-ai-provider-integration/references/ax-setup.p.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md (+3 more)	75,600	0.76	\$0.42
ISS-2026-07-29-0010	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	74,200	0.74	\$0.42
ISS-2026-07-29-0011	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	74,200	0.74	\$0.42
ISS-2026-07-29-0012	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	63,000	0.63	\$0.35
ISS-2026-07-29-0020	low	redundancy	The same instruction block is pasted into 7 files	skills/arize-ai-provider-integration/references/ax-setup.p.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md (+3 more)	62,400	0.62	\$0.35
ISS-2026-07-29-0013	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	60,200	0.60	\$0.34
ISS-2026-07-29-0014	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	58,800	0.59	\$0.33
ISS-2026-07-29-0015	low	redundancy	The same instruction block is pasted into 8 files	skills/arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md (+4 more)	57,400	0.57	\$0.32

Issue	Severity	Category	Title	Impacted files	Tokens /mo	Credits/mo	\$/mo
ISS-2026-07-29-0026	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	50,400	0.50	\$0.28
ISS-2026-07-29-0021	low	redundancy	The same instruction block is pasted into 6 files	agents/implementation-plan.agent.md, agents/specification.agent.md, skills/create-implementation-plan/SKILL.md, skills/create-specification/SKILL.md (+2 more)	50,000	0.50	\$0.28
ISS-2026-07-29-0022	low	redundancy	The same instruction block is pasted into 6 files	skills/arize-annotation/SKILL.md, skills/arize-dataset/SKILL.md, skills/arize-evaluator/SKILL.md, skills/arize-experiment/SKILL.md (+2 more)	49,000	0.49	\$0.27
ISS-2026-07-29-0027	low	redundancy	The same instruction block is pasted into 3 files	skills/appinsights-instrumentation/LICENSE.txt, skills/azure-resource-visualizer/LICENSE.txt, skills/azure-role-selector/LICENSE.txt	46,000	0.46	\$0.26
ISS-2026-07-29-0028	low	redundancy	The same instruction block is pasted into 3 files	agents/cast-imaging-impact-analysis.agent.md, agents/cast-imaging-software-discovery.agent.md, agents/cast-imaging-structural-quality-advisor.agent.md	45,600	0.46	\$0.26
ISS-2026-07-29-0029	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	44,800	0.45	\$0.25
ISS-2026-07-29-0024	low	redundancy	The same instruction block is pasted into 4 files	skills/microsoft-code-reference/SKILL.md, skills/microsoft-docs/SKILL.md, skills/microsoft-skill-creator/SKILL.md, skills/microsoft-skill-creator/references/skill-templates.md	44,400	0.44	\$0.25
ISS-2026-07-29-0030	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	44,000	0.44	\$0.25
ISS-2026-07-29-0031	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	40,800	0.41	\$0.23
ISS-2026-07-29-0032	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	40,400	0.40	\$0.23
ISS-2026-07-29-0033	low	redundancy	The same instruction block is pasted into 3 files	skills/convert-excel-to-md/references/setup.md, skills/convert-pdf-to-md/references/setup.md, skills/convert-word-to-md/references/setup.md	39,600	0.40	\$0.22
ISS-2026-07-29-0034	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	34,800	0.35	\$0.19

Issue	Severity	Category	Title	Impacted files	Tokens /mo	Credits/mo	\$/mo
ISS-2026-07-29-0035	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	34,800	0.35	\$0.19
ISS-2026-07-29-0036	low	redundancy	The same instruction block is pasted into 3 files	skills/quality-playbook/agents/quality-playbook-claude.agent.md, skills/quality-playbook/agents/quality-playbook.agent.md, skills/quality-playbook/references/orchestrator_protocol.md	33,200	0.33	\$0.19
ISS-2026-07-29-0037	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	31,200	0.31	\$0.17
ISS-2026-07-29-0025	low	redundancy	The same instruction block is pasted into 4 files	instructions/blazor.instructions.md, instructions/csharp.instructions.md, instructions/dotnet-maui.instructions.md, instructions/oqtane.instructions.md	28,200	0.28	\$0.16
ISS-2026-07-29-0038	low	redundancy	The same instruction block is pasted into 3 files	skills/convert-excel-to-md/SKILL.md, skills/convert-pdf-to-md/SKILL.md, skills/convert-word-to-md/SKILL.md	26,400	0.26	\$0.15
ISS-2026-07-29-0039	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	26,400	0.26	\$0.15
ISS-2026-07-29-0040	low	redundancy	The same instruction block is pasted into 3 files	skills/convert-excel-to-md/SKILL.md, skills/convert-pdf-to-md/SKILL.md, skills/convert-word-to-md/SKILL.md	25,600	0.26	\$0.14
ISS-2026-07-29-0041	low	redundancy	The same instruction block is pasted into 3 files	skills/markdown-to-html/references/code-blocks.md, skills/markdown-to-html/references/collapsed-sections.md, skills/markdown-to-html/references/tables.md	25,200	0.25	\$0.14
ISS-2026-07-29-0042	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	24,400	0.24	\$0.14
ISS-2026-07-29-0043	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	21,600	0.22	\$0.12
ISS-2026-07-29-0044	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	20,400	0.20	\$0.11
ISS-2026-07-29-0045	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	20,400	0.20	\$0.11
ISS-2026-07-29-0046	low	redundancy	The same instruction block is pasted into 3 files	skills/convert-excel-to-md/SKILL.md, skills/convert-pdf-to-md/SKILL.md, skills/convert-word-to-md/SKILL.md	20,000	0.20	\$0.11

Issue	Severity	Category	Title	Impacted files	Tokens /mo	Credits/mo	\$/mo
ISS-2026-07-29-0047	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	19,600	0.20	\$0.11
ISS-2026-07-29-0048	low	redundancy	The same instruction block is pasted into 3 files	agents/cast-imaging-impact-analysis.agent.md, agents/cast-imaging-software-discovery.agent.md, agents/cast-imaging-structural-quality-advisor.agent.md	18,000	0.18	\$0.10
ISS-2026-07-29-0049	low	redundancy	The same instruction block is pasted into 3 files	skills/from-the-other-side-anitta/SKILL.md, skills/from-the-other-side-quinn/SKILL.md, skills/from-the-other-side-wiggins/SKILL.md	17,600	0.18	\$0.10
ISS-2026-07-29-0050	low	redundancy	The same instruction block is pasted into 3 files	agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md	17,200	0.17	\$0.10
ISS-2026-07-29-0051	low	redundancy	The same instruction block is pasted into 3 files	skills/markdown-to-html/SKILL.md, skills/markdown-to-html/references/tables-to-html.md, skills/markdown-to-html/references/tables.md	16,800	0.17	\$0.09
ISS-2026-07-29-0052	low	redundancy	The same instruction block is pasted into 3 files	agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md	15,200	0.15	\$0.09

Evidence detail

ISS-2026-07-29-0054 — 14 separate review or approval steps were found

Your instructions describe many checks before work is accepted. Each extra check means another pass over the same material, which costs time and money.

Evidence: Stages inferred: Approval chain, Architecture review, Code review, Escalation review, Final approval, Human in the loop, Manager approval, Peer review, QA review, Security review, Self review, Sign-off, Validation gate, Verification gate. Examples: Approval chain -> agents/pimcore-expert.agent.md; Architecture review -> agents/dotnet-fullstack-mentor.agent.md; Code review -> AGENTS.md; Escalation review -> ...rompt-engineering-safety-best-practices.instructions.md

Formula: $\text{monthly_waste} = \text{extra_review_stages} \times \text{total_instruction_tokens} \times \text{runs_per_month} \times 0.25$

Recommendation: Keep at most four review gates. Combine the overlapping ones into a single checklist. (impact High, effort Medium)

ISS-2026-07-29-0053 — 1500 agent-style files is more than this repo needs

There are many separate agent, skill and prompt files. Each one adds instructions that have to be loaded and kept in sync. Fewer, clearer files cost less and break less often.

Evidence: 1500 agent-like files detected against a healthy guideline of 12. Median agent file size is 1,447 tokens.

Formula: $\text{monthly_waste} = \text{extra_agent_files} \times \text{median_agent_tokens} \times \text{runs_per_month}$

Recommendation: Group agents by job. Merge the ones that overlap and delete the ones nobody calls. (impact High, effort Large)

ISS-2026-07-29-0056 — 191 orchestration files create extra hand-offs

There are many files describing how work moves between agents. Every hand-off adds instructions that must be loaded and kept in step with the others.

Evidence: 191 orchestration or prompt files detected, average size 3,082 tokens.

Formula: $\text{monthly_waste} = (\text{orchestration_files} - 6) \times \text{avg_orchestration_tokens} \times \text{runs_per_month} \times 0.5$

Recommendation: Describe the flow once in a single orchestrator file and let the agents stay simple. (impact Medium, effort Medium)

ISS-2026-07-29-0001 — 8 files are near copies of each other

These files say almost the same thing. Every time your agents run, the same words get sent to the model more than once. Keeping one source of truth removes the repeat cost.

Evidence: Group DUP-003 - highest similarity 100%. Files: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ...

Formula: $\text{monthly_waste} = (\text{sum of duplicate file tokens} - \text{largest file tokens}) \times \text{runs_per_month}$

Recommendation: Keep the most complete file, delete or shrink the copies, and link to the kept file instead. (impact High, effort Medium)

ISS-2026-07-29-0055 — 1081 skill files, and some repeat each other

Skill files are meant to be small and specific. When there are many of them and they repeat, the model reads the same guidance several times.

Evidence: 1081 skill files detected; 20 of them sit inside near-duplicate groups.

Formula: $\text{monthly_waste} = \text{duplicated_skill_tokens} \times \text{runs_per_month} \times 0.5$

Recommendation: Keep one skill file per capability and delete the near copies. (impact Medium, effort Small)

ISS-2026-07-29-0005 — The same instruction block is pasted into 14 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 2157 characters (~540 tokens) found in: agents/gem-browser-tester.agent.md, agents/gem-code-simplifier.agent.md, agents/gem-critic.agent.md, agents/gem-debugger.agent.md, agents/gem-designer-mobile.agent.md, agents/gem-designer.agent.md ... |

Sample: "- Batch aggressively: think and plan action graph first, execute all independent calls (reads/searches/greps/writes/edits/tests/commands etc) in one turn. Serial"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0002 — 3 files are near copies of each other

These files say almost the same thing. Every time your agents run, the same words get sent to the model more than once. Keeping one source of truth removes the repeat cost.

Evidence: Group DUP-001 - highest similarity 90%. Files: agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md

Formula: $\text{monthly_waste} = (\text{sum of duplicate file tokens} - \text{largest file tokens}) \times \text{runs_per_month}$

Recommendation: Keep the most complete file, delete or shrink the copies, and link to the kept file instead. (impact Medium, effort Small)

ISS-2026-07-29-0003 — 7 files are near copies of each other

These files say almost the same thing. Every time your agents run, the same words get sent to the model more than once. Keeping one source of truth removes the repeat cost.

Evidence: Group DUP-004 - highest similarity 100%. Files: ...ls/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md, skills/arize-experiment/references/ax-setup.md, skills/arize-prompt-optimization/references/ax-setup.md ...

Formula: $\text{monthly_waste} = (\text{sum of duplicate file tokens} - \text{largest file tokens}) \times \text{runs_per_month}$

Recommendation: Keep the most complete file, delete or shrink the copies, and link to the kept file instead. (impact Medium, effort Medium)

ISS-2026-07-29-0006 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 322 characters (~81 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "Look at the output to understand what's configured: - `API Key: (not set)` or missing → key needs to be created/updated - No profile output or "No profiles found"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0004 — 3 files are near copies of each other

These files say almost the same thing. Every time your agents run, the same words get sent to the model more than once. Keeping one source of truth removes the repeat cost.

Evidence: Group DUP-002 - highest similarity 100%. Files: skills/appinsights-instrumentation/LICENSE.txt, skills/azure-resource-visualizer/LICENSE.txt, skills/azure-role-selector/LICENSE.txt

Formula: $\text{monthly_waste} = (\text{sum of duplicate file tokens} - \text{largest file tokens}) \times \text{runs_per_month}$

Recommendation: Keep the most complete file, delete or shrink the copies, and link to the kept file instead. (impact Medium, effort Small)

ISS-2026-07-29-0016 — The same instruction block is pasted into 7 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 303 characters (~76 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-prompt-optimization/references/ax-profiles.md ... | Sample: "They can find their key at <https://app.arize.com/admin> > API Keys. Recommend they create a ****scoped service key**** (not a personal user key) — service keys are n"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0007 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 250 characters (~63 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "1. ****API key**** — Run ``ax profiles show`` to check the current state. Then run ``ax profiles create --api-key $ARIZE_API_KEY`` or ``ax profiles update --api-key $ARI``"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0017 — The same instruction block is pasted into 7 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 291 characters (~73 tokens) found in: ...ls/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md, skills/arize-experiment/references/ax-setup.md, skills/arize-prompt-optimization/references/ax-setup.md ... | Sample: "****Windows (PowerShell):**** 1. Check: ``Get-Command ax`` or ``where.exe ax`` 2. Common locations: ``%APPDATA%\Python\Scripts\ax.exe``, ``%LOCALAPPDATA%\Programs\Python\IP``"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0023 — The same instruction block is pasted into 5 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 432 characters (~108 tokens) found in: skills/appinsights-instrumentation/LICENSE.txt, skills/azure-resource-visualizer/LICENSE.txt, skills/azure-role-selector/LICENSE.txt, skills/pdfkit-server/references/third-party-materials.md, skills/python-pypi-package-builder/scripts/scaffold.py | Sample: "Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in th"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0018 — The same instruction block is pasted into 7 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 270 characters (~68 tokens) found in: ...ls/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md, skills/arize-experiment/references/ax-setup.md, skills/arize-prompt-optimization/references/ax-setup.md ... | Sample: "****macOS/Linux:**** 1. Check common locations: ``~/local/bin/ax``, ``~/Library/Python/*bin/ax`` 2. Install: ``uv tool install arize-ax-cli`` (preferred), ``pipx install``"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0008 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 227 characters (~57 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "****Skip this entirely if:**** - The API key was already loaded from an existing profile or ``ARIZE_API_KEY`` env var - The space was already set via ``ARIZE_SPACE`` en"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0009 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 217 characters (~55 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "***Never pass a raw API key value as a flag.** Always reference it via the `ARIZE\_API\_KEY` environment variable. If the variable is not already set in the shell,"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0019 — The same instruction block is pasted into 7 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 249 characters (~63 tokens) found in: ...ls/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md, skills/arize-experiment/references/ax-setup.md, skills/arize-prompt-optimization/references/ax-setup.md ... | Sample: "If `ax` is installed (not `command not found`), always run `ax --version` before investigating further. The version must be `0.14.0` or higher — many errors are"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0010 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 212 characters (~53 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "At the **end of the session**, if the user manually provided any credentials during this conversation **and** those values were NOT already loaded from a saved "

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0011 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 210 characters (~53 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "There is no profile flag for space. Save it as an environment variable — accepts a space **name** (e.g., `my-workspace`) or a base64 space **ID** (e.g., `U3BhY2")

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0012 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 180 characters (~45 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "***How to offer:** Use **AskQuestion**: **Would you like to save your Arize credentials so you don't have to enter them next time?*" with options `Yes, save the"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0020 — The same instruction block is pasted into 7 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 205 characters (~52 tokens) found in: ...ls/arize-ai-provider-integration/references/ax-setup.md, skills/arize-annotation/references/ax-setup.md, skills/arize-dataset/references/ax-setup.md, skills/arize-evaluator/references/ax-setup.md, skills/arize-experiment/references/ax-setup.md, skills/arize-prompt-optimization/references/ax-setup.md ... | Sample: "- macOS: `export SSL\_CERT\_FILE=/etc/ssl/cert.pem` - Linux: `export SSL\_CERT\_FILE=/etc/ssl/certs/ca-certificates.crt` - Fallback: `export SSL_CERT_FILE=\$(python "

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact High, effort Small)

ISS-2026-07-29-0013 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 171 characters (~43 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "Once the user confirms the variable is set, proceed with `ax profiles create --api-key \$ARIZE\_API\_KEY` or `ax profiles update --api-key \$ARIZE\_API\_KEY` as descr"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0014 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 167 characters (~42 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "***Windows (PowerShell):** ``powershell [System.Environment]::SetEnvironmentVariable('ARIZE\_SPACE', 'my-workspace', 'User') `` Restart terminal for it to take "

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0015 — The same instruction block is pasted into 8 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 163 characters (~41 tokens) found in: ...arize-ai-provider-integration/references/ax-profiles.md, skills/arize-annotation/references/ax-profiles.md, skills/arize-dataset/references/ax-profiles.md, skills/arize-evaluator/references/ax-profiles.md, skills/arize-experiment/references/ax-profiles.md, skills/arize-instrumentation/references/ax-profiles.md ... | Sample: "***macOS/Linux** — add to `~/zshrc` or `~/bashrc`: ``bash export ARIZE\_SPACE='my-workspace' # name or base64 ID `` Then `source ~/zshrc` (or restart term"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0026 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 504 characters (~126 tokens) found in: agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md | Sample: "- Use explicit, unambiguous language with zero interpretation required - Structure all content as machine-parseable formats (tables, lists, structured data) - I"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact Medium, effort Small)

ISS-2026-07-29-0021 — The same instruction block is pasted into 6 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 199 characters (~50 tokens) found in: agents/implementation-plan.agent.md, agents/specification.agent.md, skills/create-implementation-plan/SKILL.md, skills/create-specification/SKILL.md, skills/update-implementation-plan/SKILL.md, skills/update-specification/SKILL.md | Sample: "- **REQ-001**: Requirement 1 - **SEC-001**: Security Requirement 1 - **[3 LETTERS]-001**: Other Requirement 1 - **CON-001**: Constraint 1 - **GUD-001**: Guideli"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0022 — The same instruction block is pasted into 6 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 194 characters (~49 tokens) found in: skills/arize-annotation/SKILL.md, skills/arize-dataset/SKILL.md, skills/arize-evaluator/SKILL.md, skills/arize-experiment/SKILL.md, skills/arize-prompt-optimization/SKILL.md, skills/arize-trace/SKILL.md | Sample: "> **SPACE** — All ``-space` flags and the `ARIZE_SPACE` env var accept a space \*\*name\*\* (e.g., `my-workspace`) or a base64 space \*\*ID\*\* (e.g., `U3BhY2U6...`)."

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (Impact High, effort Small)

ISS-2026-07-29-0027 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 459 characters (~115 tokens) found in: skills/appinsights-instrumentation/LICENSE.txt, skills/azure-resource-visualizer/LICENSE.txt, skills/azure-role-selector/LICENSE.txt | Sample: "THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR "

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0028 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 454 characters (~114 tokens) found in: agents/cast-imaging-impact-analysis.agent.md, agents/cast-imaging-software-discovery.agent.md, agents/cast-imaging-structural-quality-advisor.agent.md | Sample: "You connect to a CAST Imaging instance via an MCP server. 1. ****MCP URL****: The default URL is `https://castimaging.io/imaging/mcp/`. If you are using a self-hos"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0029 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 445 characters (~112 tokens) found in: agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md | Sample: "```md --- goal: [Concise Title Describing the Package Implementation Plan's Goal] version: [Optional: e.g., 1.0, Date] date_created: [YYYY-MM-DD] last_updated: "

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0024 — The same instruction block is pasted into 4 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 294 characters (~74 tokens) found in: skills/microsoft-code-reference/SKILL.md, skills/microsoft-docs/SKILL.md, skills/microsoft-skill-creator/SKILL.md, ...s/microsoft-skill-creator/references/skill-templates.md | Sample: "| MCP Tool | CLI Command | |-----|-----| | `microsoft\_docs\_search(query: "...")` | `mslearn search "...`" | | `microsoft_code_sample_search(query: "

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0030 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 440 characters (~110 tokens) found in: agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md | Sample: "- Use precise, explicit, and unambiguous language. - Clearly distinguish between requirements, constraints, and recommendations. - Use structured formatting (he"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0031 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 407 characters (~102 tokens) found in: agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md | Sample: "The status of the implementation plan must be clearly defined in the front matter and must reflect the current state of the plan. The status can be one of the f"

Formula: $\text{monthly_waste} = \text{block_tokens} \times (\text{files_containing_block} - 1) \times \text{runs_per_month}$

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0032 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 402 characters (~101 tokens) found in: agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md | Sample: "- **Test Levels**: Unit, Integration, End-to-End - **Frameworks**: MStest, FluentAssertions, Moq (for .NET applications) - **Test Data Management**: [approach f]"

Formula: monthly_waste = block_tokens x (files_containing_block - 1) x runs_per_month

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0033 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 396 characters (~99 tokens) found in: skills/convert-excel-to-md/references/setup.md, skills/convert-pdf-to-md/references/setup.md, skills/convert-word-to-md/references/setup.md | Sample: "- If this fails (command not found), install Python 3.10 or newer: - Windows: `winget install --id Python.Python.3.12 -e` - macOS: `brew install python@3.12`"

Formula: monthly_waste = block_tokens x (files_containing_block - 1) x runs_per_month

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0034 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 345 characters (~87 tokens) found in: agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md | Sample: "- Save implementation plan files in `plan/` directory - Use naming convention: `[purpose]-[component]-[version].md` - Purpose prefixes: `upgrade|refactor|featu`"

Formula: monthly_waste = block_tokens x (files_containing_block - 1) x runs_per_month

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0035 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 345 characters (~87 tokens) found in: agents/specification.agent.md, skills/create-specification/SKILL.md, skills/update-specification/SKILL.md | Sample: "```md --- title: [Concise Title Describing the Specification's Focus] version: [Optional: e.g., 1.0, Date] date_created: [YYYY-MM-DD] last_updated: [Optional: Y]"

Formula: monthly_waste = block_tokens x (files_containing_block - 1) x runs_per_month

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0036 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 331 characters (~83 tokens) found in: ...uality-playbook/agents/quality-playbook-claude.agent.md, skills/quality-playbook/agents/quality-playbook.agent.md, ...ls/quality-playbook/references/orchestrator_protocol.md | Sample: "- `per system constraint: no report .md files`" (or any invented harness restriction) - "I'll do the analytical work in-context and summarize for the user" - "sp"

Formula: monthly_waste = block_tokens x (files_containing_block - 1) x runs_per_month

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

ISS-2026-07-29-0037 — The same instruction block is pasted into 3 files

One block of instructions has been copied into several agent files. Only one copy is needed. The rest is paid for on every run.

Evidence: Block of 312 characters (~78 tokens) found in: agents/implementation-plan.agent.md, skills/create-implementation-plan/SKILL.md, skills/update-implementation-plan/SKILL.md | Sample: "- Each phase must have measurable completion criteria - Tasks within phases must be executable in parallel unless dependencies are specified - All task descript"

Formula: monthly_waste = block_tokens x (files_containing_block - 1) x runs_per_month

Recommendation: Move the shared block into one file and reference it from the others. (impact Medium, effort Small)

Recommended actions, ranked by impact then effort

#	Action	Category	Impact	Effort	Tokens/mo saved	\$/mo saved
1	Move the shared block into one file and reference it from the others.	Redundancy	High	Small	1,404,000	\$7.86

#	Action	Category	Impact	Effort	Tokens/mo saved	\$/mo saved
2	Keep at most four review gates. Combine the overlapping ones into a single checklist.	Review overhead	High	Medium	528,677,500	\$2,960.59
3	Keep the most complete file, delete or shrink the copies, and link to the kept file instead.	Redundancy	High	Medium	1,603,000	\$8.98
4	Group agents by job. Merge the ones that overlap and delete the ones nobody calls.	Agent sprawl	High	Large	430,627,200	\$2,411.51
5	Keep one skill file per capability and delete the near copies.	Agent sprawl	Medium	Small	1,543,300	\$8.64
6	Describe the flow once in a single orchestrator file and let the agents stay simple.	Review overhead	Medium	Medium	57,017,000	\$319.30

File inventory by category

Group	Files	Parsed	Skipped	Tokens
Agents	228	228	0	468,656
Skills	1,081	1,026	55	2,680,958
Prompt and orchestration	191	191	0	588,699

Largest 120 files by estimated tokens

Path	Category	Status	Lines	Size (KB)	Tokens	Dup group
skills/azure-architecture-autopilot/scripts/icons.py	skill	Scanned	3,200	2094.5	536,184	-
skills/geofeed-tuner/assets/iso3166-2.json	skill	Scanned	20,188	313.2	79,700	-
skills/quality-playbook/SKILL.md	skill	Scanned	2,738	287.5	73,092	-
docs/README.instructions.md	orchestration	Scanned	210	179.3	45,874	-
skills/azure-architecture-autopilot/scripts/generator.py	skill	Scanned	3,047	137.2	35,024	-
skills/quality-playbook/quality_gate.py	skill	Scanned	3,385	128.4	32,797	-
skills/batch-files/references/windows-commands.md	skill	Scanned	832	85.7	21,942	-
skills/threat-model-analyst/references/verification-checklist.md	skill	Scanned	639	69.9	17,614	-
skills/batch-files/references/batch-files-and-functions.md	skill	Scanned	295	67.8	17,255	-
instructions/azure-logic-apps-power-automate.instructions.md	orchestration	Scanned	1,943	62.8	16,072	-
skills/game-engine/assets/2d-platform-game.md	skill	Scanned	1,855	58.2	14,899	-
skills/threat-model-analyst/references/output-formats.md	skill	Scanned	1,062	58.5	14,758	-
skills/threat-model-analyst/references/orchestrator.md	skill	Scanned	593	53.8	13,648	-
instructions/github-actions-ci-cd-best-practices.instructions.md	orchestration	Scanned	607	53.0	13,555	-
instructions/dotnet-maui-9-to-dotnet-maui-10-upgrade.instructions.md	orchestration	Scanned	1,922	52.9	13,475	-
skills/game-engine/references/web-apis.md	skill	Scanned	1,394	51.4	13,155	-
skills/dataanalysis-credit-risk/references/analysis.py	skill	Scanned	1,223	52.6	12,993	-
skills/doc-and-modernize/SKILL.md	skill	Scanned	850	48.8	12,386	-
skills/geofeed-tuner/SKILL.md	skill	Scanned	864	47.8	12,215	-
instructions/springboot-4-migration.instructions.md	orchestration	Scanned	1,530	47.1	12,049	-
skills/azure-architecture-autopilot/references/phase1-advisor.md	skill	Scanned	922	46.9	11,869	-
skills/cosmosdb-datamodeling/SKILL.md	skill	Scanned	1,045	46.7	11,863	-
instructions/apex.instructions.md	orchestration	Scanned	1,294	45.5	11,659	-
instructions/convert-jpa-to-spring-data-cosmos.instructions.md	orchestration	Scanned	949	40.8	10,402	-
instructions/convert-cassandra-to-spring-data-cosmos.instructions.md	orchestration	Scanned	1,110	40.5	10,343	-
agents/azure-verified-modules-owner-triage.agent.md	agent	Scanned	682	40.3	10,287	-
skills/quality-playbook/references/review_protocols.md	skill	Scanned	611	39.9	10,166	-
skills/game-engine/assets/paddle-game-template.md	skill	Scanned	1,528	38.4	9,833	-
skills/slang-shader-engineer/references/slang-documentation-full.md	skill	Scanned	1,479	36.9	9,452	-
instructions/agents.instructions.md	orchestration	Scanned	997	36.0	9,202	-
instructions/containerization-docker-best-practices.instructions.md	orchestration	Scanned	681	35.1	8,987	-

Path	Category	Status	Lines	Size (KB)	Tokens	Dup group
skills/adobe-illustrator-scripting/SKILL.md	skill	Scanned	1,023	34.4	8,756	-
skills/quality-playbook/references/exploration_patterns.md	skill	Scanned	339	33.5	8,548	-
skills/setup-my-iq/SKILL.md	skill	Scanned	766	33.3	8,521	-
skills/threat-model-analyst/references/incremental-orchestrator.md	skill	Scanned	708	33.5	8,513	-
skills/arize-evaluator/SKILL.md	skill	Scanned	673	31.6	8,053	-
agents/pimcore-expert.agent.md	agent	Scanned	870	31.2	7,986	-
skills/quality-playbook/references/verification.md	skill	Scanned	302	31.1	7,949	-
skills/markdown-to-html/references/basic-markdown.md	skill	Scanned	496	30.7	7,843	-
skills/terraform-azurerms-diff-analyzer/scripts/analyze_plan.py	skill	Scanned	940	30.3	7,742	-
skills/geofeed-tuner/references/rfc8805.txt	skill	Scanned	735	29.9	7,652	-
instructions/security-and-owasp.instructions.md	orchestration	Scanned	1,057	29.7	7,570	-
skills/legacy-circuit-mockups/references/555.md	skill	Scanned	861	32.3	7,511	-
skills/threat-model-analyst/references/analysis-principles.md	skill	Scanned	421	28.9	7,356	-
instructions/tasksync.instructions.md	orchestration	Scanned	545	28.4	7,261	-
agents/Ultimate-Transparent-Thinking-Beast-Mode.agent.md	agent	Scanned	644	28.3	7,222	-
skills/copilot-cli-quickstart/SKILL.md	skill	Scanned	774	29.1	7,167	-
skills/eyeball/tools/eyeball.py	skill	Scanned	833	27.8	7,124	-
instructions/ai-prompt-engineering-safety-best-practices.instructions.md	orchestration	Scanned	867	27.5	7,035	-
skills/game-engine/references/techniques.md	skill	Scanned	894	27.4	7,023	-
instructions/a11y.instructions.md	orchestration	Scanned	731	27.0	6,893	-
instructions/performance-optimization.instructions.md	orchestration	Scanned	962	26.6	6,801	-
agents/modernization.agent.md	agent	Scanned	580	26.2	6,697	-
instructions/copilot-sdk-java.instructions.md	orchestration	Scanned	890	25.9	6,627	-
agents/context7.agent.md	agent	Scanned	836	26.1	6,607	-
agents/technical-content-evaluator.agent.md	agent	Scanned	585	25.8	6,589	-
agents/WinFormsExpert.agent.md	agent	Scanned	628	25.4	6,496	-
agents/dynatrace-expert.agent.md	agent	Scanned	854	25.3	6,443	-
skills/game-engine/references/algorithms.md	skill	Scanned	843	24.5	6,265	-
agents/expert-react-frontend-engineer.agent.md	agent	Scanned	739	24.4	6,243	-
skills/arize-instrumentation/SKILL.md	skill	Scanned	309	24.3	6,210	-
skills/azure-architecture-autopilot/references/phase0-scanner.md	skill	Scanned	475	24.9	6,175	-
instructions/power-bi-custom-visuals-development.instructions.md	orchestration	Scanned	810	24.1	6,173	-
skills/markdown-to-html/SKILL.md	skill	Scanned	916	24.1	6,151	-
skills/quality-playbook/references/requirements_pipeline.md	skill	Scanned	427	24.1	6,139	-
skills/namecheap/namecheap.py	skill	Scanned	697	24.0	6,132	-
skills/game-engine/references/3d-web-games.md	skill	Scanned	754	23.9	6,122	-
instructions/devbox-image-definition.instructions.md	orchestration	Scanned	302	23.9	6,118	-
skills/issue-fields-migration/SKILL.md	skill	Scanned	533	23.7	6,052	-
skills/copilot-sdk/SKILL.md	skill	Scanned	914	23.6	6,042	-
agents/delphi-expert.agent.md	agent	Scanned	480	23.5	6,025	-
skills/image-annotations/SKILL.md	skill	Scanned	601	23.3	5,957	-
skills/acquire-codebase-knowledge/scripts/scan.py	skill	Scanned	712	23.2	5,929	-

Path	Category	Status	Lines	Size (KB)	Tokens	Dup group
skills/excalidraw-diagram-generator/SKILL.md	skill	Scanned	613	23.2	5,923	-
agents/laravel-expert-agent.agent.md	agent	Scanned	629	23.0	5,893	-
agents/azure-iac-exporter.agent.md	agent	Scanned	325	23.0	5,872	-
skills/arize-trace/SKILL.md	skill	Scanned	417	22.9	5,853	-
instructions/dataverse-python-real-world-usecases.instructions.md	orchestration	Scanned	730	22.5	5,753	-
skills/python-pypi-package-builder/scripts/scaffold.py	skill	Scanned	920	22.0	5,639	-
skills/code-tour/SKILL.md	skill	Scanned	433	22.1	5,617	-
agents/shopify-expert.agent.md	agent	Scanned	682	22.1	5,603	-
skills/quality-playbook/agents/calibration_orchestration.md	agent	Scanned	222	21.7	5,532	-
skills/aws-resource-query/SKILL.md	skill	Scanned	631	21.6	5,521	-
skills/game-engine/references/game-engine-core-principles.md	skill	Scanned	695	21.6	5,519	-
agents/sast-sca-security-analyzer.agent.md	agent	Scanned	402	21.8	5,514	-
skills/java-mcp-server-generator/SKILL.md	skill	Scanned	756	21.8	5,506	-
instructions/power-apps-canvas-yaml.instructions.md	orchestration	Scanned	827	21.5	5,503	-
skills/eval-driven-dev/references/4-build-dataset.md	skill	Scanned	368	21.6	5,486	-
instructions/java-11-to-java-17-upgrade.instructions.md	orchestration	Scanned	793	21.3	5,460	-
instructions/power-apps-code-apps.instructions.md	orchestration	Scanned	590	21.4	5,451	-
instructions/vsixtoolkit.instructions.md	orchestration	Scanned	688	21.3	5,432	-
instructions/power-bi-report-design-best-practices.instructions.md	orchestration	Scanned	752	22.0	5,401	-
skills/noob-mode/references/glossary.md	skill	Scanned	368	21.1	5,375	-
skills/freecad-scripts/SKILL.md	skill	Scanned	689	20.9	5,330	-
agents/drupal-expert.agent.md	agent	Scanned	688	20.7	5,302	-
skills/gtm-ai-gtm/SKILL.md	skill	Scanned	569	20.9	5,300	-
instructions/copilot-sdk-python.instructions.md	orchestration	Scanned	837	20.5	5,254	-
skills/geofeed-tuner/assets/iso3166-1.json	skill	Scanned	1,249	22.0	5,248	-
instructions/hooks.instructions.md	orchestration	Scanned	597	20.5	5,216	-
skills/containerize-aspnet-framework/SKILL.md	skill	Scanned	454	20.3	5,202	-
instructions/dart-n-flutter.instructions.md	orchestration	Scanned	447	20.3	5,192	-
skills/mcp-implementation-security-review/SKILL.md	skill	Scanned	315	20.4	5,174	-
skills/quality-playbook/references/iteration.md	skill	Scanned	191	20.6	5,174	-
skills/phoenix-cli/references/open-coding.md	skill	Scanned	254	20.0	5,094	-
agents/aem-frontend-specialist.agent.md	agent	Scanned	386	19.6	5,015	-
instructions/power-bi-dax-best-practices.instructions.md	orchestration	Scanned	795	19.5	4,976	-
skills/game-engine/references/terminology.md	skill	Scanned	354	19.4	4,972	-
skills/prompt-optimizer/SKILL.md	skill	Scanned	306	19.4	4,945	-
skills/flowstudio-power-automate-build/SKILL.md	skill	Scanned	504	19.3	4,925	-
instructions/power-bi-data-modeling-best-practices.instructions.md	orchestration	Scanned	639	19.6	4,904	-
skills/webmcpify/SKILL.md	skill	Scanned	331	19.3	4,889	-
skills/azure-architecture-autopilot/references/bicep-generator.md	skill	Scanned	421	19.9	4,886	-
skills/draw-io-diagram-generator/SKILL.md	skill	Scanned	462	19.1	4,884	-
skills/game-engine/references/game-control-mechanisms.md	skill	Scanned	617	19.1	4,878	-
instructions/power-platform-connector.instructions.md	orchestration	Scanned	430	18.9	4,849	-

Path	Category	Status	Lines	Size (KB)	Tokens	Dup group
instructions/power-bi-devops-alm-best-practices.instructions.md	orchestration	Scanned	623	19.0	4,836	-
skills/gsap-framer-scroll-animation/references/framer.md	skill	Scanned	675	18.9	4,833	-
skills/flowstudio-power-automate-mcp/references/tool-reference.md	skill	Scanned	601	18.9	4,825	-
skills/arize-prompt-optimization/SKILL.md	skill	Scanned	457	18.8	4,799	-
skills/flowstudio-power-automate-build/references/action-patterns-data.md	skill	Scanned	595	18.6	4,734	-

Skipped files and warnings

- Repository contains 2215 files which is above the 1500 file limit. The 1500 most relevant files (agent assets first) were inventoried; 715 files were not included.

Skipped by reason: SkippedUnsupported = 55

Path	Status	Size (KB)	Reason
skills/acreadiness-assess/report-template.html	SkippedUnsupported	11.6	Extension '.html' is not in the supported analysis list
skills/appinsights-instrumentation/examples/appinsights.bicep	SkippedUnsupported	0.7	Extension '.bicep' is not in the supported analysis list
skills/appinsights-instrumentation/scripts/appinsights.ps1	SkippedUnsupported	1.2	Extension '.ps1' is not in the supported analysis list
skills/azure-architecture-autopilot/.gitignore	SkippedUnsupported	0.5	Extension 'none' is not in the supported analysis list
skills/azure-architecture-autopilot/assets/06-architecture-diagram.png	SkippedUnsupported	326.8	Extension '.png' is not in the supported analysis list
skills/azure-architecture-autopilot/assets/07-azure-portal-resources.png	SkippedUnsupported	171.4	Extension '.png' is not in the supported analysis list
skills/azure-architecture-autopilot/assets/08-deployment-succeeded.png	SkippedUnsupported	41.0	Extension '.png' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/01-request-review.ps1	SkippedUnsupported	13.2	Extension '.ps1' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/02-check-review-status.ps1	SkippedUnsupported	17.4	Extension '.ps1' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/03-list-open-threads.ps1	SkippedUnsupported	4.0	Extension '.ps1' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/08-reply-and-resolve.ps1	SkippedUnsupported	3.3	Extension '.ps1' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/09-review-round.ps1	SkippedUnsupported	5.5	Extension '.ps1' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/10-cleanup-outdated.ps1	SkippedUnsupported	17.7	Extension '.ps1' is not in the supported analysis list
skills/copilot-pr-autopilot/scripts/_lib.ps1	SkippedUnsupported	15.5	Extension '.ps1' is not in the supported analysis list
skills/copilot-usage-metrics/get-enterprise-metrics.sh	SkippedUnsupported	0.7	Extension '.sh' is not in the supported analysis list
skills/copilot-usage-metrics/get-enterprise-user-metrics.sh	SkippedUnsupported	0.7	Extension '.sh' is not in the supported analysis list
skills/copilot-usage-metrics/get-org-metrics.sh	SkippedUnsupported	0.6	Extension '.sh' is not in the supported analysis list
skills/copilot-usage-metrics/get-org-user-metrics.sh	SkippedUnsupported	0.6	Extension '.sh' is not in the supported analysis list
skills/draw-io-diagram-generator/assets/templates/architecture.drawio	SkippedUnsupported	7.9	Extension '.drawio' is not in the supported analysis list
skills/draw-io-diagram-generator/assets/templates/er-diagram.drawio	SkippedUnsupported	26.0	Extension '.drawio' is not in the supported analysis list
skills/draw-io-diagram-generator/assets/templates/flowchart.drawio	SkippedUnsupported	4.5	Extension '.drawio' is not in the supported analysis list

Path	Status	Size (KB)	Reason
skills/draw-io-diagram-generator/assets/templates/sequence.drawio	SkippedUnsupported	7.1	Extension '.drawio' is not in the supported analysis list
skills/draw-io-diagram-generator/assets/templates/uml-class.drawio	SkippedUnsupported	12.7	Extension '.drawio' is not in the supported analysis list
skills/draw-io-diagram-generator/scripts/.gitignore	SkippedUnsupported	0.0	Extension '.none' is not in the supported analysis list
skills/drawio/scripts/drawio-to-png.mjs	SkippedUnsupported	11.7	Extension '.mjs' is not in the supported analysis list
skills/eval-driven-dev/resources/setup.sh	SkippedUnsupported	3.1	Extension '.sh' is not in the supported analysis list
skills/excalidraw-diagram-generator/scripts/.gitignore	SkippedUnsupported	0.5	Extension '.none' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/business-flow-swimlane-template.excalidraw	SkippedUnsupported	7.6	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/class-diagram-template.excalidraw	SkippedUnsupported	12.6	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/data-flow-diagram-template.excalidraw	SkippedUnsupported	6.3	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/erd-diagram-template.excalidraw	SkippedUnsupported	15.1	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/flochart-template.excalidraw	SkippedUnsupported	4.0	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/mindmap-template.excalidraw	SkippedUnsupported	5.3	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/relationship-template.excalidraw	SkippedUnsupported	3.2	Extension '.excalidraw' is not in the supported analysis list
skills/excalidraw-diagram-generator/templates/sequence-diagram-template.excalidraw	SkippedUnsupported	11.4	Extension '.excalidraw' is not in the supported analysis list
skills/geofeed-tuner/assets/example/01-user-input-rfc8805-feed.csv	SkippedUnsupported	0.2	Extension '.csv' is not in the supported analysis list
skills/geofeed-tuner/scripts/templates/index.html	SkippedUnsupported	98.2	Extension '.html' is not in the supported analysis list
skills/latchshot-page-capture/scripts/latchshot.mjs	SkippedUnsupported	18.2	Extension '.mjs' is not in the supported analysis list
skills/md-to-docx/scripts/md-to-docx.mjs	SkippedUnsupported	14.4	Extension '.mjs' is not in the supported analysis list
skills/nano-banana-pro-openrouter/assets/SYSTEM_TEMPLATE	SkippedUnsupported	1.2	Extension '.none' is not in the supported analysis list
skills/napkin/assets/napkin.html	SkippedUnsupported	60.9	Extension '.html' is not in the supported analysis list
skills/napkin/assets/step1-activate.svg	SkippedUnsupported	5.9	Extension '.svg' is not in the supported analysis list
skills/napkin/assets/step2-whiteboard.svg	SkippedUnsupported	8.0	Extension '.svg' is not in the supported analysis list
skills/napkin/assets/step3-draw.svg	SkippedUnsupported	8.5	Extension '.svg' is not in the supported analysis list
skills/napkin/assets/step4-share.svg	SkippedUnsupported	6.6	Extension '.svg' is not in the supported analysis list
skills/napkin/assets/step5-response.svg	SkippedUnsupported	7.1	Extension '.svg' is not in the supported analysis list
skills/optimize-simplicite-logs/scripts/SimpliciteLog2Json.ps1	SkippedUnsupported	4.2	Extension '.ps1' is not in the supported analysis list
skills/pr-dashboard/assets/dashboard.html	SkippedUnsupported	7.0	Extension '.html' is not in the supported analysis list
skills/pr-dashboard/scripts/lib/utills.mjs	SkippedUnsupported	5.0	Extension '.mjs' is not in the supported analysis list
skills/pr-dashboard/scripts/pr-dashboard-cli.mjs	SkippedUnsupported	13.1	Extension '.mjs' is not in the supported analysis list
skills/publish-to-pages/scripts/publish.sh	SkippedUnsupported	1.4	Extension '.sh' is not in the supported analysis list

Path	Status	Size (KB)	Reason
skills/resemble-detect/LICENSE	SkippedUnsupported	11.1	Extension 'none' is not in the supported analysis list
skills/sandbox-npm-install/scripts/install.sh	SkippedUnsupported	5.5	Extension '.sh' is not in the supported analysis list
skills/terraform-azurerms-set-diff-analyzer/scripts/.gitignore	SkippedUnsupported	0.7	Extension 'none' is not in the supported analysis list
skills/tm7-threat-model/assets/example-minimal.tm7	SkippedUnsupported	1085.3	Extension '.tm7' is not in the supported analysis list