europecv: an unofficial class for European curricula

Nicola Vitacolonna
nicola.vitacolonna@uniud.it
Department of Mathematics and Computer Science
University of Udine, Italy

Giuseppe Silano
giuseppe.silano@rse-web.it
Ricerca sul Sistema Energetico (RSE) S.p.A., Italy
Department of Power Generation Technologies and Materials, and
Faculty of Electrical Engineering
Czech Technical University in Prague, Czech Republic

Version 2026.10.19 – October 19, 2026

Abstract

As of 11 March 2002 the European Commission has defined a common format for curricula vitæ. The europecv class is an unofficial LaTeX implementation of that format. Although primarily intended for users in the European Union, the class can be used for any kind of curriculum vitæ.

Since 2020, the CVs created with the Europass online editor use a new, single-column layout. The europecv2020 class, included in the package and described in Section 5, is an unofficial implementation of this layout that shares most of its commands with europecv.

To simplify the package distribution and its improvements, a GitHub repository has been opened. Such repository is available at the link https://github.com/gsilano/EuropeCV. Please, feel free to open an issue if you find mistakes or errors. At the same time, you can collaborate as a developer making the LaTeX packages even better. In this case, your name will be added to the contributors list (at the end of the manual).

1 Overview

This class is an unofficial LaTeX implementation of the standard model for curricula vitæ (the *Europass CV*) as recommended by the European Commission[1]. The Europass CV replaces the European CV, launched in 2002.

The Europass CV defines both the content and the layout of a curriculum vitæ. The europecv class provides support for the latter, and for the former as far as personal information and spoken languages are concerned. If you want to know how the content of a Europass CV must be structured you must read the documentation provided by the Europass website[2].

This class tries to be as close as possible to the standard model without sacrificing flexibility. Although it is primarily intended for users of the European Union, the class can be used for any kind of curriculum vitæ (possibly with the options `notitle`, `nobranding` and `nologo`, see below), or even for other kinds of documents: for example, this documentation file has been typeset using the europecv class. The source files are included in the package.

A minimal (empty) curriculum vitæ, quite similar to the official one, can be obtained with the following code:

```
\documentclass[helvetica,narrow]{europecv}
\begin{document}
\begin{europecv}
```

[1] https://europass.europa.eu/.
[2] https://europass.europa.eu/en/create-europass-cv.

```
\end{europecv}
\end{document}
```

This produces the following output, having only the *title* ("Europass Curriculum Vitæ"), and the Europass logo[3]:



The main differences with respect to the official model are the use of Helvetica (which should be in any standard LaTeX distribution) instead of Arial, and the use of a vector image instead of a low-resolution bitmap.

2 A curriculum through class options

The following options can be used with the `\documentclass` command, e.g.

```
\documentclass[latin1,helvetica,narrow,italian,logo,notitle,nobranding,totpages]{europecv}
```

Input encoding

Important! The default input encoding for the europecv class is UTF-8. If you have a Unicode capable text editor, you should be able to directly type text with accents, diacritics and so on (i.e., no need to use LaTeX commands for special characters). In order for this to work, you must ensure that your document is saved using the UTF-8 text encoding. As an alternative, you may specify a different input encoding for your document (see options below). With XeLaTeX and LuaLaTeX the input is always read as UTF-8 and the encoding options are ignored (a warning is issued).

`utf8` Chooses UTF-8 input encoding. This is the default, so the option is not needed with any recent LaTeX distribution.

`utf8x` **Obsolete.** Kept for backward compatibility: it is now the same as `utf8`. The ucs package is no longer needed.

Other options The other available input encodings are: `ansinew`, `applemac`, `ascii`, `cp850`, `cp852`, `cp858`, `cp437`, `cp437de`, `cp865`, `cp866`, `cp1250`, `cp1251`, `cp1252`, `cp1257`, `decmulti`, `koi8-r`, `koi8-ru`, `koi8-u`, `latin1`, `latin2`, `latin3`, `latin4`, `latin5`, `latin9`, `latin10`, `maccyr`, `macukr`, `next`.

Notes Any of the above options causes the inputenc package to be loaded with the specified encoding so that you do not have to load that package in your document. The language definition files are always read as UTF-8, whatever input encoding you choose for your document.

Font options

`helvetica` Uses Helvetica as the default font.

[3] It also produces a footer with the page number, not shown here.

`arial`	Uses Arial as the default font. In order for this option to take effect, the font must have been installed and must be accessible through LaTeX. How to install fonts in LaTeX goes beyond the scope of this document: read *The Font Installation Guide* you can find on CTAN. The europecv class expects the font filenames to use `m` for the supplier (Monotype) and `a1` for the typeface (Arial). For more information, please refer to the *Fontname* guide you can find on CTAN.
`narrow`	Uses a condensed version of the font. This option must be used with either `helvetica` or `arial`.
Notes	If no font option is specified, europecv will use the current font.

Language options

Important!	The following options are not related to babel. See the Notes at the end of this list.
`bulgarian`	Chooses Bulgarian language. You should load the fontenc package with `T2A` option, or equivalent encoding (`\usepackage[T2A]{fontenc}` in the preamble of your document). See the examples folder for an example. Of course, you must also have Cyrillic fonts.
`catalan`	Chooses Catalan language (translation not yet completed).
`czech`	Chooses Czech language.
`danish`	Chooses Danish language.
`dutch`	Chooses Dutch language.
`english`	Chooses English language. This is the default.
`estonian`	Chooses Estonian language.
`french`	Chooses French language.
`finnish`	Chooses Finnish language.
`galician`	Chooses Galician language.
`german`	Chooses German language.
`greek`	Chooses the Greek language. The babel package must be included in your document with at least the Greek and English language options (put `\usepackage[greek,english]{babel}` in the preamble of your document.) See the examples folder for a minimal example. Of course, you must also have Greek fonts.
`hungarian`	Chooses Hungarian language.
`icelandic`	Chooses Icelandic language. Note that this option does not work with the `OT1` font encoding. Use the fontenc package to select an alternate font encoding, such as `T1` (`\usepackage[T1]{fontenc}` in the preamble of your document).
`italian`	Chooses Italian language.
`latvian`	Chooses Latvian language.
`lithuanian`	Chooses Lithuanian language. Note that this option does not work with the `OT1` font encoding. Use the fontenc package to select an alternate font encoding, such as `T1` (`\usepackage[T1]{fontenc}` in the preamble of your document).
`maltese`	Chooses Maltese language. The simplest solution is to compile your document with XeLaTeX or LuaLaTeX. With pdfLaTeX, the letters *h* and *H* with stroke, which are not available in the standard font encodings, are taken from the maltese package if it is loaded, and drawn by the class otherwise: in your own text you can use the commands `\mh`, `\mH` and so on provided by the maltese package. See the examples.
`norwegian`	Chooses Norwegian language.

`polish` — Chooses Polish language. Note that this option does not work with the `OT1` font encoding. Use the fontenc package to select an alternate font encoding, such as `T1` (`\usepackage[T1]{fontenc}` in the preamble of your document).

`portuguese` — Chooses Portuguese language.

`romanian` — Chooses Romanian language. Romanians do not use the letters with cedillas (ş and ţ), but the versions with commas (ș and ț) (Latvians also use the same diacritic, no cedillas). With this option the combelow package is loaded automatically, so the commands `\cb s` (ș) and `\cb t` (ț) can be used.

`serbian` — Chooses Serbian language.

`slovak` — Chooses Slovak language.

`slovenian` — Chooses Slovenian language.

`spanish` — Chooses Spanish language.

`swedish` — Chooses Swedish language.

Notes

The choice of the language only affects the appearance of the title ("Europass Curriculum Vitæ"), the personal information section, the spoken language table and the footer with the page number. In some cases, it may affects the used alphabet (e.g., in Bulgarian).
If you want to use the hyphenation patterns for the language(s) of your choice, you must include the babel package in your document. The use of babel is mandatory for Greek (see the Greek language option above).
If you need a different language, you must create a new `.def` file, and add the corresponding `\DeclareOption` in the class file.

IMPORTANT: In case some translations are wrong, please, do not hesitate to correct the information reported in the translation files, i.e., .def. The suffix "it", "de", and so on, indicates the language (e.g., "it" means Italian, "de" German, etc.). Pull requests on the GitHub repository are always welcome. So, don't be shy ;).

About unfinished translations

The localizations marked as "not yet completed" lack the translation of the following:

- "Basic user"
- "Intermediate user"
- "Proficient user"

The above phrases are used by the "predefined level description" commands (p. 10), which can be replaced by `\ecvCEF`.

Flag options

`noflag` — Draws no flag after the title. This is the default.

`flagWB` — Draws the following:  after the title.

`flagBW` — Draws the following:  after the title.

`flagCMYK` — Draws the following:  after the title.

`flagBlueCMYK` — Draws the following:  after the title.

Notes

The graphicx package, needed to draw the flag, is loaded automatically by the class. The official model of the Europass CV does not use any flag.

Logo options

`logo` — Draws the Europass logo: europass at the beginning of the Europass CV. This is the default.

`nologo` — Does not draw the Europass logo.

Notes — The graphicx package, needed to draw the Europass logo, is loaded automatically by the class.

Title option

`notitle` — Omits the title ("Europass Curriculum Vitæ") at the beginning of the curriculum vitæ.

`nobranding` — Turns off the "Europass" branding text.

Notes — Users outside the European Community who might want to use the europecv class may specify `notitle`, `nobranding` and `nologo` among the class options.

Page numbering

`totpages` — Prints the total number of pages on each page.

Notes — This option requires the totpages package. The way the page numbering looks like can be changed by the command `\ecvpage` (see Footer and Footnotes section).

Spoken language table

`booktabs` — Loads the booktabs package.

Notes — This option affects the appearance of the spoken language table (see p. 11).

3 A curriculum through commands

Personal information

`\ecvdate{`*date*`}` — Sets CV update date to *date*. To enter the current date use the `\today` command.

`\ecvname{`*name, surname*`}` — Sets your name to *name*, and your surname to *surname*.

`\ecvfootername{`*name*`}` — Sets your name as it appears in the footer. By default, the name in the footer is the same as the one specified with `\ecvname`. Use `\ecvfootername` if you want it to be different (for example, if you want to exchange the order of first name and last name).

`\ecvfirstname{`*name*`}` — **Deprecated.** Use `\ecvname` and `\ecvfootername` instead.

`\ecvlastname{`*name*`}` — **Deprecated.** Use `\ecvname` and `\ecvfootername` instead.

`\ecvaddress[`*mobile*`][`*office*`]{`*address*`}` — Sets the address to *address* and, optionally, the mobile and the office addresses to *mobile* and to *office*, respectively.

`\ecvfax{`*fax*`}` — Sets the fax number to *fax*. If you do not have any fax number, you can leave it empty.

`\ecvtelephone[`*mobile*`][`*office*`]{`*tel*`}` — Sets the telephone number to *tel* and, optionally, the mobile and the office numbers to *mobile* and to *office*, respectively.

`\ecvemail{`*email*`}` — Sets the email to *email*.

`\ecvprofessional{`*professional*`}`	Sets the professional email to *professional*.
`\ecvpec{`*pec*`}`	Sets the PEC email to *pec*. Certified email (known as "Posta elettronica certificata" in Italy, or PEC in short) is a special type of email in use in Italy, Switzerland, Hong Kong and Germany. Here the link for further information https://en.wikipedia.org/wiki/Certified_email.
`\ecvhomepage{\url{URL}}`	Sets the Home page to *URL*.
`\ecvskype{`*skype*`}`	Sets the Skype account to *skype*.
`\ecvmatrixriot{`*matrixriot*`}`	Sets the Matrix/Riot account to *matrixriot*. Here the link with more information about the service https://matrix.org/.
`\ecvyoutube{`*youtubeChannel*`}`	Sets the YouTube Channel link to *youtubeChannel*.
`\ecvnationality{`*nationality*`}`	Sets the nationality to *nationality*.
`\ecvdateofbirth{`*birth*`}`	Sets the date of birth to *birth*.
`\ecvgender{`*gender*`}`	Sets the gender to *gender*.
`\ecvpicture{`*picture*`}`	Sets the personal picture to be the file *picture*.
`\ecvbeforepicture{`*text*`}`	*text* will be included just before inserting the picture when typesetting the personal information.
`\ecvafterpicture{`*text*`}`	*text* will be included just after inserting the picture when typesetting the personal information.
`\ecvspace{`*space*`}`	This command can be used *only* inside `\ecvbeforepicture` or `\ecvafterpicture` to vertically shift the picture or the text after the picture (see the example below).
`\ecvpersonalinfo[`*vspace*`]`	Typesets personal information.
Notes	`\ecvpersonalinfo` must appear only inside a `europecv` environment. Personal information definition commands can appear anywhere before the `europecv` environment, either in the preamble or in the document. Note that the `\ecvpicture` command does not draw anything: your picture is inserted when `\ecvpersonalinfo` occurs. The picture position can be controlled with `\ecvbeforepicture`: for example, `\ecvbeforepicture{\raggedright}` draws the picture on the left, and `\ecvbeforepicture{\centering}` centers the picture. The `\ecvpersonalinfo` command has an optional argument that tells how much vertical space to leave after the personal information block.

For example, consider the following document:

```
\documentclass[helvetica,notitle,nobranding,nologo]{europecv}
\usepackage{graphicx}

% Define personal data
\ecvname{Alan, Touring}
\ecvfootername{}
\ecvaddress[Wilmslow 1, Cheshire, England][Wilmslow 2, Cheshire, England]{Wilmslow 3,
Cheshire, England}
\ecvtelephone[1234][5678]{4321}
\ecvfax{0055884321}
\ecvemail{\href{mailto:alan.touring@alan.turing}{alan.touring@alan.turing}}
\ecvprofessional{\href{mailto:alan.touring@alan.touring.work}{alan.touring@alan.touring.work}}
\ecvpec{\href{mailto:alan.touring@pec.it}{alan.touring@pec.it}}
\ecvhomepage{\url{www.homepage.com}}
\ecvskype{alan-touring}
\ecvmatrixriot{alan-touring}
\ecvyoutube{\url{www.youtube.com/AlanTouringChannel}}
\ecvnationality{English}
\ecvdateofbirth{June 23 1927}
\ecvgender{Male}
```

```
\ecvbeforepicture{\raggedright}
\ecvpicture[height=3cm]{examples/at}
\ecvdate{\today}

\begin{document}
\begin{europecv}
\ecvpersonalinfo
\end{europecv}
\end{document}
```

The above will produce the following output:

Updated
October 19, 2026



Personal information

Name / Surname	**Alan, Touring**
Address	Wilmslow 3, Cheshire, England
Address	Wilmslow 1, Cheshire, England
Address	Wilmslow 2, Cheshire, England
Telephone	4321 Mobile: 1234 Office: 5678
Fax	0055884321
Personal Email	alan.touring@alan.turing
Professional Email	alan.touring@alan.touring.work
PEC	alan.touring@pec.it
Home page	www.homepage.com
Skype	alan-touring
Matrix/Riot	alan-touring
YouTube	www.youtube.com/AlanTouringChannel
Nationality	English
Date of birth	June 23 1927
Gender	Male

If you do not want to use so much space, you may add some negative space with `\ecvspace` in order to raise the personal information block. In this case, the picture should be put at the rightmost position. The following is an example that shows how to put your personal picture on the side of the personal information block:

```
\documentclass[helvetica,notitle,nobranding,nologo]{europecv}
\usepackage{graphicx}

\ecvname{Alan, Touring}
```

```
\ecvfootername{}
\ecvaddress[Wilmslow 1, Cheshire, England][Wilmslow 2, Cheshire, England]{Wilmslow 3,
Cheshire, England}
\ecvtelephone[1234][5678]{4321}
\ecvfax{0055884321}
\ecvemail{\href{mailto:alan.touring@alan.turing}{alan.touring@alan.turing}}
\ecvprofessional{\href{mailto:alan.touring@alan.touring.work}{alan.touring@alan.touring.work}}
\ecvpec{\href{mailto:alan.touring@pec.it}{alan.touring@pec.it}}
\ecvhomepage{\url{www.homepage.com}}
\ecvskype{alan-touring}
\ecvmatrixriot{alan-touring}
\ecvyoutube{\url{www.youtube.com/AlanTouringChannel}}
\ecvnationality{English}
\ecvdateofbirth{June 23 1927}
\ecvgender{Male}
\ecvbeforepicture{\raggedleft}
\ecvpicture[height=3cm]{examples/at}
\ecvafterpicture{\ecvspace{-3.5cm}}
\ecvdate{\today}

\begin{document}
\begin{europecv}
\ecvpersonalinfo
\end{europecv}
\end{document}
```

The output of the above code looks like this:

Updated
October 19, 2026

Personal information



Name / Surname	**Alan, Touring**
Address	Wilmslow 3, Cheshire, England
Address	Wilmslow 1, Cheshire, England
Address	Wilmslow 2, Cheshire, England
Telephone	4321 Mobile: 1234 Office: 5678
Fax	0055884321
Personal Email	alan.touring@alan.turing
Professional Email	alan.touring@alan.touring.work
PEC	alan.touring@pec.it
Home page	www.homepage.com
Skype	alan-touring
Matrix/Riot	alan-touring
YouTube	www.youtube.com/AlanTouringChannel
Nationality	English
Date of birth	June 23 1927
Gender	Male

Note that if your personal data (e.g., your address) is long enough, then some text may overlap your picture.

A (not so good) solution to solve the problem consists in breaking the offending line(s) with `\\&` (backslash-backslash-ampersand).

Sectioning commands

`\section[`*vspace*`]{`*title*`}`

Starts a new section. For example, the current section has been started with `\section{Sectioning commands}`.

`\ecvsection[`*vspace*`]{`*title*`}`

Deprecated. It is still available for backward compatibility. Starts a new section. For example, the current section has been started with `\ecvsection{Sectioning commands}`. Use the command `\pdfbookmark{Name of the section}{Name of the section}` if you want add the section into the table of contents.

`\ecvitem[`*vspace*`]{`*left*`}{`*right*`}`

Puts *left* text on the left of the vertical rule and *right* text on the right of the vertical rule.

`\ecvitem*[`*vspace*`]{`*left*`}{`*right*`}`

Deprecated. The same as above, but produces a small bullet before *left* text, as in the next item.

· Notes

Sectioning commands must be used inside the `europecv` environment, and text within the environment should be typeset only inside a sectioning command. All of them have an optional argument that specifies how much vertical space to leave *after* that command. For instance, the previous item has been specified by

```
\ecvitem[15pt]{...}{...}
```

Spoken languages

`\ecvmothertongue[`*vspace*`]{`*language*`}`

Typesets the mother tongue.

`\ecvlanguageheader{`*symbol*`}`

Typesets the header of the language table. The argument is a symbol used as a footnote symbol referring to the language table footer (see below).

`\ecvlanguagefooter[`*vspace*`]{`*symbol*`}`

Prints the line *Common European Framework of Reference (CEF) level*. If present, this command should go after all language descriptions. The *symbol* should coincide with the argument of `\ecvlanguageheader`.

`\ecvlanguage[`*vspace*`]{`*l1*`}{`*l2*`}{`*l3*`}{`*l4*`}{`*l5*`}`

Typesets a row of the language table describing a language. The arguments *l1* to *l5* correspond to the entries in the header, and they should give brief descriptions related to the following abilities:

***l1*:** understanding (listening);

***l2*:** understanding (reading);

***l3*:** speaking (spoken interaction);

***l4*:** speaking (spoken production);

***l5*:** writing.

The content should follow the guidelines of the Common European Framework of Reference for Languages. See Appendix Language self-assessment for reference. Predefined entries are defined below.

`\ecvlastlanguage[`*vspace*`]{`*l1*`}{`*l2*`}{`*l3*`}{`*l4*`}{`*l5*`}`

If you have specified the `booktabs` class option, you should use `\ecvlastlanguage` to typeset the last language description. If you do not use the `booktabs` class option, this is the same as `\ecvlanguage`.

Notes	The above commands (apart from `\ecvlanguageheader`) have an optional argument *vspace* that specifies how much vertical space to leave after the command.
`\ecvCEF{`*level*`}{`*descr*`}`	Typesets an entry of the table, where *level* is the self-assessed level code and *descr* is a short description. See Appendix Language self-assessment for reference.
`\ecvAOne`	Predefined level description: basic user (A1).
`\ecvATwo`	Predefined level description: basic user (A2).
`\ecvBOne`	Predefined level description: independent user (B1).
`\ecvBTwo`	Predefined level description: independent user (B2).
`\ecvCOne`	Predefined level description: proficient user (C1).
`\ecvCTwo`	Predefined level description: proficient user (C2).

Research Activities

`\ecvdisplayFootNote Counter [`*key*`]`	As for the '\label' command in LaTeX. The command creates a cross link between the "key" label and the reference command (i.e., `\ecvrefFootNoteCounter`). A counter is incremented when a new label is created. `key` uniquely identifies the footnote into the document text.
`\ecvdisplayConference Publications [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to conference papers.
`\ecvdisplayBookChapter Publications [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to book chapter papers.
`\ecvdisplayReferredJournals Publications [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to journal papers.
`\ecvdisplayWorkshops [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to workshop papers.
`\ecvdisplayPosters [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to poster papers.
`\ecvdisplayResearch Projects [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to research projects.
`\ecvdisplayAwards [`*key*`]`	Same as `\ecvdisplayFootNoteCounter`, but now the command is meant creating a reference to awards.
`\ecvrefFootNote Counter [`*key*`]`	Create a reference for the "key" in the `\ecvdisplayFootNoteCounter`.
`\ecvrefConference Publications [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to conference papers.
`\ecvrefBookChapter Publications [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to book chapter papers.
`\ecvrefReferredJournals Publications [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to journal papers.
`\ecvrefWorkshops [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to workshop papers.
`\ecvrefPosters [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to poster papers.
`\ecvrefResearch Projects [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to research projects.
`\ecvrefAwards [`*key*`]`	Same as `\ecvrefFootNoteCounter`, but now the command is meant creating a reference to awards.

`\ecvNewReference Type{`*Name*`}{`*prefix*`}`	Defines a new kind of numbered entry: it creates the counter *Name* and the commands `\ecvdisplay`*Name*`[`*key*`]`, which prints `[`*prefix*`number]`, and `\ecvref`*Name*`[`*key*`]`. For example, `\ecvNewReferenceType{Talks}{T}` defines `\ecvdisplayTalks` and `\ecvrefTalks`, that produce the labels [T1], [T2], ... It can be used only in the preamble.
Notes	The keys must be unique in the whole document. A reference to an undefined key is printed as **??** and a warning is issued: as for the standard LaTeX cross-references, the document must be compiled twice to get the references right. The hyperref package is loaded automatically by the class.

As an example, the following code inside the `europecv` environment:

```
\ecvmothertongue[10pt]{English}
\ecvlanguageheader{(*)}
\ecvlanguage{French}{\ecvCOne}{\ecvCTwo}{\ecvBTwo}{\ecvCOne}{\ecvCTwo}
\ecvlastlanguage{German}{\ecvATwo}{\ecvATwo}{\ecvATwo}{\ecvATwo}{\ecvATwo}
\ecvlanguagefooter{(*)}
```

will produce something similar to the following:

Mother tongue **English**

Self-assessment
European level(*)

	Understanding		Speaking		Writing
	Listening	Reading	Spoken interaction	Spoken production	
French	C1 Proficient user	C2 Proficient user	B2 Independent user	C1 Proficient user	C2 Proficient user
German	A2 Basic user	A2 Basic user	A2 Basic user	A2 Basic user	A2 Basic user

(*) *Common European Framework of Reference* (*CEF*) *level*

If you have specified the `booktabs` class option, the spoken language table will look like this:

Mother tongue **English**

Self-assessment
European level(*)

	Understanding		Speaking		Writing
	Listening	Reading	Spoken interaction	Spoken production	
French	C1 Proficient user	C2 Proficient user	B2 Independent user	C1 Proficient user	C2 Proficient user
German	A2 Basic user	A2 Basic user	A2 Basic user	A2 Basic user	A2 Basic user

(*) *Common European Framework of Reference* (*CEF*) *level*

Note that you should use tight page margins to make the table fit comfortably.

As an example for the "Research Activities" section, the following code inside the `europecv` environment:

```
\begin{europecv}
 \section{Research Activities}
 \ecvitem{}{\textsc{\textbf{Stability of piecewise-linear systems}}}
 \ecvitem{}{Something related to the piecewise-linear
 systems~\ecvrefReferredJournalsPublications[keyJournalPaper1].}
 %
 \section{Publications}
 \ecvitem{}{\textsc{\textbf{Referred Journals}}}
 \ecvitem{\ecvdisplayReferredJournalsPublications[keyJournalPaper1]}{Journal paper reference.}
 \ecvitem{\ecvdisplayReferredJournalsPublications[keyJournalPaper2]}{Journal paper reference.}
\end{europecv}
```

will produce something similar to the following:

Research Activities

Stability of piecewise-linear systems

Something related to the piecewise-linear systems [J1].

Publications

Referred Journals

[J1] Journal paper reference.

[J2] Journal paper reference.

Footer and Footnotes

`\ecvfootnote{`*note*`}` Puts a note in the footer of every page of the curriculum vitæ.[4] The note spans the right column width and it is justified. This command should appear in the preamble of your document.

`\ecvpage{`*def*`}` Redefines the way the page numbering looks like. The default is to print the word "Page" (in the language of your choice) followed by the page number. You can change this: for example, `\ecvpage{\thepage}` can be used to suppress the word "Page".

Notes The footer is typeset using the fancyhdr package. So, you can use fancyhdr commands to customize the footer (and the header too, of course). For example, if you want plain page numbers, you can use `\pagestyle{plain}` at the beginning of your document (as it has been done for this document, whose source code is included in the package).

If you want to use your own left, center, and right footer, you can put the relevant commands after `\begin{document}`. For example:

```
% [...]
\begin{document}
\fancyfoot{} % Clears the footer
\fancyfoot[L]{My left footer}
\fancyfoot[C]{My center footer}
\fancyfoot[R]{My right footer}
```

Some parameters can be set by using the following commands.

Fine Tuning

`\ecvWithHorRule` Draws a horizontal rule at the beginning of the Europass CV, which spans the first column. This is the default.

`\ecvNoHorRule` Does not draw the horizontal rule at the beginning of the Europass CV. This part was typeset with `\ecvNoHorRule`.

`\ecvRuleWidth{`*width*`}` Sets the thickness of the rules. The default is `0.4pt`. This part has been typeset with `\ecvRuleWidth{2pt}`. The vertical rule can be omitted by setting this parameter to `0pt`.

[4] Standard footnotes can also be used inside the `europecv` environment.

`\ecvExtraRowHeight {`*height*`}`	Puts extra space between *all* subsequent items in the `europecv` environment (including rows of the spoken language table). The default is `0pt`. This part has been typeset with `\ecvExtraRowHeight{10pt}`.
`\ecvColSep{`*width*`}`	Sets the space between the vertical rule and the surrounding text. The default is `12pt`. This part has been typeset with `\ecvColSep{20pt}`.
`\ecvFlagWidth{`*width*`}`	Sets the size of the flag. The default is `10mm`.
`\ecvLogoWidth{`*width*`}`	Sets the size of the Europass logo. The default is `23mm`.
`\ecvLogoOffset {`*offset*`}`	Adjusts the vertical position of the Europass logo. The default is `1cm`.

`\ecvLeftColumnWidth{`*width*`}`	Sets the text width in the left column to *width*. The right column fills the page. The default is `5cm`. This part has been typeset with `\ecvLeftColumnWidth{6cm}`.
`\ecvTitleKern`	Changes the kerning of the title. The default value is `0.5pt`.
Notes	To change global sizing parameters, such as the page size, the margins and so on, use the geometry package.
	You may draw horizontal lines with `\hline` or `\cline`. The lines above have been obtained by:

```
\hline\ecvitem[0pt]{Notes}{...}\cline{2-2}
\ecvitem{}{...}
```

4 Bibliographies

The main weakness of this class is related to bibliographies (an alternative solution is presented at page 10). If you insert a bibliography inside the `europecv` environment with a command like:

```
\section{Additional Information}
\ecvitem{}{\bibliographystyle{plain}
\nocite{*}
\bibliography{mypublications}}
```

the bibliography will flow out if it does not fit in the current page. The reason is that the `europecv` environment is a `longtable`, each `\ecvitem` corresponds to a row of the table, and a row cannot be split across pages. Therefore, you can safely put a bibliography using the `\bibliography` command only outside the `europecv` environment. Which may be or may not be what you want.

Another possibility is to use the bibentry package, and put each `\bibentry` command inside an `\ecvitem` command:

```
\ecvitem{}{\textsc{Publications}}
\ecvitem{}{\bibentry{pub1}}
[...]
\ecvitem{}{\bibentry{pubN}}
```

The drawback of this solution is that you have to use a `\bibentry` command for each bibliography item you want to appear. If you have written many publications, this can be a pain in the neck. Unfortunately, the only solution I know is to write a script to perform the task automatically.

A third possibility is to use biblatex with the biber back end: the template `cv_template_en_biber.tex`, in the templates folder, shows how to typeset the bibliography inside the `europecv` environment so that each entry is a row of the table. Instructions on how to compile it are given at the beginning of the file.

Finally, if you prefer to write the list of your publications by hand, you can number them and refer to them in the text with the commands presented in the "Research Activities" section (p. 10). If you need a kind of entry not provided by the class, you can define it in the preamble with `\ecvNewReferenceType`. For example:

```
\ecvNewReferenceType{Talks}{T} % in the preamble
[...]
\ecvitem{}{As discussed in my talk~\ecvrefTalks[Talk2020].}
[...]
\ecvitem{\ecvdisplayTalks[Talk2020]}{Details related to the talk}
```

produces:

Research activities

Talks

[T1]

As discussed in my talk [T1].


Details related to the talk

A complete example can be found in the `cv_template_academic_en` template.

5 The 2020 Europass layout: the europecv2020 class

The CVs created with the Europass online editor[5] since 2020 no longer use the two-column layout of the original model implemented by europecv. They have a header with the picture, the name and the personal data, the titles of the sections followed by a horizontal rule, entries made of dates, title and organisation, and a grid for the self-assessment of the language skills. The europecv2020 class, included in the europecv package, is an unofficial implementation of this layout. The figure below shows the first page of the `cv_template_2020_en` template, which can be found, together with its Italian version `cv_template_2020_it`, in the templates folder.

[5] https://europass.europa.eu/.



Name Surname

Date of birth: 01/01/1990 | **Nationality:** Italian | **Gender:** Male
Telephone: (+39) 02 1234567 | **Mobile:** (+39) 333 1234567
Personal Email: name.surname@email.com
Home page: https://www.homepage.com | **LinkedIn:** namesurname
Address: Street 1, 20100 Milan (Italy)

europass

ABOUT ME

Short presentation: describe who you are, your main interests and your career objectives in a few lines.

WORK EXPERIENCE

01/09/2020 – Current | Milan, Italy
Research Engineer
Company Name S.p.A.

- Main activities and responsibilities.
- Another activity, possibly with measurable results.

01/01/2018 – 31/08/2020 | Prague, Czech Republic
Postdoctoral Researcher
University Name
Description of the main activities and responsibilities.

EDUCATION AND TRAINING

01/11/2014 – 31/12/2017 | Rome, Italy
Ph.D. in Engineering
University Name
Thesis: *Title of the thesis.* EQF level 8.

01/09/2012 – 31/10/2014 | Rome, Italy
Master's degree in Engineering
University Name
Final grade: 110/110 cum laude. EQF level 7.

LANGUAGE SKILLS

Mother tongue: **Italian**

Other language(s):

	Understanding		Speaking		Writing
	Listening	Reading	Spoken interaction	Spoken production	
English	C1	C1	B2	B2	C1
Spanish	B1	B2	A1	A2	A1

Levels: A1/A2: Basic user – B1/B2: Independent user – C1/C2: Proficient user

DIGITAL SKILLS

LaTeX | C/C++ | Python | MATLAB/Simulink | ROS | Git

I authorise the processing of personal data contained in my curriculum vitae based on Art. 6 of the Regulation (EU) 2016/679 (GDPR).

Page 1 / 2

A minimal curriculum vitæ looks like this:

```
\documentclass[english,a4paper]{europecv2020}
\usepackage[T1]{fontenc}
\usepackage[scaled=.92]{helvet}
\ecvname{Name Surname}
\ecvdateofbirth{01/01/1990}
\ecvemail{name.surname@email.com}
\ecvpicture{photo}
\begin{document}
\ecvpersonalinfo
\section{Work experience}
\ecventry{01/09/2020 -- Current}{Milan, Italy}{Engineer}{Company}
Description of the activities.
\section{Language skills}
\ecvmothertongue{Italian}
\ecvlanguageheader{}
\ecvlanguage{English}{C1}{C1}{B2}{B2}{C1}
\ecvlanguagefooter{}
\end{document}
```

Unlike europecv, no `europecv` environment is needed: the commands can be used anywhere in the document,

together with normal text, lists, and so on.

Class options

Languages and encodings

The language and input encoding options are the same as for europecv (Section 2). The translations of the new labels "Other language(s)" and "Levels" are available in English, French, German, Italian, Portuguese and Spanish; the other languages use the English labels until a translation is added to their `.def` file (`\ecv@otherlangkey` and `\ecv@levelskey`).

`logo`, `nologo`

Draw (the default) or omit the Europass logo in the header. `nobranding` is the same as `nologo`.

`serif`

Use the serif font of the document. By default, the sans serif font is used, as in the Europass CV: load the helvet package (or, with XeLaTeX and LuaLaTeX, choose a font with fontspec) to get a typeface close to Arial.

`nogeometry`

Do not set the page margins. By default the class sets them with the geometry package, unless the package is loaded by the document.

Ignored options

`notitle`, `noflag`, `flagWB`, `flagBW`, `flagCMYK`, `flagBlueCMYK`, `booktabs` and `totpages` have no meaning in this layout and are accepted only to make the conversion of existing CVs easier. Other options (`a4paper`, `10pt`, ...) are passed to the article class.

Header

`\ecvpersonalinfo[`*vspace*`]`

Typesets the header: the picture, the name, the personal data and the Europass logo. The personal data are set with the same commands as in europecv (`\ecvname`, `\ecvdateofbirth`, `\ecvnationality`, `\ecvgender`, `\ecvtelephone`, `\ecvfax`, `\ecvemail`, `\ecvprofessional`, `\ecvpec`, `\ecvhomepage`, `\ecvskype`, `\ecvmatrixriot`, `\ecvyoutube`, `\ecvaddress`, `\ecvdate`, see Section 3); empty or omitted fields are not printed. The optional argument is the space after the header (default `1.5em`).

`\ecvcontact{`*label*`}{`*value*`}`

Adds a contact not provided by the class, e.g., `\ecvcontact{LinkedIn}{...}`. It can be used several times.

`\ecvpicture[`*options*`]{`*file*`}`

Sets the picture. Without *options*, the picture is scaled to the width set by `\ecvPhotoWidth` (default `3cm`); otherwise the *options* are passed to `\includegraphics`.

Sections and entries

`\section[`*vspace*`]{`*title*`}`

Starts a new section: the title is set in capitals and followed by a rule, and it is added to the PDF bookmarks. The optional argument is the space after the title. `\ecvsection` and `\section*` are the same.

`\subsection{`*title*`}`

Starts a subsection (a bold title), e.g., to group digital skills.

`\ecventry{`*dates*`}{`*place*`}{`*title*`}{`*organisation*`}`

Typesets an entry of the work experience, of the education and training, and so on: the dates and the place, the title in bold and the organisation (which can be a link made with `\href`). Empty arguments are omitted. The description follows as normal text or lists.

`\ecvitem[`*vspace*`]{`*label*`}{`*text*`}`

As in europecv, but the layout is single-column: a short label, such as the [J1] of a publication, is set on the left of the text, a longer one above it. `\ecvitem*` puts a bullet before the label. The cross-referencing commands for publications, projects and awards (`\ecvdisplay...`, `\ecvref...`, `\ecvNewReferenceType`) work as in europecv.

Language skills

`\ecvmothertongue{`*language*`}`

Typesets the mother tongue.

`\ecvlanguageheader{}`	Typesets "Other language(s)" and the header of the self-assessment grid. The argument is accepted for compatibility with europecv and ignored.
`\ecvlanguage{`*language*`}{`*l1*`}...{`*l5*`}`	Typesets a row of the grid. As in europecv, the levels are given in the order listening, reading, spoken interaction, spoken production, writing. The levels are usually written directly (`C1`); `\ecvAOne`, ..., `\ecvCTwo` print the corresponding code, and `\ecvlastlanguage` is the same as `\ecvlanguage`.
`\ecvlanguagefooter{}`	Prints the legend of the levels (basic, independent and proficient user). The argument is ignored.

Footer

`\ecvfootnote`, `\ecvpage`	As in europecv: `\ecvfootnote` puts a note, e.g., the authorisation to process personal data (GDPR), in the footer of every page; `\ecvpage` changes the page numbering, by default "Page 1 / 2".

Fine tuning

`\ecvAccentColor[`*model*`]{`*colour*`}`	Sets the colour of the titles, rules and links. The default is `\ecvAccentColor[HTML]{003399}`, the blue of the flag of the European Union; any xcolor model can be used, e.g., `\ecvAccentColor[named]{black}`.
`\ecvDateColor[`*model*`]{`*colour*`}`	Sets the colour of the dates and labels (default dark grey).
`\ecvPhotoWidth`, `\ecvLogoWidth`	Set the width of the picture (default `3cm`) and of the logo (default `2.3cm`).
`\ecvLanguageWidth`	Sets the width of the first column of the language grid (default `.2\linewidth`).

Converting a CV from europecv. In most cases, it is enough to change the name of the class in `\documentclass`: the `europecv` environment is accepted (it does nothing), the commands that only make sense in the two-column layout (`\ecvLeftColumnWidth`, `\ecvRuleWidth`, `\ecvColSep`, `\ecvbeforepicture`, ...) are ignored, and `\ecvitem` produces a single-column layout. Code that relies on the table of europecv (`&`, `\tabularnewline`, `\hline`, as in the biber template) must be adapted. Entries written as a sequence of `\ecvitem` commands can be rewritten with `\ecventry` to get the look of the Europass CV.

As for europecv, this class is not endorsed by the European Union: the layout is an approximation of the one produced by the Europass editor.

6 Dependencies

The europecv class is built upon the article class, so you can use all standard article options, such as `12pt`, `draft`, `a4paper`, and so on. It requires a LaTeX kernel released on 2020/10/01 or later, and it loads the array, longtable, fancyhdr, etoolbox, graphicx and hyperref packages. Depending on the class options, it also loads inputenc (input encoding options), totpages (`totpages`), booktabs (`booktabs`) and combelow (`romanian`). All of them are part of any decent TeX distribution, such as TeX Live and MiKTeX.

The europecv2020 class loads the array, fancyhdr, totpages, graphicx, xcolor, hyperref and (unless the `nogeometry` option is used) geometry packages.

Both classes can be used with pdfLaTeX, XeLaTeX and LuaLaTeX. With XeLaTeX and LuaLaTeX you may want to load the fontspec package to choose a Unicode font.

7 Official Europass CV and europecv: the differences

Unless you want to install Arial (Narrow), you will probably typeset your curriculum vitæ in (condensed) Helvetica typeface if you want to adhere to the standard model.[6] Differences, however, are quite small:

Helvetica:

[6] The models generated using the form at the EU web site are typeset in Arial, not in Arial Narrow.

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9
a b c d e f g h i j k l m n o p q r s t u v w x y z ! ? $ % & / ( ) # *

Arial:
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9
a b c d e f g h i j k l m n o p q r s t u v w x y z ! ? $ % & / ( ) # *

Condensed Helvetica:
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9
a b c d e f g h i j k l m n o p q r s t u v w x y z ! ? $ % & / ( ) # *

Arial Narrow:
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z 0 1 2 3 4 5 6 7 8 9
a b c d e f g h i j k l m n o p q r s t u v w x y z ! ? $ % & / ( ) # *

The europecv class uses standard LaTeX relative font sizes, so there are a few mismatches with respect to the official template. The vertical rule has a different width with respect to the official one(s), but this can easily be changed with `\ecvRuleWidth`. The mobile phone number is placed in an unusual position in the official model: almost flushed right, but not quite. I have decided to put it a `\qquad` from the telephone number, and I have added a colon. Finally, I have decided to put a comma between the last name and the first name in the personal information block, because I think it helps distinguishing between them in some cases.

8 Acknowledgments

Thanks to **Johann** for adding Norwegian language definitions, to **Thomas Clijsner** for Dutch language definitions, to **Ivan Lloro Boada** for Catalan language definitions, to **Petres Zoltán** for Hungarian language definitions and several bug fixes, to **Nemanja** for Serbian language definitions and to **Henrique Ferreiro** for Galician language definitions. Thanks to **Axel Kielhorn** for providing a complete German translation and a German template, to **Andrzej Lichnerowicz** for providing a complete Polish translation and a Polish template file, and to **Joël Rouvière** for providing a complete French translation. Thanks to **Antonio Ospite** for providing the first version of a vector image of the Europass logo, and to **João Ventura** for providing the current vector pictures of the Europass logo. Thanks to **Roman Bertle** for suggesting to redefine item marks. Thanks to **Jürgen Spitzmüller** and **lgelmi** for fixing the bugs into the 2018.07.22 and 2018.09.02 package releases, respectively. Thanks to **redlulz** and **Emil Gardström** for fixing the German (2018.10.12) and Swedish (2019.01.25) translation, respectively. Thanks to **JPSPLeite** for improving the Portuguese translation. Thanks to **Marc-Andre Hermanns** for adding the `nobranding` feature. Thanks to **Antonios Tsolomitis** for his suggestions into the 2020.01.06 package release. Thanks to **Davide Peressoni** for the biber support into the 2020.10.26 package release. Thanks to **Nuno Fachada** for his help with the Portuguese translation into the 2021.02.05 package release. Thanks to **Pancho Horrillo** for his fix #25 into the 2021.05.09 package release. Thanks to **Alecu Ștefan-Iulian** for his fix #26 and #27, into the 2022.03.13 package release. Thanks to **Scott Kostyshak** for his fix #29 and #30, into the 2022.06.17 package release. Thanks to **Michal Vlasak** for his fix #31 into the 2022.08.03 package release. Thanks to **kaneraZh** for his fix #36 into the 2024.02.01 package release. Thanks to **Matteo Ferrigato** for his fix #38 into the 2025.05.14 package release.

9 Disclaimer

I was not involved in any way in the development of the Europass CV, as I was not involved in the definition of the previous European CV. So, if you don't like it (I don't), don't complain to me, but write to the European Commission and teach them about good style and typography. And, maybe, about TeX.

I am not a TeXpert or a typographer, so I may have introduced typographical mistakes myself, and the class may contain bugs. Please let me know of anything wrong, but use at your own risk.

The flags have been downloaded from the website of the European Union (see https://european-union.europa.eu/principles-countries-history/symbols/european-flag_en). The vector image of the logo (in `eps` and `pdf` format) is an unofficial version that was kindly provided by João Ventura. As far as I can understand, distributing those files within this class does not violate any license or copyright.

10 License

This work may be distributed and/or modified under the conditions of the LaTeX Project Public License, either version 1.3c of this license or (at your option) any later version. The latest version of this license is

in https://www.latex-project.org/lppl.txt and version 1.3c or later is part of all distributions of LaTeX version 2008 or later.

This work has the LPPL maintenance status "maintained". The Current Maintainer of this work is Giuseppe Silano. Bug reports and contributions are welcome on https://github.com/gsilano/EuropeCV.

11 Language self-assessment

The following is a short description of the different levels of language assessment as defined by the *Common European Framework of Reference for Languages*. See https://www.coe.int/en/web/common-european-framework-refere for more details.

Understanding

Listening

A1: I can understand familiar words and very basic phrases concerning myself, my family and immediate surroundings when people speak slowly and clearly.

A2: I can understand phrases and the highest frequency vocabulary related to areas of most immediate personal relevance (e.g. very basic personal and family information, shopping, local area, employment). I can catch the main points in short, clear, simple messages and announcements.

B1: I can understand the main points of clear standard speech on familiar matters regularly encountered in work, school, leisure, etc. I can understand the main points of many radio or TV programmes on current affairs or topics of personal or professional interest when the delivery is relatively slow and clear.

B2: I can understand extended speech and lectures and follow even complex lines of argument provided the topic is reasonably familiar. I can understand most TV news and current affairs programmes. I can understand the majority of films in standard dialect.

C1: I can understand extended speech even when it is not clearly structured and when relationships are only implied and not signalled explicitly. I can understand television programmes and films without too much effort.

C2: I have no difficulty in understanding any kind of spoken language, whether live or broadcast, even when delivered at fast native speed, provided I have some time to get familiar with the accent.

Reading

A1: I can understand familiar names, words and very simple sentences, for example on notices and posters or in catalogues.

A2: I can read very short, simple texts. I can find specific, predictable information in simple everyday material such as advertisements, prospectuses, menus and timetables and I can understand short simple personal letters.

B1: I can understand texts that consist mainly of high frequency everyday or job-related language. I can understand the description of events, feelings and wishes in personal letters.

B2: I can read articles and reports concerned with contemporary problems in which the writers adopt particular attitudes or viewpoints. I can understand contemporary literary prose.

C1: I can understand long and complex factual and literary texts, appreciating distinctions of style. I can understand specialised articles and longer technical instructions, even when they do not relate to my field.

C2: I can read with ease virtually all forms of the written language, including abstract, structurally or linguistically complex texts such as manuals, specialised articles and literary works.

Speaking

Spoken interaction

A1: I can interact in a simple way provided the other person is prepared to repeat or rephrase things at a slower rate of speech and help me formulate what I'm trying to say. I can ask and answer simple questions in areas of immediate need or on very familiar topics.

A2: I can communicate in simple and routine tasks requiring a simple and direct exchange of information on familiar topics and activities. I can handle very short social exchanges, even though I can't usually understand enough to keep the conversation going myself.

B1: I can deal with most situations likely to arise whilst travelling in an area where the language is spoken. I can enter unprepared into conversation on topics that are familiar, of personal interest or pertinent to everyday life (e.g. family, hobbies, work, travel and current events).

B2: I can interact with a degree of fluency and spontaneity that makes regular interaction with native speakers quite possible. I can take an active part in discussion in familiar contexts, accounting for and sustaining my views.

C1: I can express myself fluently and spontaneously without much obvious searching for expressions. I can use language flexibly and effectively for social and professional purposes. I can formulate ideas and opinions with precision and relate my contribution skilfully to those of other speakers.

C2: I can take part effortlessly in any conversation or discussion and have a good familiarity with idiomatic expressions and colloquialisms. I can express myself fluently and convey finer shades of meaning precisely. If I do have a problem I can backtrack and restructure around the difficulty so smoothly that other people are hardly aware of it.

Spoken production

A1: I can use simple phrases and sentences to describe where I live and people I know.

A2: I can use a series of phrases and sentences to describe, in simple terms, my family and other people, living conditions, my educational background and my present or most recent job.

B1: I can connect phrases in a simple way in order to describe experiences and events, my dreams, hopes and ambitions. I can briefly give reasons and explanations for opinions and plans. I can narrate a story or relate the plot of a book or film and describe my reactions.

B2: I can present clear, detailed descriptions on a wide range of subjects related to my field of interest. I can explain a viewpoint on a topical issue giving the advantages and disadvantages of various options.

C1: I can present clear, detailed descriptions of complex subjects integrating sub-themes, developing particular points and rounding off with an appropriate conclusion.

C2: I can present a clear, smoothly-flowing description or argument in a style appropriate to the context and with an effective logical structure which helps the recipient to notice and remember significant points.

Writing

A1: I can write a short, simple postcard, for example sending holiday greetings. I can fill in forms with personal details, for example entering my name, nationality and address on a hotel registration form.

A2: I can write short, simple notes and messages. I can write a very simple personal letter, for example thanking someone for something.

B1: I can write simple connected text on topics which are familiar or of personal interest. I can write personal letters describing experiences and impressions.

B2: I can write clear, detailed text on a wide range of subjects related to my interests. I can write an essay or report, passing on information or giving reasons in support of or against a particular point of view. I can write letters highlighting the personal significance of events and experiences.

C1: I can express myself in clear, well-structured text, expressing points of view at some length. I can write about complex subjects in a letter, an essay or a report, underlining what I consider to be the salient issues. I can select a style appropriate to the reader in mind.

C2: I can write clear, smoothly-flowing text in an appropriate style. I can write complex letters, reports or articles which present a case with an effective logical structure which helps the recipient to notice and remember significant points. I can write summaries and reviews of professional or literary works.