

3.5. Oracle jet with Dependent Dropdowns, Dialog, and Reset Functionality

Purpose:

To build a responsive, interactive form using Oracle JET with the **MVVM pattern**, implementing:


- Data binding with observables
- Conditional rendering
- Dynamic drop-down lists (state based on country)
- Form validation and submission feedback
- Dialog and JSON data display

Pre-requisites

Ensure all the following are complete:

- Practice 1: Name and Email fields
- Practice 2: Country dropdown with oj-select-single
- Practice 3: Gender (oj-radioset) and Hobbies (oj-checkboxset)
- Practice 4: creating submit button
- You are working in a JET app (e.g., NavDrawer template)

Project structure:



Step-by-Step Implementation

1. Create a new folder named "my-form-app-practice_5" and move to that directory
2. In the command line run,
Ojet create my-form-app --template=navdrawer
3. Then run **ojet build web** and **ojet serve** respectively (like we did before)
4. Create folders `/js/viewModels/formpractice.js` and `/js/views/formpractice.html`
5. Add code for formpractice.js file

```

define([
    'knockout',
    'ojs/ojarraydataprovider',
    'ojs/ojformlayout',
    'ojs/ojinputtext',
    'ojs/ojselectsingle',
    'ojs/ojradio',
    'ojs/ojcheckbox',
    'ojs/ojbutton',
    'ojs/ojdialog',
    'ojs/ojmessages'
], function (ko, ArrayDataProvider) {
    function FormPracticeViewModel() {
        this.name = ko.observable('');
        this.email = ko.observable('');
        this.selectedCountry = ko.observable('');
        this.selectedState = ko.observable('');
        this.gender = ko.observable('');
        this.hobbies = ko.observableArray([]);

        this.formSubmitted = ko.observable(false);
        this.submittedData = ko.observable({});
        this.successMessages = ko.observableArray([]);

        // Country and state options
        this.countryOptions = [
            { value: 'IN', label: 'India' },
            { value: 'US', label: 'USA' },
            { value: 'UK', label: 'UK' }
        ];
        this.countryDataProvider = new ArrayDataProvider(this.countryOptions, {
            keyAttributes: 'value' });

        this.stateMap = {
            IN: [
                { value: 'PB', label: 'Punjab' },
                { value: 'DL', label: 'Delhi' },
                { value: 'MH', label: 'Maharashtra' }
            ],
            US: [
                { value: 'NY', label: 'New York' },
                { value: 'CA', label: 'California' },
                { value: 'TX', label: 'Texas' }
            ],
            UK: [
                { value: 'ENG', label: 'England' },
                { value: 'SCT', label: 'Scotland' },
                { value: 'WLS', label: 'Wales' }
            ]
        };
    }
});

```

```

    ]
};

this.stateDataProvider = ko.pureComputed(() => {
    const country = this.selectedCountry();
    const states = this.stateMap[country] || [];
    return new ArrayDataProvider(states, { keyAttributes: 'value' });
});

this.isStateEnabled = ko.computed(() => !!this.selectedCountry());

this.handleSubmit = (event) => {
if (event) {
    event.preventDefault(); // Prevent form's default submit behavior
}

    const form = document.getElementById('form-container');
    if (form && form.checkValidity()) {
        this.formSubmitted(true);
        this.submittedData({
            name: this.name(),
            email: this.email(),
            country: this.selectedCountry(),
            state: this.selectedState(),
            gender: this.gender(),
            hobbies: this.hobbies()
        });

        // Show dialog
        const dialog = document.getElementById('submitDialog');
        if (dialog) {
            dialog.open();
        }
    } else {
        form.reportValidity();
    }
};

this.resetForm = () => {
    this.name('');
    this.email('');
    this.selectedCountry('');
    this.selectedState('');
    this.gender('');
    this.hobbies([]);
    this.formSubmitted(false);
    this.submittedData({});
};

```

```

    };

    this.closeDialog = () => {
        const dialog = document.getElementById('submitDialog');
        if (dialog) {
            dialog.close();
        }
    };
};

return FormPracticeViewModel;
});

```

6. Now add formpractice.html

```

<form id="form-container" onsubmit="return false;">
    <oj-form-layout max-columns="2" direction="row">
        <oj-input-text label-hint="Enter name" required="true"
value="{{name}}"></oj-input-text>
        <oj-input-text label-hint="Enter email" required="true"
value="{{email}}"></oj-input-text>

        <oj-select-single label-hint="Select Country"
            data="[[countryDataProvider]]"
            value="{{selectedCountry}}"
            required="true">

        </oj-select-single>

        <oj-select-single label-hint="Select State"
            data="[[stateDataProvider]]"
            value="{{selectedState}}"
            required="true"
            disabled="[[!isStateEnabled()]]">

        </oj-select-single>

        <oj-radioset label-hint="Gender" value="{{gender}}" required="true">
            <oj-option value="male">Male</oj-option>
            <oj-option value="female">Female</oj-option>
            <oj-option value="other">Other</oj-option>
        </oj-radioset>

        <oj-checkboxset label-hint="Hobbies" value="{{hobbies}}">
            <oj-option value="reading">Reading</oj-option>
            <oj-option value="sports">Sports</oj-option>
            <oj-option value="music">Music</oj-option>
        </oj-checkboxset>

```

```

<div class="oj-flex oj-sm-justify-content-center oj-sm-margin-top-4">
  <oj-button on-oj-action="[[handleSubmit]]">Submit</oj-button>
  <oj-button on-oj-action="[[resetForm]]" class="oj-sm-margin-start-
2">Reset</oj-button>
</div>
</oj-form-layout>
</form>

<!-- ☒ Success Dialog -->
<oj-dialog id="submitDialog" dialog-title="Success" modality="modeless">
  <div slot="body">
    <p>Form submitted successfully!</p>
  </div>
  <div slot="footer">
    <oj-button on-oj-action="[[closeDialog]]">OK</oj-button>
  </div>
</oj-dialog>

<!-- ☒ Display Submitted Data -->
<div class="oj-sm-margin-top-4" data-bind="if: formSubmitted">
  <h3>Submitted Data</h3>
  <pre data-bind="text: JSON.stringify(submittedData(), null, 2)"></pre>
</div>

```

7. Run ojet serve on command terminal
8. Navigate to the Form Practice page in the browse.
9. Enter Name, Email, and select a Country and its dependent state, hobbies and gender, submit and success dialog box after submission along with entered content.

The screenshot shows the Oracle App Name Form Practice page. The form fields are filled with the following data:

- Enter name: demo
- Enter email: demo@gmail.com
- Select Country: India
- Select State: Delhi
- Gender: Female (selected)

The Submit button has been clicked, and a Success dialog box is displayed with the message "Form submitted successfully!". The dialog box has an OK button.

Below the form, the Submitted Data is displayed as a JSON object:

```

{
  "name": "demo",
  "email": "demo@gmail.com",
  "country": "IN",
  "state": "DL",
  "gender": "female",
  "hobbies": [
    "sports"
  ]
}

```