



Business Intelligence on Oracle Analytics Cloud

Activity Guide
D111219GC10

Copyright © 2025, Oracle and/or its affiliates.

Disclaimer

This document contains proprietary information and is protected by copyright and other intellectual property laws. The document may not be modified or altered in any way. Except where your use constitutes "fair use" under copyright law, you may not use, share, download, upload, copy, print, display, perform, reproduce, publish, license, post, transmit, or distribute this document in whole or in part without the express authorization of Oracle.

The information contained in this document is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this documentation is delivered to the United States Government or anyone using the documentation on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

Trademark Notice

Oracle®, Java, MySQL, and NetSuite are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

Third-Party Content, Products, and Services Disclaimer

This documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

1008042025

For Instructor Use Only.
This document should not be distributed.

Table of Contents

Practices for Lesson 1: Cloud Computing and Oracle Analytics Cloud Services	5
Practices for Lesson 1: Overview	6
Practice 1-1: Accessing the Oracle Analytics Cloud Service	7
Practices for Lesson 2: Accessing and Organizing Content	17
Practices for Lesson 2	18
Practices for Lesson 3: Create Analyses and Apply Sorts.....	19
Practices for Lesson 3: Overview	20
Practice 3-1: Create an analysis	21
Practice 3-2: Sort Values in an Analysis	29
Practices for Lesson 4: Views in Analyses	35
Practices for Lesson 4: Overview	36
Practice 4-1: Add a Graph	37
Practice 4-2: Work with Pivot Tables.....	44
Practice 4-3: Views in Analyses	52
Practices for Lesson 5: Formatting.....	69
Practices for Lesson 5: Overview	70
Practice 5-1: Format a column and save as default.	71
Practice 5-2: Conditional Formatting	76
Practices for Lesson 6: Filters and Selection Steps	83
Practices for Lesson 6: Overview	84
Practice 6-1: Create a filter by drilling	85
Practice 6-2: Filter Analyses.....	90
Practice 6-3: Use Selections to Limit Data in Analyses	100
Practices for Lesson 7: Prompts and Variables	105
Practices for Lesson 7: Overview	106
Practice 7-1: Create a Prompted Filter	107
Practice 7-2: Create a prompt filter limited by another prompt filter	113
Practices for Lesson 8: Use Master-Detail Views, Map Views, and Action Links	121
Practices for Lesson 8: Overview	122
Practice 8-1: Link Views in Master-Detail Relationships	123
Practice 8-2: Visualizing Data Using Map Views	129
Practices for Lesson 9: Expressions	141
Practices for Lesson 9: Overview	142
Practice 9-1: Apply various running aggregate functions.....	143

Practices for Lesson 10: Unions and Direct Data Warehouse Access	151
Practices for Lesson 10: Overview	152
Practices for Lesson 11: Create Dashboards	153
Practices for Lesson 11: Overview	154
Practice 11-1: Create a Dashboard.....	155
Practices for Lesson 12: Add Content to Dashboards	159
Practices for Lesson 12: Overview	160
Practice 12-1: Add content to a Dashboard	161
Practices for Lesson 13: Add Actions to Dashboards	177
Practices for Lesson 13: Overview	178
Practice 13-1: Add Actions to Dashboard	179
Practices for Lesson 14: Create Dashboard Prompts.....	189
Practices for Lesson 14: Overview	190
Practice 14-1: Create Dashboard Prompts	191
Practices for Lesson 15: Customizations and Briefing Books	201
Practices for Lesson 15: Overview	202
Practice 15-1: Save Personal Customizations	203
Practice 15-2: Organize Content with Briefing Books	214
Practices for Lesson 16: Use a Wallet to Connect to an Autonomous Data Warehouse with SQL Developer	221
Practices for Lesson 16	222
Practices for Lesson 17: Migrating the On-Premises RPD to the Oracle Analytics Cloud Service	223
Practices for Lesson 17	224
Practices for Lesson 18: OAC Delivers	225
Practice 18-1 Create an Agent	226
Practices for Lesson 19: Administration	235
Practices for Lesson 19	236
Practices for Lesson 20: Cache Management	237
Practices for Lesson 20	238
Appendix A: Setup the lab environment.....	239
Setup the Lab environment	240
Get Started	241
Gather the database details	242
Create the Semantic Model.....	243

Practices for Lesson 1: Cloud Computing and Oracle Analytics Cloud Services

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 1: Overview

Overview

In this practice, you learn about accessing Oracle Analytics Cloud Services.

For Instructor Use Only.
This document should not be distributed.

Practice 1-1: Accessing the Oracle Analytics Cloud Service

Overview

In this practice, you learn about accessing Oracle Analytics Cloud Services.

Scenario

Sign in to Cloud Service. Set up personal preferences to display My Dashboard as the starting page.

Navigate to Oracle Analytics Cloud.

Assumptions

- You have received the Oracle Analytics Cloud Services URL and login credentials

Time

15-20 minutes

Task

1. Signing in to Oracle Analytics Cloud Service
 - a. Open the Firefox browser and enter the **IP address for the cloud service** which is provided to you. For example: `https://<IP_address>/dv/ui/` and click **Sign In**.

For Instructor Use Only.
This document should not be distributed.

ORACLE Cloud



Level up your security

We are improving your security via a new multi-factor authentication policy. [Learn more](#)

ocuocictrng30

Oracle Cloud Account Sign In

User Name

User name or email

Password

Password


Sign In

Need help signing in? [Click here](#)

[Cookie Preferences](#)

On first log in, you will be prompted to change your password. **Do not forget this new password.**

- b. The homepage for OAC is displayed.




For Instructor Use Only.
This document should not be distributed.


- c. Click on the Page menu icon on the right-hand side. Click on **'Open Classic home'** to open the Analytics Page.



- d. The Analytics page for OAC will open in a new tab.



- e. Click on **My Profile** on the right-hand side. Select **My Account** from the dropdown.



For Instructor Use Only.
This document should not be distributed.


- f. In the Preference tab, change the Starting Page to **Home page** and Time zone to your preference.

The screenshot shows the 'My Account' window with the 'Preferences' tab selected. The window displays user information: User ID: 99233494-ora033 and Display Name: 99233494-ora033. Below this are several tabs: Preferences, Publisher Preferences, Mobile Preferences, Delivery Options, Application Roles, and Unarchive Jobs. The 'Preferences' tab is active, showing a list of settings. The 'Time Zone' dropdown is highlighted with a red box. The other settings are: Starting Page (Default), Locale (location) (Default - English - United States), User Interface Language (Default - English), Currency (Default -), Subject Area Sort Order (Default - Sort in Saved Order), Prompts Auto-Complete (Default selected), Analysis Editor (Full Editor selected), and Accessibility Mode (Default selected). At the bottom right are 'OK' and 'Cancel' buttons.


- g. Select the **Mobile Preference** tab. Change the Starting Page to **My Dashboard**. Click **OK** to close the My Account window.

The screenshot shows the 'My Account' window with the 'Mobile Preferences' tab selected. The window displays user information: User ID: oraTest and Display Name: oraTest. Below this are several tabs: Preferences, BI Publisher Preferences, Mobile Preferences, Delivery Options, and Application Roles. The 'Mobile Preferences' tab is active, showing a list of settings. The 'Starting Page' dropdown is set to 'My Dashboard'. At the bottom right are 'OK' and 'Cancel' buttons.

2. Test the data connection by creating an analysis.
 - a. Click **Create** on the **Analytics Cloud Home page** and select **Analysis** from the dropdown.




Select the subject area. In our case it is named **Student Subject Area**.




Note: If you do not see any subject area here then follow the steps in Appendix A to create the subject area.

For Instructor Use Only.
This document should not be distributed.


- b. Expand **Item** drag and drop **Category** column to Selected Column pane. Similarly expand **Sales** and double click the **Units** column.




- c. Click the **Results** tab to execute the query.




- d. Save the Analysis by clicking on the save icon. In the Save As window, select **My Folder**. Enter the analysis name as **Demo_1**. Click **OK**.




- e. Click **Catalog** on the Analytics Cloud Home page.




- f. The Catalog page appears, listing the folders and objects you have access to.




- g. To add any analysis/dashboard objects as a favorite, click **More** and select **Add to Favorites**.




- h. Notice that a Gold Star symbol is added next to the analysis to indicate that it is one of your favorites.




- i. Select the **Favorites** on the top right menu to view the favorites that you added.



- j. Click the **Home** to go to the home page and the favorites is displayed here as well.



- k. To remove your favorites, go to the analyses/dashboard from the **Catalog** or go to the **home page** where it is displayed in favorites. Click on **More** and select **Remove from Favorites**.



For Instructor Use Only.
This document should not be distributed.

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 2:
Accessing and Organizing
Content**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 2

Overview

There are no practices for this Lesson.

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 3:
Create Analyses and Apply
Sorts**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 3: Overview

Overview

In this practice, you create new analysis and work with important analyses elements.

For Instructor Use Only.
This document should not be distributed.

Practice 3-1: Create an analysis

Overview

In this practice, you create a new analysis and format revenue as currency.

Scenario


Create a simple analysis and modify it.

Time

10-15 minutes

Task


1. Accessing and launching the Analysis editor
 - a. Sign in to OAC Service. The Home page is displayed.




- b. The Home page of OAC opens. Click the **Page Menu** and Select **Open Classic Home** option to access the Analysis Page.




- c. The Classic Home Page for Analysis open. Click **Create ->Analysis**.



- d. The **Select Subject Area** dialog box is displayed. In this window, a list of all available **Subject Areas** are displayed. Select **Student Subject Area**.




- e. The Analyses editor is launched.




The Analysis editor is composed of tabs and panes representing the subject area, catalog objects, analysis columns, and filters.

2. Creating an analysis

- a. Drag (or double-click) the **Year** attribute under the **Calendar** dimension from the Data Elements pane to the selected columns.



- b. Similarly, add the **State** attribute from **Stores** and **Revenue** from **Sales** to the selected columns.



- c. Click the **Results** tab of the Analyses editor.

The screenshot shows the 'Results' tab of the Oracle Analytics editor. The interface includes a top navigation bar with 'Criteria', 'Results' (highlighted), 'Prompts', and 'Advanced'. Below this is a toolbar with various icons for actions like zoom, pan, and save. The main area is divided into three sections: 'Subject Area' on the left, 'Compound Layout' in the center, and 'Catalog' at the bottom left. The 'Subject Area' section shows a tree view with folders like 'CALENDAR', 'ITEM', 'STORES', 'WAREHOUSE', and 'SALES'. The 'Compound Layout' section displays a 'Title' view and a 'Table' view. The 'Table' view shows a data table with columns 'Year', 'State', and 'Revenue'. The 'Catalog' section shows a 'List' dropdown set to 'All' and a tree view with 'My Folders' and 'Shared Folders'.


Year	State	Revenue
2012	CA	13097981.870000000109
	MA	12819296.200000000124
	NJ	11142587.060000000006
	NY	13203002.570000000087
2013	CA	38256853.430000000268
	MA	33820529.310000000201
	NJ	33132791.570000000337
	NY	33538076.58000000021
2014	CA	60407785.529999999922
	MA	48705608.090000000095
	NJ	42133529.479999999877
	NY	48751192.740000000013

- d. The analysis **results** are displayed.
The analysis creates a default **compound** layout with a **Title view** and a **Table view**.
- e. On the top-right corner, click the **Save Analysis** button.


The screenshot shows the top navigation bar of the Oracle Analytics editor. It includes links for 'Home', 'Catalog', 'Favorites', 'Dashboards', 'Create', and 'Open'. Below the navigation bar is a toolbar with icons for 'Save', 'Print', and 'Help'. The 'Save' icon is highlighted with a red box.

- f. In the **Save As** dialog box, select **My Folders**.
- g. Enter the name of the report as **Revenue by Year and State**.


For Instructor Use Only.
This document should not be distributed.



- h. Click **OK**. This **saves** the analysis that you just created.
3. Modify the analysis
 - a. On the Oracle Analytics Cloud Services home page, click **Catalog**.



- b. Navigate to the **My Folders** (if not already selected. You can locate the analysis **Revenue by Year and State** that you created in the previous step.



c. Click the **Edit** button.



d. Click the **Criteria** tab.

A screenshot of the 'Criteria' tab in a software interface. The interface has a dark header bar with 'Untitled' and a tab bar with 'Criteria', 'Results', 'Prompts', and 'Advanced'. The 'Criteria' tab is active. On the left is a 'Subject Area' tree with folders like 'CALENDAR', 'ITEM', 'STORES', 'WAREHOUSE', and 'SALES'. Below it is a 'Catalog' section with a 'List' dropdown set to 'All' and folders 'My Folders' and 'Shared Folders'. On the right is a 'Compound Layout' pane showing a table. The table has columns 'Year', 'State', and 'Revenue'. The data is grouped by year (2012, 2013, 2014) and then by state (CA, MA, NJ, NY). The 'Edit' button in the header is highlighted in a red box.

Year	State	Revenue
2012	CA	13097981.870000000109
	MA	12819296.200000000124
	NJ	11142587.060000000006
	NY	13203002.570000000087
2013	CA	38256853.430000000268
	MA	33820529.310000000201
	NJ	33132791.570000000337
	NY	33538076.580000000021
2014	CA	60407785.529999999922
	MA	48705608.090000000095
	NJ	42133529.479999999877
	NY	48751192.740000000013

e. In the **Selected Columns** pane, click the **more options** (gear) icon beside **Revenue**. Select **Column Properties**.

A screenshot of the 'Selected Columns' pane in a software interface. It shows three columns: 'Calendar', 'Stores', and 'Sales'. Under 'Sales', there are three sub-columns: 'Year', 'State', and 'Revenue'. Each sub-column has a gear icon to its right. The gear icon for 'Revenue' is highlighted with a red rectangular box. A dropdown menu is open below the 'Revenue' gear icon, showing options: 'Sort', 'Edit formula', 'Column Properties', 'Filter', 'Delete', and 'Save Column As'. The 'Column Properties' option is highlighted with a red rectangular box.

Calendar	Stores	Sales
Year	State	Revenue

For Instructor Use Only.
This document should not be distributed.

- f. Click the **Data Format** tab.

Column Properties ? x

Style Column Format **Data Format** Conditional Format Interaction Write Back

☐ Override Default Data Format

Treat Numbers As Number

Negative Format Minus: -123

Decimal Places 0

☐ Use 1000's Separator

Save as Default ▼ OK Cancel

- g. On the Data Format tab, select **Override Default Data Format**.

Column Properties ? x

Style Column Format **Data Format** Conditional Format Interaction Write Back

☐ Override Default Data Format

Treat Numbers As Number

Negative Format Minus: -123

Decimal Places 0

☐ Use 1000's Separator

Save as Default ▼ OK Cancel

- h. On the **Data Format** tab, select:
- **Treat Number as = Currency**
 - **Currency Symbol = \$ English – United States**

Column Properties ? x

Style Column Format **Data Format** Conditional Format Interaction Write Back

☒ Override Default Data Format

Treat Numbers As Currency

Currency Symbol \$ English - United States

Negative Format Minus: -123

Decimal Places 2

☒ Use 1000's Separator

Save as Default ▼ **OK** Cancel

- i. Click **OK** and click the **Results** tab of the Analyses editor.
Observe the new formatting changes taking effect in the analysis.

Title [A] ✎ ✕			
Revenue by Year and State			
Table [A] XYZ ✎ ✕			
Year	State	Revenue	
2012	CA	\$13,097,981.87	^
	MA	\$12,819,296.20	
	NJ	\$11,142,587.06	
	NY	\$13,203,002.57	
2013	CA	\$38,256,853.43	
	MA	\$33,820,529.31	

- j. Click the **Save** button to save the changes made to the analysis.



Practice 3-2: Sort Values in an Analysis

Overview

In this practice, you will modify Oracle Analytic Cloud Services Analysis and sort values in the Analysis.

Scenario


Add, modify, and clear sort values in the analysis. You will **not** save these changes.

Time

15 minutes

Task


1. Adding sorting
 - a. If you have navigated away from the Classic Home page, sign in to Oracle Analytic Cloud Service. The Home page is displayed. Click **Page Menu** and Select **Open Classic Home** option for accessing the Analysis Page.
 - b. On the Classic Home page click **Catalog**.




- c. Navigate to the **My Folders** catalog path. Locate the analysis **Revenue by Year and State** and click **Edit**.



- d. This opens the **Analysis** editor. Click the **Criteria** tab.




- e. Click the **more options** icon for the **Revenue** column. Select **Sort > Sort Ascending**.




This sorts the analysis in ascending order of Revenue.

- f. Click the **more options** icon for the **Revenue** column.
Select **Sort > Sort Descending**.




This sorts the analysis in descending order of Revenue.

- g. Click the **more options** icon for the **Year** column.
Select **Sort > Add Ascending Sort**.



This adds new sorting criteria along with the existing sort criteria on the Revenue column.

- h. Click the **more options** icon for the **State** column.
Select **Sort > Add Ascending Sort**.



This **adds new sorting** criteria **along with the existing sort criteria** on the Revenue and Year columns.

- i. The analysis is now sorted first by **Revenue Descending**, then Year **Ascending**, and then **State Ascending**. The arrows indicate ascending/descending and the numbers indicate the order which the sorts are applied.



- j. Click the **Results** tab.

Title [A] [X]


Revenue by Year and State

Table [A] [XYZ] [X]


Year	State	Revenue
2014	CA	\$60,407,785.53
2015	CA	\$50,434,230.15
2014	NY	\$48,751,192.74
2014	MA	\$48,705,608.09
2014	NJ	\$42,133,529.48
2015	NY	\$41,769,176.69
2015	MA	\$40,907,094.56
2013	CA	\$38,256,853.43
2015	NJ	\$34,510,639.67
2013	MA	\$33,820,529.31
2013	NY	\$33,538,076.58
2013	NJ	\$33,132,791.57
2012	NY	\$13,203,002.57
2012	CA	\$13,097,981.87

2. Clear sort values


- a. Select the **Criteria** tab and **Click** the **more options** icon for the **State** column. Select Sort > Clear Sort.




- b. This **clears** the **sort** options for the **State** column.



- c. **Click** the **more options** icon for the **Any** column. Select **Sort > Clear All Sorts in All Columns**.



- d. This **clears** the **sort** options for all columns.



For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 4: Views in Analyses

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 4: Overview

Overview

In this practice, you display data returned from an analysis on a graph.

For Instructor Use Only.
This document should not be distributed.

Practice 4-1: Add a Graph

Overview

In this practice, you display data returned from an analysis on a graph.

Scenario


Add a graph to an analysis.

Time


10 minutes

Task


1. Add a bar graph
 - a. Sign in to **Oracle Analytics Cloud Service**. The **Home** page is displayed. Click Page Menu and Select **Open Classic Home** option for accessing the Analysis Page.
 - b. The Classic Home Page for Analysis opens. Click **Catalog**.




- c. Navigate to the **My Folders** catalog path. Locate the analysis **Revenue by Year and State** that you created it earlier and **Click Edit**.



- d. On the **Results** tab, click the **New View** icon.



- e. From the drop-down list, select **Graph > Bar > Vertical**.




For Instructor Use Only.
This document should not be distributed.



- f. This adds the Graph view to the Compound Layout. It is under the Table. Scroll down to see it.



- g. Edit the Bar Graph by clicking on the pencil icon.




- h. The Graph Editor is displayed. Drag **State** to the **Graph Prompts** Drop zone and **Year** to the **Vary Color By** Drop zone. Make sure the **Show In Legend** checkbox is enabled.




For Instructor Use Only. This document should not be distributed.


- i. Click **Done** to close the Graph Editor.




- j. Drag the Chart and position it to the right of the table.




For Instructor Use Only.
This document should not be distributed.




- k. Change the State in the Graph prompt and observe the changes.




2. Add a Pie Chart
- a. On the **Results** tab, click the **New View** icon.



- b. From the **drop-down list**, select **Graph > Pie**.



- c. This adds the **Pie Chart** to the **Compound Layout**. Click **Save**.



Practice 4-2: Work with Pivot Tables

Overview

In this practice, you create pivot tables in Oracle Analytics Cloud Service.

Scenario


Modify an analysis and add a pivot table view.

Time


15 minutes

Task

1. Adding a pivot table to an analysis
 - a. Sign in to **Oracle Analytics Cloud Service**. The **Home** page is displayed. Click Page Menu and Select **Open Classic Home** option for accessing the Analysis Page.
 - b. The Classic Home Page for Analysis open. Click **Catalog**.



- c. Locate the analysis **Revenue by Year and State** and click Edit.




For Instructor Use Only.
This document should not be distributed.

- d. In the **Analysis editor**, click the **New View** button. From the drop-down list, select **Pivot Table**.


The screenshot shows the Analysis editor interface. On the left, there's a 'Subject Area' pane with a tree view containing 'CALENDAR', 'ITEM', 'STORES', 'WAREHOUSE', and 'SALES'. The main area is titled 'Compound Layout' and shows a table titled 'Revenue by Year and State'. The table has columns for 'Year', 'State', and 'Revenue'. A dropdown menu is open, showing various visualization options. The 'Pivot Table' option is highlighted with a red box. Other options include 'Best Visualization', 'Recommended Visualization for', 'Title', 'Table', 'Performance Tile', 'Treemap', 'Heat Matrix', 'Trellis', and 'Graph'.

- e. This adds the **Pivot Table** view to the Compound Layout below the Pie Chart.




For Instructor Use Only. This document should not be distributed.

- f. Remove the **Table and Charts (Graph / Graph (2))** from the Compound Layout by clicking **Remove View from Compound Layout (X)**.



- g. Now the Compound Layout will contain only the **Title** and **Pivot Table** views.



For Instructor Use Only.
This document should not be distributed.

2. Edit the Pivot Table
 - a. Click the **Edit View** icon of the **Pivot Table** view.

Title [A]  

Revenue by Year and State

Pivot Table [A] XYZ  

	CA	MA	NJ	NY
Year	Revenue	Revenue	Revenue	Revenue
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69

- b. The **Pivot Table** editor appears.

	2012	2013	2014	2015
State	Revenue	Revenue	Revenue	Revenue
CA	\$13,097,981.87	\$38,256,853.43	\$60,407,785.53	\$50,434,230.15
MA	\$12,819,296.20	\$33,820,529.31	\$48,705,608.09	\$40,907,094.56
NJ	\$11,142,587.06	\$33,132,791.57	\$42,133,529.48	\$34,510,639.67
NY	\$13,203,002.57	\$33,538,076.58	\$48,751,192.74	\$41,769,176.69

Layout

Drag/drop measures, columns and hierarchies to determine pivot table layout.

Pivot Table Prompts [A] XYZ

Drop here for Pivot prompts

Sections [A] XYZ

Drop here for a sectioned Pivot

Pivot Table [A] XYZ

Columns [A] XYZ

Calendar [A] Year 

Measure Labels 

Rows [A] XYZ

Stores [A] State 

Measures

Sales [A] Revenue 

Excluded

Drop here to exclude from this Pivot only

- c. In the Pivot Table editor, make sure that the **Year** is in the **Rows** section and **State** is in the **Columns** sections. If they are in the wrong section, move the **Year** column from **Columns** to **Rows** by drag-and- drop. Also, move the **State** column from **Rows** to **Columns**.

	CA	MA	NJ	NY
Year	Revenue	Revenue	Revenue	Revenue
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69

Layout

Pivot Table Prompts Σ XYZ

Drop here for Pivot prompts

Sections Σ XYZ

Drop here for a sectioned Pivot

Pivot Table XYZ

Columns Σ XYZ

Stores State Σ

Measure Labels Σ

Rows Σ XYZ

Calendar Year Σ

Measures

Sales

Revenue Σ

- d. Click the **Summation** icon (Σ) for **Rows** to add **grand totals** to the Pivot Table. Select **After**. This will add the **row-level grand totals**

Pivot Table XYZ

Columns Σ XYZ

Stores State Σ

Measure Labels Σ

Rows Σ XYZ

Calendar Year Σ

Measures

Sales

Revenue Σ


Exclude

Drop h

Format Labels...

Format Values...

- e. To add **column-level grand totals**, click the **Summation** icon that is available next to **Columns**. Select **After**.



- f. Observe the Results.

Editing from: "Compound Layout" Done Revert

	CA	MA	NJ	NY	Revenue
Year	Revenue	Revenue	Revenue	Revenue	
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57	\$50,262,867.70
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58	\$138,748,250.89
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74	\$199,998,115.84
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69	\$167,621,141.07
Grand Total	\$162,196,850.98	\$136,252,528.16	\$120,919,547.78	\$137,261,448.58	\$556,630,375.50

Layout

Drag/drop measures, columns and hierarchies to determine pivot table layout.

Pivot Table Prompts

Drop here for Pivot prompts

Sections

For Instructor Use Only.
This document should not be distributed.

3. Create a New Calculated item

- In the **Pivot Table editor**, click the **New Calculated Item** icon.

Editing from: "Compound Layout" Done Revert



	CA	MA	NJ	NY	Revenue
Year	Revenue	Revenue	Revenue	Revenue	
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57	\$50,262,867.70
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58	\$138,748,250.89
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74	\$199,998,115.84
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69	\$167,621,141.07
Grand Total	\$162,196,850.98	\$136,252,528.16	\$120,919,547.78	\$137,261,448.58	\$556,630,375.50

Layout

- In the New Calculated item window, provide the display label as **2013 – 2012**.
Select Values From as **Calendar.Year**.
Accept the **default** setting for Function.
From the Available list of values of **Calendar.Year**: move 2012 and 2013 into the Selected pane. Update the formula as **'2013' – '2012.'**

New Calculated Item ? x

Display Label: 2013 – 2012

Values From: Calendar.Year

Function: Custom Formula

Available: Between Search

Calendar.Year

- ✓ 2012
- ✓ 2013
- 2014
- 2015

Selected

'2013'-'2012'

Catalog

Format Add to ☒ Current View ☐ All Views ☐ Remove calculated item members from view

OK Cancel

- Click **OK**.

d. The new calculated item “2013 – 2012” can be seen on the Pivot Table.

Editing from: "Compound Layout" Done Revert

	CA	MA	NJ	NY	Revenue
Year	Revenue	Revenue	Revenue	Revenue	
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57	\$50,262,867.70
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58	\$138,748,250.89
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74	\$199,998,115.84
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69	\$167,621,141.07
2013-2012	\$25,158,871.56	\$21,001,233.11	\$21,990,204.51	\$20,335,074.01	\$88,485,383.19
Grand Total	\$162,196,850.98	\$136,252,528.16	\$120,919,547.78	\$137,261,448.58	\$556,630,375.50

e. Click **Done** to close the editor.

Editing from: "Compound Layout" Done Revert

	CA	MA	NJ	NY	Revenue
Year	Revenue	Revenue	Revenue	Revenue	
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57	\$50,262,867.70
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58	\$138,748,250.89
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74	\$199,998,115.84
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69	\$167,621,141.07
2013-2012	\$25,158,871.56	\$21,001,233.11	\$21,990,204.51	\$20,335,074.01	\$88,485,383.19
Grand Total	\$162,196,850.98	\$136,252,528.16	\$120,919,547.78	\$137,261,448.58	\$556,630,375.50

f. Click **Save As** and name the analysis Lab 4-2.

Save As

Save In: /My Folders

- Demo_1
- Revenue by Year and State

Name: Lab4-2

Description:

OK Cancel

Practice 4-3: Views in Analyses

Overview

In this practice, you create different views.

Scenario


Modify analyses and add the Trellis, Performance Tile, View Selector, Column Selector, Selection Steps, and Treemap views.

Time


30 minutes

Task

1. Add a Trellis view to an analysis
 - a. Sign in to **Oracle Analytics Cloud Service**. The **Home** page is displayed. Click **Page Menu** and Select **Open Classic Home** option for accessing the Analysis Page.
 - b. The Classic Home Page for Analysis opens. Click **Catalog**.



- c. Navigate to the **My Folders** catalog path. Locate the analysis **Lab4-2** that you created earlier and **Click Edit**.



For Instructor Use Only.
This document should not be distributed.

- d. In the **Analysis editor**, click the **New View** button. From the drop-down list select **Trellis > Simple**.

Compound Layout

Title
Lab4-2

Pivot Table

	CA	MA
Year	Revenue	Revenue
2012	\$13,097,981.87	\$12,819,296.20
2013	\$38,256,853.43	\$33,820,529.31
2014	\$60,407,785.53	\$48,705,608.09
2015	\$50,434,230.15	\$40,907,094.56
2013-2012	\$25,158,871.56	\$21,001,233.11
Grand Total	\$162,196,850.98	\$136,252,528.16

Best Visualization

Recommended Visualization for

Title

Table

Pivot Table

Performance Tile

Treemap

Heat Matrix

Trellis

Graph

Gauge

Funnel

Revenue

Revenue
\$50,262,867.70
\$138,748,250.89
\$199,998,115.84
\$167,621,141.07
\$88,485,383.19
\$556,630,375.50

- e. **Remove the Pivot Table** from the compound view.

Compound Layout

Title
Lab4-2


Pivot Table

	CA	MA	NJ	NY	Revenue
Year	Revenue	Revenue	Revenue	Revenue	
2012	\$13,097,981.87	\$12,819,296.20	\$11,142,587.06	\$13,203,002.57	\$50,262,867.70
2013	\$38,256,853.43	\$33,820,529.31	\$33,132,791.57	\$33,538,076.58	\$138,748,250.89
2014	\$60,407,785.53	\$48,705,608.09	\$42,133,529.48	\$48,751,192.74	\$199,998,115.84
2015	\$50,434,230.15	\$40,907,094.56	\$34,510,639.67	\$41,769,176.69	\$167,621,141.07
2013-2012	\$25,158,871.56	\$21,001,233.11	\$21,990,204.51	\$20,335,074.01	\$88,485,383.19
Grand Total	\$162,196,850.98	\$136,252,528.16	\$120,919,547.78	\$137,261,448.58	\$556,630,375.50


Trellis

2012 2013 2014 2015


- f. Click the **edit view** icon to modify the **Trellis view**.




- g. Move the **Year** column to the **Columns** section and **State** to the **Rows** section.



- h. This produces the **Trellis result** as shown.
Click the **Done** button.



2. Add a Performance Tile to the analysis
- In the **Analyses editor**, click the **New View** button.
From the drop-down list, select **Performance Tile**.



- b. Click the **Edit** button to open the Performance Tile editor pane.



- c. Add **description** text "Total Revenue Performance" to the Performance Tile. Select a different **Style**.

Editing from: "Compound Layout" Done Revert

Layout

Measure: Revenue

Labels: Name: Revenue

☒ Use measure name

Description: Total Revenue Performance

☐ Use measure description

Styles

☐ Small ☒ Medium ☐ Large

Measure: 999M

Description: Description

Measure: 999M

Description: Description

Measure: 999M

Description: Description

Measure: 999M


Description: Description

- d. Click the **Done** button to close the editor.




3. Add a View Selector to an analysis


- a. In the **Analyses editor**, click the **New View** button.
From the drop-down list, select **Other Views > View Selector**.




- b. A blank **View Selector** is added to the compound view below the performance title.
Drag it to **above the trellis**.




- c. Click the **Edit** button. This opens the **View Selector** editor.



- d. Select and add **Trellis** and **Performance Tile** into the **View Included** and click **Done**.





- e. **Remove** the **Trellis** and **Performance Tile** that are **below** the View Selector.



For Instructor Use Only.
This document should not be distributed.

- f. Use the **View Selector** to toggle between the two views.




For Instructor Use Only.
This document should not be distributed.


4. Adding a Column Selector to an analysis

a. In the **Analyses editor**, click the **New View** button.


From the drop-down list, select **Other Views > Column Selector**.




b. Click the **Edit** button of the column selector. This opens the **Column Selector** editor.




- f. Select **Units** from the Column Selector.
Observe all Analysis views changing from Revenue to the Unit measure.




- g. Change the **view selector to Trellis**. Toggle the Column Selector. The column selector affects all views that display revenue.




5. Add a **Treemap** view to an analysis
 - a. In the **Analyses editor**, click the **New View** button.
From the drop-down list, select **Treemap**.



- b. **Remove the Column Selector and View Selector.**




- c. Click the **Edit** button to open the **Treemap** editor.




[Add to Briefing Book](#)

- d. Change the **Bins to 5** and the **Color** scheme in the **Layout** pane. Click **Done**.



- e. **Save as** Lab 4-3.



For Instructor Use Only.
This document should not be distributed.

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 5: Formatting

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 5: Overview

Overview

In this practice, you learn how to apply formatting.

For Instructor Use Only.
This document should not be distributed.

Practice 5-1: Format a column and save as default.

Overview

In this practice, you learn how to apply formatting.

Scenario


You will format revenue and save as the default format.

Time


5 minutes

Task

1. Format a column
 - a. Sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click Page Menu and Select **Open Classic Home** option for accessing the Analysis Page.




- b. The Classic Home Page for analysis opens. Click **Create -> Analysis**.




For Instructor Use Only.
This document should not be distributed.


- c. Select the **Student Subject Area**.




- d. Expand **Calendar** and double-click on the **Year** column.
Expand on **Stores** and double-click the **State** column.
Expand **Sales** and double-click the **Revenue** column.




- e. Click the **gear icon** for Revenue and select **Column Properties**.




- f. Click to **Data Format** tab.



- g. Select **Override Default Data Format**. Match the settings in the image below.




h. Click **Save as Default**. Chose **Save as system-wide default for Sales.Revenue**.




Any time Revenue is added to an analysis, it will be formatted as currency.

i. Click on the **Results** tab.
Notice that Revenue now is formatted as currency.



For Instructor Use Only.
This document should not be distributed.

- j. **Save** the analysis as Lab 5-1. Keep it open for the next lab.



For Instructor Use Only.
This document should not be distributed.

For Instructor Use Only.
This document should not be distributed.

Criteria
Results
Prompts
Advanced

Subject Area

Student Subject Area

CALENDAR
ITEM
STORES
WAREHOUSE
SALES

Catalog

List
All


Compound Layout

Title


Table

Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20
	NJ	\$11,142,587.06
	NY	\$13,203,002.57
2013	CA	\$38,256,853.43
	MA	\$33,820,529.31
	NJ	\$33,132,791.57
	NY	\$33,538,076.58
2014	CA	\$60,407,785.53
	MA	\$48,705,608.09


- b. Click the **gear icon** for **Revenue** and select **Column Properties**.




- c. Click the **Conditional Format** tab.




- d. Click **Add Condition** and choose **Revenue**. You will be formatting the revenue column based on revenue values.



- e. In the New Condition dialog box select **is greater than** for the operator. Enter **50000000** for the value. Click **OK**.

The 'New Condition' dialog box is shown. It has a title bar with a question mark and a close button. The 'Column' field is set to 'Revenue'. The 'Operator' dropdown menu is open, showing 'is greater than' selected. The 'Value' field contains '50000000'. Below these fields are two buttons: 'Add More Options' and 'Clear All'. At the bottom right are 'OK' and 'Cancel' buttons.

- f. The Edit Format dialog box appears. Change the **color to green**. Set the **size to 16**. Select **Bold** as the Style. Choose **All** for border position. Select **black** for the border color. Click **Ok**.

The 'Edit Format' dialog box is shown. It has a title bar with a question mark and a close button. The 'Style' tab is selected. The 'Font' section has 'Family' set to 'Default (System)', 'Size' set to '16', 'Color' set to green, 'Style' set to 'Bold', and 'Effects' set to 'Default (System)'. The 'Cell' section has 'Horizontal Alignment' set to 'Default (System)', 'Background Color' set to white, 'Vertical Alignment' set to 'Default (System)', 'Wrap Text' checked, 'Image' unchecked, 'Position' set to 'Default (System)', and 'Select Image' button. The 'Border' section has 'Position' set to 'All', 'Border Style' set to 'Default (System)', and 'Border Color' set to black. At the bottom are 'Additional Formatting Options' and 'Custom CSS Style Options (HTML Only)' sections, and 'OK' and 'Cancel' buttons.

g. Return the **Results** tab and notice the formatting on values **greater than 50M**.


Title		
Lab 5-1		
Table		
Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20
	NJ	\$11,142,587.06
	NY	\$13,203,002.57
2013	CA	\$38,256,853.43
	MA	\$33,820,529.31
	NJ	\$33,132,791.57
	NY	\$33,538,076.58
2014	CA	\$60,407,785.53
	MA	\$48,705,608.09
	NJ	\$42,133,529.48
	NY	\$48,751,192.74
2015	CA	\$50,434,230.15
	MA	\$40,907,094.56

- h. Return to the **Criteria** tab.
- i. Once again, edit the **Column Properties** for **Revenue**.


j. Click the **Conditional Format** tab.

For Instructor Use Only.
This document should not be distributed.


- k. Click **Add Condition** and select Revenue.




- l. In the New Condition dialog box select **is less than** for the operator. Enter **15000000** for the value. Click **OK**.



- m. The Edit Format dialog box appears.
 Change the **color to red**.
 Select **Bold** as the Style.
 Choose **All for border position**.
 Select **black** for the border color.
 Click **Ok**.



- n. Click **Ok**.



**Practices for Lesson 6:
Filters and Selection Steps**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 6: Overview

Overview

In this practice, you learn to create filters and selection steps on Oracle Analytics Cloud.

For Instructor Use Only.
This document should not be distributed.

Practice 6-1: Create a filter by drilling

Overview

In this practice, you learn to drill down in an Oracle Analytics Cloud analysis.

Scenario


Perform a drilldown in Analyses.

Time


5 minutes

Task

1. Perform a drilldown
 - a. Sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click Page Menu and Select **Open Classic Home** option for accessing the Analysis Page.




- b. The Classic Home Page for analysis opens. Click **Create -> Analysis**.




For Instructor Use Only.
This document should not be distributed.

- c. Select the **Student Subject Area**.



- d. Expand **Calendar** and double click on the **Year** column.
Expand on **Stores** and double click the **State** column.
Expand **Sales** and double click the **Revenue** column.



- e. Click the **Results** tab. All drillable column values will appear as a hyperlink. Click the **CA** State value.

Criteria **Results** Prompts Advanced

Subject Ar... 🔍 ⬆️ ⬆️ ⬆️

Student Subject Area

- CALENDAR
- ITEM
- STORES
- WAREHOUSE
- SALES

Catalog ➡️ 📊 📄

List All ▾

Compound Layout

Title [A] ✎ ✕

Table [A] 📄 ✎ ✕

Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20
	NJ	\$11,142,587.06
	NY	\$13,203,002.57
2013	CA	\$38,256,853.43
	MA	\$33,820,529.31
	NJ	\$33,132,791.57
	NY	\$33,538,076.58
2014	CA	\$60,407,785.53
	MA	\$48,705,608.09

- f. This will drill the same analysis to the next level of the hierarchy: State > City.

Title [A] ✎ ✕

Table [A] 📄 ✎ ✕

Year	State	City	Revenue
2012	CA	Long Beach	4445610.70
		San Diego	4001859.75
		San Francisco	4650511.42

- g. Click the **Long Beach**.


Compound Layout

Title [A] ✎ ✕

Table [A] 📄 ✎ ✕

Year	State	City	Store	Revenue
2012	CA	Long Beach	Long Beach Electronics	4445610.70


h. Click the Criteria tab.




i. Notice that new columns are added to the selected columns. We drilled on the state CA. This requested the next level of granularity in the hierarchy, which is city. You drilled on Long Beach and store was added/

Filters were created for each drill. The 2012 and CA filter were added on the first drill. You drilled in the 2012 CA row. The Long Beach filter was created in the second drill.


The drill path that was followed is highlighted on the left of the image



- j. **Remove** the selected columns **City** and **Store**.



- k. **Remove** all the filters and **keep the analysis open** for the next lab.



Practice 6-2: Filter Analyses

Overview

In this practice, you **add filters** to the Oracle Analytic Cloud Services analysis and **create saved filters**.

Scenario


Modify an analysis and add filters to it.

Time

15 minutes


Task

1. Add filters to analyses
 - a. The analysis does not have any filters at the moment.




For Instructor Use Only.
This document should not be distributed.

- b. To add a filter on the **Year** column, click the **more option** icon (gear) of the Year column and select **Filter**.



- c. The **New Filter** dialog box appears. Accept the **default value** for Operator as **is equal to / is in**, click the drop-down list for Value, and select **2012;2013**.



- d. Click **OK**.



- e. Click the **Results** tab. Observe that the analysis has restricted data to only two years as per the filter.

Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20
	NJ	\$11,142,587.06
	NY	\$13,203,002.57
2013	CA	\$38,256,853.43
	MA	\$33,820,529.31
	NJ	\$33,132,791.57
	NY	\$33,538,076.58


- f. **Save** the Analysis as **Lab 6-2**.

2. Create a **saved filter**.


- a. Click **Create -> Filter**.




- b. Select the **Student Subject Area**.




The **Create Filter** dialog box appears.




- c. Expand **Calendar**. Double-click the **Year** attribute.



- d. The filter criteria options appear in a pop-up window. Accept the **default value** for Operator as **is equal to / is in**, click the drop-down list for Value, and select **2012;2013**. Click **OK**.





The filter condition is added to the saved filter.



- e. Add the **State** attribute under **Stores**.


Accept the **default value** for Operator as **is equal to / is in**, click the drop-down list for Value, and select **CA** and **NY**.




Now both the filter conditions are applied.

For Instructor Use Only.
This document should not be distributed.


- f. Click the **Save** icon.
- g. Note the path My Folders/Subject Area Contents/Student Subject Area.
Enter the **Name** of the filter as **State and Year Filter**.
Click **OK**.




3. Add saved filters to analyses
 - a. Click **Catalog**.
 - b. Navigate to the **My Folders** catalog path. Locate the analysis **Lab 6-2** that you created earlier. Click **Edit**.



- c. Click the **Criteria** tab.



- d. To add the saved filter, navigate to the path **My Folders/Subject Area Contents/Student Subject Area** under the Catalog pane of the Analyses editor.



- e. Double-click the saved filter **State and Year Filter**. Select **Clear all existing filters before applying** before applying.

Apply Saved Filter

Filter Location and Contents

Filter Location
/My Folders/Subject Area Contents/State and Year Filter

Contents of Filter
Year is equal to / is in 2012; 2013
AND State is equal to / is in CA; NY

Filter Options
Choose one or more of the following options to control how the filter should be applied to the analysis.

☒ Clear all existing filters before applying
☐ Apply contents of filter instead of a reference to the filter

OK **Cancel**

- f. This will apply the saved filter to the report.

Criteria Results Prompts Advanced

Subject Areas

- Student Subject Area
 - CALENDAR
 - ITEM
 - STORES
 - WAREHOUSE
 - SALES

Catalog

List All

- My Folders
 - Subject Area Contents
 - Student Subject Area
 - State and Year Filter**

Selected Columns

CALENDAR	STORES	SALES
Year	State	Revenue

Filters

- State and Year Filter**

For Instructor Use Only.
This document should not be distributed.

g. Click the **Results** tab.

Lab 6-2

CriteriaResultsPromptsAdvanced

Subject Areas

Student Subject Area

CALENDAR

ITEM

STORES

WAREHOUSE

SALES

Catalog

ListAll

My Folders

Subject Area Contents

Student Subject Area

Shared Folders

Compound Layout

Title

Lab 6-2

Table

Year	State	Revenue
2012	CA	\$13,097,981.87
	NY	\$13,203,002.57
2013	CA	\$38,256,853.43
	NY	\$33,538,076.58

Add to Briefing Book

For Instructor Use Only.
This document should not be distributed.

Practice 6-3: Use Selections to Limit Data in Analyses

Overview

In this practice, you **add selection steps** to the Oracle Analytic Cloud Services analysis and **filter data** by using **saved selections**.

Scenario

You modify analyses and add selection steps.

Time


10 minutes

Task

1. Adding filters to analysis
 - a. If necessary, sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click Page Menu and Select Open Classic Home option to access the Analysis Page.
 - b. The Classic Home Page for Analysis opens. Click **Create -> Analysis**.




- c. Select the **Student Subject Area**.



For Instructor Use Only.
This document should not be distributed.

- d. Expand **Calendar** and double-click on the **Year** column.
Expand on **Item** and double-click the **Item Name** column.
Expand **Sales** and double-click the **Revenue** column.
Double-click on the **Units** column.



Selected Columns

Calendar	Item	Sales
Year	Item Name	Revenue Units

- e. Click on the **Results** tab.
f. Click on **Selection Steps**.

Compound Layout

Title			
Table			
Year	Revenue	Units	Item Name
2012	2727774.33	5567	ASUS GLX 1
	1853216.10	5078	HP ProBook 1
	695773.00	3887	HP Stream 1
	5606937.70	6230	HP Workstation Z1G2
	4785358.57	5843	LENOVO Thinkpad T1
	6335678.49	5151	Mac Pro
	2983947.78	5797	MacBook
	2771015.00	5785	Samsug Note 3
	731400.00	6360	Samsun Galaxy Tab 3
	905550.00	6037	Samsung S2
	6655252.88	5102	iMac 21
	9210100.00	5942	iMac 27
	2229213.00	5587	iPad Air
	1613105.00	5395	iPad Mini

Selection Steps

- g. The **Selection Steps** pane is now displayed.

The screenshot shows the 'Selection Steps' pane with a 'List' dropdown set to 'ALL'. It contains three sections: 'Measures' with 'Sales - Revenue' and 'Sales - Units'; 'Calendar - Year' with step 1 '1. Start with all members' and step 2 '2. Then, New Step...'; and 'Item - Item Name' with step 1 '1. Start with all members' and step 2 '2. Then, New Step...'.

- h. Under Item – Item Name, **Click Then, New Step** → **Apply a Condition**.

This screenshot shows the same 'Selection Steps' pane as before, but with a context menu open for the '2. Then, New Step...' step under the 'Item - Item Name' section. The menu options are 'Select Members', 'Add Groups or Calculated Items', and 'Apply a Condition', with the last option highlighted by a red rectangle.

- i. The **New Condition Step** dialog box is displayed. Select **Top 10 based on X**.

The 'New Condition Step - Item' dialog box displays a list of condition types. The 'Top/Bottom' section is expanded, and 'Top 10 based on X' is selected and highlighted with a red box.

Condition Type	Example
Exception	
X >= value	Sales >= 10000
X >= Y	Sales >= Costs
X >= Y + 10	Sales >= Costs + 10
X >= Y - 5%	Sales >= Costs - 5%
X within 10 of Y	Sales within 10 of Costs
X not within 5% of Y	Sales not within 5% of Costs
X between 'min' and 'max' values	5000 <= Sales <= 10000
Top/Bottom	
Top 10 based on X	Top 10 based on Sales
Bottom 5% based on X	Bottom 5% based on Sales
Making up to 3% based on X	Making up to 3% based on Sales
Match	
Name contains 'abc'	Name contains 'abc'
All X values where Y = values	All Cars where Color = Red

- j. You want to keep only the **top 3 items based on Revenue in the Year 2015**. In order to do that, match the settings in the image below.

The 'New Condition Step - Item' dialog box is configured with the following settings:

- Condition Type:** Top 10 based on X
- Action:** Keep only (highlighted with a red box)
- Of Item Name:** Of Item Name
- For:** For
- Operator:** is top
- Rank:** 3 (highlighted with a red box)
- Override with:** ☐ Presentation Variable
- Based on:** Based on
- Measure:** Sales.Revenue (highlighted with a red box)
- For:** For
- Dimension:** "Calendar".Year
- Members:** 2015 (highlighted with a red box)
- Override with:** ☐ Prompt

Buttons: OK, Cancel

For Instructor Use Only.
This document should not be distributed.

- k. Click **OK**. Now you should be able to see the **new values** in the **Selection Steps** pane.

Selection Steps

List: **ALL**

Measures

- Sales - Revenue
- Sales - Units

Calendar - Year

1. Start with all members
2. Then, New Step...

Item - Item Name

1. Start with all members
2. Then, Keep only members of "Item"."Item Name" for Top 3 based on "Demo_Student_13"."Sales"."Revenue", For: Year: 2015
3. Then, New Step...

- l. Collapse the **Selection Steps** pane by clicking the Arrow button. You can see the results displayed with **data limited** based on the **Selection Steps**.

Compound Layout

Title: [A] [Pencil] [X]

Table: [A] [XYZ] [Pencil] [X]

Year	Item Name	Revenue	Units
2012	iMac 27	\$9,210,100.00	5942
2013	iMac 27	\$18,880,118.00	13239
2014	iMac 27	\$23,560,000.00	15200
	iMac Retina 27	\$13,747,737.51	6249
2015	Samsung S6	\$15,337,295.50	20450
	iMac 27	\$15,055,150.00	9713
	iMac Retina 27	\$17,423,920.80	7920

****Why is there only 1 product listed for 2012?**

The top 3 revenue items in 2015 were not for sale in 2012.**

- m. **Save** the analysis as **Lab 6-3**.

Practices for Lesson 7: Prompts and Variables

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 7: Overview

Overview

In this practice, you learn how to work with **prompts** and **presentation variables**.

For Instructor Use Only.
This document should not be distributed.

Practice 7-1: Create a Prompted Filter

Overview

In this practice, you learn how to create a prompted filter.

Scenario


You will build a filter that will prompt the user for the State and the Item Types that the analysis will be filtered on.

Time


10 minutes

Task

1. Create a State filter and prompt.
 - a. Sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click the Page Menu and Select **Open Classic Home** option to access the Analysis Page.




- b. The Classic Home Page for analysis opens. Click **Create -> Analysis**.




For Instructor Use Only.
This document should not be distributed.


c. Select the **Student Subject Area**.



d. Expand **Stores** and double click on the **State** column.
Expand on **Item** and double click the **Item Type** column. Double click on **Item Name**.
Expand **Sales** and double click the **Revenue** column.



e. Click the **gear icon** for **State** and select **Filter**.




For Instructor Use Only.
This document should not be distributed.


- f. The New Filter dialog box appears. Click **Add More Options** and choose **Presentation Variable**.

- g. Set the **Variable Expr** to **var_state**. Set **(default)** to **NY**. Click **Ok**.

- h. Now you will create a prompt that will be used to pass a value to the var_state presentation variable. **Click on the Prompts tab.**



- i. Click **New -> Column Prompt -> State**.



- j. The New Prompt Dialog box appears. **Match the settings in the image below.** The prompt will allow the user to **select all column values** as well as **store the values** selected in the **presentation variable, var_state**.

- k. Click **Ok**.

- I. Click on the **Results** Tab. The prompt is not displayed.
The Analysis is filtered to NY since that is the default value of var_state.
Click the **Show how results will look on a Dashboard** button and choose any format.

Compound Layout

Title							
Table							
State	Item Type	Item Name	Revenue				
NY	Desktop	HP ProBook 2	\$935,088.62				
		HP Workstation Z1G2	\$5,142,960.27				
		HP Workstation Z1G3	\$1,036,877.05				
		HP Workstation Z1G4	\$1,686,528.00				
		Mac Pro	\$10,801,772.18				
		iMac 21	\$11,963,742.60				
		iMac 27	\$16,567,950.00				
		iMac Retina 27	\$7,246,767.06				
	Laptop	ASUS GLX 1	\$1,688,505.54				
		ASUS GLX 2	\$2,310,209.16				
		ASUS GLX 3	\$310,034.10				
		ASUS Trans TX1	\$668,160.00				
		HP ProBook 1	\$1,289,003.40				

- m. The analysis runs in a new window. The **Prompt Page** is displayed. Chose any states and click **Ok**.



ORACLE

State CA;MA

OK Reset

n. The analysis is now filtered on the chosen states.

ORACLE

State	Item Type	Item Name	Revenue
CA	Desktop	HP ProBook 2	\$1,487,751.53
		HP Workstation Z1G2	\$6,434,928.50
		HP Workstation Z1G3	\$1,660,797.05
		HP Workstation Z1G4	\$2,366,496.00
		Mac Pro	\$12,987,464.41
		iMac 21	\$14,581,030.32
		iMac 27	\$20,089,550.00
		iMac Retina 27	\$10,408,152.69
	Laptop	ASUS GLX 1	\$1,635,586.62
		ASUS GLX 2	\$3,353,431.20
		ASUS GLX 3	\$485,135.12
		ASUS Trans TX1	\$941,952.00
		HP ProBook 1	\$1,104,338.70
		HP ProBook 3	\$5,584,542.00

o. Close the Window.

p. **Save** the analysis as **Lab 7-1**. Keep open for the next lab.

For Instructor Use Only.
This document should not be distributed.

Practice 7-2: Create a prompt filter limited by another prompt filter.

Overview

In this practice, you will create **2 additional prompt filters**.

Scenario


Modify an analysis and add 2 more prompt filters.

Time


15 minutes

Task

1. Create Item filters
 - a. Navigate to the Criteria tab.




- b. Click the **gear icon** for **Item Type** and select **Filter**.




For Instructor Use Only.
This document should not be distributed.

- c. The New Filter dialog box appears. Click **Add More Options** and choose **Presentation Variable**.



- d. Set the **Variable Expr** to **var_type**. Set the **(default)** to **Smart Phone**. Click **Ok**.



- e. Repeat the steps above to **create a filter** for **Item Name**. Name the variable **var_name**. Set the (default) to **Samsung S6**.

New Filter

Column: Item Name *fx*

Operator: is equal to / is in

Value:

Variable Expr: **var_name**

(default): Samsung S6

☐ Protect Filter

☐ Convert this filter to SQL

Selected Columns

Stores	Item	Sales
☐ State Settings	☐ Item Type Settings	☐ Item Name Settings
		☐ Revenue Settings

Filters

State is equal to / is in @{var_state}{NY}

AND Item Type is equal to / is in @{var_type}{Smart Phone}

AND Item Name is equal to / is in @{var_name}{Samsung S6}

2. Create **Item Prompts**

- a. Click on the **Prompts** tab.

Lab7-1 Home Catalog Favorites Dashboards Create

Criteria Results **Prompts** Advanced


Definition

Add prompts for users when they run this analysis.

Prompt Label	Type	Prompt For	Description	Required	New Column
Page 1	Page				
State	Column value	State			☐

For Instructor Use Only.
This document should not be distributed.

b. Click **New -> Column Prompt -> Item Type**.



c. The New Prompt Dialog box appears. **Match the settings in the image below.** The prompt will allow the user to select all column values as well as store the values selected in the presentation variable, var_type.

New Prompt:

Prompt For Column: "Item"."Item Type" *fx*

Label: Item Type

☐ Custom Label

Description:

Operator: is equal to / is in

User Input: Choice List

Options

General | More

Choice List Values: All Column Values

☒ Include "All Column Values" choice in the list

☒ Enable user to select multiple values

☒ Enable user to type values

☐ Require user input

☐ Limit values by: All Prompts

Auto Fill: ☐ All Column Values, ☒ None, ☐ First Available Value

Default selection: None

Set a variable: Presentation Variable


var_type

OK Cancel

d. Click **Ok**.

For Instructor Use Only.
This document should not be distributed.

e. Click **New -> Column Prompt -> Item Name**.



f. The New Prompt Dialog box appears. **Match the settings in the image below.** The prompt will allow the user to select all column values as well as store the values selected in the presentation variable, var_name. This prompt will also use the **Limit Values By** the Item Type prompt.

New Prompt:

Prompt For Column "Item"."Item Name" *fx*

Label Item Name

☐ Custom Label

Description

Operator is equal to / is in

User Input Choice List

Options

General More

Choice List Values All Column Values

☒ Include "All Column Values" choice in the list

☒ Enable user to select multiple values

☒ Enable user to type values

☐ Require user input

☒ Limit values by Item Type

Auto Fill ☒ All Column Values ☐ None ☐ First Available Value

Default selection None

Set a variable Presentation Variable

var_name


OK Cancel

g. Click **Ok**.


h. Click the **Results** tab.

For Instructor Use Only.
This document should not be distributed.


3. Edit the **Title View** to display the selected Item Names.
 - a. Click the pencil icon to **edit the title view**.




- b. In the **Title box** type **Analysis for @{var_name}**. **Uncheck the Display Saved Name**.




- c. Click **Done**.



- d. Click the **Show how results will look on a Dashboard** button and chose the **Default** format.



- e. They analysis runs in a new window.
The **Prompt Page** is displayed.
Chose **CA** and **MA** for the states.
Select **Desktop** for the **Item Type**.
- f. Note that the Item Names only display Desktops. Unselect all column values and **select the first 3 Item Names**.



- g. Click Ok.

ORACLE

Analysis for HP ProBook 2,HP Workstation Z1G2,HP Workstation Z1G3

State	Item Type	Item Name	Revenue
CA	Desktop	HP ProBook 2	\$1,487,751.53
		HP Workstation Z1G2	\$6,434,928.50
		HP Workstation Z1G3	\$1,660,797.05
MA	Desktop	HP ProBook 2	\$702,836.44
		HP Workstation Z1G2	\$5,330,640.77
		HP Workstation Z1G3	\$1,203,581.35

- h. Close the Window.
i. **Save the Analysis.**

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 8: Use
Master-Detail Views, Map
Views, and Action Links**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 8: Overview

Overview

In this practice, you **link views** by **Master-Detail relationship**.

For Instructor Use Only.
This document should not be distributed.

Practice 8-1: Link Views in Master-Detail Relationships

Overview

In this practice, you link views by Master-Detail relationship.

Scenario


Modify an analysis, create a master event, and create a new view that listens for the master event.

Time

15 minutes


Task

1. Adding a Master-Detail relationship
 - a. Sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click the Page Menu and Select Open Classic Home option to access the Analysis Page.




- b. Click **Catalog**.
 - c. Navigate to the **My Folders** catalog path. Locate the analysis **Revenue by Year and State** and click **Edit**.

For Instructor Use Only.
This document should not be distributed.



- d. Click the **Criteria** tab.
- e. Click the **more options** icon for the **State** column. Select **Column Properties**.



For Instructor Use Only.
This document should not be distributed.

- f. In the **Column Properties** dialog box, click the **Interaction** tab.

The screenshot shows the 'Column Properties' dialog box with the 'Interaction' tab selected. The 'Column Heading' section has a 'Primary Interaction' dropdown set to 'Default (Drill)'. The 'Value' section has a 'Primary Interaction' dropdown also set to 'Default (Drill)'. At the bottom, there are buttons for 'Save as Default', 'OK', and 'Cancel'.


- g. Under the Value option, select the Primary Interaction value as **Send Master-Detail Events**.
Enter the **Specify Channel** value as **CH01**. Click **OK**.

This screenshot shows the 'Column Properties' dialog box with the 'Interaction' tab selected. The 'Column Heading' section remains the same. In the 'Value' section, the 'Primary Interaction' dropdown is now set to 'Send Master-Detail Events', and the 'Specify channel' text box contains the value 'CH01'. A red rectangle highlights these two elements. The 'Save as Default', 'OK', and 'Cancel' buttons are at the bottom.


- h. Click the **Results** tab.

- i. Click the **Edit View** button of the Graph.

Compound Layout




- j. Click the **Edit Graph Properties**.




For Instructor Use Only.
This document should not be distributed.

- k. This opens the **Graph Properties** dialog box.
- Select the **Master-Detail** option “**Listen to Master-Detail Events.**”
- Enter **CH01** as the **Event Channels** name. This is the channel that you created earlier.




- l. Click **OK** to exit the **Graph properties**. Then click the **Done** button to return to the Compound Layout.
- m. On the **Results** tab, click a **State** in the Table view.
- You will observe that the **Graph View** data has been **refreshed**. This works by linking the views in the **Master – Detail relationship**.

Compound Layout



- n. **Save as** Lab 8-1.



For Instructor Use Only.
This document should not be distributed.

Practice 8-2: Visualizing Data Using Map Views

Overview

In this practice, you learn how to configure map data and how to work with a map view.

Scenario

Configure map data and create a map view.

Time


15-20 minutes

Task

1. Configuring map data
 - a. Setting up layers
 - 1) If necessary, sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click Page Menu and Select Open Classic Home option for accessing the Analysis Page.
 - 2) The Classic Home Page for Analysis opens. Click Administration.




- 3) The Administration Page opens. Click **Manage Map Data**.




The Manage Map Data Section is displayed.




- 4) Add a new layer by clicking the **Import Layer** button.



- 5) Select **USA_States**. You can see a preview of the layer in the Previewing section. Click **OK**.



- 6) Select the **USA_States** layer and click the **Edit icon**.



- 7) Change the **Name** to reflect your student #.

Edit Layer - USA_States

Name

Location Location

Description

- 8) Select **State Abbrev** from the **Layer Key** drop-down list. Set the **Geometry Type** to **Polygon** and click the BI Key Columns **Add** icon.

Edit Layer - USA_States ? x

Name

Location Location

Description

BI Associations
Associate map layers to BI columns to enable their display on maps.

Layer Key Sample Data: WY

BI Key Delimiter

Geometry Type

BI Key Columns + x ✎

BI Key	Subject Areas


- 9) Click **Student Subject Area** in the Select Subject Area pane.

Select Subject Area x


🔍

 Student Subject Area


- 10) The **Select BI Key Columns** window is displayed.
Select **State** in the Stores folder and move it to the Selected Pane. Click **OK**.



- b. Click **OK**
- c. Set up background maps
- 1) Click the **Background Maps** tab.




- 2) Click the Import Background Maps icon.




For Instructor Use Only.
This document should not be distributed.

- 3) The **Import Background Maps** window is displayed. Select **ORACLE_BI_MAP_LIGHT** and click **OK**.



- 4) **ORACLE_BI_MAP_LIGHT** is displayed under the Background Maps tab. Click the **Edit Background Map**



- 5) Change the name to reflect your student #.

Edit Background Map - ORACLE_BI_MAP_LIGHT

Name

Location **Location**

Description

- 6) Set the zoom level as shown in the following screenshot by clicking the white boxes that will turn gray upon selection. Click **OK**. Click on the **Back** button.

Edit Background Map - ORACLE_BI_MAP_LIGHT

Name: ORACLE_BI_MAP_LIGHT_Ora033

Location: OracleMaps/ORACLE_BI_MAP_LIGHT Location

Description:

Interactive BI Layers and Feature Layers

For each layer, select the zoom levels at which it can be displayed.


Zoom Level																			
	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
USA_States_ora003																			
USA_States_ora014																			
USA_States_ora10																			
USA_States_ora033																			
BI Layer																			
Feature Layer																			

BI Layer Feature Layer




OK Cancel

2. Work with a map view
 - a. Creating an analysis with a map view
 - 1) Click **Create-> Analysis**.



- 2) Click the **Student Subject Area**.
- 3) The Analysis editor is displayed. Double click **State** from **Stores**, **Item Type** from **Item**, and **Revenue** from **Sales**.



- 4) Click the **Results** tab.

Criteria **Results** Prompts Advanced

Subject Ar... 🔍 ⬆️ ⬆️ ⬆️ ⬆️

Student Subject Area

- CALENDAR
- ITEM
- STORES
- WAREHOUSE
- SALES

Compound Layout

Title [A] ✎ ✕

Table [A] [XYZ] ✎ ✕

State	Item Type	Revenue
CA	Desktop	\$70,016,170.50
	Laptop	\$42,453,623.89
	Smart Phone	\$32,771,863.54
	Tablet	\$16,955,193.05
MA	Desktop	\$57,220,494.38
	Laptop	\$35,014,301.21
	Smart Phone	
	Tablet	

- 5) Click the **New View** icon and select **Map**.

Criteria **Results** Prompts Advanced

Subject Ar... 🔍 ⬆️ ⬆️ ⬆️ ⬆️

Student Subject Area

- CALENDAR
- ITEM
- STORES
- WAREHOUSE
- SALES

Compound Layout

Title [A] ✎ ✕

Table [A] [XYZ] ✎ ✕


State	Item Type	Revenue
CA	Desktop	\$70,016,170.50
	Laptop	\$42,453,623.89
	Smart Phone	\$32,771,863.54
	Tablet	\$16,955,193.05
MA	Desktop	\$57,220,494.38
	Laptop	\$35,014,301.21
	Smart Phone	\$27,943,340.10
	Tablet	\$16,074,392.47
NJ	Desktop	\$50,578,488.80
	Laptop	\$31,162,280.48
	Smart Phone	\$25,482,159.23
	Tablet	\$13,606,619.27

Best Visualization

- Recommended Visualization for ▶
- Title
- Table
- Pivot Table
- Performance Tile
- Treemap
- Heat Matrix
- Trellis
- Graph
- Gauge
- Funnel
- Map**


For Instructor Use Only.
This document should not be distributed.

- 6) The map is displayed. Notice that by default, the USA_States layer is binned by quartiles for the Revenue measure and is distinguished as shades of blue.




b. Editing the map view

- 1) Click the **Edit View** icon  to open the Map Editor.




- 2) Add a new map format for the World_Cities layer by clicking the **Add New Map Formats** icon and selecting **Pie Graph** from the drop-down list.



- 3) Select **USA_States** from the drop-down list.




- 4) Change the Graph Size to **6**.
Select **Item Type** from the Slices drop-down list and click **OK**.




The dialog box titled "Pie Graph (USA_States_Ora013)" contains the following settings:

- Name: Revenue
- ☒ Name Automatically
- ToolTips: State;Revenue
- Slice Size: Revenue
- Graph Size: 6 (highlighted with a red box)
- Slices: Item Type (highlighted with a red box)
- Buttons: OK, Cancel

Move your mouse over the map. The **Item Type** revenue is displayed for all countries in pie graph format, along with **State** color fill based on revenue.



- 5) Click the **Edit** icon to modify the map format for the Revenue (Color Fill) layer.



The BI Data Layers panel shows the following layers:

- ☒ Revenue (Pie Graph)
 - Desktop
 - Laptop
 - Smart Phone
 - Tablet
- ☒ Revenue (Color Fill) (highlighted with a red box)
 - First Quartile
 - Second Quartile
 - Third Quartile
 - Fourth Quartile

The Color Fill dialog box is displayed.

The Color Fill dialog box for 'USA_States_Ora013' is shown. It has a title bar with a question mark and a close button. The 'Name' field is 'Revenue' with a checked 'Name Automatically' checkbox. 'ToolTips' is 'State;Revenue'. 'Vary Color By' is 'Revenue'. 'Bin Type' is 'Percentile Binning'. 'Bins' is 'Quartile (4)'. The 'Style' dropdown shows a blue gradient. Below, a table shows the bin ranges and colors: 0% to 25% is 'First Quartile' (light blue), 25% to 50% is 'Second Quartile' (medium blue), 50% to 75% is 'Third Quartile' (dark blue), and 75% to 100% is 'Fourth Quartile' (darkest blue). 'Transparency' is set to 25%.


Minimum	Label	Color
0 %	First Quartile	Light Blue
25 %	Second Quartile	Medium Blue
50 %	Third Quartile	Dark Blue
75 %	Fourth Quartile	Darkest Blue
100 %		

- 6) Set the number of bins to 3 and select a different color from the Style drop-down list. Click **OK**.

The Color Fill dialog box for 'USA_States_Ora013' is shown with changes. 'Bins' is now '3' (highlighted with a red box). The 'Style' dropdown is also highlighted with a red box and shows a pink gradient. The table below shows the new bin ranges and colors: 0% to 33% is 'First Third' (light pink), 33% to 66% is 'Second Third' (medium pink), and 66% to 100% is 'Last Third' (dark pink). 'Transparency' remains at 25%.

Minimum	Label	Color
0 %	First Third	Light Pink
33 %	Second Third	Medium Pink
66 %	Last Third	Dark Pink
100 %		

7) Click **Done**.



8) **Save** the Analysis as Lab 8-2.

For Instructor Use Only.
This document should not be distributed.

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 9: Expressions

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 9: Overview

Overview

In this practice, you learn how to work with running aggregate functions.

For Instructor Use Only.
This document should not be distributed.

Practice 9-1: Apply various running aggregate functions

Overview

In this practice, you learn how to use the **MSUM**, **RSUM** and **RMAX** functions.

Scenario


You will apply various functions on Revenue to product moving sums, running sums and running max results.

Time


15 minutes

Task

1. Create a moving sum.
 - a. Sign in to Oracle Analytics Cloud Service. The Home page is displayed. Click Page Menu and Select **Open Classic Home** option for accessing the Analysis Page.




- b. The Classic Home Page for analysis opens. Click **Create -> Analysis**.




For Instructor Use Only.
This document should not be distributed.


c. Select the **Student Subject Area**.



d. Expand **Stores** and double click on the **State** column.
Expand on **Calendar** and double click the **Per Year Month#** column.
Expand on **Sales** and double click **Revenue 4 times**. Revenue is added multiple times in order to apply different functions to each instance.



e. Click the **gear icon** for **2nd Revenue column** and select **Edit Formula**.



For Instructor Use Only.
This document should not be distributed.

f. Click the **Insert function** button.

?

x

Column Formula

Bins

Folder Heading

SALES

Column Heading

Revenue

☐ Custom Headings

Aggregation Rule (Totals Row)

Default (Sum)

Available

Column Formula

Subject Areas

Student Subject Area

CALENDAR

ITEM

STORES

WAREHOUSE

SALES

"SALES"."Revenue"

f(...)

Filter...

Column

Variable

+

-

x

/

%

(

)

//


☐ Treat as an attribute column

OK


Cancel

For Instructor Use Only.
This document should not be distributed.

- g. Expand on **Running Aggregate**. Select the **MSUM** function and click **Ok**.




- h. Change the **Integer** to **4**. This is a moving sum that will be applied to the last 4 rows of data.
- i. Check **Custom Headings** and type **MSUM Revenue** for the Column Heading.




- j. Click **Ok**.


- k. Click the **gear icon** for **3rd Revenue column** and select **Edit Formula**.



- l. Click the **Insert function** button.



- m. Expand on **Running Aggregate**. Select the **RSUM** function and click **Ok**.



- n. Check **Custom Headings** and type **RSUM Revenue** for the Column Heading. Click **Ok**.

Column Formula Bins

Folder Heading SALES

Column Heading **RSUM Revenue**

☒ Custom Headings

Aggregation Rule (Totals Row) Default (Sum)

Available Subject Areas

Column Formula RSUM("SALES"."Revenue")

- o. Click the **gear icon** for the **last Revenue column** and select **Edit Formula**.

Selected Columns

Stores	Calendar	Sales
State	Per Year Month#	Revenue
		MSUM Revenue
		RSUM Revenue
		Revenue

Filters

Sort

Edit formula

Column Properties

Filter

Delete

Save Column As

- p. Click the **Insert function** button.

f(...) Filter... Column Variable

☐ Treat as an attribute column

q. Expand on **Running Aggregate**. Select the **RMAX** function and click **Ok**.

Insert Function

Functions

Functions

Aggregate

Running Aggregate

MAVG

MSUM

RSUM

RCOUNT

RMAX

Selected

RMAX

Syntax

RMAX(expr)

Where

expr is an expression of any datatype.

Example

SELECT month, profit,RMAX(profit) from sales_subject_area

Description

This function takes a set of records as input and shows the maximum value based on records encountered so far.

OK

Cancel

r. Check **Custom Headings** and type **RMAX Revenue** for the Column Heading. Click **Ok**.

Column Formula

Bins

Folder Heading

Sales

Column Heading

RMAX Revenue

☒ Custom Headings

Aggregation Rule (Totals Row)

Default (Sum)

Available

Subject Areas

Column Formula

RMAX("Sales"."Revenue")

For Instructor Use Only.
This document should not be distributed.

- s. Click on the **Results tab** and observe the returned values. You can format the values as currency, making it easier to read.

Compound Layout

Title					
Table					
State	Per Year Month#	Revenue	MSUM Revenue	RSUM Revenue	RMAX Revenue
CA	2012 08	\$1,893,497.00	\$1,893,497	\$1,893,497	\$1,893,497
	2012 09	\$2,627,985.09	\$4,521,482	\$4,521,482	\$2,627,985
	2012 10	\$3,102,952.18	\$7,624,434	\$7,624,434	\$3,102,952
	2012 11	\$2,564,386.47	\$10,188,821	\$10,188,821	\$3,102,952
	2012 12	\$2,909,161.13	\$11,204,485	\$13,097,982	\$3,102,952
	2013 01	\$2,571,470.32	\$11,147,970	\$15,669,452	\$3,102,952
	2013 02	\$2,845,558.23	\$10,890,576	\$18,515,010	\$3,102,952
	2013 03	\$2,808,760.98	\$11,134,951	\$21,323,771	\$3,102,952
	2013 04	\$3,296,610.66	\$11,522,400	\$24,620,382	\$3,296,611
	2013 05	\$3,094,257.75	\$12,045,188	\$27,714,640	\$3,296,611
	2013 06	\$3,161,862.38	\$12,361,492	\$30,876,502	\$3,296,611
	2013 07	\$3,219,439.36	\$12,772,170	\$34,095,942	\$3,296,611
	2013 08	\$3,275,302.23	\$12,750,862	\$37,371,244	\$3,296,611
	2013 09	\$3,607,920.72	\$13,264,525	\$40,979,165	\$3,607,921

- t. **Save** the Analysis as **Lab 9-1**.

**Practices for Lesson 10:
Unions and Direct Data
Warehouse Access**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 10: Overview

There are no practices for this Lesson.

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 11: Create Dashboards

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 11: Overview

Overview

In this practice, you create a dashboard.

For Instructor Use Only.
This document should not be distributed.

Practice 11-1: Create a Dashboard

Overview

In this practice, you create a dashboard.

Scenario


Create a dashboard in Oracle Analytics Cloud Service.

Time


5 minutes

Task


1. Create a dashboard
 - a. Sign in to **Oracle Analytics Cloud Service**. The **Home Page** is displayed. Click **Page Menu** and Select **Open Classic Home** option for accessing the Analysis Page.



- b. The **Classic Home Page** for Analysis opens. Click **Create**. On display of Menu Click **Dashboard**.




- c. A **New Dashboard** dialog box is displayed.




The dialog box is titled "New Dashboard" with a question mark icon and a close button (X). Below the title, it says "Choose a name and location for the new dashboard". There are three input fields: "Name" (empty), "Description" (empty), and "Location" (a dropdown menu showing "/Shared Folders/MyCatalogsORA10/Dashboards"). Below these fields, there are two radio buttons: "Add content now" (selected) and "Add content later (Create empty dashboard)". At the bottom right, there are "OK" and "Cancel" buttons.

- d. In the **Name** field, enter **My First Dashboard**.




The dialog box is the same as in the previous image, but the "Name" field now contains the text "My First Dashboard". The "Description" field is still empty. The "Location" dropdown menu is still set to "/Shared Folders/MyCatalogsORA10/Dashboards". The "Add content now" radio button is still selected. The "OK" and "Cancel" buttons are still at the bottom right.

- e. In the **Location** field, click the drop-down button  and select **Browse Catalog**. **Location** specifies the folder in which the dashboard object will be stored.




The **New Dashboard** dialog box is shown. It has a title bar with a question mark and a close button. The main text says "Choose a name and location for the new dashboard". There are four fields: "Name" with the value "My First Dashboard", "Description" (empty), "Location" with a dropdown menu showing "/Shared Folders/MyCatalogsORA10/Dashboards", and "Content" with a radio button selected next to it. Below the "Content" field, there is a list of options: "/Shared Folders/MyCatalogsORA10/Dashboards", "/Shared Folders/Sample/Dashboards", "/Shared Folders/Sayan/Dashboards", and "Browse Catalog...". The "Browse Catalog..." option is highlighted with a red box. At the bottom right, there are "OK" and "Cancel" buttons.

- f. Click **My Folders** and click **OK**.




The **Select Location** dialog box is shown. It has a title bar with a question mark and a close button. The main text says "Select Dashboard Location". On the left, there is a "Folders" list with "My Folders" and "Shared Folders". "My Folders" is highlighted with a red box. On the right, there is a "Select Dashboard Location" section with a dropdown menu showing "/My Folders". Below this, there are fields for "Name" (with the value "My Folders") and "Description" (empty). At the bottom right, there are "OK" and "Cancel" buttons. The "OK" button is highlighted with a red box.


- g. A warning is displayed that **This dashboard will not appear in the "Dashboards" menu**. Click **OK** to close the warning dialog box.



- h. Click **OK** to close the **New Dashboard** dialog box.



- i. **My First Dashboard** is opened.



Practices for Lesson 12: Add Content to Dashboards

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 12: Overview

Overview

In this practice, you populate your personal dashboard with content.

For Instructor Use Only.
This document should not be distributed.

Practice 12-1: Add content to a Dashboard

Overview

In this practice, you populate your personal dashboard with content.

Scenario


Populate the My First Dashboard with content.

Time


25 minutes

Task


1. Using the Dashboard Builder
 - a. Sign in to **Oracle Analytics Cloud Service**. The Home page is displayed. Click **Page Menu** and Select **Open Classic Home** option to access the Analysis Page.




- b. The **Classic Home Page** for Analysis opens. Click **Catalog**.



- c. Navigate to **My Folders** catalog path. Locate **My First Dashboard**. Click on **Edit**.




- d. The Dashboard Builder page of the **My First Dashboard** object is opened in a new window. Notice that by default, the Dashboard Builder displays an empty page (page 1).



2. Rename page 1 of the dashboard and view and edit the dashboard properties options to make changes to the pages and their appearance.

- a. Click the **Tools** icon  and select **Dashboard Properties**.



- b. In the **Dashboard Properties** dialog box, retain the Default Style for the dashboard. Styles control how dashboards and results are formatted for display, such as the use of color for text and links and so on.
- When you select a style from the drop-down list, you are applying a preset cascading style sheet that controls the overall dashboard appearance properties.
- Click the **Edit** button for **Dashboard Report Links**.

Dashboard Properties



Set properties for the Dashboard. Delete, rename, and reorder Dashboard pages.

General Properties

/My Folders/My First Dashboard

Style **Default (Redwood)** ▼

Description

Page Size ☒ Fit Content ☐ Fill Browser Window

Filters and Variables

Dashboard Report Links

Prompts Apply Buttons

Edit

Prompts Reset Buttons

Use page settings

Prompts Auto-Complete ☒ Use user preference settings ☐ Off

Dashboard Pages

Except for Hide and Reorder, clicking Cancel will not undo operations in this section.




	Pages	Hide Page	Show Add To Briefing Book	Prompt before Opening	
	page 1	☐	☒	☐	

OK

Cancel

- c. Using the options in this dialog box, you can add links for users to perform actions on the content of a dashboard. This setting affects the defaults of the entire dashboard. You can also set these properties for the individual pages of the dashboard by clicking the Tools icon and selecting Page Report Links. The default for page report links is Inherit Dashboard Settings. Select **Analyze**, **Edit**, **Refresh**, and **Export**. Click **OK** to close the **Report Links** dialog box.



- d. In the Dashboard Pages section, select **page 1** in the **pages** list. Click the **Rename** icon  to open the Rename dialog box.

Dashboard Properties  

Set properties for the Dashboard. Delete, rename, and reorder Dashboard pages.

General Properties

 /My Folders/My First Dashboard

Style **Default (Redwood)** ▼

Description

Page Size ☒ Fit Content ☐ Fill Browser Window

Filters and Variables 

Dashboard Report Links 

Prompts Apply Buttons **Use page settings** ▼

Prompts Reset Buttons **Use page settings** ▼

Prompts Auto-Complete ☒ Use user preference settings ☐ Off

Dashboard Pages

Except for Hide and Reorder, clicking Cancel will not undo operations in this section.

Pages	Hide Page	Show Add To Briefing Book	Prompt before Opening
page 1	☐	☒	☐

- e. Change the name to **Yearly Revenue**. Notice that you could choose to preserve references to the old name of this item. Leave this check box deselected. Click **OK** to close the Rename dialog box.

- f. Verify that the page name has changed.

Dashboard Properties



Set properties for the Dashboard. Delete, rename, and reorder Dashboard pages.

General Properties



/My Folders/My First Dashboard

Style Default (Redwood) ▼

Description

Page Size ☒ Fit Content ☐ Fill Browser Window

Filters and Variables

Dashboard Report Links

Prompts Apply Buttons Use page settings ▼

Prompts Reset Buttons Use page settings ▼

Prompts Auto-Complete ☒ Use user preference settings ☐ Off

Dashboard Pages

Except for Hide and Reorder, clicking Cancel will not undo operations in this section.




Pages	Hide Page	Show Add To Briefing Book	Prompt before Opening
Yearly Revenue	☐	☒	☐



OK Cancel


- g. Notice that there are buttons to delete pages and reorder pages when there are multiple pages.
- h. Click **OK** to close the Dashboard Properties dialog box.
- i. Verify that the page name has changed in the dashboard.

For Instructor Use Only.
This document should not be distributed.




- j. Click the **Save** icon  in the Dashboard Builder to save the dashboard.


3. Add content to the Yearly Revenue page
 - a. Notice that the Page Layout pane initially has no content in it.
 - b. In the Catalog pane, expand **My Folders**
 - c. Drag **Lab 5-1** onto the Catalog pane. Notice that a column is added within which a section is added that contains the embedded analysis.



4. Change the **Section** name to **Yearly Revenue**.




5. Exploring the column formatting options
 - a. Hover over Column 1, click the **Properties** icon , and select **Column Properties**.



For Instructor Use Only.
This document should not be distributed.


- b. Notice that the Column Properties dialog box includes the same cell, border, and other formatting options and tools as the formatting containers and other analysis and interface elements.




- c. Click **OK** to close the Column Properties dialog box.

6. Exploring and modifying the section properties


- a. Hover over **section**, click the **Properties** icon, and select **Format Section**.




- b. Notice that the Section Properties dialog box includes the same cell, border, and other formatting options and tools. Leave the default settings for the section and click **OK**.



- c. Click the **Properties** icon and verify that **Drill in Place** is not selected. You do this because this analysis is set to drive master-detail events when drilling instead of drilling to the next level of the hierarchy. You use Drill in Place to show new results directly in the dashboard, replacing the original analysis. The area occupied by the original analysis resizes automatically to display the new results.




- d. Verify that the **Collapsible** option is selected. You use this option to specify whether the user can expand and collapse this section on a dashboard page or whether the section is always expanded.
- e. Set the **Show Section Header** and **Show Section Title** options, which display the title that you created for the section on a header across the top of the section.



- f. Save the dashboard.
- g. Click the **Preview** icon  to display the results of your work so far. (Preview opens in a new window). Your dashboard should look similar to the following screenshot:

Yearly Revenue		
Lab 5-1		
Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20
	NJ	\$11,142,587.06
	NY	\$13,203,002.57
2013	CA	\$38,256,853.43
	MA	\$33,820,529.31
	NJ	\$33,132,791.57
	NY	\$33,538,076.58
2014	CA	\$60,407,785.53
	MA	\$48,705,608.09
	NJ	\$42,133,529.48
	NY	\$48,751,192.74
2015	CA	\$50,434,230.15
	MA	\$40,907,094.56
	NJ	\$34,510,639.67
	NY	\$41,769,176.69

- h. Close the preview browser window.
7. Add a new page to My Dashboard
 - a. Click **Add Dashboard Page** and click **Add Dashboard Page** to open the Add Dashboard Page dialog box.



- b. Name the page **Revenue Breakdown**.

Add Dashboard Page

Page Name


Revenue Breakdown

Page Description


OK

Cancel

- c. Click **OK** to close the Add Dashboard Page dialog box.
- d. The **Revenue Breakdown** page is added to the dashboard.



8. Adding a new Subpage to Dashboard Page.
 - a. Open the Dashboard Editor.
 - b. Click **Add Dashboard Page** and Select **Add Subpage** to open the Add Subpage dialog box.




- c. Name the page **By State**.


 A screenshot of the "Add Subpage" dialog box. The dialog has a title bar "Add Subpage" with a question mark and a close button. Inside, there is a label "Dashboard Page Revenue Breakdown". Below it, the "Subpage Name" field contains the text "By State". There is a large text area for "Description" which is currently empty. At the bottom right, there are "OK" and "Cancel" buttons.

- d. Click **OK** to close the Add Subpage dialog box.


- e. The **By State** Subpage is added under the Revenue Breakdown Page.




9. Add content to the new page and modify the page properties.
- In the Catalog pane, expand **My Folders**.
 - Drag **Lab 9-1** onto the **Revenue Breakdown** subpage.



- Drag **Revenue by Year and State** into the Page Layout pane for the **By State** subpage.
- Drag **Lab 4-2** into the Page Layout pane and drop it below **Revenue by State** inside of **Section 1** so that both analyses are in the same section.




- e. Rename Section 1 to **State Revenue by Year** and set the section properties to show section title.
- f. Click **Horizontal Layout** to display the analyses horizontally within the section.




- g. Save and run the dashboard.

For Instructor Use Only.
This document should not be distributed.

h. Verify that the analyses are displayed horizontally on the **By State** subpage.



i. Return to the dashboard editor by clicking the **page options** button and selecting **Edit Dashboard**.



For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 13: Add Actions to Dashboards

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 13: Overview

Overview

In this practice, you add actions to a dashboard page.

For Instructor Use Only.
This document should not be distributed.

Practice 13-1: Add Actions to Dashboard

Overview

In this practice, you add actions to a dashboard page.

Scenario

Add actions to the dashboard page by using Action Link and Action Link Menu to navigate to the required BI content or web page.

Time


15 minutes

Task

1. Add Action Links to a Dashboard
 - a. Click **Create** on the Menu. Select **Dashboard**.




- b. In the New Dashboard window name the dashboard **Action Links**. Set the location to My Folders. Click **OK**.




For Instructor Use Only.
This document should not be distributed.


- c. In the Dashboard Objects pane drag an Action Link to the page.



- d. Click the **properties** button for the Action Link object.




- e. In the Action Link Properties window click **New Action->Navigate BI Content**.




For Instructor Use Only.
This document should not be distributed.


- f. Select the **Revenue by Year and State** analysis under **My Folders**. Click **OK**.



- g. Click **OK** to close the **New Action** dialog box.



- h. Set the Caption to **Navigate to Detail State Analysis** and click **OK**.




- i. **Save** and **run** the Dashboard.
- j. Notice the Caption and the action link.



Navigate to Detail State Analysis
[Revenue by Year and State](#)

- k. Click **Revenue by Year and State** to open the analysis.




- l. Note the links at the very bottom of the page. This breadcrumb trail can be used to navigate back. The left most link will take you back to the dashboard editor. The other link will take you back to the previous page. **Click the second Action Links:page 1 link** to return to the editor. Note that the action link could have been configured to open in a new window.




For Instructor Use Only.
 This document should not be distributed.

2. Adding actions to the Dashboard page by using Action Link Menu


- a. Click on the **Page Options** Icon and **Edit the Dashboard**.



- b. Drag an **Action Link Menu** from the Dashboard Objects pane to the Dashboard page.



- c. Click the **Properties** icon for the Action Link Menu.



For Instructor Use Only.
This document should not be distributed.

d. Enter **Action link list** as the Menu Label.

Action Link Menu Properties

Menu Label: Action Link List

Caption:

Action Links

Link Text	Action	Show Link
Add Menu Action Links		

OK Cancel

e. Click the **Add** icon. The Action Link Properties dialog box appears.

Action Link Menu Properties

Menu Label: Action Link List

Caption:

Action Links

Link Text	Action	Show Link
Add Menu Action Links		

OK Cancel

f. Click the **New Action-> Navigate Bi Content**.

Action Link Properties

Link Text:

Caption:

Action:

- ☐ Open Link in New Window
- ☐ Add to Briefing Book
- Show Link: ☒ Always ☐ Conditionally

Navigate to BI Content

Navigate to a Web Page


Invoke a Web Service

Invoke a Java Method

Invoke a Browser Script


Invoke an HTTP Request

g. Select **Lab 9-1**. Click **OK**.




h. Click **OK** to close the **New Action** dialog box.

i. Select the **Open Link in New Window** check box and click **OK**.




j. Notice that Lab 9-1 is added to Action Links.



k. Click the **Add** icon again.


- l. The **Action Link Properties** dialog box appears. Click the **New Action** button and select **Navigate to a Web Page**.



- m. The **New Action** dialog box appears. Enter `https://www.oracle.com` as the URL. Click **OK**.



- n. Select **Open Link in New Window**. Click **OK** to close the **Action Link Properties** dialog box.



- o. Notice that **Navigate – https://www.oracle.com** is added to **Action Links**. Click **OK**.

Action Link Menu Properties ? x

Menu Label

Caption

Action Links + ✎ x

Link Text	Action
Lab 9-1	Lab 9-1
Navigate - https://www.oracle.com	Navigate - https://www.oracle.com

- p. **Save and run the Dashboard.**

 **Action Links**

▲

Navigate to Detail State Analysis
Revenue by Year and State

▲

Action link list

- q. Click **Action link list** and select **Lab 9-1** to open the analysis.

 **Action Links**

▲

Navigate to Detail State Analysis
Revenue by Year and State

▲

Action link list

Lab 9-1

Navigate - https://www.oracle.com

- r. The Analysis opens in a new window (You may have to allow pop-ups from this site).

The screenshot shows the Oracle Analytics interface. On the left, the 'Action Links' sidebar is visible with the following items:

- Navigate to Detail State Analysis Revenue by Year and State
- Action link list
 - Lab 9-1
 - Navigate - https://

The main content area displays a table titled 'Lab 9-1' with the following data:

State	Per Year Month#	Revenue	MSUM Revenue	RSUM Revenue	RMAX Revenue
CA	2012 08	\$1,893,497.00	\$1,893,497	\$1,893,497	\$1,893,497
	2012 09	\$2,627,985.09	\$4,521,482	\$4,521,482	\$2,627,985
	2012 10	\$3,102,952.18	\$7,624,434	\$7,624,434	\$3,102,952
	2012 11	\$2,564,386.47	\$10,188,821	\$10,188,821	\$3,102,952
	2012 12	\$2,909,161.13	\$11,204,485	\$13,097,982	\$3,102,952
	2013 01	\$2,571,470.32	\$11,147,970	\$15,669,452	\$3,102,952

- s. **Close** the window with the analysis.
- t. **Click the Action Link List** and chose the **Navigate** action link.

The screenshot shows the Oracle Analytics interface. On the left, the 'Action Links' sidebar is visible with the following items:

- Navigate to Detail State Analysis Revenue by Year and State
- Action link list
 - Lab 9-1
 - Navigate - https://www.oracle.com

- u. The Oracle Website is displayed.

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 14:
Create Dashboard Prompts**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 14: Overview

Overview

In this practice, you create a dashboard prompt and add it to a dashboard.

For Instructor Use Only.
This document should not be distributed.

Practice 14-1: Create Dashboard Prompts

Overview

In this practice, you create a dashboard prompt and add it to a dashboard.

Scenario


Create a dashboard prompt in Oracle Analytics Cloud Service and add it to a dashboard.

Time


15 minutes

Task

1. Create a dashboard prompt
 - a. On the home page of Oracle Analytics Cloud **Classic Home** page, click **Create -> Dashboard Prompt**.




- b. Select the **Student Subject Area**.




For Instructor Use Only.
This document should not be distributed.


- c. The **Create Dashboard Prompt** dialog box is displayed. The Definition pane allows you to add, organize, and manage a prompt's columns. It is the same as if creating a prompt directly in the analysis.



- d. Click the  icon and select **Column Prompt**.



- e. The Subject Area pane opens. Select **Date** from the **Calendar** folder and click **OK**.



For Instructor Use Only.
This document should not be distributed.

- f. The **New Prompt** dialog box opens that has the information of the prompt that can be viewed or edited. Accept the defaults and click **OK**.

New Prompt:

Prompt For Column "Calendar"."Day Date" *fx*

Time Zone Default

Label Day Date

☐ Custom Label

Description

Operator is equal to / is in

User Input Calendar

Options

General More

☐ Require user input

Auto Fill ☒ None ☐ First Available Value

Default selection None

Set a variable None

OK Cancel

- g. The column is added to the Definition pane and the Display pane.


Definition

Add prompts for users when they run this analysis.

Prompt Label	Type	Prompt For	Description	Required	New Column
Page 1	Page				
Date	Column value	Date			☐

For Instructor Use Only.
This document should not be distributed.

- h. Follow the same process and add another column in the prompt on **Order Number** from the **Sales** folder.



For Instructor Use Only.
This document should not be distributed.

- i. Click **Options** and select the **Include "All Column Values" choice in the list** check box.

Select Limit values by All Prompts. This will ensure that only orders for the day selected are displayed.

New Prompt:

Prompt For Column "Sales"."Order Number" *fx*

Label Order Number

☐ Custom Label

Description

Operator is equal to / is in

User Input Choice List

Options

General More

Choice List Values

All Column Values

☒ Include "All Column Values" choice in the list

☒ Enable user to select multiple values

☒ Enable user to type values

☐ Require user input

☒ Limit values by All Prompts

Auto Fill

☒ All Column Values

☐ None

☐ First Available Value

Default selection None

Set a variable None

OK Cancel

- j. Click **OK**. Both the **Date** and **Order Number** columns are available in the prompt now.


Definition

Add prompts for users when they run this analysis.


Prompt Label	Type	Prompt For	Description	Required	New Column
Page 1	Page				
Date	Column value	Date			☐
Order Number	Column value	Order Number			☐

- k. Click **save**. Save in My Folders as **Order Number Prompt**.

For Instructor Use Only.
This document should not be distributed.




2. Add prompts to a dashboard
 - a. Create a new Analysis. The analysis should look like the image below.



- b. **Save** the analysis as **Lab 14-1**.
 - c. **Create a new Dashboard** by clicking Create>Dashboard. Name it as **Prompt Dashboard**. Select Add Content Now. Click **OK**.

- d. Add content to the new dashboard page. From the Catalog pane on the left add both the **Order Number Prompt** and **Lab 14-1** analysis to the dashboard page and click the **save** icon on the right top corner.



- e. Click the **Run** icon to open this Dashboard.



- f. Notice the prompt at the top of the dashboard.

For Instructor Use Only.
This document should not be distributed.

Date

Order Number

--Select Value--

Apply

Reset

Lab 14-1

Date	Order Number	Item Name	Revenue	Units
8/1/2012 12:00:00 AM	Ord 0001	Samsun Galaxy Tab 3	\$5,980.00	52
	Ord 0002	iPhone 4	\$7,211.26	38
	Ord 0003	HP Workstation Z1G2	\$35,999.60	40
	Ord 0004	iPad Air	\$19,950.00	50
	Ord 0005	iPad Air	\$7,980.00	20
	Ord 0006	iMac 27	\$66,650.00	43
	Ord 0007	Samsug Note 3	\$23,950.00	50
	Ord 0008	LENOVO Thinkpad T1	\$36,035.56	44
	Ord 0009	iMac 21	\$30,002.12	23
	Ord 0010	iPhone 4	\$2,467.01	13
	Ord 0011	MacBook	\$11,324.28	22
	Ord 0012	Samsug Note 3	\$19,160.00	40
8/2/2012 12:00:00 AM	Ord 0013	HP Workstation Z1G2	\$30,599.66	34
	Ord 0014	ASUS GLX 1	\$16,659.66	34

g. In the data prompt select July 30th 2015.

Select Date and Time

<

July

>

2015

<

>

SUN

MON

TUE

WED

THU

FRI

SAT

28

29

30

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

1

12

<

>

:

00

<

>

:

00

<

>

☒ AM

☐ PM

(GMT-06:00) Central Time (US & Canada)

OK

Cancel

h. In the **Order Number** prompt select any values and then **click apply**.

Prompt Dashboard

Day Date07/30/2015 12:00

Order NumberOrd 12930;Ord 1

ApplyReset

14-1

Day Date	Order Number	Item Name	Revenue	Units
7/30/2015 12:00:00 AM	Ord 12930	MacBook	\$27,795.96	54
	Ord 12931	Samsung S6	\$122,248.37	163
	Ord 12932	iMac 27	\$79,050.00	51

For Instructor Use Only.
This document should not be distributed.

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 15:
Customizations and Briefing
Books**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 15: Overview

Overview

Personalized customizations allow the saving of prompt choices that can be applied again as required. Briefing Books allow you to consume content in pdf or Mht format.

For Instructor Use Only.
This document should not be distributed.

Practice 15-1: Save Personal Customizations

Overview

Personalized customizations allow the saving of prompt choices that can be applied again as required.

Scenario


Save personal customizations of a dashboard, edit the customizations, apply the customizations, and clear the customizations.

Time

20 minutes


Task

1. Create an Analysis
 - a. Log in to the OAC instance.
 - b. Navigate to the Home page of **Classic Home**
 - c. Click **Create -> Analysis**
 - d. Select the **Student Subject Area**.
 - e. Add the Columns **Category**, **Item Type** and **Item Name** from **Item** table and **Units** and **Revenue** from **Sales** table. **Create is Prompted filters** for Category and Item Type.




For Instructor Use Only.
This document should not be distributed.


- f. Save the Analysis as **Lab 15-1**. Click **OK**.



2. Create a Dashboard Prompt
- a. On the home page of Oracle Analytics Cloud **Classic Home** page, click **Create -> Dashboard Prompt**.




- b. Select the **Student Subject Area**.




- c. The **Create Dashboard Prompt** dialog box is displayed.

- d. Click the  icon and select **Column Prompt**.




- e. The Subject Area pane opens. Select **Category** from the **Item** folder and click **OK**.



For Instructor Use Only.
This document should not be distributed.

- f. The **New Prompt** dialog box opens. Accept the defaults and click **OK**.




The **New Prompt** dialog box is shown. It has a title bar with a question mark and a close button. The main area contains the following fields:

- Prompt For Column:** "Item"."Category" with a function icon (fx).
- Label:** "Category". Below it is a checkbox for **Custom Label** which is unchecked.
- Description:** An empty text box.
- Operator:** A dropdown menu showing "is equal to / is in".
- User Input:** A dropdown menu showing "Choice List".
- Options:** A section with a right-pointing triangle icon.

At the bottom right are **OK** and **Cancel** buttons.


- g. Click the  icon and select **Column Prompt**.



The **Definition** pane is shown. It has a title bar with a triangle icon and the text "Definition". Below the title bar is the text "Add prompts for users when they run this analysis." and a toolbar with icons for adding, deleting, and other actions. A table is displayed with the following columns: **Prompt Label**, **Type**, **Prompt For**, **Description**, **Re**, and **Column**. The first row is highlighted in green and contains "Page 1", "Page", and "Category". A context menu is open over the table, showing options: **Column Prompt...** (highlighted with a red box), **Variable Prompt**, **Image Prompt**, and **Currency Prompt**.

Prompt Label	Type	Prompt For	Description	Re	Column
Page 1	Page	Category			
Category	Column value	Category			

- h. The **Subject Area** pane opens. Select **Item Type** from the **Item** folder and click **OK**.



The **Select Column** dialog box is shown. It has a title bar with a question mark and a close button. The main area is titled **Columns** and contains a tree view of the **Student Subject Area**. The tree view shows the following structure:

- Student Subject Area
 - CALENDAR
 - ITEM
 - Category
 - Item Type** (highlighted with a red box)
 - Item Name
 - Item ID
 - OS
 - RRP
 - STORES
 - WAREHOUSE
 - SALES

At the bottom are **OK** and **Cancel** buttons.

- i. The **New Prompt** dialog box opens.
Check the **Limit Values** checkbox.
Click **OK**.

New Prompt:

Prompt For Column: "Item". Item Type *fx*

Label: Item Type

☐ Custom Label

Description:

Operator: is equal to / is in

User Input: Choice List

Options

General More

Choice List Values: All Column Values

☐ Include "All Column Values" choice in the list

☒ Enable user to select multiple values

☒ Enable user to type values

☐ Require user input

☒ Limit values by All Prompts

Auto Fill: ☒ None ☐ First Available Value

Default selection: None

Set a variable: None

OK Cancel

- j. **Save** the Dashboard Prompt as **Customization Prompt**.

Save As

Folders: My Folders Shared Folders

Save In: /My Folders


Action Links Lab 6-2
 My First Dashboard Lab 6-3
 Prompt Dashboard Lab 7-1
 Subject Area Contents Lab 8-1
 Demo1 Lab 8-2
 Lab 14-1 Lab 9-1
 Lab 15-1 Order Number Prompt
 Lab 4-2 Revenue by Year and State

Name: Customization Prompt

Description:

OK Cancel

3. Create a Dashboard and work with customizations.
 - a. Click **Create-> Dashboard**.
 - b. Name the dashboard **Dashboard Customizations**. Ensure the **location is My Folder**. Click **OK**.



New Dashboard

Choose a name and location for the new dashboard

Name: Dashboard Customizations


Description:

Location: My Folders


Content: ☒ Add content now ☐ Add content later (Create empty dashboard)

OK Cancel

- c. Add the **Customization Prompt** and **Lab 15-1** to the page.



- d. **Save** the dashboard.



4. Save the current customization
- a. **Run** the Dashboard.

Dashboard Customizations

Category

--Select Value--

Item Type

--Select Value--

Apply

Reset

Lab 15-1

Category	Item Type	Item Name	Revenue	Units
Computer	Desktop	HP ProBook 2	\$4,187,227.13	6887
		HP Workstation Z1G2	\$22,285,969.79	24927
		HP Workstation Z1G3	\$4,800,090.20	12660
		HP Workstation Z1G4	\$7,375,968.00	8537
		Mac Pro	\$46,937,648.39	38161
		iMac 21	\$49,732,909.64	38342
		iMac 27	\$66,705,368.00	44094
		iMac Retina 27	\$31,171,658.31	14169
	Laptop	ASUS GLX 1	\$6,485,507.64	13236
		ASUS GLX 2	\$10,410,662.92	25737

- b. Select **Computer** and **Desktop** in the prompts. Click **Apply**.

Category

Computer

Item Type

Desktop

Apply

Reset

Lab 15-1

Category	Item Type	Item Name	Units	Revenue
Computer	Desktop	HP ProBook 2	6887	\$4,187,227.13
		HP Workstation Z1G2	24927	\$22,285,969.79
		HP Workstation Z1G3	12660	\$4,800,090.20
		HP Workstation Z1G4	8537	\$7,375,968.00
		Mac Pro	38161	\$46,937,648.39
		iMac 21	38342	\$49,732,909.64
		iMac 27	44094	\$66,705,368.00
		iMac Retina 27	14169	\$31,171,658.31

- c. Click the **Page Options** icon and select **Save Current Customization**.

Dashboard Customizations

HomeCatalogFavoritesDashboardsCreateOpen

CategoryComputerItem TypeDesktopApplyReset

Lab 15-1

Category	Item Type	Item Name	Revenue	Units
Computer	Desktop	HP ProBook 2	\$4,187,227.13	6887
		HP Workstation Z1G2	\$22,285,969.79	24927
		HP Workstation Z1G3	\$4,800,090.20	12660
		HP Workstation Z1G4	\$7,375,968.00	8537

Edit Dashboard

Print

Export to Excel

Refresh

Add To Briefing Book

Create Bookmark Link

Create Prompted Link

Apply Saved Customization

Save Current Customization..

Edit Saved Customizations...

Clear My Customization

- d. Enter the Name as **Desktops** . Click **OK**.

Save Current Customization

NameDesktops

Save forMeOthersSet Permissions

Make this my default for this page

OKCancel

- e. Change the **prompt values** to **Mobile** and **Smart Phone** and click Apply.

Category
Mobile

Item Type
Smart Phone

Apply
Reset

Lab 15-1

Category	Item Type	Item Name	Units	Revenue
Mobile	Smart Phone	Samsug Note 3	16547	\$7,926,013.00
		Samsug Note 4	22575	\$12,615,450.61
		Samsung S2	16487	\$2,473,050.00
		Samsung S3	21938	\$4,451,173.05
		Samsung S4	53820	\$30,933,592.96
		Samsung S5	23535	\$9,413,764.65
		Samsung S6	20450	\$15,337,295.50
		iPhone 4	18469	\$3,504,862.13
		iPhone 5	58864	\$17,658,611.36

- f. Click the **Page Options** icon and select **Save Current Customization**.

Dashboard Customizations
Home
Catalog
Favorites
Dashboards
Create
Open

Category
Mobile

Item Type
Smart Phone


Apply
Reset

Lab 15-1

Category	Item Type	Item Name	Revenue	Units
Mobile	Smart Phone	Samsug Note 3	\$7,926,013.00	16547
		Samsug Note 4	\$12,615,450.61	22575
		Samsung S2	\$2,473,050.00	16487
		Samsung S3	\$4,451,173.05	21938


Edit Dashboard
Print
Export to Excel
Refresh
Add To Briefing Book
Create Bookmark Link
Create Prompted Link
Apply Saved Customization
Save Current Customization...
Edit Saved Customizations...
Clear My Customization

- g. Enter the Name as **Phones** . Click **OK**.



The dialog box titled "Save Current Customization" has a "Name" field containing "Phones". Under "Save for", the "Me" radio button is selected. There is an "Others" radio button with a "Set Permissions" button next to it. A checkbox "Make this my default for this page" is unchecked. At the bottom are "OK" and "Cancel" buttons.


- h. Use the **Page Options** to **apply saved customizations**. These saved customizations will be available any time you access this dashboard.



The screenshot shows the "Dashboard Customizations" page. At the top, there are navigation links: Home, Catalog, Favorites, Dashboards, Create, and Open. Below these, there are filters for "Category" (Mobile) and "Item Type" (Smart Phone), with "Apply" and "Reset" buttons. A table titled "Lab 15-1" displays data for various Samsung phones. On the right, a context menu is open, showing options like "Edit Dashboard", "Print", "Export to Excel", "Refresh", "Add To Briefing Book", "Create Bookmark Link", "Create Prompted Link", "Apply Saved Customization" (highlighted with a red box), "Save Current Customization...", "Edit Saved Customizations...", and "Clear My Customization".

Category	Item Type	Item Name	Revenue	Units
Mobile	Smart Phone	Samsug Note 3	\$7,926,013.00	16547
		Samsug Note 4	\$12,615,450.61	22575
		Samsung S2	\$2,473,050.00	16487
		Samsung S3	\$4,451,173.05	21030

- i. Click the Page Options icon and select **Edit Saved Customizations**.



The screenshot shows the "Page Options" menu, which is a list of actions. The "Edit Saved Customizations..." option is highlighted with a red box. The menu also includes "Edit Dashboard", "Print", "Export to Excel", "Refresh", "Add To Briefing Book", "Create Bookmark Link", "Create Prompted Link", "Apply Saved Customization", "Save Current Customization...", and "Clear My Customization".

For Instructor Use Only.
This document should not be distributed.

- j. The previously created My Customization is available for edit. A default value can be set and this will automatically applied when the dashboard is opened. Click **Cancel**.

Edit Saved Customizations



Rename, delete and control group access to Saved Customizations, as well as specify which Saved Customization, if any, should be used as your default for the current Dashboard page.

Saved Customizations



Name	My Default	Shared
No Personal Customizations	☒	☐
Desktops	☐	☐
Phones	☐	☐
	☐	☐
	☐	☐
	☐	☐
	☐	☐

Practice 15-2: Organize Content with Briefing Books

Overview

A Briefing Book is a collection of static or updatable snapshots of dashboard pages or individual analysis. The Briefing Book provides a way to see or share content offline with others.

Scenario

You add content to a Briefing Book, edit the content of a Briefing Book, and download a Briefing Book

Time

5 minutes

Task

1. Create a Briefing Book
 - a. If the Dashboard Customizations is not already open go to Catalog. Open the Dashboard **Dashboard Customizations**.



Category

Item Type



Lab 15-1

Category	Item Type	Item Name▲▼	Revenue	Units
Mobile	Smart Phone	Samsug Note 3	\$7,926,013.00	16547
		Samsug Note 4	\$12,615,450.61	22575
		Samsung S2	\$2,473,050.00	16487
		Samsung S3	\$4,451,173.05	21938
		Samsung S4	\$30,933,592.96	53820
		Samsung S5	\$9,413,764.65	23535
		Samsung S6	\$15,337,295.50	20450
		iPhone 4	\$3,504,862.13	18469
		iPhone 5	\$17,658,611.36	58864
		iPhone 6	\$11,209,896.18	20382

- b. Click the Page Options icon and select **Add To Briefing Book**.


The screenshot shows the 'Dashboard Customizations' page. At the top, there is a navigation bar with 'Home', 'Catalog', 'Favorites', 'Dashboards', 'Create', and 'Open'. Below this, there are filters for 'Category' (Mobile) and 'Item Type' (Smart Phone), with 'Apply' and 'Reset' buttons. A table titled 'Lab 15-1' displays data for various Samsung phones. On the right, a 'Page Options' menu is open, showing options like 'Edit Dashboard', 'Print', 'Export to Excel', 'Refresh', and 'Add To Briefing Book' (which is highlighted with a red box). Other options include 'Create Bookmark Link', 'Create Prompted Link', 'Apply Saved Customization', 'Save Current Customization...', 'Edit Saved Customizations...', and 'Clear My Customization'.

Category	Item Type	Item Name	Revenue	Units
Mobile	Smart Phone	Samsug Note 3	\$7,926,013.00	16547
		Samsug Note 4	\$12,615,450.61	22575
		Samsung S2	\$2,473,050.00	16487
		Samsung S3	\$4,451,173.05	21938
		Samsung S4	\$30,933,592.96	53820


- c. The **Save Briefing Book Content** dialog box appears. Click **Browse**.

The 'Save Briefing Book Content' dialog box is shown. It has a title bar with a question mark and a close button. The 'Portal Name' is 'page 1'. Under 'Content Type', 'Updatable' is selected. Under 'Follow Briefing Book Navigation Links', 'No' is selected. The 'Number of links to follow (5 max)' is set to 1. There is a 'Description' text area. At the bottom, there is a 'Location' text field and a 'Browse...' button (highlighted with a red box). 'OK' and 'Cancel' buttons are at the bottom right.


- d. Select **My Folders** and enter the name as **My Book**. Click **OK**.



- e. The path now reflects in the dialog box. Click **OK**.




- f. A dialog box appears stating that the content was added successfully. Click **OK**.




Note: The preceding steps result in the creation of an Updatable Briefing Book. A Snapshot Briefing Book can be created by performing the same steps and selecting the option button for **Snapshot** in step 1.c.

2. Editing the content of a Briefing Book


a. Click **Catalog**.



b. Navigate to **My Folders** and locate the Briefing Book **My Book** and click **Edit**.




c. Select **Page 1** and click the **Edit** icon.



For Instructor Use Only.
This document should not be distributed.


- d. The **Page Properties** dialog box opens. Change the content type to **Snapshot** and Click **OK**.



- e. In the **Edit Briefing Book** dialog box, click **OK**.

3. Download a Briefing Book


- a. Navigate to **My Folders** and locate the Briefing Book **My Book**. Click **PDF**.



- b. A dialog box appears informing you that the export is complete. Click **OK**.



- c. Alternatively a Briefing Book can also be downloaded as a web archive. Click the **Web Archive (.mht)**



For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 16: Use
a Wallet to Connect to an
Autonomous Data
Warehouse with SQL
Developer**

Practices for Lesson 16

Overview

There are no practices for this Lesson.

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 17:
Migrating the On-Premises
RPD to the Oracle Analytics
Cloud Service**

Practices for Lesson 17

Overview

There are no practices for this Lesson.

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 18: OAC Delivers

For Instructor Use Only.
This document should not be distributed.

Practice 18-1 Create an Agent

Overview

In this practice, you create an agent that will run an analysis and deliver an alert to the dashboard.

Scenario


Create and test an agent that delivers an alert to a dashboard.

Time


10 minutes

Task

1. Add an alert to a dashboard.
 - a. On the **Catalog** page locate **My First Dashboard** and click **edit**.




- b. Add an Alert Section to the top of the Yearly Revenue page.




- c. **Save** the dashboard.
 - d. Return to the **Catalog** page.

2. Create an agent to run an analysis.
 - a. Click **Create->Agent**.



- b. The Oracle Analytics Delivers page is displayed.



- c. Click on the **Schedule tab**. Set the **Frequency** to **Once**.

The screenshot shows the 'Delivers Agent' configuration window with the 'Schedule' tab selected. The 'Frequency' dropdown is set to 'Once'. The 'Start' time is '08/17/2023 08:10:00 PM' and the 'Until' time is '11:59:00 PM'. The 'Re-run Agent Every' checkbox is unchecked, and the 'Minutes' field is set to '15'.

- d. Click on the **Condition tab**. Agents can be configured to run conditionally based on an analysis's row count. Select **Use a condition**.


- e. Click **Create**.

The screenshot shows the 'Delivers Agent' configuration window with the 'Condition' tab selected. The 'Settings' section has the 'Use a condition' radio button selected. The 'Create...' button is highlighted.

- f. Click **Browse** and select **Lab 5-1**. Match the settings below.


The screenshot shows the 'Create Condition' dialog box. The 'Create condition based on' dropdown is set to 'Analysis'. The 'Condition Data' field shows '/My Folders/Lab 5-1'. The 'True If Row Count' dropdown is set to 'is greater than' and the value '1' is entered in the adjacent field. The 'Test', 'OK', and 'Cancel' buttons are at the bottom.

- g. Click **Test**. Click **OK**.



Lab 5-1 has more than one row of data.

- h. Click **OK**.
i. Click the **Delivery Content** tab.
j. Enter **New Data for Analysis 4-3** as the **Subject**.
k. **Browse** to **Lab 4-3**.



- l. Click the **Recipients** tab. Note the Publish Agent for subscription. This would allow users to subscribe to this agent if they wish to get notifications.

Overview Delivers Agent

General Normal Priority, Use Specified User's Credentials: 99233494-ora033
Schedule Not Scheduled
Condition Lab 5-1
Delivery Content /My Folder /Lab 5-1

Recipients Specific recipients
Destinations Home Page and Dashboard, Devices in active Delivery Profile
Actions If Condition True: <none selected>
If Condition False: <none selected>

General Schedule Condition Delivery Content **Recipients** Destinations Actions

Direct Agent Recipients
Specify who will receive this Agent.

Select Recipients
Show All + - x

Name
99233494-ora033

Use Analysis
☐ Get Recipients from the Analysis Used in the Agent Condition
Analysis Lab 5-1

Publish for Subscription
Enable this Agent to be published and determine which users can subscribe to this Agent.

☐ Publish Agent for subscription ☐ Allow subscribers to customize Agent

- m. Click the **Destinations** tab.
Deselect Devices.

Overview Delivers Agent

General Normal Priority, Use Specified User's Credentials: 99233494-ora033
Schedule Not Scheduled
Condition Lab 5-1
Delivery Content /My Folder /Lab 5-1

Destinations Home Page and Dashboard, Devices in active Delivery Profile
Actions If Condition True: <none selected>
If Condition False: <none selected>

General Schedule Condition Delivery Content Recipients **Destinations** Actions


Specify where this Agent will be delivered.

User Destinations ☒ Home Page and Dashboard
☐ Devices
☒ Active Delivery Profile
☐ Specific Devices (will override a user's Active Delivery Profile)
☐ Email
☐ Pager
☐ Digital Phone
☐ Handheld Device


System Services ☐ Oracle Analytics Server Cache (For seeding cache)

For Instructor Use Only.
This document should not be distributed.

- n. Click the **Save** button. Name the agent **My First Agent**. Click **OK**.



- o. Click the **Run Agent Now** button.



An agent running dialog box will appear.



A **confirmation box** will appear. Click **OK**.

✔ Agent Successful



The Agent My First Agent, has run successfully.


OK

Note: in case you receive “[nQSError: 67020] Exceeded max concurrent instances of scheduled job. Max limit is 1.”


Cause: This error occurs when an agent is run, and a prior job FOR THE SAME AGENT has not yet been completed.

Solution: To resolve the issue:

- Wait for the first Agent job to complete.
- Once it is completed, another job can then be initiated for the Agent.



- p. An Alert appears on the global header.



3. Access the Dashboard to view the Alerts Section.
 - a. Click on Catalog.
 - b. Locate **My First Dashboard** and click **Open**.

For Instructor Use Only.
This document should not be distributed.

c. The Alerts appear at the top of the page.

The screenshot shows the Oracle Alerts interface. At the top, there's a navigation bar with 'My First Dashboard', 'Alerts!', 'Home', 'Catalog', 'Favorites', 'Dashboards', and 'Create'. Below this, the 'Alerts' section is active, showing a list of alerts. The first alert is 'New Data For Analysis 4-3' with a priority of 'Normal' and a timestamp of '8/17/2023 8:24:11 PM GMT+00:00'. Below the alert list, there's a section titled 'Yearly Revenue' with a table showing revenue data for 2012.

Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20

d. Click the **New Data For Analysis 4-3** alert.

e. The analysis is displayed in the Alert.

The screenshot shows the Oracle Alerts interface with an alert modal open. The modal is titled 'Alert' and contains the following information: 'New Data For Analysis 4-3', 'Priority: Normal', 'Delivered: 1/8/2020 1:39:47 PM CDT', 'Recurrence: 2', and 'Source Agent: My First Agent'. Below this, there's a section titled 'Lab 4-3' with a table showing analysis data for 2014 and 2013.

2014	2013
CA	CA
MA	MA
NY	NY
NJ	NJ

f. Click the **Clear Alert** button.

For Instructor Use Only.
This document should not be distributed.

- g. The Alerts section is no longer displayed. The alert has also been removed from the Global Header.

My First Dashboard

HomeCatalogFavoritesDashboardsCreateOpen

Yearly RevenueRevenue Breakdown

Yearly Revenue

Lab 5-1

Year	State	Revenue
2012	CA	\$13,097,981.87
	MA	\$12,819,296.20
	NJ	\$11,142,587.06
	NY	\$13,203,002.57

For Instructor Use Only.
This document should not be distributed.

**Practices for Lesson 19:
Administration**

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 19

Overview

There are no practices for this Lesson.

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 20: Cache Management

For Instructor Use Only.
This document should not be distributed.

Practices for Lesson 20

Overview

There are no practices for this Lesson.

For Instructor Use Only.
This document should not be distributed.



Appendix A: Setup the lab environment

For Instructor Use Only.
This document should not be distributed.

Setup the Lab environment

In this lab you will create the Subject Area that will be used in this course.

Perform these steps only if the Subject Area in Practice 1 is not available in the environment.

For Instructor Use Only.
This document should not be distributed.

Get Started

Overview

In this lab you will create the Subject Area that will be used in the course


Prerequisites

- You have received the Oracle Analytics Cloud Services URL and login credentials
- You have received the wallet of the database allocated for this class.
- You have received the **Student Semantic Model.rpd** repository database file.

Assumptions

- You have downloaded the wallet of the database allocated for this class.
- You have downloaded the **Student Semantic Model.rpd** repository database file.

Note: The **Student Semantic Model.rpd** repository database file is available as part of the **Lab Files** bundle, which you can download from the **Guides** tab of the **MyLearn** course page:



For Instructor Use Only.
This document should not be distributed.

Gather the database details

In this lab you will gather the database details required to create the Semantic Model

Tasks

1. Download the database wallet for your environment.
2. Extract the wallet zip file.
3. Open the tnsnames.ora file
4. Note down the following:
 - a. **Hostname** <it will be something similar to adb.us-ashburn-1.oraclecloud.com>
 - b. **Service_name** <it will be something similar to xe6o9e3f5gfz4si_oacdb_medium.adb.oraclecloud.com>
 - c. Location of the cwallet.sso file.


For Instructor Use Only.
This document should not be distributed.

Create the Semantic Model

In this section you will create the Semantic Model


Tasks

1. On the Oracle Analytics Home page, click the **Create** button in the upper right corner, and select **Semantic Model**.



For Instructor Use Only.
This document should not be distributed.

2. Name the semantic model '**Student Semantic Model**' and click the **Create** button.




Create Semantic Model

* Name

Descripti...

3. In the '**Student Semantic Model**' page, click the **Import a File** button.



Create Semantic Model

Create an empty semantic model to choose and import table definitions from a connection and manually create all objects.

Select an RPD file or an archive (ZIP) file to create a semantic model.

Import content from the Analytics Query Engine to create a semantic model.

Clone an existing Git repository to create a semantic model after configuring a Git connection with the HTTPS or SSH protocol.


4. Select the **Student Semantic Model.rpd** file you downloaded earlier.
5. Provide the **RPD** password: **Welcome_1234#**

Import File


Import doesn't include the data connections. After import, create the required system data connection and assign it to connection pool(s). Please enter password for Student Semantic Model.rpd

Password


6. Click the **OK** button when the '**Import successful**' message appears on the screen.



7. Click on the **Connection** icon in the far left corner, then click on the **+** sign to create a connection. Finally, click on '**Create Connection**'.



8. In the **Create Connection** page, select **Oracle Database**.



9. Create the Oracle Database connection using the following information.
- Connection Name: **StudentSchema**
 - Connection Type: **Basic**
 - Host: **the value was obtained from the wallet in step1** <adb.us-ashburn-1.oraclecloud.com>
 - Port: **1522**
 - Service Name: **the value was obtained from the wallet in step1** <example: xe6o9e3f5gfz4si_oacdb_medium.adb.oraclecloud.com>

For Instructor Use Only.
This document should not be distributed.

- f. Client Wallet: cwallet.sso (from the wallet file of the ADW)
- g. Username: **Student**
- h. Password: **Welcome_1234#**
- i. Click on the **Save** button.

←

Create Connection



Oracle Database

* Connection Name

StudentSchema

Description

Connection Type

Basic

* Host

adb.us-ashburn-1.oraclecloud.com

* Port

1522

* Service Name

xe6o9e3f5gfz4si_oacdb_medium.adb.oraclecloud.com

Client Wallet

cwallet.sso

Select...

* Username

Student

* Password

.....

☒ System connection

* Authentication

☒ Always use these credentials

☐ Require users to enter their own credentials


☐ Use the active user's credentials

Cancel

Save


For Instructor Use Only.
This document should not be distributed.

10. Click the **Physical Layer** icon to access the Physical Layer. Right click **MyDatabase** and select **Edit**.



For Instructor Use Only.
This document should not be distributed.

11. Click on the **Connection Pools** tab. In the tab click on the **3 dots** and then click on **Open Detail** to view the Connection Pool.



12. Select **StudentSchema** for the **Connection** property.

Student_Connection Pool

General

Name: Student_Connection Pool

Description:

Connection: StudentSchema

☐ Remote Connection

Max Connections: 10

Timeout: 5 Minutes


Isolation Level: Default

☒ Require fully qualified table names

☒ Use multithreaded connections


☒ Parameters supported

13. Click the **disk** icon, upper right corner, and click **Save**.




For Instructor Use Only.
This document should not be distributed.

14. Check consistency by clicking on the **Consistency** icon and selecting **Include warnings**.




15. It should return 0 errors.



For Instructor Use Only.
This document should not be distributed.

16. Click on the **page menu**, 3 dots icon, upper right corner, and select **Deploy**. Click the **Deploy** button.




Deploy Semantic Model

Differences between the current semantic model and the semantic model you are about to deploy can break existing reports. Before proceeding, take a snapshot of the current semantic model before you deploy.




17. Wait for **Deploy successful** message to appear at the bottom right corner.




18. To verify a successful deployment of the Semantic Model:


- a. Navigate back to the Oracle Analytic Home page




- b. Click the **Page Menu**, 3 dots, and select **Open Classic Home**



- c. In the Analytics Classic Home page, select **Create**, and then select **Analysis**



- d. Verify Student Subject Area is available.



For Instructor Use Only.
This document should not be distributed.

For Instructor Use Only.
This document should not be distributed.