

TEQIP-III Short Course on Systems Analysis of Biofuels and Bioproducts

Module 4: Life Cycle Assessment

Ganti S. Murthy Professor Discipline of Biosciences and Biomedical Engineering, Indian Institute of Technology-Indore Email: Ganti.Murthy@iiti.ac.ir

1

LCA is not Risk Assessment! LCA is not a cost/performance analysis model. LCA is a model to assess environmental impact of the products, processes and services.

Life Cycle Analysis

Two versions: Attributional LCA and Consequential LCA.

Other variants:

- Cradle to grave: Involves LCA for production, manufacturing, use and disposal
- Cradle to cradle: Involves recycle in addition to all the phases mentioned above.
- Cradle to gate: This is a partial LCA assessing impact from cradle to factory gate. Used to declare environmental friendliness of process.
- Well to wheel: A specific LCA for transportation sector.


Life Cycle Analysis: Principles and Practice. EPA/600/R-06/060 (2006)

3

Variants of LCA

The two types of Life Cycle Assessments which answer different questions:

- Attributional Life Cycle Assessment (aLCA): What are the total emissions from the process during the life cycle of the product?
- Consequential Life Cycle Assessment (cLCA): What is the *change* in total emissions from the process during the life cycle of the product?



B replaces C aLCA: 2 = 2 Kg CO2 eq. cLCA: 2-3= -1 Kg CO2 eq. **Goals of this Lecture**

Introduce the Life Cycle Assessment(LCA)


Learning Objectives

By the end of this lecture, you must be able to:

- Understand the importance of systems analysis.
 Understand the LCA Process
- 3. Describe how environmental impacts are calculated using life cycle impact assessment method

2

Shifting of Environmental Burden



Elementary flows are defined as flows to/from the environment which will not be subject to any further human interventions.

Intermediate flows occur between the unit processes within the system boundary. Product flows are products of some other product system.

4

6

Life Cycle Analysis

LCA is divided into four distinct

- 1. Goal Definition and Scoping
- 2. Life Cycle Inventory
- 3. Life Cycle Impact Assessment
- 4. Life Cycle Interpretation



tef: Life Cycle Analysis: Principles and Practice. EPA/600/R-06/060 (2006)

Life Cycle Analysis: Goal Definition and Scoping

Formulation of goals and the scope of study is the most critical part of LCA. The object of the study is defined in terms of "functional unit".

- Description of the products, processes, and the system boundaries.
- Clear and quantifiable goals will help in arriving at more objective interpretation
- $\bullet \quad \text{Setting clearly identifiable the boundaries of the system is critical} \\$

Factors to be considered

- What is the required specificity?
- What are the resources available for the study?
- What type of information is needed?
- How should the results be displayed?

Ref:

http://en.wikipedia.org/wiki/Life_cycle_assessment#Energy_production
Life Cycle Analysis: Principles and Practice. EPA/600/R-06/060 (2006)

7


		System	Boundary	Example		
RMEE cu	ıt-off: 5%					
	A	bsolute val	ues	As a perc	entage of	the output
Input	Mass	Engrav	Economic	Mass	Enorm	Economic
	IVIASS	Energy	value	Iviass	Energy	value
101	4	3	1	4%	4%	1%
102	3	2	4	3%	3%	4%
103	3	3	4	3%	4%	4%
104	4	10	4	4%	13%	4%
211	3	7	3	3%	9%	3%
212	1	3	1	1%	4%	1%
221	1	2	1	1%	3%	1%
222	2	3	1	2%	4%	1%
301	1	2	1	1%	3%	1%
302	2	3	4	2%	4%	4%
Output	100	75	100			

9

Steps in LCA: Life Cycle Inventory

LCI databases

- US NREL LCI,
- US Dept. of Agriculture LCA Digital Commons
- European reference Life Cycle Database (ELCD)
- EcoInvent database
- GaBi database
- UNEP/SETAC Life Cycle Initiative Database Registry
- New Energy Externalities Development for Sustainability (NEEDS).
- ProBas
- Okubau.dat



8

Steps in LCA: Life Cycle Inventory

Input data collected during the LCI process may be classified as follows (ISO 14044):


- Energy, raw materials and other inputs to the process.
- All products, coproducts and waste streams
- All releases to air, water and soil
- Other environmental aspects

10

Steps in LCA: Life Cycle Inventory

Coproduct Allocation

- System partition/ system expansion
- Mass/energy based allocation
- Economic value based allocation



Steps in LCA: Life Cycle Inventory

Coproduct Allocation Example

Mass based allocation:

Fraction of DDGS produced = DDGS/(Ethanol+DDGS) = 2.566/(2.982 + 2.566) = 0.4625

DDGS share of emissions = $0.4625 \times 5.430 = 2.511$ kg GHGs

Ethanol share of emissions = 5.430 - 2.511 = 2.920 kg GHGs


Similar calculations can be performed for energy and economic value based allocations using the data provided here.


System expansion:

- 1 kg DDGS≈ 0.782 kg corn; 1 kg of corn has 289.3 g GHGs
- $2.566 \text{ kg DDGS} = 0.782 \times 2.566 \times (289.3/1,000) = 0.5860 \text{ kg GHGs}.$
- ⇒ Ethanol share of emissions = 5.430 0.5860 = 4.844 kg GHGs

Allocation method→	Mass	Energy	Price	Displacement
Ethanol	2.920	3.250	4.363	4.844
DDGS	2.511	2.180	1.067	0.586

14





15

16


18

Steps in LCA: Life Cycle Interpretation

- · Evaluate to identify
 - Completeness
 - Sensitivity
 - Consistency
- Conclusions, limitations and recommendations are presented.

Important Terms in LCA Results

- Functional Unit: The measure (amount, weight or quality) of the function of the investigated system. It provides a reference to which inputs and outputs of the system are related. Example: 1000 MJ bioethanol or 1kg plastic
- Net Energy Value (NEV): Energy in functional unit fossil energy use to produce functional unit



• Equivalent: Normalization of different values to a reference unit. For example 1 g $\mathrm{CH_4}$ is considered equivalent to 25 g $\mathrm{CO_2}$ -equivalents for global warming potential


Why are the results from various LCA analyses so different?

- · System boundaries
- · Data quality, accuracy
 - · Age of data, sources of data, geographical context
- · Allocation of coproducts
 - Mass, energy and displacement methods
- Nitrous oxide emissions
 - Varying fertilizer use for different crops
- Indirect land use change (ILUC)
 - Variation in ILUC among first, second and third generation fuels.
- Reported units
 - GHG emissions/MJ of fuel or GHG emissions/Ha of land?

20

22

19



Importance of Feedstock Production Stage

Processing and conversion

Water use: 7% Cost: 28% Distribution

Feedstock production

GWP: 57%

Water use: 93% Cost: 68%

21

Impact of Allocation Methods

Impact

Life Cycle Analysis: Summary of Process Steps

LCA is divided into four distinct stages:

1. Goal Definition and Scoping

2. Life Cycle Inventory

3. Life Cycle Impact Assessment

4. Life Cycle Interpretation

Ref: Life Cycle Analysis: Principles and Practice. EPA/600/R-06/060 (2006)

23 24

Databases and Software for Performing Sustainability Analysis

Software

• GREET: http://greet.es.anl.gov/

• Open LCA: http://openica.org/web/guest

• EIO-LCA: http://www.eiolca.net/index.html

• Eco-LCA: http://resilience.eng.ohio-state.edu/eco-lca/index.htm

• SPIonExcel: http://spionexcel.tugraz.at/

Databases

USDA LCA Digital Commons: http://www.lcacommons.gov/

• US LCI Database: http://www.nrel.gov/lci/

• NAICS Sectors: http://www.census.gov/cgi-bin/sssd/naics/naicsrch?chart=2002

• SPI Database: http://spionexcel.tugraz.at/

25

Matrix method of LCA

- · Unit Emission matrix, B
- Emission inventory vector, g

$$g_{p \times 1} = B_{p \times n} x_{n \times 1} = B_{p \times n} A_{n \times n}^{-1} f_{n \times 1} \dots (3)$$

- · Characterization matrix, Q
- · Environmental impacts vector, h

$$h_{m\times 1} = Q_{m\times p}g_{p\times 1}(4)$$

$$h_{m\times 1} = Q_{m\times p}B_{p\times n}A_{n\times n}^{-1}f_{n\times 1}.....(4a)$$

Endpoint indicators

$$ES_{e\times 1} = w_{e\times m}h_{m\times 1}.....$$
 (5)
 $ES_{e\times 1} = w_{e\times m}B_{p\times n}A_{n\times n}^{-1}f_{n\times 1}.....$ (5a)

27

Input-Output Method of LCA

- The matrix method of LCI leads to truncation errors.
- Input-output tables are available for entire economies.
- The IO matrix $(\tilde{A}_{n\times n})$ represents the intermediate consumption among various sectors in the economy
- Demand unit vector, y: The demand for the products/services
- Total demand vector, x: Activity necessary to generate the functional unit
- Equation for Total Economy is

$$x_{n \times 1} = \tilde{A}_{n \times n}. x_{n \times 1} + y_{n \times 1}....(1)$$

 $x = (I - \tilde{A})^{-1}y....(2)$

• Then the other steps of LCA follow the matrix method.

$$ES_{e\times 1} = w_{e\times m}B_{p\times n} (I - \tilde{A})^{-1}y \dots (3)$$

Matrix method of LCA

- The matrix method of LCI also called the process based LCI was first introduced by Heijungs
- Technology Matrix, A: The matrix constructed with the rows representing the products and the columns representing the processes is called the process or technology matrix
- Demand vector, f: The demand for the products/services
- Scaling vector, x: Activity necessary to generate the functional unit

$$A_{n \times n} \cdot x_{n \times 1} = f_{n \times 1}$$
(1)
 $x = A^{-1} f$ (2)

- The above equation always has a solution since the technology matrix is invertible (why?).
- Note that the key assumption that make this possible: each process has only one main product associated with it and the processes are all independent.

26

Summary of the Matrix method of LCA

- · Technology Matrix, A
- · Demand vector, f
- Scaling vector, x

$$Ax=f$$

- Unit Emission matrix, B
- Emission inventory vector, g

- Characterization matrix, Q
- · Environmental impacts vector, h

$$h=Q.g=Q.(B.A^{-1})f$$

28

Hybrid Method of LCA

- The hybrid method combines the matrix and IO methods of LCA.
- M represents the net emission matrix,
- X represents the upstream cut-off flows to the LCA system linked with the IO matrix. The elements in X have a unit of monetary value/operation time (scaling factor).
- Y represents the downstream cut-off flows to the LCA system linked with the IO matrix. The unit of each element of Y are physical unit/monetary

$$M = \begin{bmatrix} B & 0 \\ 0 & \tilde{B} \end{bmatrix} \begin{bmatrix} A & Y \\ X & I - \tilde{A} \end{bmatrix}^{-1} \begin{bmatrix} f_{n \times 1} \\ 0 \end{bmatrix} \dots \dots (1)$$

	LCI based on process	l on process analysis Input-output Hybrid LCI				
	Process flow diagram	Matrix representation	based LCI	Tiered hybrid analysis	IO-based hybrid analysis	Integrated hybrid analysis
Data requirements	Commodity and environmental flows per process	Commodity and environmental flows per process	Commodity and environmental flows per sector	Commodity and environmental flows per sector and process	Commodity and environmental. flows per sector and process-based LCIs	Commodity and environmental. Flows per sector and process
Uncertainty of source data	Low	Low	Medium to high	Depends*	Depends*	Low
Upstream system boundary	Medium to poor	Medium to poor	Complete	Complete	Complete	Complete
Technological system boundary	Complete	Complete	Medium to poor	Depends*	Depends*	Complete
Geographical system boundary	Not limited	Not limited	Domestic activities only	Depends*	Domestic activities only	Not limited
Applicable analytical tools	Rare	Abundant, e.g. in Heijungs and Suh [10]	Rare	Rare	Abundant (analytical tools for IOA disaggregated IO part)	Abundant (both analytical tools for IOA and LCA for entire system)
Time- and labour intensity	High	High	Low, if environm. data available	Depends*	Depends*	High
Simplicity of application	Simple	Simple	Simple	Simple	Complex	Complex
Required computational tools	Excel or similar (no matrix inversion)	Matrix inversion (e.g. MatLab, Mathematica.)	Excel or similar	Excel or similar	Matrix inversion (e.g. MatLab, Mathematica.)	Matrix inversion (e.g. MatLab, Mathematica.)
Available software tools	Most available LCA software tools	CMLCA	MIET, EIOLCA	MIET+LCA software tool	-	CMLCA

Comparison of the various Hybrid Methods of LCA Input-Output based Hybrid Analysis Integrated Hybrid Analysis

31

Class Discussion

- $\bullet \ A \ biofuels \ researcher \ wants \ to \ perform \ an \ environmental \ impact$ comparison of biofuels with fossil fuels. The researcher defines the functional unit as, "one liter of fuel available to the customer at the gas station." The researcher's colleague defines the functional unit as, "1000 MJ of energy available to the customer at the gas station." Which of these is an appropriate functional unit for comparison of
- · What happens if the system boundaries are not consistent among two systems being compared?
- What is the difference between attributional and consequential LCA?
- What is the importance of data quality in the LCA. How does the state of technology influence the data sources? What are different LCA

32

34

biofuels with fossil fuels, and why?

Databases and Software for Performing Sustainability Analysis

Software

33

• GREET: http://greet.es.anl.gov/

Open LCA: http://openlca.org/web/guest

• EIO-LCA: http://www.eiolca.net/index.html

• Eco-LCA: http://resilience.eng.ohio-state.edu/eco-lca/index.htm

• SPIonExcel: http://spionexcel.tugraz.at/

Databases

USDA LCA Digital Commons: http://www.lcacommons.gov/

• US LCI Database: http://www.nrel.gov/lci/

NAICS Sectors: http://www.census.gov/cgi-bin/sssd/naics/naicsrch?chart=2002

• SPI Database: http://spionexcel.tugraz.at/

Class Discussion

• Consider the two data sets for corn yields and nitrogen use in Nebraska. Analyze possible reasons for these dramatic differences and discuss the implications of using one data set versus the other in LCA.

	Corn yield (kg/ha)	Nitrogen use (kg/ha)	Year of data collection
Dataset A	4100	110	1965
Dataset B	9500	140	2005
Ref: http://cro	pwatch.unl.edu/we	b/cropwatch/archive	?articleID=45854?

TEQIP-III Short Course on Systems Analysis of Biofuels and Bioproducts

Module 4: Life Cycle Assessment

THANK YOU

Ganti S. Murthy Professor

Discipline of Biosciences and Biomedical Engineering, Indian Institute of Technology-Indore Email: Ganti.Murthy@iiti.ac.in