

# Cross-System ReCodeAgent Comparison

## Design and scope

Primary analysis is preregistered CodeWeaver repetition 0; repetitions 0--2 characterize variability and

## Completeness audit

| system      | rep | expected | measured | unavailable | error | missing | accounted missing | unaccounted m |
|-------------|-----|----------|----------|-------------|-------|---------|-------------------|---------------|
| ---         | --- | ---      | ---      | ---         | ---   | ---     | ---               | ---           |
| codeweaver  | 0   | 118      | 118      | 0           | 0     | 0       | 0                 | 0             |
| codeweaver  | 1   | 118      | 118      | 0           | 0     | 0       | 0                 | 0             |
| codeweaver  | 2   | 118      | 118      | 0           | 0     | 0       | 0                 | 0             |
| prior       | 0   | 118      | 18       | 100         | 0     | 0       | 0                 | 0             |
| recodeagent | 0   | 118      | 117      | 0           | 0     | 1       | 1                 | 0             |

## Primary paired comparison (all tools)

| metric                      | n   | CW win | RCA win | ties | delta pp | test      |
|-----------------------------|-----|--------|---------|------|----------|-----------|
| ---                         | --- | ---    | ---     | ---  | ---      | ---       |
| compilation_success         | 117 | 37     | 0       | 80   | 31.6     | 1.455e-11 |
| project_pass_all            | 117 | 27     | 15      | 75   | 10.3     | 0.08843   |
| validated_test_project_rate | 117 | 12     | 30      | 75   | -8.7     | measured  |

## CRUST three-system overlap

Status: measured; triples: 99. SWE-agent values are labelled published\_reference\_non\_replayed.

## Costs

Measured-cost frontier status: unavailable. fewer than two systems have genuinely measured, same-unit ac