[MS-OFFMACRO]:
Office Macro-Enabled File Format Specification

Intellectual Property Rights Notice for Open Specifications Documentation

- **Technical Documentation.** Microsoft publishes Open Specifications documentation for protocols, file formats, languages, standards as well as overviews of the interaction among each of these technologies.

- **Copyrights.** This documentation is covered by Microsoft copyrights. Regardless of any other terms that are contained in the terms of use for the Microsoft website that hosts this documentation, you may make copies of it in order to develop implementations of the technologies described in the Open Specifications and may distribute portions of it in your implementations using these technologies or your documentation as necessary to properly document the implementation. You may also distribute in your implementation, with or without modification, any schema, IDL's, or code samples that are included in the documentation. This permission also applies to any documents that are referenced in the Open Specifications.

- **No Trade Secrets.** Microsoft does not claim any trade secret rights in this documentation.

- **Patents.** Microsoft has patents that may cover your implementations of the technologies described in the Open Specifications. Neither this notice nor Microsoft's delivery of the documentation grants any licenses under those or any other Microsoft patents. However, a given Open Specification may be covered by Microsoft's Open Specification Promise (available here: http://www.microsoft.com/interop/osp) or the Community Promise (available here: http://www.microsoft.com/interop/cp/default.mspx). If you would prefer a written license, or if the technologies described in the Open Specifications are not covered by the Open Specifications Promise or Community Promise, as applicable, patent licenses are available by contacting iplg@microsoft.com.

- **Trademarks.** The names of companies and products contained in this documentation may be covered by trademarks or similar intellectual property rights. This notice does not grant any licenses under those rights.

- **Fictitious Names.** The example companies, organizations, products, domain names, e-mail addresses, logos, people, places, and events depicted in this documentation are fictitious. No association with any real company, organization, product, domain name, email address, logo, person, place, or event is intended or should be inferred.

Reservation of Rights. All other rights are reserved, and this notice does not grant any rights other than specifically described above, whether by implication, estoppel, or otherwise.

Tools. The Open Specifications do not require the use of Microsoft programming tools or programming environments in order for you to develop an implementation. If you have access to Microsoft programming tools and environments you are free to take advantage of them. Certain Open Specifications are intended for use in conjunction with publicly available standard specifications and network programming art, and assumes that the reader either is familiar with the aforementioned material or has immediate access to it.

Revision Summary

Date	Revision History	Revision Class	Comments
07/13/2009	0.1	Major	Initial Availability
08/28/2009	0.2	Editorial	Revised and edited the technical content
11/06/2009	0.3	Editorial	Revised and edited the technical content
02/19/2010	1.0	Editorial	Revised and edited the technical content
03/31/2010	1.01	Editorial	Revised and edited the technical content
04/30/2010	1.02	Editorial	Revised and edited the technical content
06/07/2010	1.03	Editorial	Revised and edited the technical content
06/29/2010	1.04	Editorial	Changed language and formatting in the technical content.
07/23/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
09/27/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
11/15/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
12/17/2010	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
03/18/2011	1.04	No change	No changes to the meaning, language, or formatting of the technical content.
06/10/2011	1.04	No change	No changes to the meaning, language, or formatting of the technical content.

Table of Contents

1 Introduction

This document specifies structures of macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats that are either not present in or modified from non-macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats specified in [ECMA-376]. The macro-enabled file formats consist of the non-macro-enabled file formats specified by [ECMA-376] and the XML structures and the XML and non-XML parts specified in this document.

1.1 Glossary

The following terms are defined in [MS-GLOS]:

XML

The following terms are defined in [MS-OFCGLOS]:

AutoFilter
conditional formatting
data consolidation
document
embedded object
Hypertext Markup Language (HTML)
locale
macro
macro sheet
page break
phonetic information
presentation
protection
range
sheet
sheet view
sort condition
table
Visual Basic for Applications (VBA)
VML
workbook
worksheet

The following terms are specific to this document:

page margin: The white space at the top, bottom, and sides of a document when a document is printed.

MAY, SHOULD, MUST, SHOULD NOT, MUST NOT: These terms (in all caps) are used as described in [RFC2119]. All statements of optional behavior use either MAY, SHOULD, or SHOULD NOT.

1.2 References

1.2.1 Normative References

We conduct frequent surveys of the normative references to assure their continued availability. If you have any issue with finding a normative reference, please contact dochelp@microsoft.com. We will assist you in finding the relevant information. Please check the archive site,

http://msdn2.microsoft.com/en-us/library/E4BD6494-06AD-4aed-9823-445E921C9624, as an additional source.

[ECMA-376] ECMA International, "Office Open XML File Formats", 1st Edition, ECMA-376, December 2006, http://www.ecma-international.org/publications/standards/Ecma-376.htm

[ISO/IEC-29500-4] International Organization for Standardization, "Information technology -- Document description and processing languages -- Office Open XML File Formats -- Part 4: Transitional Migration Features", ISO/IEC 29500-4:2008, http://www.iso.org/iso/iso_catalogue/catalogue_tc/catalogue_detail.htm?csnumber=51462

[MS-OVBA] Microsoft Corporation, "Office VBA File Format Structure Specification"

[MS-XLSX] Microsoft Corporation, "Excel Extensions to the Office Open XML SpreadsheetML File Format (.xlsx) Specification"

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, http://www.rfc-editor.org/rfc/rfc2119.txt

[XMLSCHEMA1] Thompson, H.S., Ed., Beech, D., Ed., Maloney, M., Ed., and Mendelsohn, N., Ed., "XML Schema Part 1: Structures", W3C Recommendation, May 2001, http://www.w3.org/TR/2001/REC-xmlschema-1-20010502/

1.2.2   Informative References

[MS-GLOS] Microsoft Corporation, "Windows Protocols Master Glossary".

[MS-OFCGLOS] Microsoft Corporation, "Microsoft Office Master Glossary".

1.3   Structure Overview (Synopsis)

This document specifies structures of macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats that are either not present in or modified from non-macro-enabled WordprocessingML, SpreadsheetML, and PresentationML file formats specified in [ECMA-376]. **Document**, **Workbook**, and **Presentation** data are each contained in a in a compressed file (.zip) package conforming to the Open Packaging Conventions as specified in [ECMA-376]Part 2. Individual files stored in a ZIP package, called parts ([ECMA-376]), contain information about the content and structure of a document, workbook, or presentation. Some parts ([ECMA-376]) store information using **XML** and other parts ([ECMA-376]) store information by using binary data.

1.3.1   Organization of This Document

Section 2 of this documentation is organized by application.

Section 2.1 covers the structures in the macro-enabled WordprocessingML file format that are either not present in or modified from the structures in the non-macro-enabled WordprocessingML file format specified in [ECMA-376].

Section 2.2 covers the structures in the macro-enabled SpreadsheetML file format that are either not present in or modified from the structures in the non-macro-enabled SpreadsheetML file format specified in [ECMA-376].

Section section 2.3 covers the structures in the macro-enabled PresentationML file format that are either not present in or modified from the structures in the non-macro-enabled PresentationML file format specified in [ECMA-376].

Within sections 2.1, 2.2, and 2.3, subsection 1 specifies the parts within the package of a macro-enabled file that are either not present in or modified from a non-macro-enabled file specified by [ECMA-376]. Subsections 2, 3, 4, and 5 specify the details of the structures that are either not present in or are modified from the structures in the non-macro-enabled file formats specified by [ECMA-376]. Subsection 2 specifies global elements, subsection 3 describes global attributes, subsection 4 describes complex types, and subsection 5 describes simple types.

Section 3 provides specific examples intended to illustrate the structures specified in section 2.

Section 4 discusses security issues relating to the structures specified by this document.

Section 5 is a list of version-specific behaviors. It is not intended to be read alone, but rather to be understood in the context of specifications in section 2. Specifications in section 2 provide links to the relevant items in section 5.

1.4   Relationship to Protocols and Other Structures

The structures specified in section 2 are dependent on the structures and concepts defined in the following references:

- [ECMA-376] Parts 1, 3, and 4 for baseline WordprocessingML, SpreadsheetML, and PresentationML persistence formats.

- [ECMA-376] Part 2 for open packaging conventions.

- [ECMA-376] Part 5 for markup compatibility and extensibility.

1.5   Applicability Statement

This document specifies a persistence format for structures not present in or modified from the structures specified by [ECMA-376] for WordprocessingML, SpreadsheetML, and PresentationML documents. The structures specified in this document are not applicable as a stand-alone file format. Each structure specified in this document is integrated with [ECMA-376] WordprocessingML, SpreadsheetML, or PresentationML documents in a particular way, as specified in the section for that structure.

1.6   Versioning and Localization

None.

1.7   Vendor-Extensible Fields

None.

2 Structures

2.1 Macro-Enabled WordprocessingML Structures

2.1.1 Part Enumeration

This section specifies the parts ([ECMA-376]) of the macro-enabled WordprocessingML file format that are different from the parts of the non-macro-enabled WordprocessingML file format specified in [ECMA-376] Part 1, Section 11.3. These parts and their relationships are summarized in the following table.

Part	Relationship Target of
Main Document	WordprocessingML Package ([ECMA-376] Part 1, Section 11.2)
VBA Project	Main Document
VBA Supplemental Data	VBA Project

2.1.1.1 Main Document

Content Type(s):	application/vnd.ms-word.document.macroEnabled.main+xmlapplication/vnd.ms-word.template.macroEnabledTemplate.main+xml
Root Namespace:	http://schemas.openxmlformats.org/wordprocessingml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument

The part is specified in [ECMA-376] Part 1, Section 11.3.10.

2.1.1.2 VBA Project

Content Type:	application/vnd.ms-office.vbaProject
Root Namespace:	Not applicable
Source Relationship:	http://schemas.microsoft.com/office/2006/relationships/vbaProject

This part is specified in [MS-OVBA].

A package MUST contain at most one VBA Project part, which MUST be the target of an implicit relationship from the main document part.

A VBA Project part MUST have an implicit relationship to the VBA Supplemental Data part.

A VBA Project part MUST NOT have implicit or explicit relationships to any other part specified by this document or any part specified in [ECMA-376].

2.1.1.3 VBA Supplemental Data

Content Type:	application/vnd.ms-word.vbaData+xml
Root Namespace:	http://schemas.microsoft.com/office/word/2006/wordml

Content Type:	application/vnd.ms-word.vbaData+xml
Source Relationship:	http://schemas.microsoft.com/office/2006/relationships/wordVbaData

An instance of this part type specifies Microsoft **Visual Basic for Applications (VBA)** supplemental Data.

A VBA Supplemental Data part MUST be the target of an implicit relationship from the VBA Project part.

A VBA Supplemental Data part MUST NOT have implicit or explicit relationships to any other part specified by this document or any part specified in [ECMA-376].

The root element for a part of this content type MUST be vbaSuppData.

2.1.2   Global Elements

2.1.2.1   vbaSuppData

Target namespace: http://schemas.microsoft.com/office/word/2006/wordml

A CT_VbaSuppData element that specifies supplemental Microsoft Visual Basic for Applications (VBA) data.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this element.

```
<xsd:element name="vbaSuppData" type="CT_VbaSuppData"/>
```

2.1.3   Global Attributes

None.

2.1.4   Complex Types

2.1.4.1   CT_Mcd

Target namespace: http://schemas.microsoft.com/office/word/2006/wordml

Referenced by: CT_Mcds

A complex type that specifies a **macro**.

Attributes:

macroName : An ST_String ([ECMA-376] Part 4, Section 2.18.89) attribute that MUST equal the **name** attribute with every character set to uppercase.

name : An ST_String ([ECMA-376] Part 4, Section 2.18.89) attribute that specifies the name of the macro. **name** MUST NOT exceed 255 characters.

menuHelp : An ST_String ([ECMA-376] Part 4, Section 2.18.89) attribute that MUST be ignored.

bEncrypt : An ST_UcharHexNumber ([ECMA-376] Part 4, Section 2.18.106) attribute that MUST be 0.

cmg : An ST_UcharHexNumber ([ECMA-376] Part 4, Section 2.18.106) attribute that MUST be 56.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_Mcd">
  <xsd:attribute name="macroName" type="w:ST_String" use="optional"/>
  <xsd:attribute name="name" type="w:ST_String" use="optional"/>
  <xsd:attribute name="menuHelp" type="w:ST_String" use="optional"/>
  <xsd:attribute name="bEncrypt" type="w:ST_UcharHexNumber"/>
  <xsd:attribute name="cmg" type="w:ST_UcharHexNumber"/>
</xsd:complexType>
```

2.1.4.2   CT_Mcds

Target namespace: http://schemas.microsoft.com/office/word/2006/wordml

Referenced by: CT_VbaSuppData

A complex type that specifies a collection of macros.

Child Elements:

mcd : A CT_Mcd element that specifies a macro.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_Mcds">
  <xsd:sequence>
    <xsd:element name="mcd" type="CT_Mcd" minOccurs="0" maxOccurs="unbounded"/>
  </xsd:sequence>
</xsd:complexType>
```

2.1.4.3   CT_DocEvents

Target namespace: http://schemas.microsoft.com/office/word/2006/wordml

Referenced by: CT_VbaSuppData

A complex type that specifies a container of document events that are active for this document.

Child Elements:

eventDocNew : An element that specifies that the New event is active.

eventDocOpen : An element that specifies that the Open event is active.

eventDocClose : An element that specifies that the Close event is active.

eventDocSync : An element that specifies that the Sync event is active.

eventDocXmlAfterInsert : An element that specifies that the XmlAfterInsert event is active.

eventDocXmlBeforeDelete : An element that specifies that the XmlBeforeDelete event is active.

eventDocContentControlAfterInsert : An element that specifies that the ContentControlAfterInsert event is active.

eventDocContentControlBeforeDelete : An element that specifies that the ContentControlBeforeDelete event is active.

eventDocContentControlOnExit : An element that specifies that the ContentControlOnExit event is active.

eventDocContentControlOnEnter : An element that specifies that the ContentControlOnEnter event is active.

eventDocStoreUpdate : An element that specifies that the StoreUpdate event is active.

eventDocContentControlContentUpdate : An element that specifies that the ContentControlContentUpdate event is active.

eventDocBuildingBlockAfterInsert : An element that specifies that the BuildingBlockAfterInsert event is active.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_DocEvents">
  <xsd:sequence>
    <xsd:element name="eventDocNew" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocOpen" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocClose" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocSync" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocXmlAfterInsert" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocXmlBeforeDelete" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlAfterInsert" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlBeforeDelete" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlOnExit" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlOnEnter" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocStoreUpdate" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocContentControlContentUpdate" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="eventDocBuildingBlockAfterInsert" minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>
```

2.1.4.4   CT_VbaSuppData

Target namespace: http://schemas.microsoft.com/office/word/2006/wordml

Referenced by: vbaSuppData

A complex type that specifies document events and macro information for the VBA project.

Child Elements:

docEvents : A CT_DocEvents element that specifies a container of document events that are active for this document.

mcds : A CT_Mcds element that specifies a collection of macros stored in the Microsoft® Visual Basic® for Applications (VBA) project.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_VbaSuppData">
  <xsd:sequence>
    <xsd:element name="docEvents" type="CT_DocEvents" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="mcds" type="CT_Mcds" minOccurs="0" maxOccurs="1"/>
  </xsd:sequence>
</xsd:complexType>
```

2.1.5 Simple Types

None.

2.2 Macro-Enabled SpreadsheetML Structures

2.2.1 Part Enumeration

This section specifies the parts ([ECMA-376]) of the macro-enabled SpreadsheetML file format that are different from the parts of the non-macro-enabled SpreadsheetML file format specified in [ECMA-376] Part 1, Section 12.3. These parts and their relationships are summarized in the following table.

Part	Relationship Target of
Workbook	SpreadsheetML Package ([ECMA-376] Part 1, Section 12.2)
VBA Project	Workbook
Macro Sheet	Workbook
International Macro Sheet	Workbook

2.2.1.1 Workbook

Content Type(s):	application/vnd.ms-excel.sheet.macroEnabled.main+xmlapplication/vnd.ms-excel.template.macroEnabled.main+xml
Root Namespace:	http://schemas.openxmlformats.org/spreadsheetml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument

This part is specified in [ECMA-376] Part 1, Section 12.3.23.

2.2.1.2 VBA Project

Content Type:	application/vnd.ms-office.vbaProject
Root Namespace:	Not applicable
Source Relationship:	http://schemas.microsoft.com/office/2006/relationships/vbaProject

This part is specified in [MS-OVBA].

A package MUST contain at most one VBA Project part, which MUST be the target of an implicit relationship from the workbook part.

A VBA Project part MUST NOT have implicit or explicit relationships to any other part specified by this document or any other part specified in [ECMA-376].

2.2.1.3 Macro Sheet

Content Type:	application/vnd.ms-excel.macrosheet+xml
Root Namespace:	http://schemas.microsoft.com/office/excel/2006/main
Source Relationship:	http://schemas.microsoft.com/office/2006/relationships/xlMacrosheet

An instance of this part type specifies a **macro sheet**. References to the Macro Sheet part in this document include international macro sheets as well.

A Macro Sheet part MUST be the target of an explicit relationship from the workbook part.

The root element for a part of this content type MUST be macrosheet.

A Macro Sheet part is permitted to have implicit relationships to the following parts specified in [ECMA-376]:

- Comments

- Macro Sheet Binary Index

- Sort Map

A Macro Sheet part is permitted to have explicit relationships to the following parts specified in [ECMA-376]:

- Custom Property

- Drawings

- OLE Object

- OLE Package

- Images

- Printer Settings

- **VML** Drawing

A Macro Sheet part MUST NOT have implicit or explicit relationships to any other part specified in [ECMA-376].

A formula ([ECMA-376] Part 4, Section 3.17) in a macro sheet is specified by Formulas, which is an extension of the definition in [MS-XLSX] section 2.2.2.

2.2.1.4   International Macro Sheet

Content Type:	application/vnd.ms-excel.intlmacrosheet+xml
Root Namespace:	http://schemas.microsoft.com/office/excel/2006/main
Source Relationship:	http://schemas.microsoft.com/office/2006/relationships/xlIntlMacrosheet

An instance of this part type specifies the same information as a macro sheet part type. When this part type is present, the associated macro sheet will display and operate with the US English **locale**, regardless of what the product locale, user locale, or system locale is. This will maximize compatibility when running under various locales.

2.2.2   Global Elements

2.2.2.1   macrosheet

Target namespace: http://schemas.microsoft.com/office/excel/2006/main

A CT_Worksheet element that specifies a macro sheet.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this element.

```
<xsd:element name="macrosheet" type="CT_Worksheet"/>
```

2.2.3   Global Attributes

None.

2.2.4   Complex Types

2.2.4.1   CT_Worksheet

Target namespace: http://schemas.microsoft.com/office/excel/2006/main

Referenced by: macrosheet

A complex type that specifies properties for a macro sheet.

Child Elements:

sheetPr : A CT_SheetPr ([ECMA-376] Part 4, Annex A) element that specifies **sheet**-level properties.

dimension : A CT_SheetDimension ([ECMA-376] Part 4, Annex A) element that specifies the used **range** of the **worksheet**.

sheetViews : A CT_SheetViews ([ECMA-376] Part 4, Annex A) element that specifies **sheet view** information.

sheetFormatPr : A CT_SheetFormatPr ([ECMA-376] Part 4, Annex A) element that specifies sheet formatting properties.

cols : A CT_Cols ([ECMA-376] Part 4, Annex A) element that specifies information about whole columns of the worksheet.

sheetData : A CT_SheetData ([ECMA-376] Part 4, Annex A) element that specifies the Worksheet ([ECMA-376] Part 4, Section 3.3) cell table.

sheetCalcPr : This element MUST be ignored in a macro sheet.

sheetProtection : A CT_SheetProtection ([ECMA-376] Part 4, Annex A) element that specifies sheet **protection** options.

protectedRanges : This element MUST be ignored in a macro sheet.

scenarios : This element MUST be ignored in a macro sheet.

autoFilter : A CT_AutoFilter ([ECMA-376] Part 4, Annex A) element that specifies **AutoFilter** settings.

sortState : A CT_SortState ([ECMA-376] Part 4, Annex A) element that specifies the different **sort conditions** that apply to a range.

dataConsolidate : A CT_DataConsolidate ([ECMA-376] Part 4, Annex A) element that specifies **data consolidation** settings.

customSheetViews : A CT_CustomSheetViews ([ECMA-376] Part 4, Annex A) element that specifies custom sheet views.

mergeCells : This element MUST be ignored in a macro sheet.

phoneticPr : A CT_PhoneticPr ([ECMA-376] Part 4, Annex A) element that specifies default **phonetic information**.

conditionalFormatting : A CT_ConditionalFormatting ([ECMA-376] Part 4, Annex A) element that specifies **conditional formatting** rules.

dataValidations : This element MUST be ignored in a macro sheet.

hyperlinks : This element MUST be ignored in a macro sheet.

printOptions : A CT_PrintOptions ([ECMA-376] Part 4, Annex A) element that specifies print options for the sheet.

pageMargins : A CT_PageMargins ([ECMA-376] Part 4, Annex A) element that specifies **page margins** for the sheet.

pageSetup : A CT_PageSetup ([ECMA-376] Part 4, Annex A) element that specifies page setup settings for the sheet.

headerFooter : A CT_HeaderFooter ([ECMA-376] Part 4, Annex A) element that specifies header and footer settings.

rowBreaks : A CT_PageBreak ([ECMA-376] Part 4, Annex A) element that specifies horizontal **page break (2)** information.

colBreaks : A CT_PageBreak ([ECMA-376] Part 4, Annex A) element that specifies vertical page break (2) information.

customProperties : A CT_CustomProperties ([ECMA-376] Part 4, Annex A) element that specifies references to binary parts containing arbitrary user-defined data.

cellWatches : This element MUST be ignored in a macro sheet.

ignoredErrors : This element MUST be ignored in a macro sheet.

smartTags : This element MUST be ignored in a macro sheet.

drawing : A CT_Drawing ([ECMA-376] Part 4, Annex A) element that specifies a reference to a drawing part ([ECMA-376] Part 1, Section 12.3.8) containing one or more drawing ([ECMA-376] Part 4, Section 5.6) elements.

picture : A CT_SheetBackgroundPicture ([ECMA-376] Part 4, Annex A) element that specifies a background image of a sheet.

oleObjects : A CT_OleObjects ([ECMA-376] Part 4, Annex A) element that specifies **embedded objects** in the sheet.

controls : This element MUST be ignored in a macro sheet.

webPublishItems : A CT_WebPublishItems ([ECMA-376] Part 4, Annex A) element that specifies individual objects that have been published to **HTML**.

tableParts : A CT_TableParts ([ECMA-376] Part 4, Annex A) element that specifies references to parts specifying every **table** on the sheet.

extLst : A CT_ExtensionList ([ECMA-376] Part 4, Annex A) element that specifies future extensions to this format.

The following W3C XML Schema ([XMLSCHEMA1] section 2.1) fragment defines the contents of this complex type.

```
<xsd:complexType name="CT_Worksheet">
  <xsd:sequence>
    <xsd:element name="sheetPr" type="x:CT_SheetPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="dimension" type="x:CT_SheetDimension" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sheetViews" type="x:CT_SheetViews" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sheetFormatPr" type="x:CT_SheetFormatPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="cols" type="x:CT_Cols" minOccurs="0" maxOccurs="unbounded"/>
    <xsd:element name="sheetData" type="x:CT_SheetData" minOccurs="1" maxOccurs="1"/>
    <xsd:element name="sheetCalcPr" type="x:CT_SheetCalcPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sheetProtection" type="x:CT_SheetProtection" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="protectedRanges" type="x:CT_ProtectedRanges" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="scenarios" type="x:CT_Scenarios" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="autoFilter" type="x:CT_AutoFilter" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="sortState" type="x:CT_SortState" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="dataConsolidate" type="x:CT_DataConsolidate" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="customSheetViews" type="x:CT_CustomSheetViews" minOccurs="0"
maxOccurs="1"/>
    <xsd:element name="mergeCells" type="x:CT_MergeCells" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="phoneticPr" type="x:CT_PhoneticPr" minOccurs="0" maxOccurs="1"/>
    <xsd:element name="conditionalFormatting" type="x:CT_ConditionalFormatting" minOccurs="0"
maxOccurs="unbounded"/>
    <xsd:element name="dataValidations" type="x:CT_DataValidations" minOccurs="0"
maxOccurs="1"/>
```

```
          <xsd:element name="hyperlinks" type="x:CT_Hyperlinks" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="printOptions" type="x:CT_PrintOptions" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="pageMargins" type="x:CT_PageMargins" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="pageSetup" type="x:CT_PageSetup" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="headerFooter" type="x:CT_HeaderFooter" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="rowBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="colBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="customProperties" type="x:CT_CustomProperties" minOccurs="0"
  maxOccurs="1"/>
          <xsd:element name="cellWatches" type="x:CT_CellWatches" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="ignoredErrors" type="x:CT_IgnoredErrors" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="smartTags" type="x:CT_SmartTags" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="drawing" type="x:CT_Drawing" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="picture" type="x:CT_SheetBackgroundPicture" minOccurs="0"
  maxOccurs="1"/>
          <xsd:element name="oleObjects" type="x:CT_OleObjects" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="controls" type="x:CT_Controls" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="webPublishItems" type="x:CT_WebPublishItems" minOccurs="0"
  maxOccurs="1"/>
          <xsd:element name="tableParts" type="x:CT_TableParts" minOccurs="0" maxOccurs="1"/>
          <xsd:element name="extLst" type="x:CT_ExtensionList" minOccurs="0" maxOccurs="1"/>
     </xsd:sequence>
  </xsd:complexType>
```

2.2.5   Simple Types

None.

2.2.6   Formulas

The syntax of a formula ([ECMA-376] Part 4, Section 3.17) in a macro sheet is specified by the
grammar in [MS-XLSX] section 2.2.2, along with the following extension to that grammar.

```
function-call =/ (macro-function-call / command-function-call)

ref-macro-function-call = "ABSREF" absref-params
ref-macro-function-call =/ "ACTIVE.CELL" active-cell-params
ref-macro-function-call =/ "CALL" call-params
ref-macro-function-call =/ "CALLER" caller-params
ref-macro-function-call =/ "EVALUATE" evaluate-params
ref-macro-function-call =/ "GET.DOCUMENT" get-document-params
ref-macro-function-call =/ "INPUT" input-params
ref-macro-function-call =/ "LAST.ERROR" last-error-params
ref-macro-function-call =/ "SCENARIO.GET" scenario-get-params
ref-macro-function-call =/ "SELECTION" selection-params
ref-macro-function-call =/ "TEXTREF" textref-params
ref-macro-function-call =/ "VIEW.GET" view-get-params

macro-function-call = ref-macro-function-call
macro-function-call =/ "ADD.BAR" add-bar-params
macro-function-call =/ "ADD.COMMAND" add-command-params
macro-function-call =/ "ADD.MENU" add-menu-params
macro-function-call =/ "ADD.TOOLBAR" add-toolbar-params
macro-function-call =/ "APP.TITLE" app-title-params
macro-function-call =/ "ARGUMENT" argument-params
macro-function-call =/ "BREAK" break-params
macro-function-call =/ "CANCEL.KEY" cancel-key-params
```

```
macro-function-call =/ "CHECK.COMMAND" check-command-params
macro-function-call =/ "CREATE.OBJECT" create-object-params
macro-function-call =/ "CUSTOM.REPEAT" custom-repeat-params
macro-function-call =/ "CUSTOM.UNDO" custom-undo-params
macro-function-call =/ "DELETE.BAR" delete-bar-params
macro-function-call =/ "DELETE.COMMAND" delete-command-params
macro-function-call =/ "DELETE.MENU" delete-menu-params
macro-function-call =/ "DELETE.TOOLBAR" delete-toolbar-params
macro-function-call =/ "DEREF" deref-params
macro-function-call =/ "DIALOG.BOX" dialog-box-params
macro-function-call =/ "DIRECTORY" directory-params
macro-function-call =/ "DOCUMENTS" documents-params
macro-function-call =/ "ECHO" echo-params
macro-function-call =/ "ELSE" else-params
macro-function-call =/ "ELSE.IF" else-if-params
macro-function-call =/ "ENABLE.COMMAND" enable-command-params
macro-function-call =/ "ENABLE.TOOL" enable-tool-params
macro-function-call =/ "END.IF" end-if-params
macro-function-call =/ "ERROR" error-params
macro-function-call =/ "EXEC" exec-params
macro-function-call =/ "EXECUTE" execute-params
macro-function-call =/ "FCLOSE" fclose-params
macro-function-call =/ "FILES" files-params
macro-function-call =/ "FOPEN" fopen-params
macro-function-call =/ "FOR" for-params
macro-function-call =/ "FOR.CELL" for-cell-params
macro-function-call =/ "FORMULA.CONVERT" formula-convert-params
macro-function-call =/ "FPOS" fpos-params
macro-function-call =/ "FREAD" fread-params
macro-function-call =/ "FREADLN" freadln-params
macro-function-call =/ "FSIZE" fsize-params
macro-function-call =/ "FWRITE" fwrite-params
macro-function-call =/ "FWRITELN" fwriteln-params
macro-function-call =/ "GET.BAR" get-bar-params
macro-function-call =/ "GET.CELL" get-cell-params
macro-function-call =/ "GET.CHART.ITEM" get-chart-item-params
macro-function-call =/ "GET.DEF" get-def-params
macro-function-call =/ "GET.FORMULA" get-formula-params
macro-function-call =/ "GET.LINK.INFO" get-link-info-params
macro-function-call =/ "GET.MOVIE" get-movie-params
macro-function-call =/ "GET.NAME" get-name-params
macro-function-call =/ "GET.NOTE" get-note-params
macro-function-call =/ "GET.OBJECT" get-object-params
macro-function-call =/ "GET.TOOL" get-tool-params
macro-function-call =/ "GET.TOOLBAR" get-toolbar-params
macro-function-call =/ "GET.WINDOW" get-window-params
macro-function-call =/ "GET.WORKBOOK" get-workbook-params
macro-function-call =/ "GET.WORKSPACE" get-workspace-params
macro-function-call =/ "GOTO" goto-params
macro-function-call =/ "GROUP" group-params
macro-function-call =/ "HALT" halt-params
macro-function-call =/ "HELP" help-params
macro-function-call =/ "INITIATE" initiate-params
macro-function-call =/ "LINKS" links-params
macro-function-call =/ "MOVIE.COMMAND" movie-command-params
macro-function-call =/ "NAMES" names-params
macro-function-call =/ "NEXT" next-params
macro-function-call =/ "NOTE" note-params
macro-function-call =/ "OPEN.DIALOG" open-dialog-params
```

```
macro-function-call =/ "OPTIONS.LISTS.GET" options-lists-get-params
macro-function-call =/ "PAUSE" pause-params
macro-function-call =/ "POKE" poke-params
macro-function-call =/ "PRESS.TOOL" press-tool-params
macro-function-call =/ "REFTEXT" reftext-params
macro-function-call =/ "REGISTER" register-params
macro-function-call =/ "REGISTER.ID" register-id-params
macro-function-call =/ "RELREF" relref-params
macro-function-call =/ "RENAME.COMMAND" rename-command-params
macro-function-call =/ "REQUEST" request-params
macro-function-call =/ "RESET.TOOLBAR" reset-toolbar-params
macro-function-call =/ "RESTART" restart-params
macro-function-call =/ "RESULT" result-params
macro-function-call =/ "RESUME" resume-params
macro-function-call =/ "RETURN" return-params
macro-function-call =/ "SAVE.DIALOG" save-dialog-params
macro-function-call =/ "SAVE.TOOLBAR" save-toolbar-params
macro-function-call =/ "SET.NAME" set-name-params
macro-function-call =/ "SET.VALUE" set-value-params
macro-function-call =/ "SHOW.BAR" show-bar-params
macro-function-call =/ "SPELLING.CHECK" spelling-check-params
macro-function-call =/ "STEP" step-params
macro-function-call =/ "TERMINATE" terminate-params
macro-function-call =/ "TEXT.BOX" text-box-params
macro-function-call =/ "UNREGISTER" unregister-params
macro-function-call =/ "VOLATILE" volatile-params
macro-function-call =/ "WHILE" while-params
macro-function-call =/ "WINDOW.TITLE" window-title-params
macro-function-call =/ "WINDOWS" windows-params

absref-params = "(" argument "," ref-expression ")"
active-cell-params = "(" *space ")"
add-bar-params = "(" argument ")"
add-command-params = "(" argument "," argument "," argument ["," argument ["," argument]] ")"
add-menu-params = "(" argument "," argument ["," argument ["," argument]] ")"
add-toolbar-params = "(" argument ["," argument] ")"
app-title-params = "(" argument ")"
argument-params = "(" argument ["," argument ["," ref-expression]] ")"
break-params = "(" *space ")"
call-params = "(" (expression / (argument "," argument *253("," argument))) ")"
caller-params = "(" *space ")"
cancel-key-params = "(" argument ["," ref-expression] ")"
check-command-params = "(" argument "," argument "," argument "," argument ["," argument] ")"
create-object-params = "(" argument "," argument ["," argument ["," argument ["," argument
["," argument ["," argument ["," argument ["," argument ["," argument ["," argument]]]]]]]]]
")"
custom-repeat-params = "(" argument ["," argument ["," argument]] ")"
custom-undo-params = "(" argument ["," argument] ")"
delete-bar-params = "(" expression ")"
delete-command-params = "(" argument "," argument "," argument ["," argument] ")"
delete-menu-params = "(" argument "," argument ["," argument] ")"
delete-toolbar-params = "(" expression ")"
deref-params = "(" ref-expression ")"
dialog-box-params = "(" expression ")"
directory-params = "(" argument ")"
documents-params = "(" argument ["," argument] ")"
echo-params = "(" argument ")"
else-params = "(" *space ")"
else-if-params = "(" expression ")"
```

```
enable-command-params = "(" argument "," argument "," argument "," argument ["," argument]
")"
enable-tool-params = "(" argument "," argument "," argument ")"
end-if-params = "(" *space ")"
error-params = "(" argument ["," argument] ")"
evaluate-params = "(" expression ")"
exec-params = "(" (expression / (argument "," argument ["," argument ["," argument]])) ")"
execute-params = "(" argument "," argument ")"
fclose-params = "(" expression ")"
files-params = "(" argument ["," argument] ")"
fopen-params = "(" (expression / (argument "," argument)) ")"
for-params = "(" argument "," argument "," argument ["," argument] ")"
for-cell-params = "(" (expression / (argument "," argument ["," argument])) ")"
formula-convert-params = "(" argument "," argument ["," argument ["," argument [","
argument]]] ")"
fpos-params = "(" (expression / (argument "," argument)) ")"
fread-params = "(" argument "," argument ")"
freadln-params = "(" expression ")"
fsize-params = "(" expression ")"
fwrite-params = "(" argument "," argument ")"
fwriteln-params = "(" argument "," argument ")"
get-bar-params = "(" argument ["," argument ["," argument ["," argument]]] ")"
get-cell-params = "(" (expression / (argument "," ref-expression)) ")"
get-chart-item-params = "(" (expression / (argument "," argument ["," argument])) ")"
get-def-params = "(" (expression / (argument "," argument ["," argument])) ")"
get-document-params = "(" (expression / (argument "," argument)) ")"
get-formula-params = "(" expression ")"
get-link-info-params = "(" argument "," argument ["," argument ["," argument]] ")"
get-movie-params = "(" argument "," argument ["," argument] ")"
get-name-params = "(" (expression / (argument "," argument)) ")"
get-note-params = "(" argument ["," argument ["," argument]] ")"
get-object-params = "(" (expression / (argument "," argument ["," argument ["," argument [","
argument]]])) ")"
get-tool-params = "(" (expression / (argument "," argument ["," argument])) ")"
get-toolbar-params = "(" (expression / (argument "," argument)) ")"
get-window-params = "(" (expression / (argument "," argument)) ")"
get-workbook-params = "(" (expression / (argument "," argument)) ")"
get-workspace-params = "(" expression ")"
goto-params = "(" ref-expression ")"
group-params = "(" *space ")"
halt-params = "(" argument ")"
help-params = "(" argument ")"
initiate-params = "(" argument "," argument ")"
input-params = "(" (expression / (argument "," argument ["," argument ["," argument [","
argument ["," argument ["," argument]]]]]])) ")"
last-error-params = "(" *space ")"
links-params = "(" argument ["," argument] ")"
movie-command-params = "(" argument "," argument "," argument ["," argument] ")"
names-params = "(" argument ["," argument ["," argument]] ")"
next-params = "(" *space ")"
note-params = "(" argument ["," argument ["," argument ["," argument]]] ")"
open-dialog-params = "(" argument ["," argument ["," argument ["," argument]]] ")"
options-lists-get-params = "(" expression ")"
pause-params = "(" argument ")"
poke-params = "(" argument "," argument "," argument ")"
press-tool-params = "(" argument "," argument "," argument ")"
reftext-params = "(" ref-expression "," argument ")"
```

```
register-params = "(" (expression / (argument "," argument ["," argument ["," argument [","
argument ["," argument ["," argument ["," argument ["," argument ["," argument *245(","
argument)]]]]]]]]]])) ")"
register-id-params = "(" argument "," argument ["," argument] ")"
relref-params = "(" ref-expression "," ref-expression ")"
rename-command-params = "(" argument "," argument "," argument "," argument ["," argument]
")"
request-params = "(" argument "," argument ")"
reset-toolbar-params = "(" expression ")"
restart-params = "(" argument ")"
result-params = "(" argument ")"
resume-params = "(" argument ")"
return-params = "(" argument ")"
save-dialog-params = "(" argument ["," argument ["," argument ["," argument ["," argument]]]]
")"
save-toolbar-params = "(" argument ["," argument] ")"
scenario-get-params = "(" (expression / (argument "," argument)) ")"
selection-params = "(" *space ")"
set-name-params = "(" (expression / (argument "," argument)) ")"
set-value-params = "(" ref-expression "," argument ")"
show-bar-params = "(" argument ")"
spelling-check-params = "(" (expression / (argument "," argument ["," argument])) ")"
step-params = "(" *space ")"
terminate-params = "(" expression ")"
text-box-params = "(" (expression / (argument "," argument ["," argument ["," argument]]))
")"
textref-params = "(" (expression / (argument "," argument)) ")"
unregister-params = "(" expression ")"
view-get-params = "(" (expression / (argument "," argument)) ")"
volatile-params = "(" argument ")"
while-params = "(" expression ")"
window-title-params = "(" argument ")"
windows-params = "(" argument ["," argument] ")"

command-function-call = "A1.R1C1" ["?"] a1-r1c1-params
command-function-call =/ "ACTIVATE" ["?"] activate-params
command-function-call =/ "ACTIVATE.NEXT" ["?"] activate-next-params
command-function-call =/ "ACTIVATE.NOTES" ["?"] activate-notes-params
command-function-call =/ "ACTIVATE.PREV" ["?"] activate-prev-params
command-function-call =/ "ACTIVE.CELL.FONT" ["?"] active-cell-font-params
command-function-call =/ "ADD.ARROW" ["?"] add-arrow-params
command-function-call =/ "ADD.CHART.AUTOFORMAT" ["?"] add-chart-autoformat-params
command-function-call =/ "ADD.LIST.ITEM" ["?"] add-list-item-params
command-function-call =/ "ADD.OVERLAY" ["?"] add-overlay-params
command-function-call =/ "ADD.PRINT.AREA" ["?"] add-print-area-params
command-function-call =/ "ADD.TOOL" ["?"] add-tool-params
command-function-call =/ "ADDIN.MANAGER" ["?"] addin-manager-params
command-function-call =/ "ALERT" ["?"] alert-params
command-function-call =/ "ALIGNMENT" ["?"] alignment-params
command-function-call =/ "APP.ACTIVATE" ["?"] app-activate-params
command-function-call =/ "APP.ACTIVATE.MICROSOFT" ["?"] app-activate-microsoft-params
command-function-call =/ "APP.MAXIMIZE" ["?"] app-maximize-params
command-function-call =/ "APP.MINIMIZE" ["?"] app-minimize-params
command-function-call =/ "APP.MOVE" ["?"] app-move-params
command-function-call =/ "APP.RESTORE" ["?"] app-restore-params
command-function-call =/ "APP.SIZE" ["?"] app-size-params
command-function-call =/ "APPLY.NAMES" ["?"] apply-names-params
command-function-call =/ "APPLY.STYLE" ["?"] apply-style-params
command-function-call =/ "ARRANGE.ALL" ["?"] arrange-all-params
```

```
command-function-call =/ "ASSIGN.TO.OBJECT" ["?"] assign-to-object-params
command-function-call =/ "ASSIGN.TO.TOOL" ["?"] assign-to-tool-params
command-function-call =/ "ATTACH.TEXT" ["?"] attach-text-params
command-function-call =/ "ATTACH.TOOLBARS" ["?"] attach-toolbars-params
command-function-call =/ "ATTRIBUTES" ["?"] attributes-params
command-function-call =/ "AUTO.OUTLINE" ["?"] auto-outline-params
command-function-call =/ "AUTOCORRECT" ["?"] autocorrect-params
command-function-call =/ "AXES" ["?"] axes-params
command-function-call =/ "BEEP" ["?"] beep-params
command-function-call =/ "BORDER" ["?"] border-params
command-function-call =/ "BRING.TO.FRONT" ["?"] bring-to-front-params
command-function-call =/ "CALCULATE.DOCUMENT" ["?"] calculate-document-params
command-function-call =/ "CALCULATE.NOW" ["?"] calculate-now-params
command-function-call =/ "CALCULATION" ["?"] calculation-params
command-function-call =/ "CANCEL.COPY" ["?"] cancel-copy-params
command-function-call =/ "CELL.PROTECTION" ["?"] cell-protection-params
command-function-call =/ "CHANGE.LINK" ["?"] change-link-params
command-function-call =/ "CHART.ADD.DATA" ["?"] chart-add-data-params
command-function-call =/ "CHART.TREND" ["?"] chart-trend-params
command-function-call =/ "CHART.WIZARD" ["?"] chart-wizard-params
command-function-call =/ "CHECKBOX.PROPERTIES" ["?"] checkbox-properties-params
command-function-call =/ "CLEAR" ["?"] clear-params
command-function-call =/ "CLEAR.OUTLINE" ["?"] clear-outline-params
command-function-call =/ "CLEAR.PRINT.AREA" ["?"] clear-print-area-params
command-function-call =/ "CLEAR.ROUTING.SLIP" ["?"] clear-routing-slip-params
command-function-call =/ "CLOSE" ["?"] close-params
command-function-call =/ "CLOSE.ALL" ["?"] close-all-params
command-function-call =/ "COLOR.PALETTE" ["?"] color-palette-params
command-function-call =/ "COLUMN.WIDTH" ["?"] column-width-params
command-function-call =/ "COMBINATION" ["?"] combination-params
command-function-call =/ "CONSOLIDATE" ["?"] consolidate-params
command-function-call =/ "CONSTRAIN.NUMERIC" ["?"] constrain-numeric-params
command-function-call =/ "COPY" ["?"] copy-params
command-function-call =/ "COPY.CHART" ["?"] copy-chart-params
command-function-call =/ "COPY.PICTURE" ["?"] copy-picture-params
command-function-call =/ "COPY.TOOL" ["?"] copy-tool-params
command-function-call =/ "CREATE.NAMES" ["?"] create-names-params
command-function-call =/ "CREATE.PUBLISHER" ["?"] create-publisher-params
command-function-call =/ "CUSTOMIZE.TOOLBAR" ["?"] customize-toolbar-params
command-function-call =/ "CUT" ["?"] cut-params
command-function-call =/ "DATA.DELETE" ["?"] data-delete-params
command-function-call =/ "DATA.FIND" ["?"] data-find-params
command-function-call =/ "DATA.FIND.NEXT" ["?"] data-find-next-params
command-function-call =/ "DATA.FIND.PREV" ["?"] data-find-prev-params
command-function-call =/ "DATA.FORM" ["?"] data-form-params
command-function-call =/ "DATA.LABEL" ["?"] data-label-params
command-function-call =/ "DATA.SERIES" ["?"] data-series-params
command-function-call =/ "DEFINE.NAME" ["?"] define-name-params
command-function-call =/ "DEFINE.STYLE" ["?"] define-style-params
command-function-call =/ "DELETE.ARROW" ["?"] delete-arrow-params
command-function-call =/ "DELETE.CHART.AUTOFORMAT" ["?"] delete-chart-autoformat-params
command-function-call =/ "DELETE.FORMAT" ["?"] delete-format-params
command-function-call =/ "DELETE.NAME" ["?"] delete-name-params
command-function-call =/ "DELETE.NOTE" ["?"] delete-note-params
command-function-call =/ "DELETE.OVERLAY" ["?"] delete-overlay-params
command-function-call =/ "DELETE.STYLE" ["?"] delete-style-params
command-function-call =/ "DELETE.TOOL" ["?"] delete-tool-params
command-function-call =/ "DEMOTE" ["?"] demote-params
command-function-call =/ "DISABLE.INPUT" ["?"] disable-input-params
```

```
command-function-call =/ "DISPLAY" ["?"] display-params
command-function-call =/ "DUPLICATE" ["?"] duplicate-params
command-function-call =/ "EDIT.COLOR" ["?"] edit-color-params
command-function-call =/ "EDIT.DELETE" ["?"] edit-delete-params
command-function-call =/ "EDIT.OBJECT" ["?"] edit-object-params
command-function-call =/ "EDIT.REPEAT" ["?"] edit-repeat-params
command-function-call =/ "EDIT.SERIES" ["?"] edit-series-params
command-function-call =/ "EDIT.TOOL" ["?"] edit-tool-params
command-function-call =/ "EDITBOX.PROPERTIES" ["?"] editbox-properties-params
command-function-call =/ "EDITION.OPTIONS" ["?"] edition-options-params
command-function-call =/ "ENABLE.OBJECT" ["?"] enable-object-params
command-function-call =/ "ENABLE.TIPWIZARD" ["?"] enable-tipwizard-params
command-function-call =/ "ENTER.DATA" ["?"] enter-data-params
command-function-call =/ "ERRORBAR.X" ["?"] errorbar-x-params
command-function-call =/ "ERRORBAR.Y" ["?"] errorbar-y-params
command-function-call =/ "EXTEND.POLYGON" ["?"] extend-polygon-params
command-function-call =/ "EXTRACT" ["?"] extract-params
command-function-call =/ "FILE.CLOSE" ["?"] file-close-params
command-function-call =/ "FILE.DELETE" ["?"] file-delete-params
command-function-call =/ "FILL.AUTO" ["?"] fill-auto-params
command-function-call =/ "FILL.DOWN" ["?"] fill-down-params
command-function-call =/ "FILL.GROUP" ["?"] fill-group-params
command-function-call =/ "FILL.LEFT" ["?"] fill-left-params
command-function-call =/ "FILL.RIGHT" ["?"] fill-right-params
command-function-call =/ "FILL.UP" ["?"] fill-up-params
command-function-call =/ "FILTER" ["?"] filter-params
command-function-call =/ "FILTER.ADVANCED" ["?"] filter-advanced-params
command-function-call =/ "FILTER.SHOW.ALL" ["?"] filter-show-all-params
command-function-call =/ "FIND.FILE" ["?"] find-file-params
command-function-call =/ "FONT" ["?"] font-params
command-function-call =/ "FONT.PROPERTIES" ["?"] font-properties-params
command-function-call =/ "FORMAT.AUTO" ["?"] format-auto-params
command-function-call =/ "FORMAT.CHART" ["?"] format-chart-params
command-function-call =/ "FORMAT.CHARTTYPE" ["?"] format-charttype-params
command-function-call =/ "FORMAT.FONT" ["?"] format-font-params
command-function-call =/ "FORMAT.LEGEND" ["?"] format-legend-params
command-function-call =/ "FORMAT.MAIN" ["?"] format-main-params
command-function-call =/ "FORMAT.MOVE" ["?"] format-move-params
command-function-call =/ "FORMAT.NUMBER" ["?"] format-number-params
command-function-call =/ "FORMAT.OVERLAY" ["?"] format-overlay-params
command-function-call =/ "FORMAT.SHAPE" ["?"] format-shape-params
command-function-call =/ "FORMAT.SIZE" ["?"] format-size-params
command-function-call =/ "FORMAT.TEXT" ["?"] format-text-params
command-function-call =/ "FORMULA" ["?"] formula-params
command-function-call =/ "FORMULA.ARRAY" ["?"] formula-array-params
command-function-call =/ "FORMULA.FILL" ["?"] formula-fill-params
command-function-call =/ "FORMULA.FIND" ["?"] formula-find-params
command-function-call =/ "FORMULA.FIND.NEXT" ["?"] formula-find-next-params
command-function-call =/ "FORMULA.FIND.PREV" ["?"] formula-find-prev-params
command-function-call =/ "FORMULA.GOTO" ["?"] formula-goto-params
command-function-call =/ "FORMULA.REPLACE" ["?"] formula-replace-params
command-function-call =/ "FREEZE.PANES" ["?"] freeze-panes-params
command-function-call =/ "FULL" ["?"] full-params
command-function-call =/ "FULL.SCREEN" ["?"] full-screen-params
command-function-call =/ "FUNCTION.WIZARD" ["?"] function-wizard-params
command-function-call =/ "GALLERY.3D.AREA" ["?"] gallery-3d-area-params
command-function-call =/ "GALLERY.3D.BAR" ["?"] gallery-3d-bar-params
command-function-call =/ "GALLERY.3D.COLUMN" ["?"] gallery-3d-column-params
command-function-call =/ "GALLERY.3D.LINE" ["?"] gallery-3d-line-params
```

```
command-function-call =/ "GALLERY.3D.PIE" ["?"] gallery-3d-pie-params
command-function-call =/ "GALLERY.3D.SURFACE" ["?"] gallery-3d-surface-params
command-function-call =/ "GALLERY.AREA" ["?"] gallery-area-params
command-function-call =/ "GALLERY.BAR" ["?"] gallery-bar-params
command-function-call =/ "GALLERY.COLUMN" ["?"] gallery-column-params
command-function-call =/ "GALLERY.CUSTOM" ["?"] gallery-custom-params
command-function-call =/ "GALLERY.DOUGHNUT" ["?"] gallery-doughnut-params
command-function-call =/ "GALLERY.LINE" ["?"] gallery-line-params
command-function-call =/ "GALLERY.PIE" ["?"] gallery-pie-params
command-function-call =/ "GALLERY.RADAR" ["?"] gallery-radar-params
command-function-call =/ "GALLERY.SCATTER" ["?"] gallery-scatter-params
command-function-call =/ "GOAL.SEEK" ["?"] goal-seek-params
command-function-call =/ "GRIDLINES" ["?"] gridlines-params
command-function-call =/ "HIDE" ["?"] hide-params
command-function-call =/ "HIDE.DIALOG" ["?"] hide-dialog-params
command-function-call =/ "HIDE.OBJECT" ["?"] hide-object-params
command-function-call =/ "HIDEALL.INKANNOTS" ["?"] hideall-inkannots-params
command-function-call =/ "HIDEALL.NOTES" ["?"] hideall-notes-params
command-function-call =/ "HIDECURR.NOTE" ["?"] hidecurr-note-params
command-function-call =/ "HLINE" ["?"] hline-params
command-function-call =/ "HPAGE" ["?"] hpage-params
command-function-call =/ "HSCROLL" ["?"] hscroll-params
command-function-call =/ "INSERT" ["?"] insert-params
command-function-call =/ "INSERT.MAP.OBJECT" ["?"] insert-map-object-params
command-function-call =/ "INSERT.OBJECT" ["?"] insert-object-params
command-function-call =/ "INSERT.PICTURE" ["?"] insert-picture-params
command-function-call =/ "INSERT.TITLE" ["?"] insert-title-params
command-function-call =/ "INSERTDATATABLE" ["?"] insertdatatable-params
command-function-call =/ "JUSTIFY" ["?"] justify-params
command-function-call =/ "LABEL.PROPERTIES" ["?"] label-properties-params
command-function-call =/ "LAYOUT" ["?"] layout-params
command-function-call =/ "LEGEND" ["?"] legend-params
command-function-call =/ "LINE.PRINT" ["?"] line-print-params
command-function-call =/ "LINK.COMBO" ["?"] link-combo-params
command-function-call =/ "LINK.FORMAT" ["?"] link-format-params
command-function-call =/ "LIST.NAMES" ["?"] list-names-params
command-function-call =/ "LISTBOX.PROPERTIES" ["?"] listbox-properties-params
command-function-call =/ "MACRO.OPTIONS" ["?"] macro-options-params
command-function-call =/ "MAIL.ADD.MAILER" ["?"] mail-add-mailer-params
command-function-call =/ "MAIL.DELETE.MAILER" ["?"] mail-delete-mailer-params
command-function-call =/ "MAIL.EDIT.MAILER" ["?"] mail-edit-mailer-params
command-function-call =/ "MAIL.FORWARD" ["?"] mail-forward-params
command-function-call =/ "MAIL.LOGOFF" ["?"] mail-logoff-params
command-function-call =/ "MAIL.LOGON" ["?"] mail-logon-params
command-function-call =/ "MAIL.NEXT.LETTER" ["?"] mail-next-letter-params
command-function-call =/ "MAIL.REPLY" ["?"] mail-reply-params
command-function-call =/ "MAIL.REPLY.ALL" ["?"] mail-reply-all-params
command-function-call =/ "MAIL.SEND.MAILER" ["?"] mail-send-mailer-params
command-function-call =/ "MAIN.CHART" ["?"] main-chart-params
command-function-call =/ "MAIN.CHART.TYPE" ["?"] main-chart-type-params
command-function-call =/ "MENU.EDITOR" ["?"] menu-editor-params
command-function-call =/ "MERGE.STYLES" ["?"] merge-styles-params
command-function-call =/ "MESSAGE" ["?"] message-params
command-function-call =/ "MOVE.BRK" ["?"] move-brk-params
command-function-call =/ "MOVE.TOOL" ["?"] move-tool-params
command-function-call =/ "NEW" ["?"] new-params
command-function-call =/ "NEW.WINDOW" ["?"] new-window-params
command-function-call =/ "NEWWEBQUERY" ["?"] newwebquery-params
command-function-call =/ "NORMAL" ["?"] normal-params
```

```
command-function-call =/ "OBJECT.PROPERTIES" ["?"] object-properties-params
command-function-call =/ "OBJECT.PROTECTION" ["?"] object-protection-params
command-function-call =/ "ON.DATA" ["?"] on-data-params
command-function-call =/ "ON.DOUBLECLICK" ["?"] on-doubleclick-params
command-function-call =/ "ON.ENTRY" ["?"] on-entry-params
command-function-call =/ "ON.KEY" ["?"] on-key-params
command-function-call =/ "ON.RECALC" ["?"] on-recalc-params
command-function-call =/ "ON.SHEET" ["?"] on-sheet-params
command-function-call =/ "ON.TIME" ["?"] on-time-params
command-function-call =/ "ON.WINDOW" ["?"] on-window-params
command-function-call =/ "OPEN" ["?"] open-params
command-function-call =/ "OPEN.LINKS" ["?"] open-links-params
command-function-call =/ "OPEN.MAIL" ["?"] open-mail-params
command-function-call =/ "OPEN.TEXT" ["?"] open-text-params
command-function-call =/ "OPTIONS.CALCULATION" ["?"] options-calculation-params
command-function-call =/ "OPTIONS.CHART" ["?"] options-chart-params
command-function-call =/ "OPTIONS.EDIT" ["?"] options-edit-params
command-function-call =/ "OPTIONS.GENERAL" ["?"] options-general-params
command-function-call =/ "OPTIONS.LISTS.ADD" ["?"] options-lists-add-params
command-function-call =/ "OPTIONS.LISTS.DELETE" ["?"] options-lists-delete-params
command-function-call =/ "OPTIONS.ME" ["?"] options-me-params
command-function-call =/ "OPTIONS.MENONO" ["?"] options-menono-params
command-function-call =/ "OPTIONS.SAVE" ["?"] options-save-params
command-function-call =/ "OPTIONS.SPELL" ["?"] options-spell-params
command-function-call =/ "OPTIONS.TRANSITION" ["?"] options-transition-params
command-function-call =/ "OPTIONS.VIEW" ["?"] options-view-params
command-function-call =/ "OUTLINE" ["?"] outline-params
command-function-call =/ "OVERLAY" ["?"] overlay-params
command-function-call =/ "OVERLAY.CHART.TYPE" ["?"] overlay-chart-type-params
command-function-call =/ "PAGE.SETUP" ["?"] page-setup-params
command-function-call =/ "PARSE" ["?"] parse-params
command-function-call =/ "PASTE" ["?"] paste-params
command-function-call =/ "PASTE.LINK" ["?"] paste-link-params
command-function-call =/ "PASTE.PICTURE" ["?"] paste-picture-params
command-function-call =/ "PASTE.PICTURE.LINK" ["?"] paste-picture-link-params
command-function-call =/ "PASTE.SPECIAL" ["?"] paste-special-params
command-function-call =/ "PASTE.TOOL" ["?"] paste-tool-params
command-function-call =/ "PATTERNS" ["?"] patterns-params
command-function-call =/ "PICKLIST" ["?"] picklist-params
command-function-call =/ "PIVOT.ADD.FIELDS" ["?"] pivot-add-fields-params
command-function-call =/ "PIVOT.FIELD" ["?"] pivot-field-params
command-function-call =/ "PIVOT.FIELD.GROUP" ["?"] pivot-field-group-params
command-function-call =/ "PIVOT.FIELD.PROPERTIES" ["?"] pivot-field-properties-params
command-function-call =/ "PIVOT.FIELD.UNGROUP" ["?"] pivot-field-ungroup-params
command-function-call =/ "PIVOT.ITEM" ["?"] pivot-item-params
command-function-call =/ "PIVOT.ITEM.PROPERTIES" ["?"] pivot-item-properties-params
command-function-call =/ "PIVOT.REFRESH" ["?"] pivot-refresh-params
command-function-call =/ "PIVOT.SHOW.PAGES" ["?"] pivot-show-pages-params
command-function-call =/ "PIVOT.TABLE.CHART" ["?"] pivot-table-chart-params
command-function-call =/ "PIVOT.TABLE.WIZARD" ["?"] pivot-table-wizard-params
command-function-call =/ "POST.DOCUMENT" ["?"] post-document-params
command-function-call =/ "PRECISION" ["?"] precision-params
command-function-call =/ "PREFERRED" ["?"] preferred-params
command-function-call =/ "PRINT" ["?"] print-params
command-function-call =/ "PRINT.PREVIEW" ["?"] print-preview-params
command-function-call =/ "PRINTER.SETUP" ["?"] printer-setup-params
command-function-call =/ "PROMOTE" ["?"] promote-params
command-function-call =/ "PROTECT.DOCUMENT" ["?"] protect-document-params
command-function-call =/ "PROTECT.REVISIONS" ["?"] protect-revisions-params
```

```
command-function-call =/ "PUSHBUTTON.PROPERTIES" ["?"] pushbutton-properties-params
command-function-call =/ "QUIT" ["?"] quit-params
command-function-call =/ "REMOVE.LIST.ITEM" ["?"] remove-list-item-params
command-function-call =/ "REMOVE.PAGE.BREAK" ["?"] remove-page-break-params
command-function-call =/ "RENAME.OBJECT" ["?"] rename-object-params
command-function-call =/ "REPLACE.FONT" ["?"] replace-font-params
command-function-call =/ "RESET.TOOL" ["?"] reset-tool-params
command-function-call =/ "RM.PRINT.AREA" ["?"] rm-print-area-params
command-function-call =/ "ROUTE.DOCUMENT" ["?"] route-document-params
command-function-call =/ "ROUTING.SLIP" ["?"] routing-slip-params
command-function-call =/ "ROW.HEIGHT" ["?"] row-height-params
command-function-call =/ "RUN" ["?"] run-params
command-function-call =/ "SAVE" ["?"] save-params
command-function-call =/ "SAVE.AS" ["?"] save-as-params
command-function-call =/ "SAVE.COPY.AS" ["?"] save-copy-as-params
command-function-call =/ "SAVE.NEW.OBJECT" ["?"] save-new-object-params
command-function-call =/ "SAVE.WORKBOOK" ["?"] save-workbook-params
command-function-call =/ "SAVE.WORKSPACE" ["?"] save-workspace-params
command-function-call =/ "SCALE" ["?"] scale-params
command-function-call =/ "SCENARIO.ADD" ["?"] scenario-add-params
command-function-call =/ "SCENARIO.CELLS" ["?"] scenario-cells-params
command-function-call =/ "SCENARIO.DELETE" ["?"] scenario-delete-params
command-function-call =/ "SCENARIO.EDIT" ["?"] scenario-edit-params
command-function-call =/ "SCENARIO.MERGE" ["?"] scenario-merge-params
command-function-call =/ "SCENARIO.SHOW" ["?"] scenario-show-params
command-function-call =/ "SCENARIO.SHOW.NEXT" ["?"] scenario-show-next-params
command-function-call =/ "SCENARIO.SUMMARY" ["?"] scenario-summary-params
command-function-call =/ "SCROLLBAR.PROPERTIES" ["?"] scrollbar-properties-params
command-function-call =/ "SELECT" ["?"] select-params
command-function-call =/ "SELECT.ALL" ["?"] select-all-params
command-function-call =/ "SELECT.CHART" ["?"] select-chart-params
command-function-call =/ "SELECT.END" ["?"] select-end-params
command-function-call =/ "SELECT.LAST.CELL" ["?"] select-last-cell-params
command-function-call =/ "SELECT.LIST.ITEM" ["?"] select-list-item-params
command-function-call =/ "SELECT.PLOT.AREA" ["?"] select-plot-area-params
command-function-call =/ "SELECT.SPECIAL" ["?"] select-special-params
command-function-call =/ "SEND.KEYS" ["?"] send-keys-params
command-function-call =/ "SEND.MAIL" ["?"] send-mail-params
command-function-call =/ "SEND.TO.BACK" ["?"] send-to-back-params
command-function-call =/ "SERIES.AXES" ["?"] series-axes-params
command-function-call =/ "SERIES.ORDER" ["?"] series-order-params
command-function-call =/ "SERIES.X" ["?"] series-x-params
command-function-call =/ "SERIES.Y" ["?"] series-y-params
command-function-call =/ "SET.CONTROL.VALUE" ["?"] set-control-value-params
command-function-call =/ "SET.CRITERIA" ["?"] set-criteria-params
command-function-call =/ "SET.DATABASE" ["?"] set-database-params
command-function-call =/ "SET.DIALOG.DEFAULT" ["?"] set-dialog-default-params
command-function-call =/ "SET.DIALOG.FOCUS" ["?"] set-dialog-focus-params
command-function-call =/ "SET.EXTRACT" ["?"] set-extract-params
command-function-call =/ "SET.LIST.ITEM" ["?"] set-list-item-params
command-function-call =/ "SET.PAGE.BREAK" ["?"] set-page-break-params
command-function-call =/ "SET.PREFERRED" ["?"] set-preferred-params
command-function-call =/ "SET.PRINT.AREA" ["?"] set-print-area-params
command-function-call =/ "SET.PRINT.TITLES" ["?"] set-print-titles-params
command-function-call =/ "SET.UPDATE.STATUS" ["?"] set-update-status-params
command-function-call =/ "SHARE" ["?"] share-params
command-function-call =/ "SHARE.NAME" ["?"] share-name-params
command-function-call =/ "SHEET.BACKGROUND" ["?"] sheet-background-params
command-function-call =/ "SHORT.MENUS" ["?"] short-menus-params
```

```
command-function-call =/ "SHOW.ACTIVE.CELL" ["?"] show-active-cell-params
command-function-call =/ "SHOW.CLIPBOARD" ["?"] show-clipboard-params
command-function-call =/ "SHOW.DETAIL" ["?"] show-detail-params
command-function-call =/ "SHOW.DIALOG" ["?"] show-dialog-params
command-function-call =/ "SHOW.INFO" ["?"] show-info-params
command-function-call =/ "SHOW.LEVELS" ["?"] show-levels-params
command-function-call =/ "SHOW.TOOLBAR" ["?"] show-toolbar-params
command-function-call =/ "SORT" ["?"] sort-params
command-function-call =/ "SORT.SPECIAL" ["?"] sort-special-params
command-function-call =/ "SOUND.NOTE" ["?"] sound-note-params
command-function-call =/ "SOUND.PLAY" ["?"] sound-play-params
command-function-call =/ "SPELLING" ["?"] spelling-params
command-function-call =/ "SPLIT" ["?"] split-params
command-function-call =/ "STANDARD.FONT" ["?"] standard-font-params
command-function-call =/ "STANDARD.WIDTH" ["?"] standard-width-params
command-function-call =/ "STYLE" ["?"] style-params
command-function-call =/ "SUBSCRIBE.TO" ["?"] subscribe-to-params
command-function-call =/ "SUBTOTAL.CREATE" ["?"] subtotal-create-params
command-function-call =/ "SUBTOTAL.REMOVE" ["?"] subtotal-remove-params
command-function-call =/ "SUMMARY.INFO" ["?"] summary-info-params
command-function-call =/ "TAB.ORDER" ["?"] tab-order-params
command-function-call =/ "TABLE" ["?"] table-params
command-function-call =/ "TEXT.TO.COLUMNS" ["?"] text-to-columns-params
command-function-call =/ "TRACER.CLEAR" ["?"] tracer-clear-params
command-function-call =/ "TRACER.DISPLAY" ["?"] tracer-display-params
command-function-call =/ "TRACER.ERROR" ["?"] tracer-error-params
command-function-call =/ "TRACER.NAVIGATE" ["?"] tracer-navigate-params
command-function-call =/ "TRAVERSE.NOTES" ["?"] traverse-notes-params
command-function-call =/ "UNDO" ["?"] undo-params
command-function-call =/ "UNGROUP" ["?"] ungroup-params
command-function-call =/ "UNGROUP.SHEETS" ["?"] ungroup-sheets-params
command-function-call =/ "UNHIDE" ["?"] unhide-params
command-function-call =/ "UNLOCKED.NEXT" ["?"] unlocked-next-params
command-function-call =/ "UNLOCKED.PREV" ["?"] unlocked-prev-params
command-function-call =/ "UNPROTECT.REVISIONS" ["?"] unprotect-revisions-params
command-function-call =/ "UPDATE.LINK" ["?"] update-link-params
command-function-call =/ "VBA.INSERT.FILE" ["?"] vba-insert-file-params
command-function-call =/ "VBA.MAKE.ADDIN" ["?"] vba-make-addin-params
command-function-call =/ "VBA.PROCEDURE.DEFINITION" ["?"] vba-procedure-definition-params
command-function-call =/ "VBAActivate" ["?"] vbaactivate-params
command-function-call =/ "VIEW.3D" ["?"] view-3d-params
command-function-call =/ "VIEW.DEFINE" ["?"] view-define-params
command-function-call =/ "VIEW.DELETE" ["?"] view-delete-params
command-function-call =/ "VIEW.SHOW" ["?"] view-show-params
command-function-call =/ "VLINE" ["?"] vline-params
command-function-call =/ "VPAGE" ["?"] vpage-params
command-function-call =/ "VSCROLL" ["?"] vscroll-params
command-function-call =/ "WAIT" ["?"] wait-params
command-function-call =/ "WEB.PUBLISH" ["?"] web-publish-params
command-function-call =/ "WINDOW.MAXIMIZE" ["?"] window-maximize-params
command-function-call =/ "WINDOW.MINIMIZE" ["?"] window-minimize-params
command-function-call =/ "WINDOW.MOVE" ["?"] window-move-params
command-function-call =/ "WINDOW.RESTORE" ["?"] window-restore-params
command-function-call =/ "WINDOW.SIZE" ["?"] window-size-params
command-function-call =/ "WORKBOOK.ACTIVATE" ["?"] workbook-activate-params
command-function-call =/ "WORKBOOK.ADD" ["?"] workbook-add-params
command-function-call =/ "WORKBOOK.COPY" ["?"] workbook-copy-params
command-function-call =/ "WORKBOOK.DELETE" ["?"] workbook-delete-params
command-function-call =/ "WORKBOOK.HIDE" ["?"] workbook-hide-params
```

```
command-function-call =/ "WORKBOOK.INSERT" ["?"] workbook-insert-params
command-function-call =/ "WORKBOOK.MOVE" ["?"] workbook-move-params
command-function-call =/ "WORKBOOK.NAME" ["?"] workbook-name-params
command-function-call =/ "WORKBOOK.NEW" ["?"] workbook-new-params
command-function-call =/ "WORKBOOK.NEXT" ["?"] workbook-next-params
command-function-call =/ "WORKBOOK.OPTIONS" ["?"] workbook-options-params
command-function-call =/ "WORKBOOK.PREV" ["?"] workbook-prev-params
command-function-call =/ "WORKBOOK.PROTECT" ["?"] workbook-protect-params
command-function-call =/ "WORKBOOK.SCROLL" ["?"] workbook-scroll-params
command-function-call =/ "WORKBOOK.SELECT" ["?"] workbook-select-params
command-function-call =/ "WORKBOOK.TAB.SPLIT" ["?"] workbook-tab-split-params
command-function-call =/ "WORKBOOK.UNHIDE" ["?"] workbook-unhide-params
command-function-call =/ "WORKGROUP" ["?"] workgroup-params
command-function-call =/ "WORKGROUP.OPTIONS" ["?"] workgroup-options-params
command-function-call =/ "WORKSPACE" ["?"] workspace-params
command-function-call =/ "ZOOM" ["?"] zoom-params

a1-r1c1-params = "(" argument ")"
activate-params = "(" argument ["," argument] ")"
activate-next-params = "(" argument ")"
activate-notes-params = "(" argument ["," argument] ")"
activate-prev-params = "(" argument ")"
active-cell-font-params = "(" argument *13("," argument) ")"
add-arrow-params = "(" *space ")"
add-chart-autoformat-params = "(" argument ["," argument] ")"
add-list-item-params = "(" argument ["," argument] ")"
add-overlay-params = "(" *space ")"
add-print-area-params = "(" *space ")"
add-tool-params = "(" argument *2("," argument) ")"
addin-manager-params = "(" argument *2("," argument) ")"
alert-params = "(" argument *2("," argument) ")"
alignment-params = "(" argument *9("," argument) ")"
app-activate-params = "(" argument ["," argument] ")"
app-activate-microsoft-params = "(" argument ")"
app-maximize-params = "(" *space ")"
app-minimize-params = "(" *space ")"
app-move-params = "(" argument ["," argument] ")"
app-restore-params = "(" *space ")"
app-size-params = "(" argument ["," argument] ")"
apply-names-params = "(" argument *6("," argument) ")"
apply-style-params = "(" argument ")"
arrange-all-params = "(" argument *3("," argument) ")"
assign-to-object-params = "(" argument ")"
assign-to-tool-params = "(" argument *2("," argument) ")"
attach-text-params = "(" argument *2("," argument) ")"
attach-toolbars-params = "(" *space ")"
attributes-params = "(" argument ["," argument] ")"
auto-outline-params = "(" *space ")"
autocorrect-params = "(" argument ["," argument] ")"
axes-params = "(" argument *5("," argument) ")"
beep-params = "(" argument ")"
border-params = "(" argument *26("," argument) ")"
bring-to-front-params = "(" *space ")"
calculate-document-params = "(" *space ")"
calculate-now-params = "(" *space ")"
calculation-params = "(" argument *10("," argument) ")"
cancel-copy-params = "(" argument ")"
cell-protection-params = "(" argument ["," argument] ")"
change-link-params = "(" argument *2("," argument) ")"
```

```
chart-add-data-params = "(" argument *5("," argument) ")"
chart-trend-params = "(" argument *7("," argument) ")"
chart-wizard-params = "(" argument *13("," argument) ")"
checkbox-properties-params = "(" argument *4("," argument) ")"
clear-params = "(" argument ")"
clear-outline-params = "(" *space ")"
clear-print-area-params = "(" *space ")"
clear-routing-slip-params = "(" argument ")"
close-params = "(" argument ["," argument] ")"
close-all-params = "(" *space ")"
color-palette-params = "(" argument ")"
column-width-params = "(" argument *4("," argument) ")"
combination-params = "(" argument ")"
consolidate-params = "(" argument *4("," argument) ")"
constrain-numeric-params = "(" argument ")"
copy-params = "(" argument ["," argument] ")"
copy-chart-params = "(" argument ")"
copy-picture-params = "(" argument *2("," argument) ")"
copy-tool-params = "(" argument ["," argument] ")"
create-names-params = "(" argument *3("," argument) ")"
create-publisher-params = "(" argument *3("," argument) ")"
customize-toolbar-params = "(" argument ")"
cut-params = "(" argument ["," argument] ")"
data-delete-params = "(" *space ")"
data-find-params = "(" argument ")"
data-find-next-params = "(" *space ")"
data-find-prev-params = "(" *space ")"
data-form-params = "(" *space ")"
data-label-params = "(" argument *9("," argument) ")"
data-series-params = "(" argument *5("," argument) ")"
define-name-params = "(" argument *6("," argument) ")"
define-style-params = "(" argument *13("," argument) ")"
delete-arrow-params = "(" *space ")"
delete-chart-autoformat-params = "(" argument ")"
delete-format-params = "(" argument ")"
delete-name-params = "(" argument ")"
delete-note-params = "(" argument ")"
delete-overlay-params = "(" *space ")"
delete-style-params = "(" argument ")"
delete-tool-params = "(" argument ["," argument] ")"
demote-params = "(" argument ")"
disable-input-params = "(" argument ")"
display-params = "(" argument *8("," argument) ")"
duplicate-params = "(" *space ")"
edit-color-params = "(" argument *3("," argument) ")"
edit-delete-params = "(" argument ")"
edit-object-params = "(" argument ")"
edit-repeat-params = "(" *space ")"
edit-series-params = "(" argument *6("," argument) ")"
edit-tool-params = "(" argument ["," argument] ")"
editbox-properties-params = "(" argument *3("," argument) ")"
edition-options-params = "(" argument *6("," argument) ")"
enable-object-params = "(" argument ["," argument] ")"
enable-tipwizard-params = "(" argument ")"
enter-data-params = "(" argument ")"
errorbar-x-params = "(" argument *3("," argument) ")"
errorbar-y-params = "(" argument *3("," argument) ")"
extend-polygon-params = "(" argument ")"
extract-params = "(" argument ")"
```

```
file-close-params = "(" argument ["," argument] ")"
file-delete-params = "(" argument ")"
fill-auto-params = "(" argument ["," argument] ")"
fill-down-params = "(" *space ")"
fill-group-params = "(" argument ")"
fill-left-params = "(" *space ")"
fill-right-params = "(" *space ")"
fill-up-params = "(" *space ")"
filter-params = "(" argument *5("," argument) ")"
filter-advanced-params = "(" argument *4("," argument) ")"
filter-show-all-params = "(" *space ")"
find-file-params = "(" *space ")"
font-params = "(" argument ["," argument] ")"
font-properties-params = "(" argument *13("," argument) ")"
format-auto-params = "(" argument *6("," argument) ")"
format-chart-params = "(" argument *17("," argument) ")"
format-charttype-params = "(" argument *3("," argument) ")"
format-font-params = "(" argument *14("," argument) ")"
format-legend-params = "(" argument ")"
format-main-params = "(" argument *13("," argument) ")"
format-move-params = "(" argument *2("," argument) ")"
format-number-params = "(" argument ")"
format-overlay-params = "(" argument *13("," argument) ")"
format-shape-params = "(" argument *4("," argument) ")"
format-size-params = "(" argument *2("," argument) ")"
format-text-params = "(" argument *10("," argument) ")"
formula-params = "(" argument ["," argument] ")"
formula-array-params = "(" argument ["," argument] ")"
formula-fill-params = "(" argument ["," argument] ")"
formula-find-params = "(" argument *11("," argument) ")"
formula-find-next-params = "(" *space ")"
formula-find-prev-params = "(" *space ")"
formula-goto-params = "(" argument ["," argument] ")"
formula-replace-params = "(" argument *10("," argument) ")"
freeze-panes-params = "(" argument *2("," argument) ")"
full-params = "(" argument ")"
full-screen-params = "(" argument ")"
function-wizard-params = "(" argument ")"
gallery-3d-area-params = "(" argument ")"
gallery-3d-bar-params = "(" argument ")"
gallery-3d-column-params = "(" argument ")"
gallery-3d-line-params = "(" argument ")"
gallery-3d-pie-params = "(" argument ")"
gallery-3d-surface-params = "(" argument ")"
gallery-area-params = "(" argument ["," argument] ")"
gallery-bar-params = "(" argument ["," argument] ")"
gallery-column-params = "(" argument ["," argument] ")"
gallery-custom-params = "(" argument ")"
gallery-doughnut-params = "(" argument ["," argument] ")"
gallery-line-params = "(" argument ["," argument] ")"
gallery-pie-params = "(" argument ["," argument] ")"
gallery-radar-params = "(" argument ["," argument] ")"
gallery-scatter-params = "(" argument ["," argument] ")"
goal-seek-params = "(" argument *2("," argument) ")"
gridlines-params = "(" argument *6("," argument) ")"
hide-params = "(" *space ")"
hide-dialog-params = "(" argument ")"
hide-object-params = "(" argument ["," argument] ")"
hideall-inkannots-params = "(" argument ")"
```

```
hideall-notes-params = "(" argument ")"
hidecurr-note-params = "(" argument ["," argument] ")"
hline-params = "(" argument ")"
hpage-params = "(" argument ")"
hscroll-params = "(" argument ["," argument] ")"
insert-params = "(" argument ["," argument] ")"
insert-map-object-params = "(" *space ")"
insert-object-params = "(" argument *12("," argument) ")"
insert-picture-params = "(" argument ["," argument] ")"
insert-title-params = "(" argument *4("," argument) ")"
insertdatatable-params = "(" argument ")"
justify-params = "(" *space ")"
label-properties-params = "(" argument *2("," argument) ")"
layout-params = "(" *space ")"
legend-params = "(" argument ")"
line-print-params = "(" argument *10("," argument) ")"
link-combo-params = "(" argument ")"
link-format-params = "(" *space ")"
list-names-params = "(" *space ")"
listbox-properties-params = "(" argument *4("," argument) ")"
macro-options-params = "(" argument *9("," argument) ")"
mail-add-mailer-params = "(" *space ")"
mail-delete-mailer-params = "(" *space ")"
mail-edit-mailer-params = "(" argument *5("," argument) ")"
mail-forward-params = "(" *space ")"
mail-logoff-params = "(" *space ")"
mail-logon-params = "(" argument *2("," argument) ")"
mail-next-letter-params = "(" *space ")"
mail-reply-params = "(" *space ")"
mail-reply-all-params = "(" *space ")"
mail-send-mailer-params = "(" argument ["," argument] ")"
main-chart-params = "(" argument *9("," argument) ")"
main-chart-type-params = "(" argument ")"
menu-editor-params = "(" *space ")"
merge-styles-params = "(" argument ")"
message-params = "(" argument ["," argument] ")"
move-brk-params = "(" argument *3("," argument) ")"
move-tool-params = "(" argument *5("," argument) ")"
new-params = "(" argument *2("," argument) ")"
new-window-params = "(" *space ")"
newwebquery-params = "(" argument ")"
normal-params = "(" *space ")"
object-properties-params = "(" argument ["," argument] ")"
object-protection-params = "(" argument ["," argument] ")"
on-data-params = "(" argument ["," argument] ")"
on-doubleclick-params = "(" argument ["," argument] ")"
on-entry-params = "(" argument ["," argument] ")"
on-key-params = "(" argument ["," argument] ")"
on-recalc-params = "(" argument ["," argument] ")"
on-sheet-params = "(" argument *2("," argument) ")"
on-time-params = "(" argument *3("," argument) ")"
on-window-params = "(" argument ["," argument] ")"
open-params = "(" argument *16("," argument) ")"
open-links-params = "(" argument *14("," argument) ")"
open-mail-params = "(" argument ["," argument] ")"
open-text-params = "(" argument *16("," argument) ")"
options-calculation-params = "(" argument *9("," argument) ")"
options-chart-params = "(" argument *2("," argument) ")"
options-edit-params = "(" argument *10("," argument) ")"
```

```
options-general-params = "(" argument *13("," argument) ")"
options-lists-add-params = "(" argument ["," argument] ")"
options-lists-delete-params = "(" argument ")"
options-me-params = "(" argument *8("," argument) ")"
options-menono-params = "(" argument *4("," argument) ")"
options-save-params = "(" argument *3("," argument) ")"
options-spell-params = "(" argument *11("," argument) ")"
options-transition-params = "(" argument *4("," argument) ")"
options-view-params = "(" argument *17("," argument) ")"
outline-params = "(" argument *3("," argument) ")"
overlay-params = "(" argument *11("," argument) ")"
overlay-chart-type-params = "(" argument ")"
page-setup-params = "(" argument *29("," argument) ")"
parse-params = "(" argument ["," argument] ")"
paste-params = "(" argument ")"
paste-link-params = "(" *space ")"
paste-picture-params = "(" *space ")"
paste-picture-link-params = "(" *space ")"
paste-special-params = "(" argument *6("," argument) ")"
paste-tool-params = "(" argument ["," argument] ")"
patterns-params = "(" argument *12("," argument) ")"
picklist-params = "(" *space ")"
pivot-add-fields-params = "(" argument *4("," argument) ")"
pivot-field-params = "(" argument *3("," argument) ")"
pivot-field-group-params = "(" argument *3("," argument) ")"
pivot-field-properties-params = "(" argument *6("," argument) ")"
pivot-field-ungroup-params = "(" *space ")"
pivot-item-params = "(" argument *3("," argument) ")"
pivot-item-properties-params = "(" argument *6("," argument) ")"
pivot-refresh-params = "(" argument ")"
pivot-show-pages-params = "(" argument ["," argument] ")"
pivot-table-chart-params = "(" argument *15("," argument) ")"
pivot-table-wizard-params = "(" argument *15("," argument) ")"
post-document-params = "(" argument ")"
precision-params = "(" argument ")"
preferred-params = "(" *space ")"
print-params = "(" argument *16("," argument) ")"
print-preview-params = "(" argument ")"
printer-setup-params = "(" argument ")"
promote-params = "(" argument ")"
protect-document-params = "(" argument *6("," argument) ")"
protect-revisions-params = "(" *space ")"
pushbutton-properties-params = "(" argument *5("," argument) ")"
quit-params = "(" *space ")"
remove-list-item-params = "(" argument ["," argument] ")"
remove-page-break-params = "(" argument ["," argument] ")"
rename-object-params = "(" argument ")"
replace-font-params = "(" argument *9("," argument) ")"
reset-tool-params = "(" argument ["," argument] ")"
rm-print-area-params = "(" argument ")"
route-document-params = "(" *space ")"
routing-slip-params = "(" argument *5("," argument) ")"
row-height-params = "(" argument *3("," argument) ")"
run-params = "(" argument ["," argument] ")"
save-params = "(" *space ")"
save-as-params = "(" argument *6("," argument) ")"
save-copy-as-params = "(" argument ")"
save-new-object-params = "(" argument ")"
save-workbook-params = "(" argument *5("," argument) ")"
```

```
save-workspace-params = "(" argument ")"
scale-params = "(" argument *9("," argument) ")"
scenario-add-params = "(" argument *5("," argument) ")"
scenario-cells-params = "(" argument ")"
scenario-delete-params = "(" argument ")"
scenario-edit-params = "(" argument *6("," argument) ")"
scenario-merge-params = "(" argument ")"
scenario-show-params = "(" argument ")"
scenario-show-next-params = "(" *space ")"
scenario-summary-params = "(" argument ["," argument] ")"
scrollbar-properties-params = "(" argument *6("," argument) ")"
select-params = "(" argument ["," argument] ")"
select-all-params = "(" *space ")"
select-chart-params = "(" *space ")"
select-end-params = "(" argument ")"
select-last-cell-params = "(" *space ")"
select-list-item-params = "(" argument ["," argument] ")"
select-plot-area-params = "(" *space ")"
select-special-params = "(" argument *2("," argument) ")"
send-keys-params = "(" argument ["," argument] ")"
send-mail-params = "(" argument *2("," argument) ")"
send-to-back-params = "(" *space ")"
series-axes-params = "(" argument ")"
series-order-params = "(" argument *2("," argument) ")"
series-x-params = "(" argument ")"
series-y-params = "(" argument ["," argument] ")"
set-control-value-params = "(" argument ")"
set-criteria-params = "(" *space ")"
set-database-params = "(" *space ")"
set-dialog-default-params = "(" argument ")"
set-dialog-focus-params = "(" argument ")"
set-extract-params = "(" *space ")"
set-list-item-params = "(" argument ["," argument] ")"
set-page-break-params = "(" *space ")"
set-preferred-params = "(" argument ")"
set-print-area-params = "(" argument ")"
set-print-titles-params = "(" argument ["," argument] ")"
set-update-status-params = "(" argument *2("," argument) ")"
share-params = "(" *space ")"
share-name-params = "(" argument ")"
sheet-background-params = "(" argument ["," argument] ")"
short-menus-params = "(" argument ")"
show-active-cell-params = "(" *space ")"
show-clipboard-params = "(" *space ")"
show-detail-params = "(" argument *3("," argument) ")"
show-dialog-params = "(" argument ")"
show-info-params = "(" argument ")"
show-levels-params = "(" argument ["," argument] ")"
show-toolbar-params = "(" argument *9("," argument) ")"
sort-params = "(" argument *16("," argument) ")"
sort-special-params = "(" argument *13("," argument) ")"
sound-note-params = "(" argument *2("," argument) ")"
sound-play-params = "(" argument *2("," argument) ")"
spelling-params = "(" argument *5("," argument) ")"
split-params = "(" argument ["," argument] ")"
standard-font-params = "(" argument *8("," argument) ")"
standard-width-params = "(" argument ")"
style-params = "(" argument ["," argument] ")"
subscribe-to-params = "(" argument ["," argument] ")"
```

```
subtotal-create-params = "(" argument *5("," argument) ")"
subtotal-remove-params = "(" *space ")"
summary-info-params = "(" argument *4("," argument) ")"
tab-order-params = "(" *space ")"
table-params = "(" argument ["," argument] ")"
text-to-columns-params = "(" argument *13("," argument) ")"
tracer-clear-params = "(" *space ")"
tracer-display-params = "(" argument ["," argument] ")"
tracer-error-params = "(" *space ")"
tracer-navigate-params = "(" argument *2("," argument) ")"
traverse-notes-params = "(" argument ["," argument] ")"
undo-params = "(" *space ")"
ungroup-params = "(" *space ")"
ungroup-sheets-params = "(" *space ")"
unhide-params = "(" argument ")"
unlocked-next-params = "(" *space ")"
unlocked-prev-params = "(" *space ")"
unprotect-revisions-params = "(" *space ")"
update-link-params = "(" argument ["," argument] ")"
vba-insert-file-params = "(" argument ")"
vba-make-addin-params = "(" argument ")"
vba-procedure-definition-params = "(" *space ")"
vbaactivate-params = "(" argument ["," argument] ")"
view-3d-params = "(" argument *5("," argument) ")"
view-define-params = "(" argument *2("," argument) ")"
view-delete-params = "(" argument ")"
view-show-params = "(" argument ")"
vline-params = "(" argument ")"
vpage-params = "(" argument ")"
vscroll-params = "(" argument ["," argument] ")"
wait-params = "(" argument ")"
web-publish-params = "(" argument *8("," argument) ")"
window-maximize-params = "(" argument ")"
window-minimize-params = "(" argument ")"
window-move-params = "(" argument *2("," argument) ")"
window-restore-params = "(" argument ")"
window-size-params = "(" argument *2("," argument) ")"
workbook-activate-params = "(" argument ["," argument] ")"
workbook-add-params = "(" argument *2("," argument) ")"
workbook-copy-params = "(" argument *2("," argument) ")"
workbook-delete-params = "(" argument ")"
workbook-hide-params = "(" argument ["," argument] ")"
workbook-insert-params = "(" argument ")"
workbook-move-params = "(" argument *2("," argument) ")"
workbook-name-params = "(" argument ["," argument] ")"
workbook-new-params = "(" argument *2("," argument) ")"
workbook-next-params = "(" *space ")"
workbook-options-params = "(" argument *2("," argument) ")"
workbook-prev-params = "(" *space ")"
workbook-protect-params = "(" argument *2("," argument) ")"
workbook-scroll-params = "(" argument ["," argument] ")"
workbook-select-params = "(" argument *2("," argument) ")"
workbook-tab-split-params = "(" argument ")"
workbook-unhide-params = "(" argument ")"
workgroup-params = "(" argument ")"
workgroup-options-params = "(" *space ")"
workspace-params = "(" argument *15("," argument) ")"
zoom-params = "(" argument ")"
```

2.3 Macro-Enabled PresentationML Structures

2.3.1 Part Enumeration

This section specifies the parts ([ECMA-376]) of the macro-enabled PresentationML file format that are different from the parts of the non-macro-enabled PresentationML file format specified in [ECMA-376] Part 1, Section 13.3. These parts and their relationships are summarized in the following table.

Part	Relationship Target of
Presentation	PresentationML Package ([ECMA-376] Part 1, Section 13.2)
VBA Project	Presentation

2.3.1.1 Presentation

Content Type(s):	application/vnd.ms-powerpoint.presentation.macroEnabled.main+xmlapplication/vnd.ms-powerpoint.slideshow.macroEnabled.main+xmlapplication/vnd.ms-powerpoint.template.macroEnabled.main+xml
Root Namespace:	http://schemas.openxmlformats.org/presentationml/2006/main
Source Relationship:	http://schemas.openxmlformats.org/officeDocument/2006/relationships/officeDocument

This part is specified in [ECMA-376] Part 1, Section 13.3.6.

2.3.1.2 VBA Project

Content Type:	application/vnd.ms-office.vbaProject
Root Namespace:	Not applicable
Source Relationship:	http://schemas.microsoft.com/office/2006/relationships/vbaProject

This part is specified in [MS-OVBA].

A package MUST contain at most one VBA Project part, which MUST be the target of an implicit relationship from the presentation part.

A VBA Project part MUST NOT have implicit or explicit relationships to any other part specified by this document or any part specified in [ECMA-376].

2.3.2 Global Elements

None.

2.3.3 Global Attributes

None.

2.3.4 Complex Types

2.3.4.1 CT_SlideMasterIdListEntry

Target namespace: http://schemas.openxmlformats.org/presentationml/2006/main

This element specifies a slide master that is available within the corresponding presentation. A slide master is a slide that is specifically designed to be a template for all related child layout slides.

This complex type is modified from the **CT_SlideMasterIdListEntry** specified in [ECMA-376] Part 3, section 4.1.3.1.

The **id** attribute of this part MUST be present in the macro-enabled PresentationML format.

2.3.5 Simple Types

None.

3 Structure Examples

3.1 VBA Supplemental Data Part of a Word-Processing Document

This example shows a usage of a Word VBA Supplemental Data part. See section 2.1.1.3 for more information. Consider the following XML, showing the complete contents of the VBA Supplemental Data part (see section 2.1.1.3) of a word-processing document.

```
<wne:vbaSuppData
  xmlns:ve="http://schemas.openxmlformats.org/markup-compatibility/2006"
  xmlns:o="urn:schemas-microsoft-com:office:office"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
  xmlns:m="http://schemas.openxmlformats.org/officeDocument/2006/math"
  xmlns:v="urn:schemas-microsoft-com:vml"
  xmlns:wp="http://schemas.openxmlformats.org/drawingml/2006/wordprocessingDrawing"
  xmlns:w10="urn:schemas-microsoft-com:office:word"
  xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
  xmlns:wne="http://schemas.microsoft.com/office/word/2006/wordml">
  <wne:docEvents>
    <wne:eventDocOpen/>
    <wne:eventDocXmlAfterInsert/>
  </wne:docEvents>
  <wne:mcds>
    <wne:mcd wne:macroName="PROJECT.NEWMACROS.MACRO1" wne:name="Project.NewMacros.Macro1"
wne:bEncrypt="00" wne:cmg="56"/>
  </wne:mcds>
</wne:vbaSuppData>
```

The **docEvents** child of the vbaSuppData element specifies that both the Open event and the XMLAfterInsert event are active for this document. The **mcds** element of the vbaSuppData element contains an **mcd** element that specifies macro information for the "Project.NewMacros.Macro1" macro.

3.2 Macro Sheet Part of a Workbook

This example shows a usage of an Excel Macro Sheet part. See section 2.2.1.3 for more information. Consider the following XML, showing the complete contents of a Macro Sheet part (see section 2.2.1.3) of a workbook.

```
<xm:macrosheet
  xmlns="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
  xmlns:xm="http://schemas.microsoft.com/office/excel/2006/main"
  xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships">
  <dimension ref="A1"/>
  <sheetViews>
    <sheetView showFormulas="1" tabSelected="1" workbookViewId="0">
      <selection activeCell="A2" sqref="A2"/>
    </sheetView>
  </sheetViews>
  <sheetFormatPr defaultRowHeight="15"/>
  <sheetData>
    <row r="1" spans="1:1">
      <c r="A1" t="b">
        <f>ACTIVATE()</f>
        <v>0</v>
      </c>
```

```
        </row>
    </sheetData>
    <pageMargins left="0.7" right="0.7" top="0.75" bottom="0.75" header="0.3" footer="0.3"/>
  </xm:macrosheet>
```

The macrosheet element specifies the macro sheet. A formula following the grammar specified in section 2.2.6 is specified by the **f** element ([ECMA-376] Part 4, Section 3.17).

4 Security Considerations

No additional security considerations.

5 Appendix A: Full XML Schemas

For ease of implementation, this section provides the full W3C XML Schemas for the new elements, attributes, complex types, and simple types specified in the preceding sections. Any schema references to namespaces included in ISO/IEC-29500:2008 refer specifically to the transitional schemas as specified in [ISO/IEC-29500-4].

5.1 http://schemas.microsoft.com/office/word/2006/wordml

```
<xsd:schema elementFormDefault="qualified"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
xmlns:w="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
xmlns="http://schemas.microsoft.com/office/word/2006/wordml"
targetNamespace="http://schemas.microsoft.com/office/word/2006/wordml">
  <xsd:import namespace="http://schemas.openxmlformats.org/wordprocessingml/2006/main"
schemaLocation="word12.xsd" />
  <xsd:import id="rel"
namespace="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
schemaLocation="orel.xsd" />
  <xsd:element name="vbaSuppData" type="CT_VbaSuppData"/>
  <xsd:complexType name="CT_DocEvents">
    <xsd:sequence>
      <xsd:element name="eventDocNew" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocOpen" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocClose" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocSync" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocXmlAfterInsert" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocXmlBeforeDelete" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlAfterInsert" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlBeforeDelete" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlOnExit" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlOnEnter" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocStoreUpdate" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="eventDocContentControlContentUpdate" minOccurs="0" maxOccs="1"/>
      <xsd:element name="eventDocBuildingBlockAfterInsert" minOccurs="0" maxOccurs="1"/>
    </xsd:sequence>
  </xsd:complexType>
  <xsd:complexType name="CT_Mcd">
    <xsd:attribute name="macroName" type="w:ST_String" use="optional"/>
    <xsd:attribute name="name" type="w:ST_String" use="optional"/>
    <xsd:attribute name="menuHelp" type="w:ST_String" use="optional"/>
    <xsd:attribute name="bEncrypt" type="w:ST_UcharHexNumber"/>
    <xsd:attribute name="cmg" type="w:ST_UcharHexNumber"/>
  </xsd:complexType>
    <xsd:complexType name="CT_Mcds">
      <xsd:sequence>
        <xsd:element name="mcd" type="CT_Mcd" minOccurs="0" maxOccurs="unbounded"/>
      </xsd:sequence>
    </xsd:complexType>
    <xsd:complexType name="CT_VbaSuppData">
      <xsd:sequence>
        <xsd:element name="docEvents" type="CT_DocEvents" minOccurs="0" maxOccurs="1"/>
        <xsd:element name="mcds" type="CT_Mcds" minOccurs="0" maxOccurs="1"/>
      </xsd:sequence>
    </xsd:complexType>
    </xsd:schema>
```

Release: Wednesday, June 8, 2011

5.2 http://schemas.microsoft.com/office/excel/2006/main

```
<xsd:schema elementFormDefault="qualified" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/office/excel/2006/main"
xmlns:x="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
xmlns:r="http://schemas.openxmlformats.org/officeDocument/2006/relationships"
targetNamespace="http://schemas.microsoft.com/office/excel/2006/main"
  <xsd:import namespace="http://schemas.openxmlformats.org/spreadsheetml/2006/main"
schemaLocation="xlsheet.xsd" />
  <xsd:import
namespace="http://schemas.microsoft.com/office/excel/2006/main"
schemaLocation="xlmacrosheet.xsd" />
  <xsd:element name="macrosheet" type="CT_Worksheet"/>
  <xsd:complexType name="CT_Worksheet">
    <xsd:sequence>
      <xsd:element name="sheetPr" type="x:CT_SheetPr" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="dimension" type="x:CT_SheetDimension" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="sheetViews" type="x:CT_SheetViews" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="sheetFormatPr" type="x:CT_SheetFormatPr" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="cols" type="x:CT_Cols" minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element name="sheetData" type="x:CT_SheetData" minOccurs="1" maxOccurs="1"/>
      <xsd:element name="sheetCalcPr" type="x:CT_SheetCalcPr" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="sheetProtection" type="x:CT_SheetProtection" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="protectedRanges" type="x:CT_ProtectedRanges" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="scenarios" type="x:CT_Scenarios" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="autoFilter" type="x:CT_AutoFilter" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="sortState" type="x:CT_SortState" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="dataConsolidate" type="x:CT_DataConsolidate" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="customSheetViews" type="x:CT_CustomSheetViews" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="mergeCells" type="x:CT_MergeCells" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="phoneticPr" type="x:CT_PhoneticPr" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="conditionalFormatting" type="x:CT_ConditionalFormatting"
minOccurs="0" maxOccurs="unbounded"/>
      <xsd:element name="dataValidations" type="x:CT_DataValidations" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="hyperlinks" type="x:CT_Hyperlinks" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="printOptions" type="x:CT_PrintOptions" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="pageMargins" type="x:CT_PageMargins" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="pageSetup" type="x:CT_PageSetup" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="headerFooter" type="x:CT_HeaderFooter" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="rowBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="colBreaks" type="x:CT_PageBreak" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="customProperties" type="x:CT_CustomProperties" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="cellWatches" type="x:CT_CellWatches" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="ignoredErrors" type="x:CT_IgnoredErrors" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="smartTags" type="x:CT_SmartTags" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="drawing" type="x:CT_Drawing" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="picture" type="x:CT_SheetBackgroundPicture" minOccurs="0"
maxOccurs="1"/>
      <xsd:element name="oleObjects" type="x:CT_OleObjects" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="controls" type="x:CT_Controls" minOccurs="0" maxOccurs="1"/>
      <xsd:element name="webPublishItems" type="x:CT_WebPublishItems" minOccurs="0"
maxOccurs="1"/>
```

```
            <xsd:element name="tableParts" type="x:CT_TableParts" minOccurs="0" maxOccurs="1"/>
            <xsd:element name="extLst" type="x:CT_ExtensionList" minOccurs="0" maxOccurs="1"/>
        </xsd:sequence>
    </xsd:complexType>
</xsd:schema>
```

Release: Wednesday, June 8, 2011

6 Appendix B: Product Behavior

The information in this specification is applicable to the following Microsoft products or supplemental software. References to product versions include released service packs:

- The 2007 Microsoft® Office system

- Microsoft® Visual Basic® for Applications 6.0 (VBA 6.0)

Exceptions, if any, are noted below. If a service pack or Quick Fix Engineering (QFE) number appears with the product version, behavior changed in that service pack or QFE. The new behavior also applies to subsequent service packs of the product unless otherwise specified. If a product edition appears with the product version, behavior is different in that product edition.

Unless otherwise specified, any statement of optional behavior in this specification that is prescribed using the terms SHOULD or SHOULD NOT implies product behavior in accordance with the SHOULD or SHOULD NOT prescription. Unless otherwise specified, the term MAY implies that the product does not follow the prescription.

7 Change Tracking

No table of changes is available. The document is either new or has had no changes since its last release.

8 Index