

1. How do mobile apps violate the behavioral policy of advertisement libraries?

Dong, Feng (1); Wang, Haoyu (1, 2); Li, Li (3); Guo, Yao (4, 5); Xu, Guoai (1); Zhang, Shaodong (1)

Source: *HotMobile 2018 - Proceedings of the 19th International Workshop on Mobile Computing Systems and Applications*, v 2018-February, p 75-80, February 12, 2018, *HotMobile 2018 - Proceedings of the 19th International Workshop on Mobile Computing Systems and Applications*; **ISBN-13:** 9781450356305; **DOI:** 10.1145/3177102.3177113; **Conference:** 19th International Workshop on Mobile Computing Systems and Applications, HotMobile 2018, February 12, 2018 - February 13, 2018; **Sponsor:** ACM SIGMOBILE; **Publisher:** Association for Computing Machinery

Author affiliation: (1) Beijing University of Posts and Telecommunications, Beijing, China (2) Beijing Key Laboratory of Intelligent Telecommunication Software and Multimedia, China (3) Faculty of Information Technology, Monash University, Australia (4) Key Laboratory of High-Confidence Software Technologies (Ministry of Education), China (5) School of Electronics Engineering and Computer Science, Peking University, Beijing, China

Abstract: Advertisement libraries are used in almost two-thirds of apps in Google Play. To increase economic revenue, some app developers tend to entice mobile users to unexpectedly click ad views during their interaction with the app, resulting in kinds of ad fraud. Despite some popular ad providers have published behavioral policies to prevent inappropriate behaviors/practices, no previous work has studied whether mobile apps comply with those policies. In this paper, we take Google Admob as the starting point to study policy-violation apps. We first analyze the behavioral policies of Admob and create a taxonomy of policy violations. Then we propose an automated approach to detect policy-violation apps, which takes advantage of two key artifacts: An automated modelbased Android GUI testing technique and a set of heuristic rules summarized from the behavior policies of Google Admob. We have applied our approach to 3,631 popular apps that have used the Admob library, and we could achieve a precision of 86% in detecting policy-violation apps. The results further show that roughly 2.5% of apps violate the policies, suggesting that behavioral policy violation is indeed a real issue in the Android advertising ecosystem. © 2018 Association for Computing Machinery. (25 refs)

Main heading: Android (operating system)

Controlled terms: Crime - Libraries - Mobile computing - Testing

Uncontrolled terms: Ad fraud - Admob - Android - Automated approach - Behavior policy - Economic revenue - Google plays - Heuristic rules

Classification Code: 723 Computer Software, Data Handling and Applications - 903.4.1 Libraries - 971 Social Sciences

Funding Details: Number: 2017RC40, Acronym: -, Sponsor: -; Number: 2016B010110002, Acronym: -, Sponsor: -; Number: 61401038,61702045,61772042, Acronym: NSFC, Sponsor: National Natural Science Foundation of China; Number: 2017YFB0801901, Acronym: -, Sponsor: National Basic Research Program of China (973 Program);

Funding text: This work is supported by the National Natural Science Foundation of China (No.61702045, No.61401038 and No.61772042), the 2016 Frontier and Key Technology Innovation Project of Guangdong Province Science and Technology Department (No.2016B010110002), the National Key Research and Development Program (No.2017YFB0801901), and the BUPT Youth Research and Innovation Program (No.2017RC40). Haoyu Wang is the corresponding author. We would like to

Database: Compendex

Data Provider: Engineering Village

Compilation and indexing terms, Copyright 2022 Elsevier Inc.