MATERIAL SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300

Gaithersburg, Maryland 20899-2300

SRM Number: 3009 MSDS Number: 3009

SRM Name: 1,2-Dichloropropane in Methanol

Date of Issue: 03 April 2013

Telephone: 301-975-2200 FAX: 301-948-3730

E-mail: SRMMSDS@nist.gov

Emergency Telephone ChemTrec: 1-800-424-9300 (North America) +1-703-527-3887 (International)

Description: This Standard Reference Material (SRM) is a gravimetrically prepared single-compound solution (1,2-dichloropropane) in methanol intended primarily for the calibration of instrumentation and validation of methods for volatile organic compound (VOC) determinations. Because of its miscibility with water, this SRM can also be used to fortify aqueous samples with known amounts of the VOC. A unit of SRM 3009 consists of two 5 mL sealed borosilicate glass ampoules of a gravimetrically prepared solution of 1,2-dichloropropane in methanol. Approximately 2.5 mL of this SRM mixture is supplied in each 5 mL glass ampoule.

Substance: 1,2-Dichloropropane in methanol.

Other Designations:

Methanol (methyl alcohol; methyl hydroxide; wood alcohol; wood spirit)

1,2-Dichloropropane (dichloropropane; alpha, beta-dichloropropane; propylene dichloride; propylene chloride)

2. HAZARDS IDENTIFICATION

NFPA Ratings (Scale 0–4): Health = 2

Fire = 3

Reactivity = 0

NOTE: This 1,2-dichloropropane in methanol solution has not been tested as a whole. The health and physical hazard information are for the individual components, 1,2-dichloropropane and methanol. The actual effects of the solution may differ from the individual components.

Major Health Hazards: Skin, eye, and/or respiratory tract irritation, central nervous system depression, blood disorders, liver damage, aspiration hazard, and nerve damage.

Physical Hazards: Flammable liquid and vapor. Vapor may cause flash fire. Electrostatic charges may be generated by flow or agitation.

Potential Health Effects (Acute and Chronic)

Inhalation: Methanol may cause irritation, cough, ringing in the ears, constipation, headache, drowsiness, dizziness, tingling sensation, pain in extremities, tremors, loss of coordination, blood disorders, and nerve damage. 1,2-Dichloropropane can cause irritation, nausea, vomiting, stomach pain, headache, drowsiness, symptoms of drunkenness, blood disorders, kidney damage, liver damage.

Skin Contact: Methanol can cause irritation, absorption may occur, headache, drowsiness, dizziness, loss of coordination, and blood disorders. 1,2-Dichloropropane may cause mild skin irritation. Animal studies indicate that lethal amounts may be absorbed through intact skin.

Eye Contact: Methanol and 1,2-dichloropropane vapors may cause irritation and eye damage. Repeated or prolonged contact may cause conjunctivitis.

Ingestion: Ingestion of methanol may result in mild and transient inebriation and subsequent drowsiness. Liver, kidney, heart, stomach, intestine and pancreatic damage may also occur. Death may occur due to respiratory failure. As little as 15 mL has caused blindness; the usual fatal dose is 60 mL to 240 mL. 1,2-Dichloropropane can cause the same as effects reported in short term inhalation, and diarrhea.

MSDS 3009 Page 1 of 6

Listed as a Carcinogen/Potential Carcinogen

	Yes	No
In the National Toxicology Program (NTP) Report on Carcinogens		X
In the International Agency for Research on Cancer (IARC) Monographs		$X^{(a)}$
By the Occupational Safety and Health Administration (OSHA)		X

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration ^(a) (%)
Methanol	67-56-1	200-659-6	99
1,2-Dichloropropane	78-87-5	201-152-2	1

⁽a) Hazardous components 1 % or greater; carcinogens 0.1 % or greater are listed in compliance with OSHA 29 CFR 1910.1200.

Component: Methanol

EC Classification: T, F

EC Risk (R No.): 11, 23/24/25, 39/23/24/25

EC Safety (S No.): 7, 16, 36/37, 45

Component: 1,2-Dichloropropane

EC Classification: F, Xn EC Risk (R No.): 11, 20/22 **EC Safety (S No.):** 16, 24

EC Risk/Safety Phrases: See Section 15, "Regulatory Information".

4. FIRST AID MEASURES

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek medical attention if needed.

Eye Contact: Immediately flush eyes with copious amounts of water for at least 15 minutes.

Skin Contact: Wash exposed skin with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Thoroughly clean and dry contaminated clothing and shoes before reuse.

Ingestion: Ingestion of this material is not likely under normal conditions of use. Potential aspiration hazard if ingested. If swallowed, seek medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Severe fire hazard. Vapor/air mixtures are explosive. The vapor is heavier than air. Vapors or gases may ignite at distant ignition sources and flash back. Electrostatic discharges may be generated by flow or agitation resulting in ignition or explosion.

Extinguishing Media: Alcohol-resistant foam, carbon dioxide, regular dry chemical, water.

Fire Fighting: Avoid inhalation of material or combustion by-products. Wear full protective clothing and NIOSH-approved self-contained breathing apparatus (SCBA).

Note: The data listed below is for methanol.

Flash Point (°C): 11 (52 °F) Method Used: Closed Cup

Autoignition Temp. (°C): 385 (725 °F)

Flammability Limits in Air **UPPER (Volume %):** 36 **LOWER (Volume %):** 6

MSDS 3009 Page 2 of 6

⁽a) IARC lists 1,2-dichloropropane as Group 3 (not classifiable).

6. ACCIDENTAL RELEASE MEASURES

Occupational Release: Remove sources of ignition. Do not touch spilled material. Absorb small spills with sand or other non-combustible material. Collect spilled material in appropriate container for proper disposal.

Disposal: Refer to Section 13, "Disposal Considerations".

7. HANDLING AND STORAGE

Storage: Store and handle in accordance with all current regulations and standards. Sealed ampoules should be stored in the dark at temperatures between 10 °C and 30 °C. Grounding and bonding required. Keep separated from incompatible substances. Subject to storage regulations: U.S. OSHA 29 CFR 1910.106.

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection".

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

Component: Methanol

OSHA (PEL): 200 ppm, 260 mg/m³ (TWA) ACGIH (TLV): 200 ppm (TWA); 250 ppm (STEL);

Skin – potential significant contribution to overall exposure by the cutaneous route.

NIOSH (REL): 200 ppm, 260 mg/m³ (TWA); 250 ppm, 325 mg/m³ (STEL); 6000 ppm (IDLH);

Potential for dermal absorption.

Component: 1,2-Dichloropropane

OSHA (PEL): 75 ppm, 350 mg/m³ (TWA) ACGIH (TLV): 10 ppm (TWA); 400 ppm (IDLH)

Ventilation: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Respirator: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29 CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye Protection: Wear safety goggles. An eyewash station and drench shower should be readily available near the handling and use areas.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: The physical and chemical data provided are for the pure components. Physical and chemical data for the solution are not available. For SRM solution density information, see the Certificate of Analysis.

Descriptive Properties	Methanol	1,2-Dichloropropane
	(concentration: 99 %)	(concentration: 1 %)
Molar Mass (g/mol):	32.04	112.99
Molecular Formula:	CH ₃ OH	$C_3H_7Cl_2$
Appearance (physical state, color, etc.):	clear, colorless, liquid	colorless, liquid
Odor:	alcohol odor	distinct odor
	(threshold 100 ppm)	(threshold 50 ppm)
Melting point/freezing point:	−94 °C (−137 °F)	−100 °C (−148°F)
Specific Gravity (water = 1):	0.7914	1.1560
Vapor Pressure:	97.25 mmHg at 20 °C	39.5 mmHg at 20 °C
Vapor Density (air = 1):	1.11	3.9
Viscosity:	0.59 cP at 20 °C	not available
Solubility(ies):	water: soluble	water: 0.26 % at 20 °C
	solvent: soluble in ether, benzene,	solvent: soluble in alcohol, ether,
	alcohol, acetone, chloroform,	benzene, chloroform, carbon
	ethanol, ketones, organic solvents	tetrachloride, organic solvents

MSDS 3009 Page 3 of 6

10. STABILITY AND REACTIVITY X Stable **Stability:** Unstable Conditions to Avoid: Avoid heat, flames, sparks, and other sources of ignition. Ampoules may rupture or explode if exposed to heat. Keep out of water supplies and sewers. Avoid inhalation of material or combustion by-products. Avoid contact with incompatible materials. Incompatible Materials: Halo carbons, combustible materials, metals, oxidizing materials, halogens, metal carbide, bases, acids, amines, and metal salts. Fire/Explosion Information: See Section 5, "Fire Fighting Measures". **Hazardous Decomposition:** Phosgene, chlorides, oxides of carbon. **Hazardous Polymerization:** Will Occur X Will Not Occur 11. TOXICOLOGICAL INFORMATION **Route of Entry:** X Inhalation X Skin X Ingestion Toxicity Data: End points listed by Registry of Toxic Effects of Chemical Substances (RTECS). Component: Methanol Rat, Oral LD50: 5628 mg/kg Rat, Inhalation LC50: 83.2 mg/L (4 h); 64 000 ppm (4 h) Rabbit, Skin LD50: 15 800 mg/kg **Component:** 1,2-Dichloropropane Rat. Oral LD50: 460 mg/kg Rat, Dermal LD50: >2000 mg/kg Rat, Inhalation LC50: 2000 ppm (4 h) **Irritation Data:** Component: Methanol Rabbit, eyes: 100 mg/24 h, moderate Rabbit, skin: 20 mg/24 h, moderate **Component:** 1,2-Dichloropropane Rabbit, eyes: 0.05 mL, mild; 500 mg, mild Rabbit, skin: 0.5 mL, mild **Health Effects:** See Section 2, "Hazards Identification" for potential health effects. Target Organs: Central nervous system. Medical Conditions Aggravated by Exposure: Allergies and disorders of the blood system, immune system, eye, skin, and kidney. Mutagen/Teratogen: The components of this material have been reviewed and the Registry of Toxic Effects of Chemical Substances (RTECS) publishes the following endpoints. **Component:** Methanol Tumorigenic: Rat, Inhalation TCLo: 1000 ppm (2 years) Mutagenic: Human: 300 mmol/L Reproductive: Rat, Inhalation TCLo: 2.6 mg/m³ (pregnant 1 d to 22 d) Rat, Oral TDLo: 6000 mg/kg (pregnant 17 d to 19 d) Mouse, Inhalation TCLo: 2000 ppm (7 h, pregnant 6 d to 15 d) **Component:** 1,2-Dichloropropane Tumorigenic: Rat, Oral TDLo: 128 750 mg/kg (103 week)

MSDS 3009 Page 4 of 6

Mutagenic:

Hamster: 660 mg/L

Reproductive: Rat, Oral TDLo: 1250 mg/kg (pregnant 6 d to 15 d)

12. ECOLOGICAL INFORMATION

Ecotoxicity Data

Component: Methanol

Fish Toxicity: Rainbow trout (Oncorhynchus mykiss) LC50 (static): 18 mL/L to 20 mL/L (96 h)

Component: 1,2-Dichloropropane

Fish Toxicity: Bluegill (Lepomis macrochirus) LC50 (static): 220 mg/L to 340 mg/L (96 h)

Invertebrate: Water flea (Daphnia magna) LC50: 45 mg/L (48 h)

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose in accordance with all applicable federal, state, and local requirements. Subject to disposal regulations: U.S. EPA 40 CFR 262; Hazardous Waste Number(s): U154 (methanol); U083 (1,2-dichloropropane).

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1230, Methanol solution, Hazard Class 3 (6.1), Packing Group II, Excepted Qty: Yes, E2.

15. REGULATORY INFORMATION

U.S. Regulations

CERCLA Sections 102a/103 (40 CFR 302.4): 5000 lb (2270 kg) final RQ for methanol;

1000 lb (454 kg) final RQ for 1,2-dichloropropane.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Methanol de minimis concentration 1.0 %;

1,2-Dichloropropane de minimis concentration 1.0 %.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21)

ACUTE HEALTH: Yes CHRONIC HEALTH: Yes FIRE: Yes REACTIVE: No PRESSURE: No

State Regulations

California Proposition 65: WARNING! This product contains chemicals known to the state of California to cause reproductive/developmental effects (methanol) and cancer (1,2-dichloropropane). Keep out of water supplies and sewers.

Canadian Regulations

WHMIS Information: Not provided for this material.

European Regulations

Component: Methanol

EC Classification: F – Highly Flammable, T – Toxic (Concentration ≥20 %)

EC Risk Phrases:

R11 – Highly flammable.

R23/24/25 – Toxic by inhalation, in contact with skin and if swallowed.

R39/23/24/25 – Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed.

EC Safety Phrases:

S7 – Keep container tightly closed.

S16 – Keep away from sources of ignition – No smoking.

S36/37 – Wear suitable protective clothing and gloves.

S45 – In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

MSDS 3009 Page 5 of 6

Component: 1,2-Dichloropropane

EC Classification: F+ – Highly flammable; Xn – Harmful

EC Risk Phrases:

R11 – Highly flammable.

R20/22 – Harmful by inhalation and if swallowed.

EC Safety Phrases:

S16 – Keep away from sources of ignition - No smoking.

S24 – Avoid contact with skin.

National Inventory Status

U.S. Inventory (**TSCA**): Methanol and 1,2-dichloropropane are listed.

TSCA 12(b), Export Notification: Section 4, 1 % de minimus concentration for 1,2-dichloropropane. Methanol not listed.

16. OTHER INFORMATION

Sources: ChemADVISOR, Inc., MSDS *Methyl Alcohol*, 03 December 2012.

ChemADVISOR, Inc., MSDS Propylene Dichloride, 03 December 2012.

EC; European Chemical Substance Information System (ESIS), *1,2-Dichloropropane*, CAS No. 78-87-5; available at http://esis.jrc.ec.europa.eu/ (accessed Apr 2013).

EC; ESIS, Methanol, CAS No. 67-56-1; available at http://esis.jrc.ec.europa.eu/ (accessed Apr 2013).

Disclaimer: Physical and chemical data contained in this MSDS are provided only for use in assessing the hazardous nature of the material. The MSDS was prepared carefully, using current references; however, NIST does not certify the data in the MSDS. The certified values for this material are given in the NIST Certificate of Analysis.

MSDS 3009 Page 6 of 6