

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 4943

SRM Name: Chlorine-36 Radioactivity Standard **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended primarily for the calibration of instruments that are used to measure radioactivity and for the monitoring of radiochemical procedures. A unit of SRM 4943 consists of a flame-sealed borosilicate-glass ampoule containing 3 mL of a 0.0034 M (0.02 %) sodium chloride (NaCl) solution in which a certified quantity of chlorine-36 is dissolved.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

 Telephone:
 301-975-2200
 Emergency Telephone ChemTrec:

 FAX:
 301-948-3730
 1-800-424-9300 (North America)

 E-mail:
 SRMMSDS@nist.gov
 +1-703-527-3887 (International)

Website: http://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Radiological Hazard

Warning: THIS MATERIAL SHOULD ONLY BE USED BY PERSONS QUALIFIED TO HANDLE RADIOACTIVE MATERIAL!

This product contains licensed radioactive material and is therefore subject to the requirements of 10 CFR Part 20 (e.g., public and occupational exposure limits, waste disposal). At a minimum, the basic radiation safety principles of time, distance, and shielding, and appropriate radiation contamination control should be practiced to avoid/minimize any external and/or internal exposure. Consult with your Radiation Safety office for your facility's radiation safety requirements/precautions specific to the radionuclide(s) (including its activity and chemical/physical form) in this Radioactive SRM.

SRM 4943 is a radioactive material, Chlorine-36, with a massic activity of 10.95 kBq•g⁻¹ in a sodium chloride solution. Chlorine-36 decays by beta-particle emission.

Classification

Physical Hazard: There are no known physical hazards associated with this material.

Health Hazard: Not classified.

Label Elements

Symbol: No symbol/No pictogram. **Signal Word:** No signal word.

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: None.

Ingredients(s) with Unknown Acute Toxicity: None.

SRM 4943 Page 1 of 6

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Radioactive Chlorine-36 solution.

Other Designations: Sodium chloride (NaCl; sodium monochloride; salt)

Chlorine-36 (not applicable).

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate.

| Components | CAS Number | EC Number (EINECS) | Nominal Mass Concentration (%) |
|-----------------------|------------|--------------------|--------------------------------|
| Sodium chloride | 7647-14-5 | 231-598-3 | 0.02 |
| Chlorine-36 | 13981-43-6 | not applicable | 0.0009 |
| Water (non-hazardous) | 7732-18-5 | 231-791-2 | >99.9 |

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Rinse affected area with copious amounts of water followed by washing with soap and water for at least 15 minutes while removing contaminated clothing. Seek medical attention, if needed.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 30 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Wash out mouth with water, but do not induce vomiting. Seek medical aid at once, and bring the container or label.

Most Important Symptoms/Effects, Acute and Delayed: Not applicable.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: No information available.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 0 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

This material is radioactive. DO NOT touch spilled material. Immediately notify safety personnel of a spill.

Personal Precautions, Protective Equipment, Methods and Materials for Containment and Clean up:

Radiological Emergency Procedures:

The following is a guide for first responders. The following actions, including remediation, should be carried out by qualified individuals. In cases where a life-threatening injury occurs concurrent with personal contamination, treat the injury first.

Do not touch damaged packages or spilled material. Handle as a radioactive material spill. In addition to those actions described below, the guidelines in the Emergency Response Guidebook (ERG) provide more specific measures that should be followed.

SRM 4943 Page 2 of 6

Spill and Leak Control:

Alert and clear everyone from the area affected by the spill.

Take actions to limit the spread of contamination.

Summon aid.

Damage to the Radioactive Source:

Evacuate the immediate vicinity around the source.

Place a barrier at a safe distance from the source.

Identify area as a radiation hazard.

Suggested Emergency Protective Equipment:

Gloves

Footwear Covers

Outer layer or easily removed protective clothing (as situation requires)

7. HANDLING AND STORAGE

Safe Handling Precautions and Storage: This material is radioactive. Store and handle in accordance with all current regulations and standards. See NRC 10 CFR 20 or state regulations. See Section 8, "Exposure Controls and Personal Protection".

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

No established exposure limits for this solution.

Chlorine-36

ALI_{inh}: 200 μCi or 7.4 MBq (See NRC 10 CFR 20 Appendix B)

ALI_{ing}: 2000 μCi or 74 MBq

OSHA: See OSHA 29 CFR and NRC 10 CFR 20.

ACGIH: See International Commission on Radiological Protection guidelines

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Wear protective clothing to prevent contact with skin. Wear appropriate gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Descriptive Properties: | Water (>99 % of this SRM) |
|--|---------------------------|
| Appearance (physical state, color, etc.): | clear, colorless liquid |
| Molecular Formula: | H_2O |
| Molar Mass (g/mol): | 18.02 |
| Odor: | odorless |
| Odor threshold: | not available |
| pH: | 7 |
| Evaporation rate: | not available |
| Melting point/freezing point (°C): | 0 (32 °F) |
| Relative Density (g/L) as specific gravity (water = 1): | 1 |
| Vapor Pressure (mmHg): | 17.5 at 20 °C |
| Vapor Density (air = 1): | not available |
| Viscosity (cP): | not available |
| Solubility(ies): | not available |
| Partition coefficient (n-octanol/water): | not available |

SRM 4943 Page 3 of 6

Thermal Stability Properties: Water (>99 % of this SRM) **Autoignition Temperature (°C):** not available Thermal Decomposition (°C): not available 100 (212 °F) Initial boiling point and boiling range (°C): **Explosive Limits, LEL (Volume %):** not available **Explosive Limits, UEL (Volume %):** not available Flash Point (°C): not available Flammability (solid, gas): not available 10. STABILITY AND REACTIVITY **Reactivity:** Stable at normal temperatures and pressure. **Stability:** Stable Unstable X Possible Hazardous Reactions: None listed. Conditions to Avoid: None reported. **Incompatible Materials:** No data available. **Fire/Explosion Information:** See Section 5, "Fire Fighting Measures". **Hazardous Decomposition:** No data available. **Hazardous Polymerization:** Will Occur X Will Not Occur 11. TOXICOLOGICAL INFORMATION **Route of Exposure:** X Inhalation X Skin X Ingestion Symptoms Related to the Physical, Chemical and Toxicological Characteristics: No adverse effects reported. Potential Health Effects (Acute, Chronic and Delayed): **Inhalation:** No adverse effects reported. **Skin Contact:** No adverse effects reported. **Eye Contact:** No adverse effects reported. **Ingestion:** No adverse effects reported. **Numerical Measures of Toxicity:** Acute Toxicity: Not classified. Water, Rat, Oral LD50: >90 g/kg Sodium Chloride, Rat, Oral LD50: 3 g/kg Sodium Chloride, Rat, Inhalation LC50: >42 g/m³ (1 h) Skin Corrosion/Irritation: No data available. **Serious Eye Damage/Eye Irritation:** No data available. **Respiratory Sensitization:** No data available. Skin Sensitization: No data available. Germ Cell Mutagenicity: No data available. **Carcinogenicity:** No data available. X No Listed as a Carcinogen/Potential Carcinogen Sodium chloride is not listed by NTP, IARC or OSHA as a carcinogen. Radiological Hazard: Chlorine-36 Ionizing radiation is a known carcinogen.

SRM 4943 Page 4 of 6

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity, Single Exposure: No data available.

Specific Target Organ Toxicity, Repeated Exposure: No data available.

Aspiration Hazard: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: Sodium Chloride.

Fish: bluegill (Lepomis macrochirus) LC50 (flow-through): 5560 mg/L to 6080 mg/L (96 h)

Invertebrate: water flea (Daphnia magna) EC50 (static): 1000 mg/L (48 h)

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: This material is radioactive. Dispose in accordance with all applicable federal, state, and local regulations for **RADIOACTIVE** materials. See NRC 10 CFR 20 subpart K.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA:

Primary Risk: Not regulated by DOT or IATA.

Subsidiary Risk: Not radioactive for shipping purposes.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: No. CHRONIC HEALTH: No. FIRE: No. REACTIVE: No. PRESSURE: No.

State Regulations:

California Proposition 65: No components are regulated.

U.S. TSCA Inventory: Sodium chloride is listed.

TSCA 12(b), Export Notification: No components are listed.

Canadian Regulations: WHMIS Information is not provided for this material.

SRM 4943 Page 5 of 6

16. OTHER INFORMATION

Issue Date: 06 May 2015

Sources: ChemAdvisor, Inc., SDS *Sodium Chloride*, 20 March 2015.

ChemAdvisor, Inc., SDS Water, 20 March 2015.

OSHA 29 CFR, Subpart Z, Ionizing radiation, 1910.1096. NRC 10 CFR 20, Standards for Protection Against Radiation.

DOT 49 CFR 173, Shippers General Requirements for Shipments and Packages.

Key of Acronyms:

| ACGIH | American Conference of Governmental Industrial | NIOSH | National Institute for Occupational Safety and |
|--------------|--|-------|--|
| | Hygienists | | Health |
| ALI | Annual Limit on Intake | NIST | National Institute of Standards and Technology |
| CAS | Chemical Abstracts Service | NRC | Nuclear Regulatory Commission |
| CEN | European Committee for Standardization | NTP | National Toxicology Program |
| CERCLA | Comprehensive Environmental Response, | OSHA | Occupational Safety and Health Administration |
| | Compensation, and Liability Act | | |
| CFR | Code of Federal Regulations | PEL | Permissible Exposure Limit |
| CPSU | Coal Mine Dust Personal Sample Unit | RCRA | Resource Conservation and Recovery Act |
| DOT | Department of Transportation | REL | Recommended Exposure Limit |
| EC50 | Effective Concentration, 50 % | RM | Reference Material |
| EINECS | European Inventory of Existing Commercial Chemical | RQ | Reportable Quantity |
| | Substances | | |
| EPCRA | Emergency Planning and Community Right-to-Know | RTECS | Registry of Toxic Effects of Chemical Substances |
| | Act | | |
| IARC | International Agency for Research on Cancer | SARA | Superfund Amendments and Reauthorization Act |
| IATA | International Air Transportation Agency | SCBA | Self-Contained Breathing Apparatus |
| IDLH | Immediately Dangerous to Life and Health | SRM | Standard Reference Material |
| ISO | International Organization for Standardization | STEL | Short Term Exposure Limit |
| LC50 | Lethal Concentration, 50 % | TDLo | Toxic Dose Low |
| LD50 | Lethal Dose, 50 % | TLV | Threshold Limit Value |
| LEL | Lower Explosive Limit | TPQ | Threshold Planning Quantity |
| MSDS | Material Safety Data Sheet | TSCA | Toxic Substances Control Act |
| NFPA | National Fire Protection Association | TWA | Time Weighted Average |
| MSHA | Mine Safety and Health Administration | UEL | Upper Explosive Limit |
| | • | WHMIS | Workplace Hazardous Materials Information System |
| | | | - |

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of this material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 4943 Page 6 of 6