

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 4927g

SRM Name: Hydrogen-3 Radioactivity Standard **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) consists of a solution of tritiated water (³H labeled oxidane) having a standardized and certified quantity of radioactive hydrogen-3 in a suitably stable and homogeneous matrix. It is intended primarily for the calibration of instruments that are used to measure radioactivity and for the monitoring of radiochemical procedures. A unit of SRM 4927g consists of approximately 5 mL of tritiated water in a flame-sealed borosilicate-glass ampoule.

Emergency Telephone ChemTrec:

(North America)

(International)

1-800-424-9300

+1-703-527-3887

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 FAX: 301-948-3730 E-mail: SRMMSDS@nist.gov Website: http://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Radiological Hazard

Warning: THIS MATERIAL SHOULD ONLY BE USED BY PERSONS QUALIFIED TO HANDLE RADIOACTIVE MATERIAL!

SRM 4927g is a radioactive material, Hydrogen-3, with a massic activity of approximately 544 kBq•g⁻¹ in water. Hyrdrogen-3 decays by beta-particle emission. During the process no photons are emitted.

Classification

Physical Hazard: There are no known physical hazards associated with this material.

Health Hazard: Not classified.

Label Elements

Symbol: No symbol/No pictogram. **Signal Word:** No signal word.

Hazard Statement(s): Not applicable.

Precautionary Statement(s): Not applicable.

Hazards Not Otherwise Classified: None.

Ingredients(s) with Unknown Acute Toxicity: None.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Hydrogen-3 in water. **Other Designations:** Tritium.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate.

SRM 4927g Page 1 of 6

Non-Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)	
Water	7732-18-5	231-791-2	>99	
Hydrogen-3	10028-17-8	233-070-8	0.000 000 1	

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Rinse affected area with copious amounts of water followed by washing with soap and water for at least 15 minutes while removing contaminated clothing. Seek medical attention, if needed.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 30 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Wash out mouth with water, but do not induce vomiting. Seek medical aid at once, and bring the container or label.

Most Important Symptoms/Effects, Acute and Delayed: Not applicable.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: No information available.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings: (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 0 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

This material is radioactive. DO NOT touch spilled material. Immediately notify safety personnel of a spill.

Personal Precautions, Protective Equipment, Methods and Materials for Containment and Clean up:

Radiological Emergency Procedures:

The following is a guide for first responders. The following actions, including remediation, should be carried out by qualified individuals. In cases where a life-threatening injury occurs concurrent with personal contamination, treat the injury first.

Do not touch damaged packages or spilled material. Handle as a radioactive material spill. In addition to those actions described below, the guidelines in the Emergency Response Guidebook (ERG) provide more specific measures that should be followed.

Spill and Leak Control:

Alert and clear everyone from the area affected by the spill.

Take actions to limit the spread of contamination.

Summon aid.

Damage to the Radioactive Source:

Evacuate the immediate vicinity around the source.

Place a barrier at a safe distance from the source.

Identify area as a radiation hazard.

SRM 4927g Page 2 of 6

Suggested Emergency Protective Equipment:

Gloves

Footwear Covers

Outer layer or easily removed protective clothing (as situation requires)

7. HANDLING AND STORAGE

Safe Handling Precautions and Storage: This material is radioactive. Store and handle in accordance with all current regulations and standards. See NRC 10 CFR 20 or state regulations. See Section 8, "Exposure Controls and Personal Protection".

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

Hydrogen-3

ALI_{inh}: 8.00E+04 μCi or 2.96 GBq (See NRC 10 CFR 20 Appendix B)

ALI_{ing}: 8.00E+04 μCi or 2.96 GBq

OSHA: See OSHA 29 CFR and NRC 10 CFR 20.

ACGIH: See International Commission on Radiological Protection guidelines

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Wear protective clothing to prevent contact with skin. Wear appropriate gloves.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:	Water (>99 % of this SRM)
Appearance (physical state, color, etc.):	clear, colorless liquid
Molecular Formula:	H_2O
Molar Mass (g/mol):	18.02
Odor:	odorless
Odor threshold:	not available
pH:	7
Evaporation rate:	not available
Melting point/freezing point (°C):	0 (32 °F)
Relative Density (g/L) as specific gravity (water = 1):	1
Vapor Pressure (mmHg):	17.5 at 20 °C
Vapor Density (air = 1):	not available
Viscosity (cP):	not available
Solubility(ies):	not available
Partition coefficient (n-octanol/water):	not available
Thermal Stability Properties:	
Autoignition Temperature (°C):	not available
Thermal Decomposition (°C):	not available
Initial boiling point and boiling range (°C):	100 (212 °F)
Explosive Limits, LEL (Volume %):	not available
Explosive Limits, UEL (Volume %):	not available
Flash Point (°C):	not available
Flammability (solid, gas):	not available
-	

SRM 4927g Page 3 of 6

10. STABILITY AND REACTIVITY
Reactivity: Stable at normal temperatures and pressure.
Stability: X Stable Unstable
Possible Hazardous Reactions: None listed.
Conditions to Avoid: None reported.
Incompatible Materials: No data available.
Fire/Explosion Information: See Section 5, "Fire Fighting Measures".
Hazardous Decomposition: No data available.
Hazardous Polymerization: Will Occur X Will Not Occur
11. TOXICOLOGICAL INFORMATION
Route of Exposure: X Inhalation X Skin X Ingestion
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: No adverse effects reported.
Potential Health Effects (Acute, Chronic and Delayed):
Inhalation: No adverse effects reported.
Skin Contact: No adverse effects reported.
Eye Contact: No adverse effects reported.
Ingestion: No adverse effects reported.
Numerical Measures of Toxicity:
Acute Toxicity: Not classified. Water: Rat, Oral LD50: >90 g/kg
Skin Corrosion/Irritation: No data available.
Serious Eye Damage/Irritation: No data available.
Respiratory Sensitization: No data available.
Skin Sensitization: No data available.
Germ Cell Mutagenicity: No data available.
Carcinogenicity: No data available.
Listed as a Carcinogen/Potential Carcinogen Yes X No Not applicable.
Radiological Hazard: Hydrogen-3 Ionizing radiation is a known carcinogen.
Reproductive Toxicity: No data available.
Specific Target Organ Toxicity, Single Exposure: No data available.
Specific Target Organ Toxicity, Repeated Exposure: No data available.
Aspiration Hazard: No data available.
12. ECOLOGICAL INFORMATION
Ecotoxicity Data: No ecotoxicity data listed.
Persistence and Degradability: No data available.
Bioaccumulative Potential: No data available.

Other Adverse Effects: No data available.

Mobility in Soil: No data available.

SRM 4927g Page 4 of 6

13. DISPOSAL CONSIDERATIONS

Waste Disposal: This material is radioactive. Dispose in accordance with all applicable federal, state, and local regulations for **RADIOACTIVE** materials. See NRC 10 CFR 20 subpart K.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA:

Primary Risk: Not regulated by DOT or IATA.

Subsidiary Risk: Not radioactive for shipping purposes.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: No. CHRONIC HEALTH: No. FIRE: No. REACTIVE: No. PRESSURE: No.

State Regulations:

California Proposition 65: No components are regulated.

U.S. TSCA Inventory: Water is listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information is not provided for this material.

16. OTHER INFORMATION

Issue Date: 02 October 2015

Sources: ChemAdvisor, Inc., SDS Water, 20 March 2015.

United States National Library of Medicine, *ChemIDplus Database*, *Tritium Radioactive CAS # 10028-17-8*; available at http://toxnet.nlm.nih.gov/ (accessed Oct 2015).

OSHA 29 CFR, Subpart Z, Ionizing radiation, 1910.1096.

NRC 10 CFR 20, Standards for Protection Against Radiation.

DOT 49 CFR 173, Shippers General Requirements for Shipments and Packages.

SRM 4927g Page 5 of 6

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NIOSH	National Institute for Occupational Safety and Health
ALI	Annual Limit on Intake	NIST	National Institute of Standards and Technology
CAS	Chemical Abstracts Service	NRC	Nuclear Regulatory Commission
CEN	European Committee for Standardization	NTP	National Toxicology Program
CERCLA	Comprehensive Environmental Response,		Occupational Safety and Health Administration
	Compensation, and Liability Act		
CFR	Code of Federal Regulations	PEL	Permissible Exposure Limit
CPSU	Coal Mine Dust Personal Sample Unit	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation		Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical		Reportable Quantity
	Substances		
EPCRA	Emergency Planning and Community Right-to-Know		Registry of Toxic Effects of Chemical Substances
	Act		
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transportation Agency		Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
ISO	International Organization for Standardization	STEL	Short Term Exposure Limit
LC50	Lethal Concentration, 50 %		Toxic Dose Low
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
MSDS	Material Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
MSHA	Mina Cafaty and Health Administration	UEL	Upper Explosive Limit
	Mine Safety and Health Administration	ULL	Opper Explosive Ellilit

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of this material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 4927g Page 6 of 6