

# SAFETY DATA SHEET

#### 1. SUBSTANCE AND SOURCE IDENTIFICATION

**Product Identifier** 

SRM Number: 2589

**SRM Name:** Powdered Paint (Nominal Mass Fraction of 10 % Lead)

Other Means of Identification: Not applicable.

#### Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use in the evaluation of methods and for the calibration of apparatus used to determine lead in paint. A unit of SRM 2589 consists of 35 g of powdered paint material, 99+% of which passes a  $100 \mu m$  (No. 145) sieve.

#### **Company Information**

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 Emergency Telephone ChemTrec: FAX: 301-948-3730 1-800-424-9300 (North America) E-mail: SRMMSDS@nist.gov +1-703-527-3887 (International) Website: http://www.nist.gov/srm

# 2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

**Health Hazard:** Carcinogen – Category 1B

Reproductive Toxicity - Category 1A

Specific Target Organ Toxicity, Repeated Exposure - Category 2

# Label Elements Symbol:



# Signal Word: DANGER

## **Hazard Statement(s):**

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May causes damage to organs (nervous system, kidneys, liver, blood) through prolonged or

repeated exposure.

#### **Precautionary Statement(s):**

P201 Obtain special instructions before use (see Certificate of Analysis).
P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash hands thoroughly after handling.

P270 + P271 Do not eat, drink or smoke when using this product. Use only in a well-ventilated area.

P280 Wear protective gloves, protective clothing, and eye protection.

SRM 2589 Page 1 of 6

P308 + 313 If exposed or concerned: Get medical attention.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulations.

Hazards Not Otherwise Classified: Not applicable.

**Ingredients(s) with Unknown Acute Toxicity:** Not applicable.

#### 3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Powdered paint

Other Designations: Not applicable.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate of Analysis. Lead carbonate is the main source of lead contained in this material. The hazard information in this Safety Data Sheet is for basic lead carbonate.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Powdered Paint	Not available	Not available	100
Individual Constituent(s) Basic lead carbonate	1319-46-6	215-290-6	12.5

#### 4. FIRST AID MEASURES

#### **Description of First Aid Measures:**

**Inhalation:** If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

**Skin Contact:** Wash skin with soap and water for at least 15 minutes. If necessary, seek medical attention.

**Eye Contact:** Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

**Ingestion:** If a large amount is swallowed, seek medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Cancer, birth defects, reproductive effects.

**Indication of any immediate medical attention and special treatment needed, if necessary:** If any of the above symptoms are present or suspected, seek medical attention if needed.

#### 5. FIRE FIGHTING MEASURES

**Fire and Explosion Hazards:** Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

#### **Extinguishing Media:**

Suitable: Use extinguishing media appropriate for the surrounding area.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

**Special Protective Equipment and Precautions for Fire-Fighters:** Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

**NFPA Ratings** (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

**Methods and Materials for Containment and Clean up:** Notify safety personnel of spills. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

SRM 2589 Page 2 of 6

#### 7. HANDLING AND STORAGE

Safe Handling Precautions: Avoid generating dust. See Section 8, "Exposure Controls and Personal Protection".

**Storage:** Store and handling in accordance with all current regulations and standards.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Exposure Limits:**

OSHA (PEL): 15 mg/m<sup>3</sup> TWA (total particulates, PNOR)

5 mg/m<sup>3</sup> TWA (respirable particulates, PNOR)

$$\begin{split} NIOSH~(REL): & 0.05~mg/m^3~TWA~(as~Pb,~related~Lead~compounds) \\ NIOSH~(REL): & 100~mg/m^3~IDLH~(as~Pb,~related~Lead~compounds) \end{split}$$

**Engineering Controls:** Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

**Personal Protection:** In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

**Respiratory Protection:** If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

**Eye/Face Protection:** Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

**Skin and Body Protection:** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties:	Powdered Paint	Basic Lead Carbonate 12.5 %
Appearance (physical state, color, etc.):	white powder	not applicable
Molecular Formula:	not applicable	$(PbCO_3)_2 \cdot Pb(OH)_2$
Molar Mass (g/mol):	not applicable	775.70
Odor:	not available	odorless
Odor threshold:	not available	not available
pH:	not available	not available
Evaporation rate:	not available	not applicable
Melting point/freezing point (°C):	not available	not available
Relative Density (g/L):	not available	6.75 to 6.85 (relative to water)
Vapor Pressure (mmHg):	not available	not applicable
<b>Vapor Density (air = 1):</b>	not available	not applicable
Viscosity (cP):	not available	not applicable
Solubility(ies):	not available	insoluble in water and alcohol; soluble in dilute acids
Partition coefficient (n-octanol/water):	not available	not available
Particle Size	$\leq 100~\mu m$	not available

SRM 2589 Page 3 of 6

Thermal Stability Properties:	Powdered Paint	Basic Lead Carbonate 12.5 %			
Autoignition Temperature (°C):	not applicable	not available 400 (752 °F) decomposes not available not available not available			
Thermal Decomposition (°C):	not applicable				
Initial boiling point and boiling range (°C):	not applicable				
Explosive Limits, LEL (Volume %):	not applicable not applicable not applicable				
<b>Explosive Limits, UEL (Volume %):</b>					
Flash Point (°C)					
Flammability (solid, gas):	not applicable	not available			
10. STABILITY AND REACTIVITY					
Reactivity: Stable at normal temperatures and pressu	ire.				
Stability: X Stable U	Stability: X Stable Unstable				
Possible Hazardous Reactions: No data available.					
Conditions to Avoid: Generating dust.					
<b>Incompatible Materials:</b> No data available.					
Fire/Explosion Information: See Section 5, "Fire Fi	ighting Measures".				
Hazardous Decomposition: Oxides of lead and carb	oon.				
Hazardous Polymerization: Will Occur	X Will Not Occur				
11. TOXICOLOGICAL INFORMATION					
Route of Exposure: X Inhalation 2	X Skin	Ingestion			
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Fatigue, weakness, anorexia, anemia, jaundice, encephalopathy.					
Potential Health Effects (Acute, Chronic and Delay	yed):				
<b>Inhalation:</b> Acute health effects resulting from exposure to the lead carbonate in this material are unlikely. Chronic exposure to lead compounds may result in accumulation in body tissues resulting in adverse effects on the blood, nervous system, heart, kidneys, endocrine and reproductive systems. Lead has been shown to cause cancer and birth defects.					
Skin Contact: No toxicity data available; dust may result in mechanical irritation.					
Eye Contact: No toxicity data available; dust may cause mechanical irritation.					
<b>Ingestion:</b> Ingestion of this material is unlikely under normal conditions of use. Lead is a cumulative toxin and repeated exposures can cause high levels to build up. Over exposure to lead, or lead compounds either through acute or chronic exposure, can result in severe damage to the nervous system, urinary system, and reproductive system. Lead has been shown to cause cancer and birth defects.					
Numerical Measures of Toxicity:					
Acute Toxicity: Not classified: no data available.					

Acute Toxicity: Not classified; no data available.

**Skin Corrosion/Irritation:** Not classified; no data available.

Serious Eye damage/ Eye irritation: Not classified; no data available.

**Respiratory Sensitization:** Not classified; no data available.

Skin Sensitization: Not classified; no data available.

SRM 2589 Page 4 of 6 **Germ Cell Mutagenicity:** Not classified; no data available.

Carcinogenicity: Category 1B

Listed as a Carcinogen/Potential Carcinogen X Yes No

NTP lists lead compounds as "reasonably anticipated to be human carcinogens".

IARC lists inorganic lead compounds in Group 2A (probably carcinogenic to humans). Lead is not listed by OSHA.

**Reproductive Toxicity:** Category 1A; lead crosses the placenta and may affect the fetus causing birth defects, mental retardation, behavioral disorders, and death during the first year of childhood.

Specific Target Organ Toxicity, Single Exposure: Not classified; no data available.

Specific Target Organ Toxicity, Repeated Exposure: Category 2; lead can accumulate in body tissues.

Aspiration Hazard: Not applicable.

### 12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

**Persistence and Degradability:** No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

#### 14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: Not regulated by DOT or IATA.

#### 15. REGULATORY INFORMATION

#### **U.S. Regulations:**

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes. CHRONIC HEALTH: Yes. FIRE: No. REACTIVE: No. PRESSURE: No.

# **State Regulations:**

California Proposition 65:

WARNING! This product contains a chemical (lead) known to the state of California to cause cancer and reproductive/developmental effects.

**U.S. TSCA Inventory:** Basic lead carbonate is listed.

TSCA 12(b), Export Notification: Not listed.

#### **Canadian Regulations:**

WHMIS Information: Not provided for this material.

SRM 2589 Page 5 of 6

#### 16. OTHER INFORMATION

Issue Date: 20 March 2017

**Sources:** ChemAdvisor, Inc., MSDS *Basic Lead Carbonate*, 09 December 2015.

CDC; NIOSH; NIOSH Pocket Guide to Chemical Hazards; Department of Health and Human Services (DHHS), Centers for Disease Control and Prevention (CDC), National Institute for Safety and Health; Particulates Not Otherwise Regulated, 4 April 2011; available at

http://www.cdc.gov/niosh/npg/npgd0480.html (accessed Mar 2017).

#### **Key of Acronyms:**

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response,	PEL	Permissible Exposure Limit
	Compensation, and Liability Act		1
CFR	Code of Federal Regulations	PNOR	Particulates Not Otherwise Regulated
DOT	Department of Transportation	RCRA	Resource Conservation and Recovery Act
EC50	Effective Concentration, 50 %	REL	Recommended Exposure Limit
EINECS	European Inventory of Existing Commercial	RM	Reference Material
	Chemical Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RQ	Reportable Quantity
	Act		
IARC	International Agency for Research on Cancer	RTECS	Registry of Toxic Effects of Chemical Substances
IATA	International Air Transport Association	SARA	Superfund Amendments and Reauthorization Act
IDLH	Immediately Dangerous to Life and Health	SCBA	Self-Contained Breathing Apparatus
LC50	Lethal Concentration, 50 %	SRM	Standard Reference Material
LD50	Lethal Dose, 50 %	STEL	Short Term Exposure Limit
LEL	Lower Explosive Limit	TLV	Threshold Limit Value
MSDS	Material Safety Data Sheet	TPQ	Threshold Planning Quantity
NFPA	National Fire Protection Association	TSCA	Toxic Substances Control Act
NIOSH	National Institute for Occupational Safety and Health	TWA	Time Weighted Average
NIST	National Institute of Standards and Technology	UEL	Upper Explosive Limit
		WHMIS	Workplace Hazardous Materials Information System

**Disclaimer:** Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 2589 Page 6 of 6