

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 331a

SRM Name: Copper Ore Mill Tails **Other Means of Identification:** Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended primarily for use in evaluating chemical and instrumental methods of analysis. A unit of SRM 331a consists of one bottle containing approximately 40 g of powder.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300

Gaithersburg, Maryland 20899-2300

 Telephone:
 301-975-2200
 Emergency Telephone ChemTrec:

 FAX:
 301-948-3730
 1-800-424-9300 (North America)

 E-mail:
 SRMMSDS@nist.gov
 +1-703-527-3887 (International)

Website: http://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Carcinogenic Category 1

STOT, Repeat Exposure Category 1

Label Elements

Symbol



Signal Word

Danger

Hazard Statement(s)

H350 May cause lung cancer.

H372 Causes damage to lungs through prolonged or repeat inhalation.

Precautionary Statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P280 Wear eye protection, protective gloves and clothing.
P308+P313 If exposed or concerned: Get medical attention.

P405 Store locked up.

P501 Dispose of contents and container in accordance with local regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

SRM 331a Page 1 of 6

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Copper ore mill tails (mixture of cuprite. silicates, pyrite, magnetite, chalcopyrite, and silica)

Other Designations: Not applicable.

Components are listed in this section for hazardous components (1 % or greater) and carcinogens (0.1 % or greater), required by OSHA, 29 CFR 1910.1200 (g)(2)(i)(C)(1), for SDS information. For actual concentrations, see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Copper Ore Mill Tails	not available	not available	100
Individual Components			
Cuprite	1308-76-5	not available	varies
Silicates	1335-30-4	215-628-2	varies
Pyrite	1309-36-0	215-167-7	varies
Magnetite	1309-38-2	215-169-8	varies
Chalcopyrite	1308-56-1	603-441-2	varies
Silica, crystalline quartz	14808-60-7	238-878-4	>0.1

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water.

Eye Contact: Flush eyes with water for at least 15 minutes. If necessary, seek medical attention.

Ingestion: If adverse effects occur after ingestion, seek medical treatment.

Most Important Symptoms/Effects, Acute and Delayed: Prolonged exposure to respirable silica particles can cause lung damage (silicosis) and cancer.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek medical attention if needed.

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. Avoid generating dust. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Regular dry chemical, carbon dioxide, water, regular foam.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: None listed.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 1 Fire = 0 Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Any accumulated material on surfaces should be removed and properly disposed of. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Collect spilled material in appropriate container for disposal. Keep out of water supplies and sewers. Keep unnecessary people away, isolate hazard area and deny entry.

SRM 331a Page 2 of 6

7. HANDLING AND STORAGE

Safe Handling Precautions: Minimize dust generation and accumulation on surfaces. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. See Section 8, "Exposure Controls and Personal Protection". Avoid contact with incompatible materials (see Section 10, "Stability and Reactivity").

Storage: Store and handle in accordance with all current regulations and standards.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits					
Components	OSHA (PEL)	ACGIH (TLV)	NIOSH (REL)		
Copper ore	No occupational limits established.				
Silica, crystalline quartz	TWA: 30/(SiO ₂ + 2) mg/m ³ (total dust)	TWA: 0.025 mg/m ³ (respirable fraction)	TWA: 0.05 mg/m ³ (respirable dust)		
	TWA: 10/(SiO ₂ +2) mg/m ³ (respirable fraction)	-	IDLH: 50 mg/m ³ (respirable dust)		
	TWA: $250/(SiO_2 + 5)$ mppcf (respirable fraction)				

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eye wash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

Descriptive Properties	Copper Ore
Appearance (physical state, color, etc.)	solid, fine powder
Molecular Formula	not available
Molar Mass (g/mol)	not available
Odor	not available
Odor threshold	not available
рН	not available
Evaporation rate	not available
Melting point/freezing point	not available
Specific Gravity (water=1)	not available
Vapor Pressure (mmHg)	not available
Vapor Density (air = 1)	not available
Viscosity (cP)	not available
Solubility(ies)	not available
Partition coefficient (n-octanol/water)	not available
Particle Size	not available

SRM 331a Page 3 of 6

Thermal Stability Properties	Copper Ore			
Autoignition Temperature	not available			
Thermal Decomposition	not available			
Initial boiling point and boiling range	not available			
Explosive Limits, LEL (Volume %)	not available			
Explosive Limits, UEL (Volume %)	not available			
Flash Point	not available			
Flammability (solid, gas)	not available			
10. STABILITY AND REACTIVITY				
Reactivity: Stable at normal temperatures and pressur	re.			
Stability: X Stable Uns	stable			
Possible Hazardous Reactions: None listed.				
Conditions to Avoid: Avoid generating dust. Avoid heat, flames, sparks, and other sources of ignitions. Avoid contact with incompatible materials.				
Incompatible Materials: Acids, bases, halogens, me	tal salts, metals, oxidizing materials, combustible materials.			
Fire/Explosion Information: See Section 5, "Fire Fi	ghting Measures".			
Hazardous Decomposition: Thermal decomposition	will produce oxides of phosphorus, silicon compounds.			
Hazardous Polymerization: Will Occur	X Will Not Occur			
11. TOXICOLOGICAL INFORMATION				
Route of Exposure: X Inhalation X	Skin Ingestion			
	Skin Ingestion I Toxicological Characteristics: May aggravate respiratory			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged	yed) d or repeated exposure to mixtures containing respirable silica			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi	I Toxicological Characteristics: May aggravate respiratory yed)			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation.	yed) d or repeated exposure to mixtures containing respirable silicang, pharyngitis, chronic bronchitis, emphysema, and silicosis.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage.	yed) d or repeated exposure to mixtures containing respirable silicang, pharyngitis, chronic bronchitis, emphysema, and silicosis.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation.	yed) d or repeated exposure to mixtures containing respirable silicang, pharyngitis, chronic bronchitis, emphysema, and silicosis.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation.	yed) d or repeated exposure to mixtures containing respirable silicang, pharyngitis, chronic bronchitis, emphysema, and silicosis.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation. Numerical Measures of Toxicity	yed) d or repeated exposure to mixtures containing respirable silicang, pharyngitis, chronic bronchitis, emphysema, and silicosis.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified.	yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available.	yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available. Serious Eye Damage/Eye Irritation: No data available.	yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezing Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damaged Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available. Serious Eye Damage/Eye Irritation: No data available. Respiratory Sensitization: No data available.	yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezing Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damaged Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available. Serious Eye Damage/Eye Irritation: No data available. Skin Sensitization: No data available.	yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezi Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available. Serious Eye Damage/Eye Irritation: No data available. Skin Sensitization: No data available. Germ Cell Mutagenicity: No data available.	yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e.			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezing Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damaged Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available. Serious Eye Damage/Eye Irritation: No data available. Skin Sensitization: No data available. Germ Cell Mutagenicity: No data available. Carcinogenicity: Category 1. Listed as a Carcinogen/Potential Carcinogen	A Toxicological Characteristics: May aggravate respiratory yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e. yailable. Yes No , carcinogenic to humans by IARC, known human carcinogen OSHA as a designated carcinogen. o: 50 mg/m³ (6 h)			
Symptoms Related to the Physical, Chemical and disorders. Potential Health Effects (Acute, Chronic, and Delay Inhalation: Irritation, cough phlegm. Prolonged may cause cough, expectoration, dyspnea, wheezing Skin Contact: May cause mechanical irritation. Eye Contact: May cause irritation or eye damage Ingestion: May cause irritation. Numerical Measures of Toxicity Acute Toxicity: Not classified. Skin Corrosion/Irritation: No data available. Serious Eye Damage/Eye Irritation: No data available. Skin Sensitization: No data available. Germ Cell Mutagenicity: No data available. Carcinogenicity: Category 1. Listed as a Carcinogen/Potential Carcinogen Silica, crystalline quartz is listed as Group 1, (respirable size) by NTP, and is not listed by Tumorigenic data: Rat, Inhalation, TCLe	A Toxicological Characteristics: May aggravate respiratory yed) d or repeated exposure to mixtures containing respirable silica ng, pharyngitis, chronic bronchitis, emphysema, and silicosis. e. yailable. Yes No , carcinogenic to humans by IARC, known human carcinogen OSHA as a designated carcinogen. o: 50 mg/m³ (6 h)			

SRM 331a Page 4 of 6

Specific Target Organ Toxicity, Repeated Exposure: Category 1, Lungs.

Repeated and prolonged exposure to respirable quartz may cause chronic bronchitis, emphysema, and silicosis.

Aspiration hazard: Not applicable.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data: No data available.

Persistence and Degradability: No data available. **Bioaccumulative Potential:** No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations.

14. Transportation Information

U.S. DOT and IATA: Not regulated by DOT or IATA.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Not regulated.

SARA Title III Section 302 (40 CFR 355.30): Not regulated.

SARA Title III Section 304 (40 CFR 355.40): Not regulated.

SARA Title III Section 313 (40 CFR 372.65): Not regulated.

OSHA Process Safety (29 CFR 1910.119): Not regulated.

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: No CHRONIC HEALTH: Yes FIRE: No REACTIVE: No PRESSURE: No

State Regulations:

California Proposition 65: Warning! This product contains a chemical (quartz) known to the state of California to cause cancer.

U.S. TSCA Inventory: Silicates, pyrite, magnetite, and silica are listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations: WHMIS Information is not provided for this material.

SRM 331a Page 5 of 6

16. OTHER INFORMATION

Issue Date: 11 October 2017

Sources: ChemADVISOR, Inc., SDS, *Cuprite*, 15 December 2014.

ChemADVISOR, Inc., SDS, Hydrated Aluminum Silicate, 15 December 2014.

ChemADVISOR, Inc., SDS, *Iron Pyrite*, 15 December 2014. ChemADVISOR, Inc., SDS, *Magnetite*, 15 December 2014. ChemADVISOR, Inc., SDS, *Chalcopyrite*, 15 December 2014.

ChemADVISOR, Inc., SDS, Quartz, 09 December 2015.

Key of Acronyms:

ACGIH	American Conference of Governmental Industrial Hygienists	NRC	Nuclear Regulatory Commission
ALI	Annual Limit on Intake	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OSHA	Occupational Safety and Health Administration
CERCLA	Comprehensive Environmental Response,	PEL	Permissible Exposure Limit
	Compensation, and Liability Act		1
CFR	Code of Federal Regulations	RCRA	Resource Conservation and Recovery Act
DOT	Department of Transportation	REL	Recommended Exposure Limit
EC50	Effective Concentration, 50 %	RM	Reference Material
EINECS	European Inventory of Existing Commercial Chemical	RQ	Reportable Quantity
	Substances		
EPCRA	Emergency Planning and Community Right-to-Know	RTECS	Registry of Toxic Effects of Chemical Substances
	Act		
IARC	International Agency for Research on Cancer	SARA	Superfund Amendments and Reauthorization Act
IATA	International Air Transport Association	SCBA	Self-Contained Breathing Apparatus
IDLH	Immediately Dangerous to Life and Health	SRM	Standard Reference Material
LC50	Lethal Concentration, 50 %	STEL	Short Term Exposure Limit
LD50	Lethal Dose, 50 %	TLV	Threshold Limit Value
LEL	Lower Explosive Limit	TPQ	Threshold Planning Quantity
SDS	Safety Data Sheet	TSCA	Toxic Substances Control Act
NFPA	National Fire Protection Association	TWA	Time Weighted Average
NIOSH	National Institute for Occupational Safety and Health	UEL	Upper Explosive Limit
NIST	National Institute of Standards and Technology	WHMIS	Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 331a Page 6 of 6