

Структура научной презентации

Простейший шаблон


Поляков Г. С.

2023-02-18

Российский университет дружбы народов, Москва, Россия

Информация

##Изучил информацию о mc, вызвав в командной строке `man mc` (рис. (fig:001?)).



```
Activities  Terminal  Пт, 24 марта 19:09  en  [Icons]  [Window Controls]
gsopolukov@ubuntu: ~
MC(1)
NAME
  mc - Visual shell for Unix-like systems.
SYNOPSIS
  mc [-abcdfhPstuvwx] [-l log] [dir1 [dir2]] [-e [file] ...] [-v file]
DESCRIPTION
  GNU Midnight Commander is a directory browser/file manager for Unix-like operating systems.
OPTIONS
  -a, --stickchars
      Disable usage of graphic characters for line drawing.
  -b, --nocolor
      Force black and white display.
  -c, --color
      Force color mode, please check the section Colors for more information.
  -C arg, --colors=arg
      Specify a different color set in the command line. The format of arg is documented in the Colors section.
  --configure:options
      Display configure options.
  -d, --nomouse
      Disable mouse support.
  -D N, --debugLevel=N
      Save the debug level for SMB VFS. N is in 0-10 range.
  -e [file], --edit[=file]
      Start the internal editor. If the file is specified, open it on startup. See also mcedit (1).
  -f, --datadir
      Display the compiled-in search paths for Midnight Commander files.
  -F, --datadir-info
      Display extended info about compiled-in paths for Midnight Commander.
  -g, --oldmouse
      Force a "normal tracking" mouse mode. Used when running on xterm-capable terminals (tmux/screen).
  -k, --resetsoft
      Reset softkeys to their default from the termincap/terminfo database. Only useful on HP terminals when the function keys don't work.
  -K file, --keymap=file
      Specify a name of keymap file in the command line.
  -l file, --ftptlog=file
      Save the ftpfs dialog with the server in file.
```