

# **Индивидуальный проект. Этап 1**

Поляков Глеб Сергеевич

# **Содержание**

<b>1 Цель работы</b>	<b>5</b>
<b>2 Задание</b>	<b>6</b>
<b>3 Выполнение индивидуального проекта</b>	<b>7</b>
<b>4 Выводы</b>	<b>10</b>
<b>Список литературы</b>	<b>11</b>

# Список иллюстраций

3.1 Установка Hugo . . . . .	7
3.2 Клонирование репозитория blog . . . . .	7
3.3 Применение Hugo к репозиторию . . . . .	8
3.4 Применение Hugo к репозиторию . . . . .	8
3.5 Добавление подмодуля gspolyakov.github.io . . . . .	9
3.6 Коммит изменений . . . . .	9

# **Список таблиц**

# **1 Цель работы**

Размещение на Github pages заготовки для персонального сайта.

## **2 Задание**

- Установить необходимое программное обеспечение.
- Скачать шаблон темы сайта.
- Разместить его на хостинге git.
- Установить параметр для URLs сайта.
- Разместить заготовку сайта на Github pages.

# 3 Выполнение индивидуального проекта


1. Установка Hugo с помощью Homebrew (рис. fig. 3.1).



```
gleb@glebs-MacBook-Air ~ % brew install hugo
Running `brew update --auto-update`...
Tapped 0 repositories, 0 packages
Updating Homebrew core
  Downloading https://ghcr.io/v2/Homebrew/core/hugo/manifests/0.110.0
  Downloading https://ghcr.io/v2/Homebrew/core/hugo/0.110.0/0.110.0--2023-02-23T11:3A55%3A08Z&sig=2vV
  Downloading from https://pkgs-containers.githubusercontent.com/gcr1/blobs/sha256:34dfc088d7e40bd328918c284d7c588f5101823a8cd80c123dd1a3b43b2aba?se=2023-02-23T11:3A55%3A08Z&sig=2vV
  Pouring hugo--0.110.0.arm64_ventura.bottle.tar.gz
  100% [=====] @ 120.0K
  0 errors, 0 warnings
  0 warnings have been installed in /opt/homebrew/share/zsh/site-functions
  0 warnings have been installed in /opt/homebrew/share/zsh/zsh-syntax-highlighting
  0 warnings have been installed in /opt/homebrew/cellar/hugo/0.110.0: 48 files, 56.2MB
Running `brew cleanup hugo`
Disable this behavior on GitHub Actions :: HOMEBREW_NO_INSTALL_CLEANUP
Hide these hints with HOMEBREW_NO_ENV_HINTS (see `man brew`).
```

Рис. 3.1: Установка Hugo

2. Клонирование репозитория blog (рис. fig. 3.2).



```
glebpolyakov@Glebs-MacBook-Air work % git clone --recursive https://github.com/gspolyakov/blog.git
Cloning into 'blog'...
remote: Enumerating objects: 103, done.
remote: Counting objects: 100% (103/103), done.
remote: Compressing objects: 100% (91/91), done.
remote: Total 103 (delta 3), reused 80 (delta 0), pack-reused 0
Receiving objects: 100% (103/103), 5.88 MiB | 1.19 MiB/s, done.
Resolving deltas: 100% (3/3), done.
glebpolyakov@Glebs-MacBook-Air work %
```

Рис. 3.2: Клонирование репозитория blog

3. Применение Hugo к репозиторию. (рис. fig. 3.3). (рис. fig. 3.4).

```
glebpolyakov@Glebs-MacBook-Air blog % ~bin/hugo
hugo: downloading modules ...
hugo: collected modules in 76483 ms
Start building sites ...
hugo v0.110.0+extended darwin/arm64 BuildDate=unknown

          | EN
-----
Pages      | 55
Paginator pages | 0
Non-page files | 16
Static files    | 9
Processed images | 72
Aliases        | 15
Sitemaps        | 1
Cleaned         | 0

Total in 79794 ms
glebpolyakov@Glebs-MacBook-Air blog % _
```

Рис. 3.3: Применение Hugo к репозиторию

Рис. 3.4: Применение Hugo к репозиторию

4. Добавление подмодуля gspolyakov.github.io (рис. fig. 3.5).

```
glebpol'yakov@gleb-MacBook-Air ~ % cd local/work/blog
glebpol'yakov@gleb-MacBook-Air ~ % git submodule add -b main git@github.com:gspolyakov/gspolyakov.github.io.git public
remote: Enumerating objects: 3, done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.
Resolving deltas: 100% (3/3), done.
The following paths are ignored by one of your .gitignore files:
public
hint: Use --force if you really want to add them.
hint: If you want to include this path anyway, use
hint: .git config advice.addDefaultIgnore false
[empty line]
glebpol'yakov@gleb-MacBook-Air ~ % git submodule add -b main git@github.com:gspolyakov/gspolyakov.github.io.git public
The following paths are ignored by one of your .gitignore files:
public
hint: Use --force if you really want to add them.
hint: Turn this message off by running
hint: git config advice.addDefaultIgnore false
[empty line]
glebpol'yakov@gleb-MacBook-Air ~ % git log %_IDEs
zsh: command not found: mc
[empty line]
glebpol'yakov@gleb-MacBook-Air ~ % blog % cat .gitignore
*_IDEs
*.idea
# Hugo
resources/
public/
jsonconfig.json
node_modules/
*.idea
*.hugo_build.lock
glebpol'yakov@gleb-MacBook-Air ~ % defaults write com.apple.finder AppleShowAllFiles TRUE
glebpol'yakov@gleb-MacBook-Air ~ % killall Finder
glebpol'yakov@gleb-MacBook-Air ~ % cat .gitignore
*_IDEs
# Hugo
resources/
public/
jsonconfig.json
node_modules/
*.idea
*.hugo_build.lock
glebpol'yakov@gleb-MacBook-Air ~ % git submodule add -b main git@github.com:gspolyakov/gspolyakov.github.io.git public
Adding existing repo 'public' to the index
glebpol'yakov@gleb-MacBook-Air ~ %
```

Рис. 3.5: Добавление подмодуля gspolyakov.github.io

5. Коммит изменений (рис. fig. 3.6).

```
last login: Plymouth@glebs-MacBook-Air ~ 16:59:19 on ttys000
Plymouth@glebs-MacBook-Air ~ % ls
Desktop  Documents  Downloads  Library  Movies  Pictures  Public  Sites  tmp
README.md  content  images  resources
academic.Rproj  data  metify.com  static
about.html  index.html  metify  theme.html
glebpolyakov@glebs-MacBook-Air ~ % cd public
glebpolyakov@glebs-MacBook-Air ~ % ls
index.html  publication-type
publications  publication-types
README.md  robots.txt
headers  robots.txt
index.json  slides
images  static
js  talk
meta  tags
authors  manifest
categories  tags
category  talk
post  update
css  publications
publication  updates
Everything up-to-date
glebpolyakov@glebs-MacBook-Air ~ % git remote -v
origin  https://github.com/glebpolyakov/glebpolyakov.github.io.git (fetch)
origin  https://github.com/glebpolyakov/glebpolyakov.github.io.git (push)
glebpolyakov@glebs-MacBook-Air ~ % git pull
glb@glebpolyakov@glebs-MacBook-Air ~ % git push origin main
Everything up-to-date
glebpolyakov@glebs-MacBook-Air ~ % git commit -m "Добавили сайт"
[master 1378900] Добавили сайт
 16 files changed, 44599 insertions(+)
create mode 100644 44599.html
create mode 100644 .htaccess
create mode 100644 .redirects
create mode 100644 .well-known/contect.html
create mode 100644 .well-known/privacypolicy.html
create mode 100644 authors/admin/avatar.jpg
create mode 100644 authors/admin/avatar_hu2d48f98018200107c68447a42e1387900_159_159_f111_975_lancos_center.jpg
create mode 100644 categories/index.html
create mode 100644 categories/page/1/index.html
create mode 100644 categories/page/2/index.html
create mode 100644 category/demo/page/1/index.html
create mode 100644 "category/1346_225_231_347_259_213/index.html"
create mode 100644 "category/1346_225_231_347_259_213/page/1/index.html"
create mode 100644 "category/1346_225_231_347_259_213/page/2/index.html"
create mode 100644 css/libs/chrome/dracula.min.css
create mode 100644 fonts/roboto/roboto.woff2
create mode 100644 css/vendor-bundle.main.16778cd5553441bd67512b35.css
create mode 100644 css/vendor-bundle.main.16778cd5553441bd67512b35.css.map
create mode 100644 js/vendor-bundle.main.0f2294abfebad1979ea357chdeffefab.js
create mode 100644 js/vendor-bundle.main.0f2294abfebad1979ea357chdeffefab.js.map
create mode 100644 events.xml
create mode 100644 index.json
create mode 100644 jasminthix-config.js
create mode 100644 js/vendor-bundle.main.d26399351abbff97a4bcb9e3e9829b.js
create mode 100644 js/vendor-bundle.main.e3a03333333333333333333333333333.js
create mode 100644 js/wowchemy-init.nlin.ec5499ca9e4a88dbd8f44177a28ed9.js
```

Рис. 3.6: Коммит изменений

## **4 Выводы**

Разместил на Github pages заготовки для персонального сайта.

# **Список литературы**