```
-- "VEHICULO"
-- "id placa", "descri vh"
INSERT INTO VEHICULO VALUES ("SAU90D", "Honda Negra");
INSERT INTO VEHICULO VALUES ("BYI10", "Yamaha Rojo");
INSERT INTO VEHICULO VALUES("HJA039","Fiat Rojo");
INSERT INTO VEHICULO VALUES("IPA699", "Dodge Verde");
INSERT INTO VEHICULO VALUES("SD456", "Zahara Morado");
INSERT INTO VEHICULO VALUES("MK2314214", "Monark Blanco");
INSERT INTO VEHICULO VALUES ("XFJ729", "VMW Negro");
-- "TIPO VEHICULO"
-- "id tipo vh", "nom tipo vh", "TARIFA id tarifa"
INSERT INTO TIPO_VEHICULO VALUES("PM1","tipo moto","TM01");
INSERT INTO TIPO VEHICULO VALUES ("PA1", "tipo auto", "TA01");
INSERT INTO TIPO VEHICULO VALUES ("PB1", "tipo bicicleta", "TB01");
-- "CONDUCTOR"
-- "id conductor", "nom cond", "ape1 cond", "ape2 cond"
INSERT INTO CONDUCTOR VALUES ("79850926", "Diego
Mauricio", "Sanchez", "Sierra");
INSERT INTO CONDUCTOR VALUES ("63483237", "Leidy Johana", "Vargas", "Muñoz");
INSERT INTO CONDUCTOR VALUES ("51599545", "Olga Lucia", "Pinzon", "Espitia");
INSERT INTO CONDUCTOR VALUES ("87246681", "Andres
Adolfo", "Henao", "Aqudelo");
INSERT INTO CONDUCTOR VALUES ("16611778", "Oscar Ivan", "Quiroz", "Gomez");
-- "PAROUEADERO"
-- "id parq", "dirección parq"
INSERT INTO PARQUEADERO VALUES ("PQ01", "Calle 109 15 - 45");
INSERT INTO PARQUEADERO VALUES ("PQ02", "Carrera 100 24 - 30");
-- "TARIFA"
INSERT INTO TARIFA VALUES("TM01","tarifa moto","60");
INSERT INTO TARIFA VALUES("TA01","tarifa auto","77");
INSERT INTO TARIFA VALUES("TB01", "tarifa bicicleta", "10");
-- "FUNCIONARIO"
-- "id funcionario", "nom fun", "apel fun", "ape2 fun", "PARQUEADERO id parq"
INSERT INTO FUNCIONARIO VALUES ("FQ101", "Carlos
Andrés", "Quijano", "Perea", "PQ01");
INSERT INTO FUNCIONARIO VALUES ("FQ102", "Juan
Camilo", "Rodriguez", "Sierra", "PQ01");
```

```
INSERT INTO FUNCIONARIO VALUES ("FQ103", "José
Fabian", "Ricaurte", "Betancourt", "PQ01");
INSERT INTO FUNCIONARIO VALUES ("FQ201", "Carlos
Andrés", "Quijano", "Perea", "PQ02");
INSERT INTO FUNCIONARIO
VALUES("FQ202", "Rafael", "Orozco", "Villamil", "PQ02");
-- "ESTADO"
-- "id estado", "nom estado"
INSERT INTO ESTADO VALUES("EOC", "estado ocupado");
INSERT INTO ESTADO VALUES("ELI", "estado libre");
-- "REGISTRO"
"id registro", "fecha entradayhora", "fecha salidayhora", "VEHICULO id placa
", "PARQUEADERO id parq"
INSERT INTO REGISTRO VALUES ("1", "2024-03-20 8:00:44", "2024-03-20
9:00:15", "SAU90D", "PQ01");
INSERT INTO REGISTRO VALUES ("2", "2024-03-20 8:05:23", "2024-03-20
10:25:00", "BYI10", "PQ01");
INSERT INTO REGISTRO VALUES ("3", "2024-03-20 8:10:40", "2024-03-20
17:30:03", "HJA039", "PQ02");
INSERT INTO REGISTRO VALUES ("4", "2024-03-21 10:11:30", "2024-03-21
13:25:30", "IPA699", "PQ01");
INSERT INTO REGISTRO VALUES("5","2024-03-21 10:30:15","2024-03-21
16:22:05", "SD456", "PQ02");
INSERT INTO REGISTRO VALUES ("6", "2024-03-21
14:13:35", "EOC", "MK2314214", "PQ01");
INSERT INTO REGISTRO VALUES ("7", "2024-03-22
7:00:00", "EOC", "XFJ729", "PQ02");
-- "FACTURADOR"
"id num factura", "totalizado horaminseg", "iva aplicado", "total monetizado
", "REGISTRO id registro"
INSERT INTO FACTURADOR VALUES ("FACO001", "0h59m31s", "19", "10000", "1");
INSERT INTO FACTURADOR VALUES ("FAC0002", "2h19m37s", "19", "20000", "2");
INSERT INTO FACTURADOR VALUES ("FACO003", "9h19m23s", "19", "30000", "3");
INSERT INTO FACTURADOR VALUES ("FACO004", "3h14m0s", "19", "40000", "4");
INSERT INTO FACTURADOR VALUES ("FAC0005", "5h51m50s", "19", "50000", "5");
INSERT INTO FACTURADOR VALUES ("FAC0006", "3h47m0s", "19", "60000", "6");
INSERT INTO FACTURADOR VALUES("FACO007", "9h45m0s", "19", "70000", "7");
```

```
-- "VEHICONDUTI"
"id veconti", "VEHICULO id placa", "CONDUCTOR id conductor", "TIPO VEHICULO
id tipo vh"
INSERT INTO VEHICONDUTI VALUES ("1", "SAU90D", "79850926", "PM1");
INSERT INTO VEHICONDUTI VALUES ("2", "BYI10", "63483237", "PM1");
INSERT INTO VEHICONDUTI VALUES ("3", "HJA039", "51599545", "PA1");
INSERT INTO VEHICONDUTI VALUES ("4", "IPA699", "79850926", "PA1");
INSERT INTO VEHICONDUTI VALUES ("5", "SD456", "87246681", "PB1");
INSERT INTO VEHICONDUTI VALUES("6", "MK2314214", "16611778", "PB1");
INSERT INTO VEHICONDUTI VALUES ("7", "XFJ729", "79850926", "PA1");
-- "BAHIA propuesta muchos a muchos"
-- "id bh", "nom tipo bh", "PARQUEADERO id parq"
INSERT INTO BAHIA VALUES ("P1BM1", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM2", "bahía moto", "P001");
INSERT INTO BAHIA VALUES("P1BM3", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM4","bahía moto","PQ01");
INSERT INTO BAHIA VALUES("P1BM5", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM6", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM7", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM8", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BM9", "bahía moto", "P001");
INSERT INTO BAHIA VALUES ("P1BM10", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM11", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM12", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM13", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BM14", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES("P1BM15", "bahía moto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA1", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA2", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES("P1BA3", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES("P1BA4", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES("P1BA5", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA6", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA7", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA8", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA9", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA10", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA11", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA12", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES("P1BA13", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA14", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA15", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA16", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA17", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA18", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA19", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA20", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES("P1BA21", "bahía auto", "PQ01");
```

```
INSERT INTO BAHIA VALUES ("P1BA22", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA23", "bahía auto", "P001");
INSERT INTO BAHIA VALUES ("P1BA24", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA25", "bahía auto", "P001");
INSERT INTO BAHIA VALUES("P1BA26", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA27", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA28", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA29", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA30", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA31", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA32", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA33", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA34", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA35", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA36", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA37", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BA38", "bahía auto", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB1", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB2", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB3", "bahía bici", "P001");
INSERT INTO BAHIA VALUES ("P1BB4", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES("P1BB5", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB6", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB7", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB8", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB9", "bahía bici", "PQ01");
INSERT INTO BAHIA VALUES ("P1BB10", "bahía bici", "P001");
INSERT INTO BAHIA VALUES ("P2BM1", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BM2", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES("P2BM3", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BM4", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BM5", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES("P2BM6", "bahía moto", "P002");
INSERT INTO BAHIA VALUES ("P2BM7", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BM8", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BM9", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES("P2BM10", "bahía moto", "PQ02");
INSERT INTO BAHIA VALUES("P2BA1", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA2", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA3", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA4", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA5", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA6", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA7", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA8", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES("P2BA9", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA10", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA11", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA12", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA13", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA14", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BA15", "bahía auto", "PQ02");
INSERT INTO BAHIA VALUES ("P2BB1", "bahía bici", "PQ02");
INSERT INTO BAHIA VALUES ("P2BB2", "bahía bici", "PQ02");
```

```
INSERT INTO BAHIA VALUES ("P2BB4", "bahía bici", "P002");
INSERT INTO BAHIA VALUES ("P2BB5", "bahía bici", "PQ02");
-- propuesta BAHIA has ESTADO muchos a muchos
--"id bh", "id estado"
INSERT INTO BAHIAESTADO VALUES ("P1BM1", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM2", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM3", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM4", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM5", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM6", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM7", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM8", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM9", "ELI");
INSERT INTO BAHIAESTADO VALUES("P1BM10","ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM11", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM12", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM13", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM14", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BM15", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA1", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA2", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA3", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA4", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA5", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA6", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA7", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA8", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA9", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA10", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA11", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA12", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA13", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA14", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA15", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA16", "ELI");
INSERT INTO BAHIAESTADO VALUES("P1BA17", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA18", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA19", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA20", "ELI");
INSERT INTO BAHIAESTADO VALUES("P1BA21", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA22", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA23", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA24", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA25", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA26", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA27", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA28", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA29", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA30", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA31", "ELI");
```

INSERT INTO BAHIA VALUES ("P2BB3", "bahía bici", "PQ02");

```
INSERT INTO BAHIAESTADO VALUES ("P1BA32", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA33", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA34", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA35", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA36", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA37", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BA38", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB1", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB2", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB3", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB4", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB5", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB6", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB7", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB8", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB9", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P1BB10", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM1", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM2", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM3", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM4", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM5", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM6", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM7", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM8", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM9", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BM10", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA1", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA2", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA3", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA4", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA5", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA6", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA7", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA8", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA9", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA10", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA11", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA12", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA13", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA14", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BA15", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BB1", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BB2", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BB3", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BB4", "ELI");
INSERT INTO BAHIAESTADO VALUES ("P2BB5", "ELI");
```