

ADVANCED FOOD-TECH SOLUTIONS · AFTS

FOOD SAFETY INTELLIGENCE SYSTEM

APRIL 2026

Monthly Pathogen Surveillance · April 2026	01 APR – 30 APR 2026	367 RECALLS	226 TIER-1	8 OUTBREAKS	LEADING: LISTERIA
--	----------------------	----------------	---------------	----------------	----------------------

367 TOTAL RECALLS	226 TIER-1 CRITICAL	8 OUTBREAKS
----------------------	------------------------	----------------

§ TOP 10 CRITICAL INCIDENTS · APRIL 2026

#	DATE	PATHOGEN	COMPANY / BRAND	PRODUCT	SOURCE
1	2026-04-09	Listeria T1 OUTBREAK	ΝΙΚΟΛΑΟΣ ΤΣΑΤΣΟΥΛΗΣ & ΥΙΟΙ O.E. Greece	Feta PDO in barrel (batch ΦΕ-2751, produced 2026-01-24, use-by 2027-07-24)	EFET (GR) view →
2	2026-04-02	E. coli / STEC T1 OUTBREAK	Raw Farm, LLC USA	Raw milk cheddar cheese — Original and Jalapeño varieties (shredded and 80 oz blocks)	FDA view →
3	2026-04-22	Salmonella T1 OUTBREAK	Good4U Ireland	Super Sprouts Super Greens, 60 g (use-by 2026-04-22, 2026-04-26, 2026-04-29, 2026-04-30, 2026-05-03)	FSAI (IE) view →
4	2026-04-22	Salmonella T1 OUTBREAK	Good4U United Kingdom	Super Sprouts Super Greens — specific batches	FSA (UK) view →
5	2026-04-21	Salmonella T1 OUTBREAK	Various pistachios and pistachio-containing products made at Kunafa's Canada	due to Salmonella - Canada.ca	CFIA view →
6	2026-04-21	Salmonella T1 OUTBREAK	Various pistachios and pistachio-containing products Canada	Various pistachios and pistachio-containing products	CFIA view →
7	2026-04-06	Salmonella T1 OUTBREAK	Multiple (Kaohsiung outbreak) Taiwan	Spring rolls — Kaohsiung outbreak cluster	BeaconBio (TW) view →
8	2026-04-17	Norovirus T1 OUTBREAK	Gomez Shellfish, LLC (WA-1724-SS) USA	Recalled shellfish — all species of shellstock (oysters, clams) harvested 2026-03-22 through 2026-04-09 from a portion of Hammersley Inlet, WA. Distributed to...	FDA view →
9	2026-04-14	C. botulinum T1	Liquid Blenz Corp USA	Good Brain Tonic 16 oz (UPC 860010984468) and 32 oz (UPC 860010984475) — all codes	FDA view →
10	2026-04-13	C. botulinum T1	Marché Rio Canada	Haitian spices in plastic container, refrigerated	MAPAQ QC view →