Manual Calibration Report

September 09, 2024

Preset Calibration Variables tpts: 3 ats: 2 wpts: 100 ht: 0.992088943446991

death: 0.00238095238095238 bow: 0.5 bpf: 0.5 n: 1

aup: 0.1 adown: 0.3 gdown: [0;0] nlose: 0.0159929084777832

A: 2.19408779144287 fcomp: 0.809754943847656 alpha_: 0.7 homeprod: 0.975646591186523

mnew: 2.62337875366211

lamu: 0.340119171142578 lam: 0.237618179321289

del: 0.00850244903564453 qup: [0.08;0.08]

Manual Calibration

September 09, 2024

cost

Grids Used

0.0236 0.5643 0.0371 0.6286 0.0507 0.6929 0.0643

0.7571 0.0779 0.8214 0.0914 0.8857 0.1050 0.9500 0.1186 1.0143 0.1321 1.0786 0.1457

1.1429 0.1593 1.2071 0.1729

1.2714

1.3357

1.4000

cost

0.1864

0.2000

0.0100 0.5000

Combinations Parameters in the Bottom Selection cost cost 0.0236 0.8214 0.0100 1.2714 0.8214 0.0371 0.8214 0.0507 0.8214 0.0236 0.8857 0.9500 0.0100 1.2071 1.2714 0.0643 0.9500 0.0236 1.0786



