Manual Calibration Report

September 11, 2024

```
Preset Calibration Variables
tpts: 7
ats. 5
wpts: 100
b+ · 0 992088943446991
death: 0.00238095238095238
bpw: 0.5
bpf: 0.5
n: 1
aup: 0.1
adown \cdot 0.3
gdown: [0:0:0:0:0]
ulose: 0.0159929084777832
A: 2.19408779144287
```

fcomp: 0.809754943847656

mnew: 2.62337875366211 lamu: 0.340119171142578 lam: 0.237618179321289 del: 0.00850244903564453

homeprod: 0.975646591186523

qup: [0.06;0.06;0.06;0.06;0.06]

alpham: 0.7

Manual Calibration

September 11, 2024

```
cost
cost_
0.0500 0.5000
0.0682 0.5727
0.0864 0.6455
0.1045 0.7182
0.1227 0.7909
0.1409 0.8636
0.1591
       0.9364
0.1773 1.0091
0.1955 1.0818
0.2136 1.1545
0.2318
     1.2273
0.2500
         1.3000
```

Grids Used

Combinations Parameters in the Bottom Selection cost. cost 0.0500 0.7909 0.0682 0.7909

0.0500

0.0864

0.1227

0.2500

0.1409

0.8636

0.8636

1.3000

1.2273

1.3000









